

Version	Revision Date:	Date of last issue: 18.08.2022	Print Date:
3.2	08.01.2025	Date of first issue: 05.07.2016	08.01.2025

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier		
Product name	:	OKS 221
1.2 Relevant identified uses of t	he s	substance or mixture and uses advised against
Use of the	:	Lubricant spray
Substance/Mixture		
Recommended restrictions on use	:	Restricted to professional users.
UT USE		
1.3 Details of the supplier of the	e saf	ety data sheet
Company	:	OKS Spezialschmierstoffe GmbH
		Ganghoferstr. 47 82216 Maisach-Gernlinden
		Deutschland
		Tel.: +49 8142 3051 500
		Fax: +49 8142 3051 599 info@oks-germany.com
		ino@oks-gemany.com
E-mail address of person responsible for the SDS	:	mcm@oks-germany.com
National contact	:	
1.4 Emergency telephone numb	ber	

#### 1.4 Emergency telephone number

Emergency telephone	:	+49 8142 3051 517
number		

# **SECTION 2: Hazards identification**

#### **2.1 Classification of the substance or mixture**

Classification (REGULATION (EC) No 1272/2008)				
Aerosols, Category 1	H222: Extremely flammable aerosol. H229: Pressurised container: May burst if heated.			
Serious eye damage, Category 1	H318: Causes serious eye damage.			
Specific target organ toxicity - single exposure, Category 3, Central nervous system	H336: May cause drowsiness or dizziness.			



### **SAFETY DATA SHEET** according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - DE



# **OKS 221**

VersionRevision Date:Date of last issue: 18.08.2022Print Date:3.208.01.2025Date of first issue: 05.07.201608.01.2025		Revision Date: 08.01.2025	Date of last issue: 18.08.2022 Date of first issue: 05.07.2016	Print Date: 08.01.2025
--	--	---------------------------	---	---------------------------

Aspiration hazard, Category 1

H304: May be fatal if swallowed and enters airways.

Long-term (chronic) aquatic hazard, Category 2 H411: Toxic to aquatic life with long lasting effects.

#### 2.2 Label elements

Labelling (REGULATION ( Hazard pictograms	(EC) :	No 1272/2008)	
Signal word	:	Danger	
Hazard statements	:	H222 H229 H304	Extremely flammable aerosol. Pressurised container: May burst if heated. May be fatal if swallowed and enters airways.
		H318 H336 H411	Causes serious eye damage. May cause drowsiness or dizziness. Toxic to aquatic life with long lasting effects.
Supplemental Hazard Statements	:	EUH066	Repeated exposure may cause skin dryness or cracking.
Precautionary statements	:	Prevention:	
		P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
		P211	Do not spray on an open flame or other ignition source.
		P251	Do not pierce or burn, even after use.
		P273	Avoid release to the environment.
		P280	Wear eye protection/ face protection.
		Response:	
		P301 + P310	IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
		P305 + P351 + P	
		P331	Do NOT induce vomiting.
		Storage:	
		P410 + P412	Protect from sunlight. Do not expose to
		2 / 22	a brand of





Version	Revision Date:	Date of last issue: 18.08.2022	Print Date:
3.2	08.01.2025	Date of first issue: 05.07.2016	08.01.2025

temperatures exceeding 50 °C/ 122 °F.

#### Hazardous components which must be listed on the label:

pentane

calcium dihydroxide

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

#### **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

Chemical nature

: Active substance with propellant

#### Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	specific concentration limit M-Factor Notes Acute toxicity estimate	Concentration (% w/w)
pentane	109-66-0 203-692-4 601-006-00-1 01-2119459286-30- XXXX	Flam. Liq.2; H225 STOT SE3; H336 Asp. Tox.1; H304 Aquatic Chronic2; H411; EUH066	Note C	>= 30 - < 50
calcium dihydroxide	1305-62-0 215-137-3 01-2119475151-45-	Skin Irrit.2; H315 Eye Dam.1; H318 STOT SE3; H335		>= 3 - < 10



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - DE



# **OKS 221**

Version 3.2	Revision Da 08.01.2025		ssue: 18.08.2022 ssue: 05.07.2016		Date: 1.2025
		XXXX			
Substance	es with a work	place exposure limit :			
butane		106-97-8 203-448-7 601-004-00-0 01-2119474691-32- XXXX	Flam. Gas1A; H220 Press. GasCompr. Gas; H280		>= 10 - < 20
propane		74-98-6 200-827-9 601-003-00-5 01-2119486944-21- XXXX	Flam. Gas1A; H220 Press. GasCompr. Gas; H280	Note U (table 3.1)	>= 10 - < 20
isobutane		75-28-5 200-857-2 601-004-00-0 01-2119485395-27- XXXX	Flam. Gas1A; H220 Press. GasCompr. Gas; H280	Note U (table 3.1), Note C	>= 1 - < 10
Graphite		7782-42-5 231-955-3	Not classified		>= 1 - < 10

For explanation of abbreviations see section 16.

# **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

If inhaled :	Call a physician or poison control centre immediately. Remove person to fresh air. If signs/symptoms continue, get medical attention. Keep patient warm and at rest. If unconscious, place in recovery position and seek medical advice. Keep respiratory tract clear. If breathing is irregular or stopped, administer artificial respiration.
In case of skin contact :	Take off all contaminated clothing immediately. Get medical attention immediately if irritation develops and persists. Wash clothing before reuse.



### **SAFETY DATA SHEET** according to Regulation (EC) No. 1907/2006,

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - DE



<b>OKS 22</b>	1				
Version 3.2	Revision Date: 08.01.2025	Date of last issue: 18.08.2022 Date of first issue: 05.07.2016	Print Date: 08.01.2025		
		Thoroughly clean shoes be Wash skin thoroughly with skin cleanser.	fore reuse. soap and water or use recognized		
In ca	se of eye contact	: Rinse immediately with plea for at least 10 minutes. Get medical attention imme	nty of water, also under the eyelids, ediately.		
lf swa	allowed	If accidentally swallowed of Keep respiratory tract clear Do NOT induce vomiting. Rinse mouth with water.	Rinse mouth with water. Aspiration hazard if swallowed - can enter lungs and cause		
4.2 Most	important symptoms	and effects, both acute and dela	ayed		
Symptoms		<ul> <li>Inhalation may provoke the Unconsciousness</li> <li>Dizziness</li> <li>Drowsiness</li> <li>Headache</li> <li>Nausea</li> <li>Tiredness</li> <li>Skin contact may provoke to Erythema</li> </ul>	following symptoms:		
		Aspiration may cause pulm	onary oedema and pneumonitis.		
Risks	5	: Central nervous system de Can be absorbed through s Risk of product entering the Health injuries may be dela	skin. e lungs on vomiting after ingestion.		

#### 4.3 Indication of any immediate medical attention and special treatment needed

Treatment

: Treat symptomatically.

# **SECTION 5: Firefighting measures**

5.1 Extinguishing media		
Suitable extinguishing media	:	ABC powder
Unsuitable extinguishing media	:	High volume water jet



### **SAFETY DATA SHEET** according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - DE



# **OKS 221**

Versio 3.2	on	Revision Date: 08.01.2025		e of last issue: 18.08.2022 e of first issue: 05.07.2016	Print Date: 08.01.2025
5.2 S	pecial	hazards arising from	n the	substance or mixture	
Specific hazards during firefighting		:			
•	Hazarc produc	lous combustion ts	:	Carbon oxides Sulphur oxides Metal oxides	
5.3 A	dvice	for firefighters			
Special protective equipment for firefighters		t :	In the event of fire, wear self-contained breathing apparatus Use personal protective equipment. Exposure to decomposition products may be a hazard to health.		
F	Furthe	rinformation	:	Standard procedure for chemical fires. Collect contaminated fire extinguishing w must not be discharged into drains. Cool containers/tanks with water spray.	ater separately. This

### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	<ul> <li>Evacuate personnel to safe areas.</li> <li>Ensure adequate ventilation.</li> <li>Remove all sources of ignition.</li> <li>Do not breathe vapours or spray mist.</li> <li>Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.</li> <li>Refer to protective measures listed in sections 7 and 8.</li> <li>Only qualified personnel equipped with suitable protective equipment may intervene.</li> </ul>
6.2 Environmental precautions	
Environmental precautions	<ul> <li>Do not allow contact with soil, surface or ground water.</li> <li>Prevent further leakage or spillage if safe to do so.</li> <li>If the product contaminates rivers and lakes or drains inform</li> </ul>

# 6.3 Methods and material for containment and cleaning up

Methods for cleaning up	:	Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Keep in suitable, closed containers for disposal. Non-sparking tools should be used.

respective authorities.



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - DE



# **OKS 221**

Version	Revision Date:	Date of last issue: 18.08.2022	Print Date:
3.2	08.01.2025	Date of first issue: 05.07.2016	08.01.2025

#### 6.4 Reference to other sections

For personal protection see section 8.

# **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

	Advice on safe handling :		Do not use in areas without adequate ventilation. Do not breathe vapours or spray mist. In case of insufficient ventilation, wear suitable respiratory equipment. Avoid contact with skin and eyes. For personal protection see section 8. Keep away from fire, sparks and heated surfaces. Smoking, eating and drinking should be prohibited in the application area. Wash hands and face before breaks and immediately after handling the product. Do not get in eyes or mouth or on skin. Do not get on skin or clothing. Do not ingest. Do not use sparking tools. These safety instructions also apply to empty packaging which may still contain product residues. Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50 °C. Do not pierce or burn, even after use.
	Hygiene measures :		Wash face, hands and any exposed skin thoroughly after handling.
7.2	Conditions for safe storage, inc	clı	uding any incompatibilities
	Requirements for storage : areas and containers		BEWARE: Aerosol is pressurized. Keep away from direct sun exposure and temperatures over 50 °C. Do not open by force or throw into fire even after use. Do not spray on flames or red-hot objects. Store in accordance with the particular national regulations.
	Storage class (TRGS 510) :		2B, Aerosol cans and lighters

### 7.3 Specific end use(s)

Specific use(s) : Specific instructions for handling, not required.





Version	Revision Date:	Date of last issue: 18.08.2022	Print Date:
3.2	08.01.2025	Date of first issue: 05.07.2016	08.01.2025

#### **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

## **Occupational Exposure Limits**

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis			
pentane	109-66-0	TWA	1.000 ppm 3.000 mg/m3	2006/15/EC (2006-02-09)			
	Further inform	nation: Indicative	0.000 mg/m0	(1000 01 00)			
		AGW	1.000 ppm 3.000 mg/m3	DE TRGS 900 (2010-08-04)			
	Peak-limit: ex	L cursion factor (categ	  orv/): 2:(  )	(2010-06-04)			
			s compliance with the OEI	and biological			
			of harming the unborn chil				
		MAK	1.000 ppm	DE DFG MAK			
			3.000 mg/m3	(2023-07-01)			
			e embryo or foetus is unli	kely when the			
		r the BAT value is ob					
butane	106-97-8	AGW	1.000 ppm	DE TRGS			
			2.400 mg/m3	900			
				(2006-01-01)			
	Peak-limit: ex	cursion factor (categ					
		MAK	1.000 ppm	DE DFG MAK			
			2.400 mg/m3	(2008-07-01)			
			re no data for an assessn				
			evelopmental neurotoxicity r classification in one of th				
propopo	74-98-6	MAK	1.000 ppm	DE DFG MAK			
propane	74-90-0	MAR	1.800 mg/m3	(2006-07-01)			
	Further inform	nation: Fither there a					
		Further information: Either there are no data for an assessment of damage to the embryo or foetus, including developmental neurotoxicity, or the currently					
			r classification in one of th				
		AGW	1.000 ppm	DE TRGS			
			1.800 mg/m3	900			
			5	(2006-01-01)			
	Peak-limit: ex	Peak-limit: excursion factor (category): 4;(II)					
calcium	1305-62-0	TWA (Respirable	1 mg/m3	2017/164/EU			
dihydroxide		fraction)		(2017-02-01)			
	Further inform	nation: Indicative					
		STEL	4 mg/m3	2017/164/EU			
		(Respirable		(2017-02-01)			
		fraction)					
	Further inform	nation: Indicative					
		MAK (inhalable	1 mg/m3	DE DFG MAK			
		fraction)		(2023-07-01)			
	Further inforr	nation: Damage to th	e embryo or foetus is unli	kelv when the			





#### **OKS 221** Version Date of last issue: 18.08.2022 **Revision Date:** Print Date: 08.01.2025 Date of first issue: 05.07.2016 08.01.2025 3.2 MAK value or the BAT value is observed AGW (Inhalable DE TRGS 1 mg/m3fraction) 900 (2014 - 12 - 08)Peak-limit: excursion factor (category): 2;(I) Further information: When there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child isobutane 75-28-5 AGW 1.000 ppm DE TRGS 2.400 mg/m3 900 (2006-01-01)Peak-limit: excursion factor (category): 4;(II) MAK 1.000 ppm DE DFG MAK 2.400 mg/m3 (2008-07-01)Further information: Either there are no data for an assessment of damage to the embryo or foetus, including developmental neurotoxicity, or the currently available data are not sufficient for classification in one of the groups A - C DE DFG MAK Graphite 7782-42-5 MAK (measured 0,3 mg/m3 as the alveolate (2023-07-01) fraction) Further information: Substances that cause cancer in humans or animals or that are considered to be carcinogenic for humans and for which a MAK value can be derived., Damage to the embryo or foetus is unlikely when the MAK value or the BAT value is observed MAK (inhalable 4 mg/m3 DE DFG MAK fraction) (2023-07-01)Further information: Substances that cause cancer in humans or animals or that are considered to be carcinogenic for humans and for which a MAK value can be derived., Damage to the embryo or foetus is unlikely when the MAK value or the BAT value is observed AGW (Inhalable DE TRGS 10 mg/m3 fraction) 900 (2014-04-02)Peak-limit: excursion factor (category): 2;(II) Further information: When there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child AGW (Alveolate 1,25 mg/m3 DE TRGS fraction) 900 (2014-04-02)Peak-limit: excursion factor (category): 2;(II) Further information: When there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child BM (Alveolar 0,5 mg/m3 DE TRGS dust fraction) 527 (2020-02-19)

#### Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
pentane	Workers	Inhalation	Long-term systemic effects	3000 mg/m3



# **SAFETY DATA SHEET** according to Regulation (EC) No. 1907/2006, as amended by

Commission Regulation (EU) 2020/878 - DE



# OKS 221

VersionRevision Date:Date of last issue: 18.08.2022Print Date:3.208.01.2025Date of first issue: 05.07.201608.01.2025			
	Version 3.2	Revision Date: 08.01.2025	

	Workers	Dermal	Long-term systemic effects	432 mg/kg bw/day
Benzene, mono-C10- 13-alkyl derivs., distn. residues	Workers	Inhalation	Long-term systemic effects	2,2 mg/m3
	Workers	Skin contact	Long-term systemic effects	3,15 mg/kg bw/day
calcium dihydroxide	Workers	Inhalation	Long-term local effects	1 mg/m3
	Workers	Inhalation	Acute local effects	4 mg/m3
Graphite	Workers	Inhalation	Long-term local effects	1,2 mg/m3

# Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
pentane	Fresh water	0,230 mg/l
	Marine water	0,230 mg/l
	Microbiological Activity in Sewage Treatment Systems	3,6 mg/l
	Fresh water sediment	1,2 mg/kg
	Marine sediment	1,2 mg/kg
Benzene, mono-C10-13-alkyl derivs., distn. residues	Fresh water	0,001 mg/l
	Intermittent use/release	0,001 mg/l
	Marine water	0 mg/l
	Microbiological Activity in Sewage Treatment Systems	2 mg/l
	Fresh water sediment	16,5 mg/kg
	Marine sediment	1,65 mg/kg
	Soil	3,7 mg/kg
calcium dihydroxide	Fresh water	0,49 mg/l
	Marine water	0,32 mg/l
	Intermittent use/release	0,49 mg/l
	Microbiological Activity in Sewage Treatment Systems	3 mg/l
	Soil	1080 mg/kg

#### 8.2 Exposure controls

#### Engineering measures

Eye/face protection

Use only in an area equipped with explosion proof exhaust ventilation. Handle only in a place equipped with local exhaust (or other appropriate exhaust).

#### Personal protective equipment

Hand protection	
Material	: Fluorinated rubber
Break through time	: > 10 min
Protective index	: Class 1



: Tightly fitting safety goggles



OKS 22	1				
Version 3.2	Revision Date: 08.01.2025	Date of last issue: 18.08.2022 Date of first issue: 05.07.2016	Print Date: 08.01.2025		
Re	emarks	amongst other things on t type of glove and therefor case. The selected protective gl	The break through time depends the material, the thickness and the re has to be measured for each loves have to satisfy the on (EU) 2016/425 and the standard		
Skin a	and body protection		n relation to its type, to the t of dangerous substances, and to		
Respiratory protection :		ventilation is provided or e	Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.		
Fil	lter type	: Recommended Filter type	Recommended Filter type:		
		Organic gas and low boili	ng vapour type (AX)		
Prote	ctive measures		The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.		
Envir	onmental exposure	controls			
Air		: Should not be released in	to the environment.		
Soil		:			
			soil, surface or ground water. e allowed to enter drains, water		
Wate	r	:			
			soil, surface or ground water. e allowed to enter drains, water		

# **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

Physical state : aerosol



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - DE



# **OKS 221**

Version 3.2	Revision Date: 08.01.2025		of last issue: 18.08.2022 of first issue: 05.07.2016	Print Date: 08.01.2025
Cole	our	:	black	
Odo	bur	:	characteristic	
Odd	our Threshold	:	No data available	
Mel	ting point/range	:	No data available	
Boil	ing point/boiling range	:	-161 °C (1.013 hPa)	
Flar	nmability (solid, gas)	:	Extremely flammable aerosol.	
	per explosion limit / Upper amability limit	:	10,9 %(V)	
	ver explosion limit / Lower amability limit	:	1,4 %(V)	
Flas	sh point	:	-60 °C Method: Abel-Pensky	
Auto	o-ignition temperature	:	No data available	
Dec	composition temperature	:	No data available	
рН		:	Not applicable substance/mixture is non-soluble	e (in water)
	cosity /iscosity, dynamic	:	No data available	
١	/iscosity, kinematic	:	< 20,5 mm2/s (40 °C)	
	ubility(ies) Water solubility	:	insoluble	
Ś	Solubility in other solvents	3 :	No data available	
	tition coefficient: n- anol/water	:	No data available	
Vap	our pressure	:	3.700 hPa (20 °C)	
Rela	ative density	:	0,675 (20 °C) Reference substance: Water The value is calculated	





Version 3.2	Revision Date: 08.01.2025	Date of last issue: 18.08.2022Print DateDate of first issue: 05.07.201608.01.202	-
Der	isity	: 0,68 g/cm3 (20 °C)	
Bull	< density	: No data available	
Relative vapour density		: No data available	
9.2 Othe	er information		
Exp	losives	: Not explosive	
Oxi	dizing properties	: No data available	
Self	-ignition	: No data available	
Met	al corrosion rate	: Not corrosive to metals	
Eva	poration rate	: No data available	
Sub	limation point	: No data available	

### **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

No hazards to be specially mentioned.

#### 10.2 Chemical stability

Stable under normal conditions.

#### 10.3 Possibility of hazardous reactions

Hazardous reactions	:	No dangerous reaction known under conditions of normal use.		
<b>10.4 Conditions to avoid</b> Conditions to avoid	:	Heat, flames and sparks. Strong sunlight for prolonged periods.		
		Risk of receptacle bursting.		
10.5 Incompatible materials				
Materials to avoid	:	Oxidizing agents		
10.6 Hazardous decomposition products				

No decomposition if stored and applied as directed.





 Revision Date:	Date of last issue: 18.08.2022	Print Date:
8.01.2025	Date of first issue: 05.07.2016	08.01.2025

# **SECTION 11: Toxicological information**

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity		
Product:		
Acute oral toxicity	:	Remarks: Effects due to ingestion may include:
		Symptoms: Central nervous system depression
Acute inhalation toxicity	:	Remarks: Respiration of solvent vapour may cause dizziness.
		Symptoms: Inhalation may provoke the following symptoms:, Respiratory disorder, Dizziness, Drowsiness, Vomiting, Fatigue, Vertigo, Central nervous system depression
Acute dermal toxicity	:	Remarks: Prolonged or repeated skin contact with liquid may cause defatting resulting in drying, redness and possible blistering.
		Symptoms: Skin disorders
Components:		
pentane:		
Acute oral toxicity	:	LD50 (Rat): > 2.000 mg/kg
Acute inhalation toxicity	:	LC50 (Rat): > 25,3 mg/l Exposure time: 4 h Test atmosphere: vapour Assessment: The substance or mixture has no acute inhalation toxicity
calcium dihydroxide:		
Acute oral toxicity	:	LD50 (Rat, female): > 2.000 mg/kg Method: OECD Test Guideline 425 GLP: yes Assessment: The substance or mixture has no acute oral toxicity
Acute inhalation toxicity	:	LC50 (Rat, male and female): > 6,04 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 436 GLP: yes
Acute dermal toxicity	:	LD50 (Rabbit, male and female): > 2.500 mg/kg Method: OECD Test Guideline 402





<b>OKS 22</b>	1		
Version 3.2	Revision Date: 08.01.2025	Date of last issue: 18.08.2022Print Date:Date of first issue: 05.07.201608.01.2025	
		Assessment: The substance or mixture has no acute d toxicity	lermal
buta	ne:		
Acut	e inhalation toxicity	: LC50 (Rat): 658 mg/l Exposure time: 4 h Test atmosphere: gas	
isob	utane:		
Acut	e inhalation toxicity	: LC50 (Rat): 658 mg/l Exposure time: 4 h Test atmosphere: gas	
Grap	ohite:		
-	e oral toxicity	<ul> <li>LD50 (Rat): &gt; 2.000 mg/kg Method: OECD Test Guideline 401 Assessment: The substance or mixture has no acute o toxicity</li> </ul>	oral
Skin	corrosion/irritation		
Proc	luct:		
Rem	arks	: This information is not available.	
Com	ponents:		
pent	ane:		
Resu	ult	: Repeated exposure may cause skin dryness or crackin	ng.
calci	ium dihydroxide:		
Spec		: human skin	
	essment	: Irritating to skin.	
Meth Resu		: OECD Test Guideline 431 : Irritating to skin.	
GLP		: yes	
Spec	cies	: Rabbit	
Asse	essment	: Irritating to skin.	
Meth		: OECD Test Guideline 404	
Resi GLP		: Irritating to skin.	
GLP		: yes	
Serie	ous eye damage/eye	rritation	
Prod	luct:		

#### Product: Remarks

: Risk of serious damage to eyes.





Version	Revision Date:	Date of last issue: 18.08.2022	Print Date:
3.2	08.01.2025	Date of first issue: 05.07.2016	08.01.2025

#### **Components:**

#### pentane:

Species	:	Rabbit
Assessment	:	No eye irritation
Result	:	No eye irritation

### calcium dihydroxide:

Species	:	Rabbit
Assessment	:	Risk of serious damage to eyes.
Method	:	OECD Test Guideline 405
Result	:	Risk of serious damage to eyes.
GLP	:	yes

#### Respiratory or skin sensitisation

#### Product:

Remarks

: This information is not available.

### Components:

#### pentane:

Species	:	Guinea pig
Assessment	:	Does not cause skin sensitisation.
Method	:	OECD Test Guideline 406
Result	:	Does not cause skin sensitisation.
GLP	:	yes

#### calcium dihydroxide:

Test Type :	Local lymph node assay (LLNA)
Species :	Mouse
Assessment :	Does not cause skin sensitisation.
Method :	OECD Test Guideline 429
Result :	Does not cause skin sensitisation.
GLP :	yes

#### Germ cell mutagenicity

#### Product:

Genotoxicity in vitro	:	Remarks: No data available
Genotoxicity in vivo	:	Remarks: No data available





<b>DKS 221</b>			
/ersion 3.2	Revision Date: 08.01.2025	Date of last issue: 18.08.2022 Date of first issue: 05.07.2016	Print Date: 08.01.2025
<u>Comp</u>	oonents:		
	im dihydroxide:	<ul> <li>Test Type: Ames test Method: OECD Test Guideline Result: negative GLP: yes</li> <li>Test Type: Chromosome aber Method: OECD Test Guideline Result: negative GLP: yes</li> <li>Test Type: In vitro mammalian Method: OECD Test Guideline Result: negative GLP: yes</li> </ul>	rration test in vitro e 473 n cell gene mutation test
<b>Carci</b> <u>Produ</u> Rema		: No data available	
<b>calciu</b> Carcir	oonents: Im dihydroxide: nogenicity - ssment	: No evidence of carcinogenicity	y in animal studies.
Repro	oductive toxicity		
Effect	<b>ict:</b> s on fertility s on foetal opment	<ul><li>Remarks: No data available</li><li>Remarks: No data available</li></ul>	
Comp	oonents:		
<b>calciu</b> Repro	im dihydroxide: aductive toxicity - ssment	: - Fertility - No toxicity to reproduction - Teratogenicity - No effects on or via lactation	





Versi 3.2	ion	Revision Date: 08.01.2025		e of last issue: 18.08.2022 e of first issue: 05.07.2016	Print Date: 08.01.2025
ę	ѕтот	- single exposure			
	Produ				
-	Remai		:	No data available	
<u>(</u>	Comp	onents:			
1	pentai	ne:			
		ure routes	:	Inhalation	
	Target Asses:	: Organs sment	:	Central nervous system, Narcotic May cause drowsiness or dizzine mixture is classified as specific ta exposure, category 3 with narcoti	ess., The substance or arget organ toxicant, single
	calciu	m dihydroxide:			
	Asses	-	:	May cause respiratory irritation.	
;	стот	- repeated exposur	е		
ļ	Produ	<u>ct:</u>			
I	Remai	rks	:	No data available	
I	Repea	ted dose toxicity			
-	Produ				
I	Remai	rks	:	This information is not available.	
	Aspira	ation toxicity			
-	<b>Produ</b> May be	<u>ct:</u> e fatal if swallowed a	ind en	ters airways.	
	-	e fatal if swallowed a			
	Comp	onents:			
_	-				
-	<b>penta</b> May be	e fatal if swallowed a	ind en	ters airways.	
11.2	Inform	nation on other haz	ards		
I	Endoc	rine disrupting pro	pertie	S	
	Produ	ct:			
-	Asses		:	The substance/mixture does not considered to have endocrine dis to REACH Article 57(f) or Commi	srupting properties according





<b>OKS 22</b> <sup>4</sup>	1		
Version 3.2	Revision Date: 08.01.2025	 st issue: 18.08.2022 st issue: 05.07.2016	Print Date: 08.01.2025
		2017/2100 or Commission F s of 0.1% or higher.	Regulation (EU) 2018/605 at
Furth	ner information		
<u>Prod</u> Rema		nation given is based on da oxicology of similar products	•

# **SECTION 12: Ecological information**

# 12.1 Toxicity

Product:		
Toxicity to fish	:	Remarks: Toxic to aquatic organisms, may cause long-term
		adverse effects in the aquatic environment.
Toxicity to daphnia and other	:	Remarks: No data available
aquatic invertebrates		
Toxicity to class (caustic		Demorker No dete eveileble
Toxicity to algae/aquatic plants	·	Remarks: No data available
pland		
Toxicity to microorganisms	:	
		Remarks: No data available
Components:		
pentane:		
Ecotoxicology Assessment		
Chronic aquatic toxicity	:	Toxic to aquatic life with long lasting effects.
calcium dihydroxide:		
Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): 50,6 mg/l
		Exposure time: 96 h
		Test Type: static test Method: OECD Test Guideline 203
		GLP: yes
	:	EC50 (Daphnia magna (Water flea)): 49,1 mg/l
aquatic invertebrates		Exposure time: 48 h
		Test Type: static test Method: OECD Test Guideline 202
		GLP: yes
		,
Toxicity to algae/aquatic	:	EC50 (Pseudokirchneriella subcapitata (green algae)): 184,57
		a brand of





<b>OKS 22</b>	1			
Version 3.2	Revision Date: 08.01.2025		e of last issue: 18.08.2022 e of first issue: 05.07.2016	Print Date: 08.01.2025
plant	S		mg/l Exposure time: 72 h Test Type: static test Method: OECD Test Guideline 201 GLP: yes	1
Ecot	oxicology Assessm	ent		
	e aquatic toxicity	:	This product has no known ecotox	icological effects.
Chro	nic aquatic toxicity	:	This product has no known ecotox	icological effects.
12.2 Pers	istence and degrada	ability		
Prod				
Biode	egradability	:	Remarks: No data available	
	ico-chemical vability	:	Remarks: No data available	
<u>Com</u>	ponents:			
<b>pent</b> : Biode	<b>ane:</b> egradability	:	Test Type: aerobic Inoculum: activated sludge Result: rapidly biodegradable Biodegradation: 87 % Method: OECD Test Guideline 307 GLP: yes	1F
	<b>um dihydroxide:</b> egradability	:	Remarks: The methods for determ degradability are not applicable to	
12.3 Bioa	ccumulative potenti	ial		
<u>Prod</u> Bioad	l <u>uct:</u> ccumulation	:	Remarks: No data available	
Com	ponents:			
Partit	um dihydroxide: tion coefficient: n- nol/water	:	log Pow: 0,05	
<b>buta</b> Partit	<b>ne:</b> tion coefficient: n-	:	log Pow: 2,89	a brand of





OKS 22				
Version 3.2	Revision Date: 08.01.2025		e of last issue: 18.08.2022 e of first issue: 05.07.2016	Print Date: 08.01.2025
octan	nol/water		Method: OECD Test Guideline 107	
	<b>ane:</b> ion coefficient: n- iol/water	:	log Pow: 2,36	
	utane: ion coefficient: n-	:	log Pow: 2,88	
	nol/water	•	Method: OECD Test Guideline 107	
	<b>hite:</b> ion coefficient: n- iol/water	:	Remarks: No data available	
12.4 Mobi	ility in soil			
Prod	uct:			
Mobil	lity	:	Remarks: No data available	
	bution among onmental compartments	:	Remarks: No data available	
12.5 Resu	llts of PBT and vPvB a	sse	ssment	
Prod	uct:			
Asse	ssment	:	This substance/mixture contains no to be either persistent, bioaccumula very persistent and very bioaccumu 0.1% or higher.	tive and toxic (PBT), or
2.6 Endo	ocrine disrupting prop	ertie	S	
<u>Prod</u>	uct:			
Asse	ssment	:	The substance/mixture does not conconsidered to have endocrine disrupto REACH Article 57(f) or Commission Regulated to 10.1% or higher.	oting properties according ion Delegated regulation
12.7 Othe	r adverse effects			
	<u>uct:</u> ional ecological nation	:	Toxic to aquatic life with long lasting	g effects.
			21 / 28	a brand of





Version	Revision Date:	Date of last issue: 18.08.2022	Print Date:
3.2	08.01.2025	Date of first issue: 05.07.2016	08.01.2025

#### **SECTION 13: Disposal considerations**

13.1 Waste treatment methods	
Product :	Do not dispose of with domestic refuse. Dispose of as hazardous waste in compliance with local and national regulations.
	Waste codes should be assigned by the user based on the application for which the product was used.
Contaminated packaging :	Packaging that is not properly emptied must be disposed of as the unused product. Offer empty spray cans to an established disposal company. Pressurized container: Do not pierce or burn, even after use.
	The following Waste Codes are only suggestions:
Waste Code :	unused product, packagings not completely emptied 16 05 04**, gases in pressure containers (including halons) containing hazardous substances

# **SECTION 14: Transport information**

#### 14.1 UN number or ID number

:	UN 1950
:	UN 1950
:	AEROSOLS
:	AEROSOLS
:	AEROSOLS
:	AEROSOLS (pentane)
:	Aerosols, flammable
:	2
:	2



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - DE



# **OKS 221**

Version 3.2	Revision Date: 08.01.2025		e of last issue: 18.08.2022 e of first issue: 05.07.2016	Print Date: 08.01.2025
RID IMDG IATA		:	2 2.1 2.1	
14.4 Packii	ng group	•		
	g group fication Code	:	Not assigned by regulation 5F 2.1	
Classif Labels	g group fication Code I restriction code	:	Not assigned by regulation 5F 2.1 (D)	
Classif	g group fication Code d Identification Number	:	Not assigned by regulation 5F 23 2.1	
<b>IMDG</b> Packin Labels EmS C		:	Not assigned by regulation 2.1 F-D, S-U	
Packin aircraf Packin	g instruction (LQ)	:	203 Y203 Not assigned by regulation Flammable Gas	
Packin (passe Packin	Passenger) Ig instruction Inger aircraft) Ig instruction (LQ) Ig group	:	203 Y203 Not assigned by regulation Flammable Gas	
14.5 Enviro	onmental hazards			
<b>ADN</b> Enviro	nmentally hazardous	:	yes	
ADR	nmentally hazardous	:	yes	
RID	nmentally hazardous	:	yes	
<b>IMDG</b> Marine	pollutant	:	yes	a brand of





Version	Revision Date:	Date of last issue: 18.08.2022	Print Date:
3.2	08.01.2025	Date of first issue: 05.07.2016	08.01.2025

#### 14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

#### 14.7 Maritime transport in bulk according to IMO instruments

Remarks

: Not applicable for product as supplied.

#### **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)	:	Not applicable
REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59). (EU SVHC)	:	This product does not contain substances of very high concern (Regulation (EC) No 1907/2006 (REACH), Article 57).
Regulation (EC) No 1005/2009 on substances that deplete the ozone layer (EC 1005/2009)	:	Not applicable
Regulation (EU) 2019/1021 on persistent organic pollutants (recast) (EU POP)	:	Not applicable
Regulation (EU) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals (EU PIC)	:	Not applicable
REACH - List of substances subject to authorisation (Annex XIV) (EU. REACH-Annex XIV)	:	Not applicable
Regulation (EU) 2019/1148 on the marketing and use of explosives precursors	:	Not applicable





OKS 221					
Version 3.2	Revision Date: 08.01.2025		e of last issue: 18.0 e of first issue: 05.0		Print Date: 08.01.2025
				P2	
Seveso III: Directive 2012/18/EU of the European P3a FI Parliament and of the Council on the control of major-accident hazards involving dangerous substances.			FLAMMABLE AEROSOLS		
				E2	ENVIRONMENTAL HAZARDS
				18	Liquefied flammable gases (including LPG) and natural gas
Wate (Gern	r hazard class nany)	:			
TA Lu	uft List (Germany)	:	WGK 2 obviously hazardous to water Classification according to AwSV, Annex 1 (5.2) 5.2.1: Total dust: others: 18,29 % 5.2.2: Inorganic substances in powdered form: Not applicable 5.2.4: Inorganic substances in gaseous form: Not applicable 5.2.5: Organic Substances: Class 1: < 0,01 % 5.2.7.1.1: Carcinogenic substance: Not applicable 5.2.7.1.1: Quartz fine dust PM4: Not applicable 5.2.7.1.1: Formaldehyde: Not applicable 5.2.7.1.2: Germ cell mutagens: Not applicable 5.2.7.1.3: Substances toxic to reproduction: Not applicable 5.2.7.2: Poorly degradable, easily enrichable and highly toxic organic substances: Not applicable		
Volati	le organic compounds	:	emissions (integr	ated poll	4 November 2010 on industrial ution prevention and control) ds (VOC) content: 68 %
Other regulations:					





Version	Revision Date:	Date of last issue: 18.08.2022	Print Date:
3.2	08.01.2025	Date of first issue: 05.07.2016	08.01.2025

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

#### 15.2 Chemical safety assessment

This information is not available.

# **SECTION 16: Other information**

#### Full text of H-Statements

H220 :	Extremely flammable gas.
H225 :	Highly flammable liquid and vapour.
H280 :	Contains gas under pressure; may explode if heated.
H304 :	May be fatal if swallowed and enters airways.
H315 :	Causes skin irritation.
H318 :	Causes serious eye damage.
H335 :	May cause respiratory irritation.
H336 :	May cause drowsiness or dizziness.
H411 :	Toxic to aquatic life with long lasting effects.
EUH066 :	Repeated exposure may cause skin dryness or cracking.

Full text of other abbreviations

Note C	:	Some organic substances may be marketed either in a specific isomeric form or as a mixture of several isomers. In this case the supplier must state on the label whether the substance is a specific isomer or a mixture of isomers.
Note U (table 3.1)	:	When put on the market gases have to be classified as "Gases under pressure", in one of the groups compressed gas, liquefied gas, refrigerated liquefied gas or dissolved gas. The group depends on the physical state in which the gas is packaged and therefore has to be assigned case by case. The following codes are assigned: Press. Gas (Comp.) Press. Gas (Liq.) Press. Gas (Ref. Liq.) Press. Gas (Diss.) Aerosols shall not be classified as gases under pressure (See Annex I, Part 2, Section 2.3.2.1, Note 2).
2006/15/EC	:	Europe. Indicative occupational exposure limit values
2017/164/EU	:	Europe. Commission Directive 2017/164/EU establishing a fourth list of indicative occupational exposure limit values
DE DFG MAK	:	Germany. MAK BAT Annex IIa
DE TRGS 527	:	Germany. TRGS 527 - Activities with nanomaterials
DE TRGS 900	:	Germany. TRGS 900 - Occupational exposure limit values.
2006/15/EC / TWA	:	Limit Value - eight hours
2017/164/EU / STEL	:	Short term exposure limit



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - DE



#### **OKS 221**

Version	Revision Date:	Date of last issue: 18.08.2022	Print Date:
3.2	08.01.2025	Date of first issue: 05.07.2016	08.01.2025
	/164/EU / TWA FG MAK / MAK	: Limit Value - eight hours : MAK value	

DE DFG MAK / MAK	: MAK value
DE TRGS 527 / BM	: Assessment scale
DE TRGS 900 / AGW	: Time Weighted Average

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways: ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN -Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx -Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA -International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO -International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID -Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

#### **Further information**

# Classification of the mixture:

Classification of the mixtur	Classification procedure:	
Aerosol 1	H222, H229	Based on product data or assessment
Eye Dam. 1	H318	Calculation method
STOT SE 3	H336	Calculation method
Asp. Tox. 1	H304	Based on product data or assessment
Aquatic Chronic 2	H411	Calculation method

Relevant changes compared to the last edition are highlighted at the left margin. This version 



#### **SAFETY DATA SHEET** according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - DE



# **OKS 221**

Version	Revision Date:	Date of last issue: 18.08.2022	Print Date:
3.2	08.01.2025	Date of first issue: 05.07.2016	08.01.2025

replaces all previous editions.

This safety data sheet applies only to products as originally packed and labelled. The information contained therein may not be reproduced or modified without our express written permission. Any forwarding of this document is only permitted to the extent required by law. Any further, in particular public, dissemination of the safety data sheet (e.g. as a document for download from the Internet) is not permitted without our express written consent. We provide our customers with amended safety data sheets as prescribed by law. The customer is responsible for passing on safety data sheets and any amendments contained therein to its own customers, employees and other users of the product. We provide no guarantee that safety data sheets received by users from third parties are up-to-date. All information and instructions in this safety data sheet have been compiled to the best of our knowledge and are based on the information available to us on the day of publication. The information provided is intended to describe the product in relation to the required safety measures; it is neither an assurance of characteristics nor a guarantee of the product's suitability for particular applications and does not justify any contractual legal relationship. The existence of a safety data sheet for a particular jurisdiction does not necessarily mean that import or use within that jurisdiction is legally permitted. If you have any questions, please contact your responsible sales contact or authorized trading partner.

