

| Version | Revision Date: | Date of last issue: 01.08.2022 | Print Date: |
|---------|----------------|---------------------------------|-------------|
| 3.5 | 22.11.2024 | Date of first issue: 05.07.2016 | 22.11.2024 |

SECTION 1: Identification of the substance/mixture and of the company/undertaking

| 1.1 Pro | duct identifier | | |
|----------------|--|-----|--|
| | oduct name | : | OKS 220 |
| Us Su Re | evant identified uses of the e of the bstance/Mixture commended restrictions use | : | Substance or mixture and uses advised against Lubricant Restricted to professional users. |
| | ails of the supplier of the mpany | saf | OKS Spezialschmierstoffe GmbH |
| | | | Ganghoferstr. 47 82216 Maisach-Gernlinden Deutschland Tel.: +49 8142 3051 500 |
| | | | Fax: +49 8142 3051 599 info@oks-germany.com |
| | nail address of person ponsible for the SDS | : | mcm@oks-germany.com |
| Na | tional contact | : | |
| 1.4 Eme | ergency telephone numbe | ər | |

1

| Emergency telephone | : | +49 8142 3051 517 |
|---------------------|---|-------------------|
| number | | |

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

| Classification (REGULATION (EC) No 1272/2008) | | | | | | |
|--|---|--|--|--|--|--|
| Skin irritation, Category 2 | H315: Causes skin irritation. | | | | | |
| Serious eye damage, Category 1 | H318: Causes serious eye damage. | | | | | |
| Specific target organ toxicity - single exposure, Category 3, Respiratory system | H335: May cause respiratory irritation. | | | | | |



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - DE



OKS 220

| Version | Revision Date: | Date of last issue: 01.08.2022 | Print Date: |
|---------|----------------|---------------------------------|-------------|
| 3.5 | 22.11.2024 | Date of first issue: 05.07.2016 | 22.11.2024 |

2.2 Label elements

| Labelling (REGULATION (EC Hazard pictograms | C) No 1272/2008) : | |
|--|--|---|
| Signal word | Danger | |
| Hazard statements | H315 H318 H335 | Causes skin irritation. Causes serious eye damage. May cause respiratory irritation. |
| Precautionary statements | Prevention: P264 P271 P280 | Wash skin thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear protective gloves/ eye protection/ face protection. |
| | Response: P304 + P340 + P P305 + P351 + P | air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell. |
| | | with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor. |
| | Storage: P403 + P233 | Store in a well-ventilated place. Keep container tightly closed. |

Hazardous components which must be listed on the label:

calcium dihydroxide

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.





| Version | Revision Date: | Date of last issue: 01.08.2022 | Print Date: |
|---------|----------------|---------------------------------|-------------|
| 3.5 | 22.11.2024 | Date of first issue: 05.07.2016 | 22.11.2024 |

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

2

3.2 Mixtures

Chemical nature

Synthetic hydrocarbon oil Molybdenum disulfide solid lubricant

Components

| Chemical name | CAS-No. EC-No. Index-No. Registration number | Classification | specific concentration limit M-Factor Notes Acute toxicity estimate | Concentration (% w/w) |
|------------------------|---|---|---|--------------------------|
| calcium dihydroxide | 1305-62-0 215-137-3 01-2119475151-45- XXXX | Skin Irrit.2; H315 Eye Dam.1; H318 STOT SE3; H335 | | >= 20 - < 30 |
| Substances with a work | place exposure limit : | | | |
| Graphite | 7782-42-5 231-955-3 | Not classified | | >= 1 - < 10 |

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

If inhaled

Remove person to fresh air. If signs/symptoms continue, get medical attention.
 Keep patient warm and at rest.
 If unconscious, place in recovery position and seek medical advice.
 Keep respiratory tract clear.
 If breathing is irregular or stopped, administer artificial





| In case of skin contact : Take off all contaminated clothing immediately. Wash off immediately with soap and plenty of water. Get medical attention immediately if irritation develops and persists. Wash clothing before reuse. Thoroughly clean shoes before reuse. In case of eye contact : Rinse immediately with plenty of water, also under the eyel for at least 10 minutes. Get medical attention immediately. If swallowed : Move the victim to fresh air. If unconscious, place in recovery position and seek medica advice. Keep respiratory tract clear. | /ersion 3.5 | Revision Date: 22.11.2024 | Date of last issue: 01.08.2022 Date of first issue: 05.07.2016 | Print Date: 22.11.2024 |
|--|----------------|---------------------------|--|---|
| Wash off immediately with soap and plenty of water. Get medical attention immediately if irritation develops and persists. Wash clothing before reuse. Thoroughly clean shoes before reuse.In case of eye contact:Rinse immediately with plenty of water, also under the eyel for at least 10 minutes. Get medical attention immediately.If swallowed:Move the victim to fresh air. If unconscious, place in recovery position and seek medica advice. | | | respiration. | |
| for at least 10 minutes. Get medical attention immediately. If swallowed : Move the victim to fresh air. If unconscious, place in recovery position and seek medica advice. | In ca | se of skin contact | Wash off immediately with soap a Get medical attention immediately persists. Wash clothing before reuse. | nd plenty of water. y if irritation develops and |
| If unconscious, place in recovery position and seek medica advice. | In ca | se of eye contact | for at least 10 minutes. | |
| Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious person. | lf swa | allowed | If unconscious, place in recovery advice. Keep respiratory tract clear. Do not induce vomiting without me | edical advice. |
| 4.2 Most important symptoms and effects, both acute and delayed | _ | otomo | : Skip contact may provoke the follo | owing overstoppo: |

| Symptoms | : Skin contact may provoke the following symptoms: Erythema |
|----------|--|
| Risks | : Causes skin irritation. |

4.3 Indication of any immediate medical attention and special treatment needed

| ·····, | | | | | | | |
|-----------|------|---------|----|------|--------|------|--|
| Treatment | : | Treat s | ym | ptor | natica | ally | |

SECTION 5: Firefighting measures

5.1 Extinguishing media

- Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
- Unsuitable extinguishing : High volume water jet media

5.2 Special hazards arising from the substance or mixture

| Hazardous combustion | : | Carbon oxides |
|----------------------|---|----------------|
| products | | Sulphur oxides |
| - | | Metal oxides |

5.3 Advice for firefighters

Special protective equipment : In the event of fire, wear self-contained breathing apparatus.





| OKS 22 | DKS 220 | | | | | |
|---------------------|---------------------------|---|------------------------|--|--|--|
| Version 3.5 | Revision Date: 22.11.2024 | Date of last issue: 01.08.2022 Date of first issue: 05.07.2016 | Print Date: 22.11.2024 | | | |
| for firefighters | | Use personal protective equipmen decomposition products may be a | | | | |
| Further information | | : Standard procedure for chemical | fires. | | | |

SECTION 6: Accidental release measures

| 6.1 Personal precautions, protect | tiv | e equipment and emergency procedures |
|-----------------------------------|-----|--|
| Personal precautions | : | Evacuate personnel to safe areas. Ensure adequate ventilation. Do not breathe vapours, aerosols. Refer to protective measures listed in sections 7 and 8. |
| 6.2 Environmental precautions | | |
| Environmental precautions | : | Try to prevent the material from entering drains or water |

| Environmental precautions | Try to prevent the material from entering drains or water courses. Local authorities should be advised if significant spillages cannot be contained. |
|---------------------------|---|
| | |

6.3 Methods and material for containment and cleaning up

| Methods for cleaning up | : | Pick up and transfer to properly labelled containers. |
|--------------------------|---|--|
| methode for cloarning up | • | i lok up and transfer to property labolied containere. |

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

| Advice on octo handling | Do not upp in groop without adaguate ventilation |
|-------------------------|--|
| Advice on safe handling | : Do not use in areas without adequate ventilation. |
| | In case of insufficient ventilation, wear suitable respiratory |
| | equipment. |
| | Avoid contact with skin and eyes. |
| | For personal protection see section 8. |
| | Smoking, eating and drinking should be prohibited in the |
| | application area. |
| | Wash hands and face before breaks and immediately after |
| | handling the product. |
| | Do not get in eyes or mouth or on skin. |
| | Do not get on skin or clothing. |
| | Do not ingest. |
| | Do not repack. |
| | These safety instructions also apply to empty packaging which |
| | may still contain product residues. |
| | Keep container closed when not in use. |





| OKS 220 | | | | |
|---|------------------------------------|--------|--|---|
| Version 3.5 | Revision Date: 22.11.2024 | | e of last issue: 01.08.2022 e of first issue: 05.07.2016 | Print Date: 22.11.2024 |
| Hygie | ne measures | : | Wash face, hands and any exposed ski handling. | n thoroughly after |
| 7.2 Condit | ions for safe storage | e, inc | luding any incompatibilities | |
| Requirements for storage areas and containers | | : | Store in original container. Keep contain use. Keep in a dry, cool and well-ventila which are opened must be carefully res to prevent leakage. Store in accordance national regulations. Keep in properly la | ated place. Containers ealed and kept upright with the particular |
| Stora | ge class (TRGS 510) | : | 11, Combustible Solids | |
| • | ic end use(s) fic use(s) | : | Specific instructions for handling, not re | quired. |

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

| Components | CAS-No. | Value type (Form of exposure) | Control parameters | Basis | | |
|-------------|---|---|-----------------------------|--------------|--|--|
| calcium | 1305-62-0 | TWA (Respirable | 1 mg/m3 | 2017/164/EU | | |
| dihydroxide | | fraction) | _ | (2017-02-01) | | |
| | Further inform | nation: Indicative | | | | |
| | | STEL | 4 mg/m3 | 2017/164/EU | | |
| | | (Respirable | _ | (2017-02-01) | | |
| | | fraction) | | , , , | | |
| | Further inform | nation: Indicative | · | | | |
| | | MAK (inhalable | 1 mg/m3 | DE DFG MAK | | |
| | | fraction) | - | (2023-07-01) | | |
| | Further information: Damage to the embryo or foetus is unlikely when the | | | | | |
| | MAK value or the BAT value is observed | | | | | |
| | | AGW (Inhalable | 1 mg/m3 | DE TRGS | | |
| | | fraction) | _ | 900 | | |
| | | , | | (2014-12-08) | | |
| | Peak-limit: excursion factor (category): 2;(I) | | | | | |
| | Further information: When there is compliance with the OEL and biological | | | | | |
| | tolerance valu | ies, there is no risk o | of harming the unborn child | - | | |
| Graphite | 7782-42-5 | MAK (measured | 0,3 mg/m3 | DE DFG MAK | | |
| | | as the alveolate | - | (2023-07-01) | | |
| | | fraction) | | , , | | |
| | Further information: Substances that cause cancer in humans or animals or | | | | | |
| | that are consi | that are considered to be carcinogenic for humans and for which a MAK value | | | | |
| | | | mbryo or foetus is unlikely | | | |



SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - DE



OKS 220

| Version | Revision Date: | Date of last issue: 01.08.2022 | Print Date: |
|---------|----------------|---------------------------------|-------------|
| 3.5 | 22.11.2024 | Date of first issue: 05.07.2016 | 22.11.2024 |

| value or the B | AT value is observe | d | | | | |
|---|---|--------------------------------|---------------|--|--|--|
| | MAK (inhalable | 4 mg/m3 | DE DFG MAK | | | |
| | fraction) | | (2023-07-01) | | | |
| Further inform | Further information: Substances that cause cancer in humans or animals or | | | | | |
| that are consi | dered to be carcinog | enic for humans and for whic | h a MAK value | | | |
| can be derive | d., Damage to the er | mbryo or foetus is unlikely wh | nen the MAK | | | |
| value or the B | AT value is observe | d | | | | |
| | AGW (Inhalable | 10 mg/m3 | DE TRGS | | | |
| | fraction) | _ | 900 | | | |
| | , | | (2014-04-02) | | | |
| Peak-limit: ex | cursion factor (categ | ory): 2;(II) | | | | |
| Further inform | nation: When there is | compliance with the OEL ar | nd biological | | | |
| tolerance valu | ies, there is no risk c | of harming the unborn child | - | | | |
| | AGW (Alveolate | 1,25 mg/m3 | DE TRGS | | | |
| | fraction) | | 900 | | | |
| | , | | (2014-04-02) | | | |
| Peak-limit: excursion factor (category): 2;(II) | | | | | | |
| Further information: When there is compliance with the OEL and biological | | | | | | |
| tolerance valu | tolerance values, there is no risk of harming the unborn child | | | | | |
| | BM (Alveolar | 0,5 mg/m3 | DE TRGS | | | |
| | dust fraction) | - | 527 | | | |
| | , , , , , , , , , , , , , , , , , , , | | (2020-02-19) | | | |

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

| Substance name | End Use | Exposure routes | Potential health effects | Value |
|--|---------|-----------------|-------------------------------|----------------------|
| Benzene, mono-C10- 13-alkyl derivs., distn. residues | Workers | Inhalation | Long-term systemic effects | 2,2 mg/m3 |
| | Workers | Skin contact | Long-term systemic effects | 3,15 mg/kg bw/day |
| calcium dihydroxide | Workers | Inhalation | Long-term local effects | 1 mg/m3 |
| | Workers | Inhalation | Acute local effects | 4 mg/m3 |
| Graphite | Workers | Inhalation | Long-term local effects | 1,2 mg/m3 |

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

| Substance name | Environmental Compartment | Value |
|---|---|------------|
| Benzene, mono-C10-13-alkyl derivs., distn. residues | Fresh water | 0,001 mg/l |
| | Intermittent use/release | 0,001 mg/l |
| | Marine water | 0 mg/l |
| | Microbiological Activity in Sewage Treatment Systems | 2 mg/l |
| | Fresh water sediment | 16,5 mg/kg |
| | Marine sediment | 1,65 mg/kg |
| | Soil | 3,7 mg/kg |
| calcium dihydroxide | Fresh water | 0,49 mg/l |
| | Marine water | 0,32 mg/l |





Water

| n3 220 | 5 | | | | |
|-------------|---|----------|---|-------------------------------------|-----------------------------------|
| ersion 5 | Revision Date: 22.11.2024 | | e of last issue: 01.08.2022 e of first issue: 05.07.2016 | | t Date: 1.2024 |
| | | | Intermittent use/release Microbiological Activity in Sewage Treatment Systems | | 0,49 mg/l 3 mg/l |
| | | | Soil | | 1080 mg/kg |
| 2 Expos | sure controls | | | | |
| - | neering measures tive exhaust ventilatio | on syste | em | | |
| Perse | onal protective equi | pment | | | |
| Eye/f | ace protection | : | Tightly fitting safety goggles | | |
| M: Br | protection aterial eak through time otective index | : | butyl-rubber > 10 min Class 1 | | |
| Re | emarks | : | Wear protective gloves. The break thr amongst other things on the material, type of glove and therefore has to be case. The selected protective gloves have to specifications of Regulation (EU) 2016 EN 374 derived from it. | the thick measure o satisfy t | ness and the d for each the |
| Skin | and body protection | : | Choose body protection in relation to a concentration and amount of dangero the specific work-place. | | |
| Resp | iratory protection | : | Not required; except in case of aerosc | ol formatio | on. |
| Fi | ter type | : | Filter type A-P | | |
| Prote | ctive measures | : | The type of protective equipment mus to the concentration and amount of the at the specific workplace. | | |
| Envir | onmental exposure | contro | bls | | |
| Air | | : | No special environmental precautions | required | |
| Soil | | : | | | |
| | | | The product should not be allowed to courses or the soil. | enter dra | ins, water |

a brand of

:



| Version | Revision Date: | Date of last issue: 01.08.2022 | Print Date: |
|---------|----------------|---------------------------------|-------------|
| 3.5 | 22.11.2024 | Date of first issue: 05.07.2016 | 22.11.2024 |

The product should not be allowed to enter drains, water courses or the soil.

SECTION 9: Physical and chemical properties

| 9.1 Information on basic physical and chemical properties Physical state : paste | | | | | |
|---|---|---|---|--|--|
| | Colour | : | black | | |
| | Odour | : | characteristic | | |
| | Odour Threshold | : | No data available | | |
| | | | | | |
| | Melting point/range | : | No data available | | |
| | Boiling point/boiling range | : | No data available | | |
| | Flammability (solid, gas) | : | Combustible Solids | | |
| | Upper explosion limit / Upper flammability limit | : | No data available | | |
| | Lower explosion limit / Lower flammability limit | : | No data available | | |
| | Flash point | : | Not applicable | | |
| | Auto-ignition temperature | : | No data available | | |
| | Decomposition temperature | : | No data available | | |
| | рН | : | Not applicable substance/mixture is non-soluble (in water) | | |
| | Viscosity | | | | |
| | Viscosity, dynamic | : | No data available | | |
| | Viscosity, kinematic | : | Not applicable | | |
| | Solubility(ies) Water solubility | : | insoluble | | |
| | Solubility in other solvents | : | No data available | | |



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - DE



OKS 220

| Version 3.5 | Revision Date: 22.11.2024 | Date of last issue: 01.08.2022Print DateDate of first issue: 05.07.201622.11.202 | |
|----------------|---|--|--|
| | rtition coefficient: n- anol/water | : No data available | |
| Va | pour pressure | : < 0,001 hPa (20 °C) | |
| Re | lative density | : 1,4 (20 °C) Reference substance: Water The value is calculated | |
| De | nsity | : 1,40 g/cm3 (20 °C) | |
| Bul | k density | : No data available | |
| Re | lative vapour density | : No data available | |
| | rticle characteristics Particle size | : Not applicable | |
| | Particle Size Distribution | : Not applicable | |
| 9.2 Oth | er information | | |
| Exp | olosives | : Not explosive | |
| Ox | idizing properties | : No data available | |
| Sel | lf-ignition | : No data available | |
| Me | tal corrosion rate | : Not corrosive to metals | |
| Eva | aporation rate | : No data available | |
| Sul | blimation point | : No data available | |

SECTION 10: Stability and reactivity

10.1 Reactivity

No hazards to be specially mentioned.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions : No dangerous reaction known under conditions of normal use.

10.4 Conditions to avoid





| Version 3.5 | Revision Date: 22.11.2024 | Date of last issue: 01.08.2022Print Date:Date of first issue: 05.07.201622.11.2024 | | | | |
|--|---------------------------|--|-----------|--|--|--|
| Conditions to avoid | | : No conditions to be specially mentioned. | | | | |
| 10.5 Incompatible materials Materials to avoid | | : No materials to be especially me | entioned. | | | |
| | | | | | | |

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

| Acute toxicity | | |
|---------------------------|---|--|
| Product: | _ | Demonico, This information is not evolution |
| Acute oral toxicity | : | Remarks: This information is not available. |
| Acute inhalation toxicity | : | Remarks: Irritating to respiratory system. |
| | | Symptoms: Inhalation may provoke the following symptoms:, Local irritation, Respiratory disorders |
| Acute dermal toxicity | : | Symptoms: Redness, Local irritation |
| Components: | | |
| calcium dihydroxide: | | |
| Acute oral toxicity | : | LD50 (Rat, female): > 2.000 mg/kg Method: OECD Test Guideline 425 GLP: yes Assessment: The substance or mixture has no acute oral toxicity |
| Acute inhalation toxicity | : | LC50 (Rat, male and female): > 6,04 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 436 GLP: yes |
| Acute dermal toxicity | : | LD50 (Rabbit, male and female): > 2.500 mg/kg Method: OECD Test Guideline 402 Assessment: The substance or mixture has no acute dermal toxicity |
| Graphite: | | |
| Acute oral toxicity | : | LD50 (Rat): > 2.000 mg/kg Method: OECD Test Guideline 401 |





| | 0 | | | |
|---|---|-------------|--|-------------------------|
| sion | Revision Date: 22.11.2024 | | e of last issue: 01.08.2022 e of first issue: 05.07.2016 | Print Date: 22.11.2024 |
| | | | Assessment: The substance or mix toxicity | tture has no acute oral |
| Skin | corrosion/irritation | | | |
| Prod | uct: | | | |
| Rema | arks | : | Irritating to skin. | |
| <u>Com</u> | ponents: | | | |
| calciu | um dihydroxide: | | | |
| Speci | | : | human skin | |
| | ssment | : | Irritating to skin. | |
| Metho | | : | OECD Test Guideline 431 | |
| Resul GLP | It | : | Irritating to skin. | |
| GLF | | | yes | |
| Speci | ies | : | Rabbit | |
| • | ssment | : | Irritating to skin. | |
| Metho | | : | OECD Test Guideline 404 | |
| Resu | lt | : | Irritating to skin. | |
| GLP | | : | yes | |
| Serio | ous eye damage/eye | e irritatio | on | |
| | | | | |
| Prod | uct: | | | |
| <u>Produ</u> Rema | | : | Risk of serious damage to eyes. | |
| Rema | | : | Risk of serious damage to eyes. | |
| Rema <u>Com</u> | arks | : | Risk of serious damage to eyes. | |
| Rema <u>Comp</u> calciu | arks ponents: um dihydroxide: | : | Risk of serious damage to eyes. Rabbit | |
| Rema Comp calciu Speci Asses | arks ponents: um dihydroxide: ies ssment | : | Rabbit Risk of serious damage to eyes. | |
| Rema Comp calciu Speci Asses Metho | arks ponents: um dihydroxide: ies ssment od | : | Rabbit Risk of serious damage to eyes. OECD Test Guideline 405 | |
| Rema Comp calciu Speci Asses Metho Resul | arks ponents: um dihydroxide: ies ssment od | : | Rabbit Risk of serious damage to eyes. OECD Test Guideline 405 Risk of serious damage to eyes. | |
| Rema Comp calciu Speci Asses Metho | arks ponents: um dihydroxide: ies ssment od | : | Rabbit Risk of serious damage to eyes. OECD Test Guideline 405 | |
| Rema Comj Calciu Speci Asses Metho Resul GLP | arks ponents: um dihydroxide: ies ssment od | : | Rabbit Risk of serious damage to eyes. OECD Test Guideline 405 Risk of serious damage to eyes. yes | |
| Rema Comj Calciu Speci Asses Metho Resul GLP | arks ponents: um dihydroxide: ies ssment od It iratory or skin sens | : | Rabbit Risk of serious damage to eyes. OECD Test Guideline 405 Risk of serious damage to eyes. yes | |
| Rema Comj Calciu Speci Asses Metho Resul GLP Resp | arks ponents: um dihydroxide: ies ssment od It iratory or skin sens uct: | : | Rabbit Risk of serious damage to eyes. OECD Test Guideline 405 Risk of serious damage to eyes. yes | |
| Rema Comj Calciu Speci Asses Metho Resul GLP Resp Produ Rema | arks ponents: um dihydroxide: ies ssment od It iratory or skin sens uct: | : | Rabbit Risk of serious damage to eyes. OECD Test Guideline 405 Risk of serious damage to eyes. yes | |
| Rema Comj Calciu Speci Asses Metho Resul GLP Resp Produ Rema | arks ponents: um dihydroxide: ies ssment od It iratory or skin sens uct: arks | : | Rabbit Risk of serious damage to eyes. OECD Test Guideline 405 Risk of serious damage to eyes. yes | |
| Rema Comj Calciu Speci Asses Metho Resul GLP Resp Resp Resp Rema Comj Calciu | arks ponents: um dihydroxide: ies ssment od It iratory or skin sens <u>uct:</u> arks ponents: um dihydroxide: | : | Rabbit Risk of serious damage to eyes. OECD Test Guideline 405 Risk of serious damage to eyes. yes n This information is not available. | |
| Rema Comj Calciu Speci Asses Metho Resul GLP Resp Resp Rema Rema Comj Calciu Test | arks ponents: um dihydroxide: ies ssment od It iratory or skin sens <u>uct:</u> arks ponents: um dihydroxide: Type ies | : | Rabbit Risk of serious damage to eyes. OECD Test Guideline 405 Risk of serious damage to eyes. yes | |
| Rema Comj Calciu Speci Asses Metho Resul GLP Resp Resp Rema Rema Comj Calciu Test | arks ponents: um dihydroxide: ies ssment od It iratory or skin sens <u>uct:</u> arks ponents: um dihydroxide: Type | : | Rabbit Risk of serious damage to eyes. OECD Test Guideline 405 Risk of serious damage to eyes. yes n This information is not available. Local lymph node assay (LLNA) | |
| Rema Comj Calciu Speci Asses Metho Resul GLP Resp Resp Rema Rema Comj Calciu Test | arks ponents: um dihydroxide: ies ssment od It iratory or skin sens <u>uct:</u> arks ponents: um dihydroxide: Type ies | : | Rabbit Risk of serious damage to eyes. OECD Test Guideline 405 Risk of serious damage to eyes. yes n This information is not available. Local lymph node assay (LLNA) Mouse | a brand of |

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - DE



| OK | S 220 | | | | |
|-------------|-------------------------|---|---|--|------------------------|
| Vers 3.5 | sion | Revision Date: 22.11.2024 | | e of last issue: 01.08.2022 e of first issue: 05.07.2016 | Print Date: 22.11.2024 |
| | Method Result GLP | | : | OECD Test Guideline 429 Does not cause skin sensitisation. yes | |
| | Germ | cell mutagenicity | | | |
| | <u>Produ</u> | | | | |
| | Genote | oxicity in vitro | : | Remarks: No data available | |
| | Genote | oxicity in vivo | : | Remarks: No data available | |
| | <u>Comp</u> | onents: | | | |
| | calciu | m dihydroxide: | | | |
| | Genote | oxicity in vitro | : | Test Type: Ames test Method: OECD Test Guideline 471 Result: negative GLP: yes | |
| | | | | Test Type: Chromosome aberration test Method: OECD Test Guideline 473 Result: negative GLP: yes | in vitro |
| | | | | Test Type: In vitro mammalian cell gene Method: OECD Test Guideline 476 Result: negative GLP: yes | mutation test |
| | Carcir | ogenicity | | | |
| | Produ Remai | | : | No data available | |
| | <u>Comp</u> | onents: | | | |
| | | m dihydroxide: ogenicity - sment | : | No evidence of carcinogenicity in anima | studies. |
| | Repro | ductive toxicity | | | |
| | <u>Produ</u> | | | | |
| | Effects | s on fertility | : | Remarks: No data available | |
| | Effects develo | s on foetal pment | : | Remarks: No data available | |





| VersionRevision I3.522.11.202 | | Print Date: 22.11.2024 |
|-------------------------------|--|------------------------|
|-------------------------------|--|------------------------|

Components:

| calcium dihydroxide: Reproductive toxicity - Assessment | : | - Fertility - No toxicity to reproduction - Teratogenicity - No effects on or via lactation |
|---|---|--|
| STOT - single exposure | | |
| <u>Product:</u> Remarks | : | No data available |
| Components: | | |
| calcium dihydroxide: Assessment | : | May cause respiratory irritation. |
| STOT - repeated exposure | | |
| <u>Product:</u> Remarks | : | No data available |
| Repeated dose toxicity | | |
| <u>Product:</u> Remarks | : | This information is not available. |
| Aspiration toxicity | | |

Product:

This information is not available.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.





| Version 3.5 | Revision Date: 22.11.2024 | Date of last issue: 01.08.2022 Date of first issue: 05.07.2016 | Print Date: 22.11.2024 |
|----------------|---------------------------|--|----------------------------|
| Furth | ner information | | |
| Prod | uct: | | |
| Rema | arks | : Ingestion causes irritation of upp gastrointestinal disturbance. | per respiratory system and |

SECTION 12: Ecological information

12.1 Toxicity

| Product: | | |
|---|---|--|
| Toxicity to fish | : | Remarks: No data available |
| Toxicity to daphnia and other aquatic invertebrates | : | Remarks: No data available |
| Toxicity to algae/aquatic plants | : | Remarks: No data available |
| Toxicity to microorganisms | : | Remarks: No data available |
| Components: | | |
| calcium dihydroxide: | | |
| Toxicity to fish | : | LC50 (Oncorhynchus mykiss (rainbow trout)): 50,6 mg/l Exposure time: 96 h Test Type: static test Method: OECD Test Guideline 203 GLP: yes |
| Toxicity to daphnia and other aquatic invertebrates | : | EC50 (Daphnia magna (Water flea)): 49,1 mg/l Exposure time: 48 h Test Type: static test Method: OECD Test Guideline 202 GLP: yes |
| Toxicity to algae/aquatic plants | : | EC50 (Pseudokirchneriella subcapitata (green algae)): 184,57 mg/l Exposure time: 72 h Test Type: static test Method: OECD Test Guideline 201 GLP: yes |
| Ecotoxicology Assessment | | |
| | | This product has no known acotoxicological offects |

Acute aquatic toxicity : This product has no known ecotoxicological effects.





| | • | | | |
|----------------|--|--------|---|------------------------|
| OKS 22 | 0 | | | |
| Version 3.5 | Revision Date: 22.11.2024 | | e of last issue: 01.08.2022 e of first issue: 05.07.2016 | Print Date: 22.11.2024 |
| Chro | nic aquatic toxicity | : | This product has no known ecotoxicolog | ical effects. |
| 12.2 Pers | istence and degradab | oility | | |
| Prod | luct: | | | |
| Biode | egradability | : | Remarks: No data available | |
| | ico-chemical wability | : | Remarks: No data available | |
| Com | ponents: | | | |
| calci | um dihydroxide: | | | |
| Biode | egradability | : | Remarks: The methods for determining degradability are not applicable to inorga | |
| 12.3 Bioa | ccumulative potential | | | |
| Prod | luct: | | | |
| Bioa | ccumulation | : | Remarks: No data available | |
| <u>Com</u> | ponents: | | | |
| | um dihydroxide: | | | |
| | tion coefficient: n- nol/water | : | log Pow: 0,05 | |
| Grad | bhite: | | | |
| Parti | tion coefficient: n- nol/water | : | Remarks: No data available | |
| 12.4 Mob | ility in soil | | | |
| Prod | luct: | | | |
| Mobi | lity | : | Remarks: No data available | |
| | ibution among onmental compartments | : s | Remarks: No data available | |
| 12.5 Resi | ults of PBT and vPvB a | asse | ssment | |
| Prod | luct: | | | |
| Asse | ssment | : | This substance/mixture contains no com | ponents considered |





| Version | Revision Date: | Date of last issue: 01.08.2022 | Print Date: |
|---------|----------------|---------------------------------|-------------|
| 3.5 | 22.11.2024 | Date of first issue: 05.07.2016 | 22.11.2024 |

12.6 Endocrine disrupting properties

Product:

| Assessment | The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher. |
|------------|---|
|------------|---|

12.7 Other adverse effects

| Pr | od | uct | t: |
|----|----|-----|----|
| | | | |

| <u> </u> | | |
|-----------------------|---|---|
| Additional ecological | : | No information on ecology is available. |
| information | | |

SECTION 13: Disposal considerations

| 13.1 Waste treatment methods | |
|------------------------------|--|
| Product : | The product should not be allowed to enter drains, water courses or the soil. Do not dispose of with domestic refuse. Dispose of as hazardous waste in compliance with local and national regulations. |
| | Waste codes should be assigned by the user based on the application for which the product was used. |
| Contaminated packaging : | Packaging that is not properly emptied must be disposed of as the unused product. Dispose of waste product or used containers according to local regulations. |
| | The following Waste Codes are only suggestions: |
| Waste Code : | used product, unused product 12 01 12**, spent waxes and fats |
| | uncleaned packagings 15 01 10*, packaging containing residues of or contaminated by hazardous substances |

SECTION 14: Transport information

14.1 UN number or ID number



OKS 220

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - DE



| OKS 22 | 0 | | |
|----------------|------------------------------|---|---------------------------|
| Version 3.5 | Revision Date: 22.11.2024 | Date of last issue: 01.08.2022 Date of first issue: 05.07.2016 | Print Date: 22.11.2024 |
| ADN | | : Not regulated as a dangerous good | |
| ADR | | : Not regulated as a dangerous good | |
| RID | | | |
| IMD | • | Not regulated as a dangerous goodNot regulated as a dangerous good | |
| IATA | | 5 5 5 | |
| | ` proper shipping nam | : Not regulated as a dangerous good | |
| - | | | |
| ADN | | : Not regulated as a dangerous good | |
| ADR | | : Not regulated as a dangerous good | |
| RID | _ | : Not regulated as a dangerous good | |
| IMDO | | : Not regulated as a dangerous good | |
| | | : Not regulated as a dangerous good | |
| | isport hazard class(e | 2S) | |
| ADN | | : Not regulated as a dangerous good | |
| ADR | | : Not regulated as a dangerous good | |
| RID | | : Not regulated as a dangerous good | |
| IMDO | G | : Not regulated as a dangerous good | |
| ΙΑΤΑ | N | : Not regulated as a dangerous good | |
| 14.4 Pacl | king group | | |
| ADN | | : Not regulated as a dangerous good | |
| ADR | | : Not regulated as a dangerous good | |
| RID | | : Not regulated as a dangerous good | |
| IMDO | G | : Not regulated as a dangerous good | |
| ΙΑΤΑ | (Cargo) | : Not regulated as a dangerous good | |
| ΙΑΤΑ | (Passenger) | : Not regulated as a dangerous good | |
| 14.5 Envi | ironmental hazards | | |
| ADN | | : Not regulated as a dangerous good | |
| ADR | | : Not regulated as a dangerous good | |
| RID | | : Not regulated as a dangerous good | |
| IMDO | G | : Not regulated as a dangerous good | |
| - | cial precautions for u | iser | |
| 14.7 Mari | time transport in bul | k according to IMO instruments | |
| Rem | arks | : Not applicable for product as supplied | I. |
| | | | |





| Version | Revision Date: | Date of last issue: 01.08.2022 | Print Date: |
|---------|----------------|---------------------------------|-------------|
| 3.5 | 22.11.2024 | Date of first issue: 05.07.2016 | 22.11.2024 |

SECTION 15: Regulatory information

| 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture | | | | | | |
|---|------------------------|---|--|--|--|--|
| REACH - Restrictions on the mar the market and use of certain dar mixtures and articles (Annex XVI | ngerous substances, | : | Not applicable | | | |
| REACH - Candidate List of Subst Concern for Authorisation (Article (EU SVHC) | | : | This product does not contain substances of very high concern (Regulation (EC) No 1907/2006 (REACH), Article 57). | | | |
| Regulation (EC) No 1005/2009 of deplete the ozone layer (EC 1005/2009) | n substances that | : | Not applicable | | | |
| Regulation (EU) 2019/1021 on pe pollutants (recast) (EU POP) | ersistent organic | : | Not applicable | | | |
| Regulation (EU) No 649/2012 of Parliament and the Council conce import of dangerous chemicals (EU PIC) | | : | Not applicable | | | |
| REACH - List of substances subj (Annex XIV) (EU. REACH-Annex XIV) | ect to authorisation | : | Not applicable | | | |
| Regulation (EU) 2019/1148 on th explosives precursors | e marketing and use of | : | Not applicable | | | |
| Seveso III: Directive 2012/18/EU Parliament and of the Council on major-accident hazards involving substances. | the control of | | Not applicable | | | |
| Water hazard class : WGK 1 slightly hazard (Germany) : Classification accordin | | | | | | |



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - DE



OKS 220

| Ver 3.5 | sion | Revision Date: 22.11.2024 | | e of last issue: 01.08.2022 e of first issue: 05.07.2016 | Print Date: 22.11.2024 |
|------------|---------|---------------------------|---|---|---------------------------|
| | TA Lu | ft List (Germany) | : | 5.2.1: Total dust: others: 57,15 % 5.2.2: Inorganic substances in powdered Not applicable 5.2.4: Inorganic substances in gaseous f Not applicable 5.2.5: Organic Substances: Class 1: < 0,01 % 5.2.7.1.1: Carcinogenic substance: Not applicable 5.2.7.1.1: Quartz fine dust PM4: Not applicable 5.2.7.1.1: Formaldehyde: Not applicable 5.2.7.1.1: fibres: Not applicable 5.2.7.1.2: Germ cell mutagens: Not applicable 5.2.7.1.3: Substances toxic to reproducti Not applicable 5.2.7.2: Poorly degradable, easily enrich organic substances: Not applicable | orm: |
| | Volatil | e organic compounds | : | Directive 2010/75/EU of 24 November 20 emissions (integrated pollution preventio Not applicable | |

15.2 Chemical safety assessment

This information is not available.

SECTION 16: Other information

Full text of H-Statements

| H315 | : | Causes skin irritation. |
|------|---|-----------------------------------|
| H318 | : | Causes serious eye damage. |
| H335 | : | May cause respiratory irritation. |

Full text of other abbreviations

| 2017/164/EU | : | Europe. Commission Directive 2017/164/EU establishing a |
|-------------|---|--|
| | | fourth list of indicative occupational exposure limit values |
| DE DFG MAK | : | Germany. MAK BAT Annex IIa |
| DE TRGS 527 | : | Germany. TRGS 527 - Activities with nanomaterials |
| DE TRGS 900 | : | Germany. TRGS 900 - Occupational exposure limit values. |



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - DE



OKS 220

| Version 3.5 | Revision Date: 22.11.2024 | Date of last issue: 01.08.2022 Date of first issue: 05.07.2016 | Print Date: 22.11.2024 |
|-----------------------|--|--|------------------------|
| 2017/ DE D DE T | /164/EU / STEL /164/EU / TWA FG MAK / MAK RGS 527 / BM RGS 900 / AGW | Short term exposure limit Limit Value - eight hours MAK value Assessment scale Time Weighted Average | |

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN -Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx -Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA -International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO -International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration: NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIOC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID -Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

| Classification of the | Classification procedure: | |
|-----------------------|---------------------------|--------------------|
| Skin Irrit. 2 | H315 | Calculation method |
| Eye Dam. 1 | H318 | Calculation method |
| STOT SE 3 | H335 | Calculation method |

|| Relevant changes compared to the last edition are highlighted at the left margin. This version replaces all previous editions.



SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as an

OKS

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - DE

OKS 220

| Version | Revision Date: | Date of last issue: 01.08.2022 | Print Date: |
|---------|----------------|---------------------------------|-------------|
| 3.5 | 22.11.2024 | Date of first issue: 05.07.2016 | 22.11.2024 |

This safety data sheet applies only to products as originally packed and labelled. The information contained therein may not be reproduced or modified without our express written permission. Any forwarding of this document is only permitted to the extent required by law. Any further, in particular public, dissemination of the safety data sheet (e.g. as a document for download from the Internet) is not permitted without our express written consent. We provide our customers with amended safety data sheets as prescribed by law. The customer is responsible for passing on safety data sheets and any amendments contained therein to its own customers, employees and other users of the product. We provide no guarantee that safety data sheets received by users from third parties are up-to-date. All information and instructions in this safety data sheet have been compiled to the best of our knowledge and are based on the information available to us on the day of publication. The information provided is intended to describe the product in relation to the required safety measures; it is neither an assurance of characteristics nor a guarantee of the product's suitability for particular applications and does not justify any contractual legal relationship. The existence of a safety data sheet for a particular jurisdiction does not necessarily mean that import or use within that jurisdiction is legally permitted. If you have any questions, please contact your responsible sales contact or authorized trading partner.

