

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878 - DE



OKS 479

Version	Revision Date:	Date of last issue: 28.04.2026	Print Date:
7.0	08.09.2026	Date of first issue: 09.07.2016	08.09.2026

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name : OKS 479

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Grease

Recommended restrictions on use : Restricted to professional users.

1.3 Details of the supplier of the safety data sheet

Company : OKS Spezialschmierstoffe GmbH
Ganghoferstr. 47
82216 Maisach
Germany
Tel.: +49 8142 3051-500
info@oks-germany.com

E-mail address of person responsible for the SDS : mcm@oks-germany.com

National contact : Klüber Lubrication Deutschland GmbH & Co. KG
Geisenhausenerstraße 7
81379 München
Germany
Tel.: +49 (0) 89 7876 0
customer.service.de@klueber.com

1.4 Emergency telephone number

Emergency telephone number : +49 8142 3051 517

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Long-term (chronic) aquatic hazard, Category 2 H411: Toxic to aquatic life with long lasting effects.

Persistent, bioaccumulative and toxic EUH440: Accumulates in the environment and living organisms including in humans.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878 - DE



OKS 479

Version	Revision Date:	Date of last issue: 28.04.2026	Print Date:
7.0	08.09.2026	Date of first issue: 09.07.2016	08.09.2026

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :



Signal word : Danger

Hazard statements : H411 Toxic to aquatic life with long lasting effects.
EUH440 Accumulates in the environment and living organisms including in humans.

Precautionary statements : **Prevention:**
P201 Obtain special instructions before use.
P202 Do not handle until all safety precautions have been read and understood.
P273 Avoid release to the environment.
Response:
P391 Collect spillage.

Hazardous components which must be listed on the label:

O,O,O-triphenyl phosphorothioate

2.3 Other hazards

This substance/mixture contains components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB).

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature : Synthetic hydrocarbon oil
aluminium complex soap
Mineral oil.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878 - DE



OKS 479

Version
7.0

Revision Date:
08.09.2026

Date of last issue: 28.04.2026
Date of first issue: 09.07.2016

Print Date:
08.09.2026

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	specific concentration limit M-Factor Notes Acute toxicity estimate	Concentration (% w/w)
disodium sebacate	17265-14-4 241-300-3 01-2120762063-61-XXXX	Eye Irrit. 2; H319		$\geq 1 - < 10$
O,O,O-triphenyl phosphorothioate	597-82-0 209-909-9 01-2119979545-21-XXXX	Aquatic Chronic 1; H410 PBT; EUH440	M-Factor: /10	$\geq 0,25 - < 1$
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene	68411-46-1 270-128-1 01-2119491299-23-XXXX	Repr. 2; H361f		$\geq 0,1 - < 1$
O,O,O-tris(2(or 4)-C 9-10-isoalkylphenyl) phosphorothioate	126019-82-7 406-940-1 015-171-00-7 01-2119930067-42-XXXX01-0000015643-71-XXXX	Repr. 2; H361d Aquatic Chronic 2; H411		$\geq 0,25 - < 1$
2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol	95-38-5 202-414-9 01-2119777867-13-XXXX	Acute Tox. 4; H302 Skin Corr. 1C; H314 Eye Dam. 1; H318 STOT RE 2; H373 (Digestive organs, thymus gland) Aquatic Acute 1; H400 Aquatic Chronic 1; H410	M-Factor: 10/1 ATE (Oral): 1.265 mg/kg	$\geq 0,25 - < 1$
N-methyl-N-[C18-(unsaturated)alkanoyl] glycine	701-177-3 01-2119488991-20-XXXX	Acute Tox. 4; H332 Skin Irrit. 2; H315 Eye Dam. 1; H318 Aquatic Acute 1; H400 Aquatic Chronic 3; H412	M-Factor: 1/ ATE ATE (Inhalation):	$\geq 0,25 - < 1$

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878 - DE



OKS 479

Version	Revision Date:	Date of last issue: 28.04.2026	Print Date:
7.0	08.09.2026	Date of first issue: 09.07.2016	08.09.2026

			1,37 mg/l	
Substances with a workplace exposure limit :				
White mineral oil (petroleum)	8042-47-5 232-455-8 01-2119487078-27- XXXX	Not classified		$\geq 1 - < 10$

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

- If inhaled : Obtain medical attention.
Remove person to fresh air. If signs/symptoms continue, get medical attention.
Keep patient warm and at rest.
If unconscious, place in recovery position and seek medical advice.
Keep respiratory tract clear.
If breathing is irregular or stopped, administer artificial respiration.
- In case of skin contact : Take off all contaminated clothing immediately.
Get medical attention immediately if irritation develops and persists.
Wash clothing before reuse.
Thoroughly clean shoes before reuse.
Wash off immediately with plenty of water.
- In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 10 minutes.
If eye irritation persists, consult a specialist.
- If swallowed : Move the victim to fresh air.
If unconscious, place in recovery position and seek medical advice.
Keep respiratory tract clear.
Do not induce vomiting without medical advice.
Obtain medical attention.
Rinse mouth with water.
Never give anything by mouth to an unconscious person.

4.2 Most important symptoms and effects, both acute and delayed

- Symptoms : No symptoms known or expected.

4.3 Indication of any immediate medical attention and special treatment needed

- Treatment : Treat symptomatically.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878 - DE



OKS 479

Version 7.0	Revision Date: 08.09.2026	Date of last issue: 28.04.2026 Date of first issue: 09.07.2016	Print Date: 08.09.2026
----------------	------------------------------	---	---------------------------

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Unsuitable extinguishing media : High volume water jet

High volume water jet

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products : Carbon oxides
Metal oxides

5.3 Advice for firefighters

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment. Exposure to decomposition products may be a hazard to health.

Further information : Standard procedure for chemical fires.
Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Evacuate personnel to safe areas.
Ensure adequate ventilation.
Do not breathe vapours, aerosols.
Refer to protective measures listed in sections 7 and 8.

6.2 Environmental precautions

Environmental precautions : Do not allow contact with soil, surface or ground water.
If the product contaminates rivers and lakes or drains inform respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Pick up and transfer to properly labelled containers.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878 - DE



OKS 479

Version	Revision Date:	Date of last issue: 28.04.2026	Print Date:
7.0	08.09.2026	Date of first issue: 09.07.2016	08.09.2026

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : Avoid contact with skin and eyes.
For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the application area.
Wash hands and face before breaks and immediately after handling the product.
Do not get in eyes or mouth or on skin.
Do not get on skin or clothing.
Do not ingest.
Do not repack.
These safety instructions also apply to empty packaging which may still contain product residues.
Keep container closed when not in use.

Hygiene measures : Wash face, hands and any exposed skin thoroughly after handling.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Store in original container. Keep container closed when not in use. Keep in a dry, cool and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store in accordance with the particular national regulations. Keep in properly labelled containers.

Storage class (TRGS 510) : 11, Combustible Solids

7.3 Specific end use(s)

Specific use(s) : Specific instructions for handling, not required.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
White mineral oil (petroleum)	8042-47-5	MAK (measured as the alveolate fraction)	5 mg/m ³	DE DFG MAK (2023-07-01)
Peak-limit: excursion factor (category): 4; II				

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878 - DE



OKS 479

Version 7.0 Revision Date: 08.09.2026 Date of last issue: 28.04.2026 Print Date: 08.09.2026
Date of first issue: 09.07.2016

	Further information: Damage to the embryo or foetus is unlikely when the MAK value or the BAT value is observed			
		AGW (Alveolate fraction)	5 mg/m ³	DE TRGS 900 (2015-11-06)
	Peak-limit: excursion factor (category): 4;(II)			
	Further information: When there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child			
O,O,O-triphenyl phosphorothioate	597-82-0	MAK (inhalable fraction)	20 mg/m ³	DE DFG MAK (2023-07-01)
	Peak-limit: excursion factor (category): 2; II			
	Further information: Either there are no data for an assessment of damage to the embryo or foetus, including developmental neurotoxicity, or the currently available data are not sufficient for classification in one of the groups A - C			
		AGW (Inhalable fraction)	20 mg/m ³	DE TRGS 900 (2021-07-02)
	Peak-limit: excursion factor (category): 2;(II)			
N-methyl-N-[C18-(unsaturated)alkanoyl]glycine	Not Assigned	MAK (inhalable fraction)	0,05 mg/m ³	DE DFG MAK (2024-07-01)
	Peak-limit: excursion factor (category): 2; II			
	Further information: Either there are no data for an assessment of damage to the embryo or foetus, including developmental neurotoxicity, or the currently available data are not sufficient for classification in one of the groups A - C			
		AGW (Inhalable fraction)	0,05 mg/m ³	DE TRGS 900 (2019-03-29)
	Peak-limit: excursion factor (category): 2;(II)			

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006

Substance name	End Use	Exposure routes	Potential health effects	Value
White mineral oil (petroleum)	Workers	Inhalation	Long-term systemic effects	164,56 mg/m ³
	Workers	Skin contact	Long-term systemic effects	217,05 mg/kg
disodium sebacate	Workers	Skin contact	Long-term systemic effects	10 mg/kg
	Workers	Inhalation	Long-term systemic effects	35,26 mg/m ³
O,O,O-triphenyl phosphorothioate	Workers	Inhalation	Long-term systemic effects	1,39 mg/m ³
	Workers	Skin contact	Long-term systemic effects	0,4 mg/kg
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene	Workers	Skin contact	Long-term systemic effects	0,44 mg/kg bw/day
	Workers	Inhalation	Long-term systemic effects	0,31 mg/m ³

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878 - DE



OKS 479

Version	Revision Date:	Date of last issue: 28.04.2026	Print Date:
7.0	08.09.2026	Date of first issue: 09.07.2016	08.09.2026

2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol	Workers	Skin contact	Long-term systemic effects	0,06 mg/kg
	Workers	Inhalation	Long-term systemic effects	0,46 mg/m3
	Workers	Skin contact	Acute systemic effects	2 mg/kg
	Workers	Inhalation	Acute systemic effects	14 mg/m3
N-methyl-N-[C18-(unsaturated)alkanoyl]glycine	Workers	Inhalation	Long-term systemic effects	0,8 mg/m3
	Workers	Skin contact	Long-term systemic effects	4,2 mg/kg bw/day
O,O,O-tris(2(or 4)-C 9-10-isoalkylphenyl)phosphorothioate	Workers	Inhalation	Long-term systemic effects	1,76 mg/m3
	Workers	Skin contact	Long-term systemic effects	0,5 mg/kg
calcium carbonate	Workers	Inhalation	Long-term local effects	6,36 mg/m3

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006

Substance name	Environmental Compartment	Value
Aluminum, benzoate C16-18-fatty acids complexes	Fresh water	0,1 mg/l
	Marine water	0,01 mg/l
disodium sebacate	Fresh water	0,018 mg/l
	Marine water	0,002 mg/l
	Sewage treatment plant	10 mg/l
	Fresh water sediment	0,548 mg/kg
	Marine sediment	0,055 mg/kg
	Soil	0,099 mg/kg
O,O,O-triphenyl phosphorothioate	Fresh water	0,00017 mg/l
	Marine water	0,000017 mg/l
	Fresh water sediment	3,47 mg/kg
	Marine sediment	0,347 mg/kg
	Soil	2,46 mg/kg
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene	Fresh water	0,034 mg/l
	Marine water	0,003 mg/l
	Fresh water sediment	0,446 mg/kg
	Marine sediment	0,045 mg/kg
	Soil	1,76 mg/kg
	Sewage treatment plant	10 mg/l
	Intermittent use/release	0,51 mg/l
2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol	Fresh water	0,00003 mg/l
	Marine water	0,000003 mg/l

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878 - DE



OKS 479

Version	Revision Date:	Date of last issue: 28.04.2026	Print Date:
7.0	08.09.2026	Date of first issue: 09.07.2016	08.09.2026

	Fresh water sediment	0,376 mg/kg
	Marine sediment	0,0376 mg/kg
	Soil	0,075 mg/kg
N-methyl-N-[C18-(unsaturated)alkanoyl]glycine	Fresh water	0,00043 mg/l
	Marine water	0,000043 mg/l
	Microbiological Activity in Sewage Treatment Systems	1 mg/l
	Fresh water sediment	0,057 mg/kg
	Marine sediment	0,006 mg/kg
	Soil	1,71 mg/kg
O,O,O-tris(2(or 4)-C 9-10-isoalkylphenyl) phosphorothioate	Fresh water sediment	0,1 mg/kg
	Marine sediment	0,01 mg/kg
	Soil	20 mg/kg
calcium carbonate	Sewage treatment plant	100 mg/l

8.2 Exposure controls

Engineering measures

Handle only in a place equipped with local exhaust (or other appropriate exhaust).

Personal protective equipment

Eye/face protection : Safety glasses

Hand protection

Material : Nitrile rubber
Break through time : > 10 min
Protective index : Class 1

Remarks : Wear protective gloves. The break through time depends amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each case.
The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it.

Skin and body protection : Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.

Respiratory protection : Not required; except in case of aerosol formation.

Filter type : Filter type P

Protective measures : The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878 - DE



OKS 479

Version	Revision Date:	Date of last issue: 28.04.2026	Print Date:
7.0	08.09.2026	Date of first issue: 09.07.2016	08.09.2026

Environmental exposure controls

Air	:	Should not be released into the environment.
Soil	:	Do not allow contact with soil, surface or ground water. The product should not be allowed to enter drains, water courses or the soil.
Water	:	Do not allow contact with soil, surface or ground water. The product should not be allowed to enter drains, water courses or the soil.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	:	solid
Form	:	paste
Colour	:	beige
Odour	:	characteristic
Odour Threshold	:	No data available
Melting point/ range	:	No data available
Boiling point/boiling range	:	No data available
Flammability	:	Flammability (solid, gas): Combustible Solids
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	Not applicable
Auto-ignition temperature	:	No data available

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878 - DE



OKS 479

Version 7.0	Revision Date: 08.09.2026	Date of last issue: 28.04.2026 Date of first issue: 09.07.2016	Print Date: 08.09.2026
----------------	------------------------------	---	---------------------------

Decomposition temperature : No data available

pH : Not applicable
substance/mixture is non-soluble (in water)

Viscosity
Viscosity, dynamic : No data available

Viscosity, kinematic : Not applicable

Solubility(ies)
Water solubility : insoluble

Solubility in other solvents : No data available

Partition coefficient: n-
octanol/water : No data available

Vapour pressure : < 0,13 hPa (20 °C)

Relative density : 0,90 (20 °C)
Reference substance: Water
The value is calculated

Density : 0,90 g/cm³
(20 °C)

Bulk density : No data available

Relative vapour density : No data available

Particle characteristics
Particle size : Not applicable

Particle Size Distribution : Not applicable

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878 - DE



OKS 479

Version 7.0	Revision Date: 08.09.2026	Date of last issue: 28.04.2026 Date of first issue: 09.07.2016	Print Date: 08.09.2026
----------------	------------------------------	---	---------------------------

9.2 Other information

Explosives	: Not explosive
Oxidizing properties	: No data available
Self-ignition	: No data available
Evaporation rate	: No data available
Sublimation point	: No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No hazards to be specially mentioned.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions : No dangerous reaction known under conditions of normal use.

10.4 Conditions to avoid

Conditions to avoid : No conditions to be specially mentioned.

10.5 Incompatible materials

Materials to avoid : No materials to be especially mentioned.

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Based on available data, the classification criteria are not met.

Product:

Acute oral toxicity : Remarks: This information is not available.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878 - DE



OKS 479

Version 7.0	Revision Date: 08.09.2026	Date of last issue: 28.04.2026 Date of first issue: 09.07.2016	Print Date: 08.09.2026
----------------	------------------------------	---	---------------------------

Acute inhalation toxicity : Remarks: This information is not available.

Acute dermal toxicity : Remarks: This information is not available.

Components:

disodium sebacate:

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg
Method: OECD Test Guideline 401
GLP: no

Acute dermal toxicity : LD50 (Rabbit): > 2.000 mg/kg
Method: OECD Test Guideline 402
GLP: yes
Assessment: The substance or mixture has no acute dermal toxicity

O,O,O-triphenyl phosphorothioate:

Acute oral toxicity : LD50 (Rat): > 10.000 mg/kg
Method: OECD Test Guideline 401

Acute dermal toxicity : LD50 (Rat): > 2.000 mg/kg
Method: OECD Test Guideline 402
Assessment: The substance or mixture has no acute dermal toxicity
Remarks: No mortality observed at this dose.

Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg
Method: OECD Test Guideline 401

Acute dermal toxicity : LD50 (Rat): > 2.000 mg/kg
Method: OECD Test Guideline 402
Assessment: The substance or mixture has no acute dermal toxicity

O,O,O-tris(2(or 4)-C 9-10-isoalkylphenyl) phosphorothioate:

Acute oral toxicity : LD50 (Rat): > 2.000 mg/kg
Method: OECD Test Guideline 401
GLP: yes
Assessment: The substance or mixture has no acute oral toxicity

Acute inhalation toxicity : Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rat): > 2.000 mg/kg
Method: OECD Test Guideline 402

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878 - DE



OKS 479

Version 7.0	Revision Date: 08.09.2026	Date of last issue: 28.04.2026 Date of first issue: 09.07.2016	Print Date: 08.09.2026
----------------	------------------------------	---	---------------------------

GLP: yes
Assessment: The substance or mixture has no acute dermal toxicity

2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol:

Acute oral toxicity : LD50 (Rat): 1.265 mg/kg
Method: OECD Test Guideline 401
GLP: yes

Acute dermal toxicity : LD50 (Rabbit): > 2.000 mg/kg
Assessment: The substance or mixture has no acute dermal toxicity

N-methyl-N-[C18-(unsaturated)alkanoyl]glycine:

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg
Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat, male and female): 1,37 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403

White mineral oil (petroleum):

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg
Method: OECD Test Guideline 401
GLP: yes

Acute inhalation toxicity : LC50 (Rat): > 5 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
GLP: yes
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rabbit): > 2.000 mg/kg
Method: OECD Test Guideline 402
GLP: yes
Assessment: The substance or mixture has no acute dermal toxicity

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Product:

Remarks : This information is not available.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878 - DE



OKS 479

Version	Revision Date:	Date of last issue: 28.04.2026	Print Date:
7.0	08.09.2026	Date of first issue: 09.07.2016	08.09.2026

Components:

disodium sebacate:

Species	:	Rabbit
Assessment	:	No skin irritation
Method	:	OECD Test Guideline 404
Result	:	No skin irritation
GLP	:	no

O,O,O-triphenyl phosphorothioate:

Species	:	Rabbit
Assessment	:	No skin irritation
Result	:	No skin irritation

Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:

Species	:	Rabbit
Assessment	:	No skin irritation
Result	:	No skin irritation

O,O,O-tris(2(or 4)-C 9-10-isoalkylphenyl) phosphorothioate:

Species	:	Rabbit
Assessment	:	No skin irritation
Result	:	No skin irritation

2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol:

Species	:	Rabbit
Method	:	OECD Test Guideline 404
Result	:	Corrosive, category 1C - where responses occur after exposures between 1 hour and 4 hours and observations up to 14 days.
GLP	:	yes

N-methyl-N-[C18-(unsaturated)alkanoyl]glycine:

Species	:	Rabbit
Assessment	:	Irritating to skin.
Result	:	Irritating to skin.

White mineral oil (petroleum):

Species	:	Rabbit
Assessment	:	No skin irritation
Method	:	OECD Test Guideline 404
Result	:	No skin irritation
GLP	:	yes

Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878 - DE



OKS 479

Version	Revision Date:	Date of last issue: 28.04.2026	Print Date:
7.0	08.09.2026	Date of first issue: 09.07.2016	08.09.2026

Product:

Remarks : This information is not available.

Components:

disodium sebacate:

Species	: Rabbit
Assessment	: Irritating to eyes.
Method	: OECD Test Guideline 437
Result	: Irritating to eyes.
GLP	: yes

O,O,O-triphenyl phosphorothioate:

Species	: Rabbit
Assessment	: No eye irritation
Result	: No eye irritation

Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:

Species	: Rabbit
Assessment	: No eye irritation
Result	: No eye irritation

O,O,O-tris(2(or 4)-C 9-10-isoalkylphenyl) phosphorothioate:

Species	: Rabbit
Assessment	: No eye irritation
Method	: OECD Test Guideline 405
Result	: No eye irritation
GLP	: yes

2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol:

Species	: Rabbit
Assessment	: Corrosive
Method	: OECD Test Guideline 405
Result	: Corrosive

N-methyl-N-[C18-(unsaturated)alkanoyl]glycine:

Species	: Rabbit
Assessment	: Risk of serious damage to eyes.
Result	: Risk of serious damage to eyes.

White mineral oil (petroleum):

Species	: Rabbit
Assessment	: No eye irritation
Method	: OECD Test Guideline 405
Result	: No eye irritation
GLP	: yes

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878 - DE



OKS 479

Version	Revision Date:	Date of last issue: 28.04.2026	Print Date:
7.0	08.09.2026	Date of first issue: 09.07.2016	08.09.2026

Respiratory or skin sensitisation

Skin sensitisation

Based on available data, the classification criteria are not met.

Respiratory sensitisation

Based on available data, the classification criteria are not met.

Product:

Remarks : This information is not available.

Components:

disodium sebacate:

Species	:	Guinea pig
Assessment	:	Did not cause sensitisation on laboratory animals.
Result	:	Did not cause sensitisation on laboratory animals.

O,O,O-triphenyl phosphorothioate:

Assessment	:	Does not cause skin sensitisation.
------------	---	------------------------------------

Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:

Species	:	Guinea pig
Assessment	:	Does not cause skin sensitisation.
Method	:	OECD Test Guideline 406
Result	:	Does not cause skin sensitisation.

O,O,O-tris(2(or 4)-C 9-10-isoalkylphenyl) phosphorothioate:

Test Type	:	Maximisation Test
Species	:	Guinea pig
Assessment	:	Does not cause skin sensitisation.
Method	:	OECD Test Guideline 406
Result	:	Does not cause skin sensitisation.
GLP	:	yes

2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol:

Species	:	Guinea pig
Assessment	:	Does not cause skin sensitisation.
Method	:	OECD Test Guideline 406
Result	:	Does not cause skin sensitisation.

N-methyl-N-[C18-(unsaturated)alkanoyl]glycine:

Test Type	:	Maximisation Test
Species	:	Guinea pig
Assessment	:	Does not cause skin sensitisation.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878 - DE



OKS 479

Version	Revision Date:	Date of last issue: 28.04.2026	Print Date:
7.0	08.09.2026	Date of first issue: 09.07.2016	08.09.2026

Method : OECD Test Guideline 406
Result : Does not cause skin sensitisation.

White mineral oil (petroleum):

Test Type : Maximisation Test
Species : Guinea pig
Assessment : Does not cause skin sensitisation.
Method : OECD Test Guideline 406
Result : Does not cause skin sensitisation.
GLP : yes

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Product:

Genotoxicity in vitro : Remarks: No data available

Genotoxicity in vivo : Remarks: No data available

Components:

disodium sebacate:

Germ cell mutagenicity-
Assessment : Tests on bacterial or mammalian cell cultures did not show
mutagenic effects.

O,O,O-triphenyl phosphorothioate:

Germ cell mutagenicity-
Assessment : Animal testing did not show any mutagenic effects.

O,O,O-tris(2(or 4)-C 9-10-isoalkylphenyl) phosphorothioate:

Genotoxicity in vitro : Test Type: Ames test
Test system: Salmonella typhimurium
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 471
Result: negative
GLP: yes

Test Type: In vitro mammalian cell gene mutation test
Test system: Chinese hamster ovary cells
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 476
Result: negative
GLP: yes

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo
cytogenetic assay)
Species: Chinese hamster (male and female)

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878 - DE



OKS 479

Version 7.0	Revision Date: 08.09.2026	Date of last issue: 28.04.2026 Date of first issue: 09.07.2016	Print Date: 08.09.2026
----------------	------------------------------	---	---------------------------

Application Route: oral (gavage)
Method: OECD Test Guideline 474
Result: negative
GLP: yes

Germ cell mutagenicity-
Assessment : Weight of evidence does not support classification as a germ
cell mutagen.

2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol:

Germ cell mutagenicity-
Assessment : Tests on bacterial or mammalian cell cultures did not show
mutagenic effects.

White mineral oil (petroleum):

Genotoxicity in vitro : Test Type: Ames test
Method: Mutagenicity (Salmonella typhimurium - reverse
mutation assay)
Result: negative
GLP: yes

Germ cell mutagenicity-
Assessment : Tests on bacterial or mammalian cell cultures did not show
mutagenic effects.

Carcinogenicity

Based on available data, the classification criteria are not met.

Product:

Remarks : No data available

Components:

O,O,O-tris(2(or 4)-C 9-10-isoalkylphenyl) phosphorothioate:

Carcinogenicity -
Assessment : Not classifiable as a human carcinogen.

White mineral oil (petroleum):

Carcinogenicity -
Assessment : No evidence of carcinogenicity in animal studies.

Reproductive toxicity

Based on available data, the classification criteria are not met.

Product:

Effects on fertility : Remarks: No data available

Effects on foetal
development : Remarks: No data available

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878 - DE



OKS 479

Version 7.0	Revision Date: 08.09.2026	Date of last issue: 28.04.2026 Date of first issue: 09.07.2016	Print Date: 08.09.2026
----------------	------------------------------	---	---------------------------

Components:

disodium sebacate:

Reproductive toxicity - : - Fertility -
Assessment
No toxicity to reproduction
- Teratogenicity -
No effects on or via lactation

O,O,O-triphenyl phosphorothioate:

Reproductive toxicity - : - Fertility -
Assessment
Animal testing did not show any effects on fertility.

Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:

Reproductive toxicity - : - Fertility -
Assessment
Some evidence of adverse effects on sexual function and fertility, based on animal experiments.

O,O,O-tris(2(or 4)-C 9-10-isoalkylphenyl) phosphorothioate:

Effects on foetal : Test Type: Developmental Toxicity
development Species: Rat
Application Route: Oral
Developmental Toxicity: NOAEL: 150 mg/kg body weight
Method: OECD Test Guideline 414
Result: Some evidence of adverse effects on development, based on animal experiments.
GLP: yes
Remarks: Based on data from similar materials

Reproductive toxicity - : - Fertility -
Assessment
Some evidence of adverse effects on development, based on animal experiments.

2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol:

Reproductive toxicity - : - Fertility -
Assessment
Animal testing did not show any effects on fertility.
- Teratogenicity -
Did not show teratogenic effects in animal experiments.

White mineral oil (petroleum):

Reproductive toxicity - : - Fertility -
Assessment
No toxicity to reproduction
- Teratogenicity -
No effects on or via lactation

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878 - DE



OKS 479

Version	Revision Date:	Date of last issue: 28.04.2026	Print Date:
7.0	08.09.2026	Date of first issue: 09.07.2016	08.09.2026

STOT - single exposure

Based on available data, the classification criteria are not met.

Product:

Remarks : No data available

Components:

O,O,O-tris(2(or 4)-C 9-10-isoalkylphenyl) phosphorothioate:

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

White mineral oil (petroleum):

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

STOT - repeated exposure

Based on available data, the classification criteria are not met.

Product:

Remarks : No data available

Components:

O,O,O-tris(2(or 4)-C 9-10-isoalkylphenyl) phosphorothioate:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol:

Exposure routes : Ingestion
Target Organs : Digestive organs, thymus gland
Assessment : May cause damage to organs through prolonged or repeated exposure.

White mineral oil (petroleum):

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Repeated dose toxicity

Product:

Remarks : This information is not available.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878 - DE



OKS 479

Version	Revision Date:	Date of last issue: 28.04.2026	Print Date:
7.0	08.09.2026	Date of first issue: 09.07.2016	08.09.2026

Components:

O,O,O-tris(2(or 4)-C 9-10-isoalkylphenyl) phosphorothioate:

Species	: Rat
NOAEL	: 1.000 mg/kg
Application Route	: Oral
Exposure time	: 28 d
Method	: OECD Test Guideline 407
GLP	: yes

Species	: Rat
NOAEL	: 50 mg/kg
Application Route	: Oral
Exposure time	: 90 d
Number of exposures	: daily
Method	: OECD Test Guideline 408
GLP	: yes
Remarks	: Not classified due to data which are conclusive although insufficient for classification.

2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol:

Species	: Rat, male and female
NOAEL	: 20 mg/kg
Application Route	: Oral
Number of exposures	: daily
Control Group	: yes
Method	: OECD Test Guideline 422
GLP	: yes
Target Organs	: Gastrointestinal tract, thymus gland

White mineral oil (petroleum):

NOAEL	: 1.800 mg/kg
Exposure time	: 90 d

Aspiration toxicity

Based on available data, the classification criteria are not met.

Product:

This information is not available.

Components:

disodium sebacate:

No aspiration toxicity classification

O,O,O-tris(2(or 4)-C 9-10-isoalkylphenyl) phosphorothioate:

No aspiration toxicity classification

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878 - DE



OKS 479

Version	Revision Date:	Date of last issue: 28.04.2026	Print Date:
7.0	08.09.2026	Date of first issue: 09.07.2016	08.09.2026

White mineral oil (petroleum):

No aspiration toxicity classification

11.2 Information on other hazards

Endocrine disrupting properties

Based on available data, the classification criteria are not met.

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Further information

Product:

Remarks : Information given is based on data on the components and the toxicology of similar products.

SECTION 12: Ecological information

12.1 Toxicity

Product:

Toxicity to fish : Remarks: Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Toxicity to daphnia and other aquatic invertebrates : Remarks: No data available

Toxicity to algae/aquatic plants : Remarks: No data available

Toxicity to microorganisms : Remarks: No data available

Components:

disodium sebacate:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 100 mg/l
Exposure time: 96 h
Test Type: semi-static test
Method: OECD Test Guideline 203
GLP: yes

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): > 100 mg/l

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878 - DE



OKS 479

Version 7.0	Revision Date: 08.09.2026	Date of last issue: 28.04.2026 Date of first issue: 09.07.2016	Print Date: 08.09.2026
----------------	------------------------------	---	---------------------------

aquatic invertebrates
Exposure time: 48 h
Test Type: semi-static test
Method: OECD Test Guideline 202
GLP: yes

Toxicity to algae/aquatic plants : EL50 (Skeletonema costatum (marine diatom)): 38,7 mg/l
Exposure time: 72 h
Test Type: static test
Method: ISO 10253
GLP: yes

O,O,O-triphenyl phosphorothioate:

Toxicity to fish : LC50 (Brachydanio rerio (zebrafish)): > 100 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l
Exposure time: 48 h
Test Type: Immobilization
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Desmodesmus subspicatus (green algae)): > 100 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

Toxicity to microorganisms : EC50 (activated sludge): > 100 mg/l
Exposure time: 3 h
Method: OECD Test Guideline 209

Toxicity to fish (Chronic toxicity) : NOEC: 0,0017 mg/l
Exposure time: 97 d
Species: Oncorhynchus mykiss (rainbow trout)
Test Type: flow-through test
Method: OECD Test Guideline 210

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 0,00724 mg/l
Exposure time: 21 d
Species: Daphnia magna (Water flea)
Test Type: semi-static test
Method: OECD Test Guideline 211

M-Factor (Chronic aquatic toxicity) : 10

Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 100 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 51 mg/l

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878 - DE



OKS 479

Version 7.0	Revision Date: 08.09.2026	Date of last issue: 28.04.2026 Date of first issue: 09.07.2016	Print Date: 08.09.2026
----------------	------------------------------	---	---------------------------

aquatic invertebrates	Exposure time: 48 h Test Type: static test Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	: EC50 (Desmodesmus subspicatus (green algae)): > 100 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
Toxicity to microorganisms	: EC50 (activated sludge): > 100 mg/l Exposure time: 3 h Test Type: Respiration inhibition Method: OECD Test Guideline 209
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: EL10: 1,69 mg/l Exposure time: 21 d Species: Daphnia magna (Water flea)

O,O,O-tris(2(or 4)-C 9-10-isoalkylphenyl) phosphorothioate:

Toxicity to fish	: LC50 (Danio rerio (zebra fish)): > 25 mg/l Exposure time: 96 h Test Type: static test Method: OECD Test Guideline 203 GLP: yes
Toxicity to algae/aquatic plants	: EC50 (Desmodesmus subspicatus (green algae)): > 100 mg/l Exposure time: 72 h Test Type: static test Method: OECD Test Guideline 201 GLP: yes
Toxicity to microorganisms	: EC50 (activated sludge): > 100 mg/l Exposure time: 3 h Test Type: Respiration inhibition Method: OECD Test Guideline 209 GLP: yes

Ecotoxicology Assessment

Acute aquatic toxicity	: Toxic to aquatic life.
Chronic aquatic toxicity	: Toxic to aquatic life with long lasting effects.

2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol:

Toxicity to fish	: LC50 (Danio rerio (zebra fish)): 0,3 mg/l Exposure time: 96 h Test Type: static test Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 0,163 mg/l Exposure time: 48 h Test Type: Immobilization

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878 - DE



OKS 479

Version 7.0	Revision Date: 08.09.2026	Date of last issue: 28.04.2026 Date of first issue: 09.07.2016	Print Date: 08.09.2026
----------------	------------------------------	---	---------------------------

Method: OECD Test Guideline 202
GLP: yes

Toxicity to algae/aquatic plants : ErC50 (Desmodesmus subspicatus (green algae)): 0,03 mg/l
Exposure time: 72 h
Test Type: Growth inhibition
Method: OECD Test Guideline 201

M-Factor (Acute aquatic toxicity) : 10

Toxicity to microorganisms : EC50 (activated sludge): 26 mg/l
Exposure time: 3 h
Test Type: Respiration inhibition
Method: OECD Test Guideline 209

M-Factor (Chronic aquatic toxicity) : 1

N-methyl-N-[C18-(unsaturated)alkanoyl]glycine:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 0,43 mg/l
Exposure time: 96 h
Test Type: flow-through test
Method: OECD Test Guideline 203
GLP: yes

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0,43 mg/l
Exposure time: 48 h
Test Type: static test
Method: OECD Test Guideline 202
GLP: yes

Toxicity to algae/aquatic plants : EC50 (Desmodesmus subspicatus (green algae)): 6,3 mg/l
Exposure time: 72 h
Test Type: static test
Method: OECD Test Guideline 201

NOEC (Desmodesmus subspicatus (green algae)): 0,91 mg/l
Exposure time: 72 h
Test Type: static test
Method: OECD Test Guideline 201

M-Factor (Acute aquatic toxicity) : 1

Toxicity to microorganisms : NOEC (activated sludge): 10 mg/l
Exposure time: 3 h
Test Type: static test
Method: OECD Test Guideline 209

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878 - DE



OKS 479

Version 7.0	Revision Date: 08.09.2026	Date of last issue: 28.04.2026 Date of first issue: 09.07.2016	Print Date: 08.09.2026
----------------	------------------------------	---	---------------------------

Ecotoxicology Assessment

Acute aquatic toxicity : Very toxic to aquatic life.
Chronic aquatic toxicity : Harmful to aquatic life with long lasting effects.

White mineral oil (petroleum):

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l
Exposure time: 96 h
Test Type: static test
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia (water flea)): > 100 mg/l
Exposure time: 48 h
Test Type: Immobilization
Method: OECD Test Guideline 202

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: >= 1.000 mg/l
Exposure time: 21 d
Species: Daphnia magna (Water flea)

12.2 Persistence and degradability

Product:

Biodegradability : Remarks: No data available
Physico-chemical removability : Remarks: No data available

Components:

disodium sebacate:

Biodegradability : Result: Biodegradable
Biodegradation: 89 %
Exposure time: 28 d

O,O,O-triphenyl phosphorothioate:

Biodegradability : Result: Not rapidly biodegradable

Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:

Biodegradability : Test Type: aerobic
Inoculum: activated sludge
Result: Not rapidly biodegradable
Biodegradation: 1 %
Exposure time: 28 d
Method: OECD Test Guideline 301B
GLP: yes

O,O,O-tris(2(or 4)-C 9-10-isoalkylphenyl) phosphorothioate:

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878 - DE



OKS 479

Version 7.0	Revision Date: 08.09.2026	Date of last issue: 28.04.2026 Date of first issue: 09.07.2016	Print Date: 08.09.2026
----------------	------------------------------	---	---------------------------

Biodegradability : Test Type: Primary biodegradation
Inoculum: activated sludge
Result: Not readily biodegradable.
Biodegradation: 2 - 4 %
Exposure time: 28 d
Method: OECD Test Guideline 301B
GLP: yes

2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol:

Biodegradability : Test Type: Primary biodegradation
Result: Not rapidly biodegradable
Method: OECD Test Guideline 301B

N-methyl-N-[C18-(unsaturated)alkanoyl]glycine:

Biodegradability : Test Type: aerobic
Inoculum: activated sludge
Result: rapidly biodegradable
Biodegradation: 85,2 %
Exposure time: 28 d

White mineral oil (petroleum):

Biodegradability : Test Type: Primary biodegradation
Inoculum: activated sludge
Result: Not rapidly biodegradable
Biodegradation: 31 %
Exposure time: 28 d
Method: OECD Test Guideline 301B

12.3 Bioaccumulative potential

Product:

Bioaccumulation : Remarks: No data available

Components:

disodium sebacate:

Partition coefficient: n-
octanol/water : log Pow: -4,9 (20 °C)
pH: 7,8

O,O,O-triphenyl phosphorothioate:

Bioaccumulation : Species: Cyprinus carpio (Carp)
Exposure time: 56 d
Bioconcentration factor (BCF): 2.551

Partition coefficient: n-
octanol/water : log Pow: 5,1 (20 °C)

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878 - DE



OKS 479

Version	Revision Date:	Date of last issue: 28.04.2026	Print Date:
7.0	08.09.2026	Date of first issue: 09.07.2016	08.09.2026

Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:

Bioaccumulation : Species: Cyprinus carpio (Carp)
Exposure time: 42 d
Bioconcentration factor (BCF): 1.730
Remarks: Due to the distribution coefficient n-octanol/water, accumulation in organisms is possible.

Partition coefficient: n-octanol/water : log Pow: 5,2 - 10,82

O,O,O-tris(2(or 4)-C 9-10-isoalkylphenyl) phosphorothioate:

Bioaccumulation : Species: Cyprinus carpio (Carp)
Exposure time: 56 d
Concentration: 0,507 mg/l
Bioconcentration factor (BCF): 48
Method: OECD Test Guideline 305C
GLP: yes

Partition coefficient: n-octanol/water : log Pow: 20

2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol:

Bioaccumulation : Bioconcentration factor (BCF): 371,8
Remarks: Does not accumulate in organisms.

Partition coefficient: n-octanol/water : log Pow: > 6

N-methyl-N-[C18-(unsaturated)alkanoyl]glycine:

Partition coefficient: n-octanol/water : log Pow: 6,83

White mineral oil (petroleum):

Partition coefficient: n-octanol/water : Pow: > 6

12.4 Mobility in soil

Product:

Mobility : Remarks: No data available

Distribution among environmental compartments : Remarks: No data available

12.5 Results of PBT and vPvB assessment

Product:

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878 - DE



OKS 479

Version 7.0	Revision Date: 08.09.2026	Date of last issue: 28.04.2026 Date of first issue: 09.07.2016	Print Date: 08.09.2026
----------------	------------------------------	---	---------------------------

Assessment : This substance/mixture contains components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB).

Components:

O,O,O-triphenyl phosphorothioate:

Assessment : PBT substance
Not very persistent and very bioaccumulative (vPvB).

Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:

Assessment : Non-classified PBT substance. Non-classified vPvB substance

O,O,O-tris(2(or 4)-C 9-10-isoalkylphenyl) phosphorothioate:

Assessment : Non-classified PBT substance. Non-classified vPvB substance

White mineral oil (petroleum):

Assessment : Non-classified PBT substance. Non-classified vPvB substance

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

Product:

Additional ecological information : Toxic to aquatic life with long lasting effects.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : The product should not be allowed to enter drains, water courses or the soil.
Do not dispose of with domestic refuse.
Dispose of as hazardous waste in compliance with local and national regulations.

Waste codes should be assigned by the user based on the application for which the product was used.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878 - DE



OKS 479

Version 7.0	Revision Date: 08.09.2026	Date of last issue: 28.04.2026 Date of first issue: 09.07.2016	Print Date: 08.09.2026
----------------	------------------------------	---	---------------------------

Contaminated packaging : Packaging that is not properly emptied must be disposed of as the unused product.
Dispose of waste product or used containers according to local regulations.

The following Waste Codes are only suggestions:

Waste Code : used product, unused product
12 01 12*, spent waxes and fats

uncleaned packagings
15 01 10*, packaging containing residues of or contaminated by hazardous substances

SECTION 14: Transport information

14.1 UN number or ID number

ADN	: UN 3077
ADR	: UN 3077
RID	: UN 3077
IMDG	: UN 3077
IATA	: UN 3077

14.2 UN proper shipping name

ADN	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (O,O,O-triphenyl phosphorothioate)
ADR	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (O,O,O-triphenyl phosphorothioate)
RID	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (O,O,O-triphenyl phosphorothioate)
IMDG	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (O,O,O-triphenyl phosphorothioate)
IATA	: Environmentally hazardous substance, solid, n.o.s. (O,O,O-triphenyl phosphorothioate)

14.3 Transport hazard class(es)

Class	Subsidiary risks
-------	------------------

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878 - DE



OKS 479

Version 7.0	Revision Date: 08.09.2026	Date of last issue: 28.04.2026 Date of first issue: 09.07.2016	Print Date: 08.09.2026
----------------	------------------------------	---	---------------------------

ADN	:	9
ADR	:	9
RID	:	9
IMDG	:	9
IATA	:	9

14.4 Packing group

ADN	
Packing group	: III
Classification Code	: M7
Hazard Identification Number	: 90
Labels	: 9

ADR	
Packing group	: III
Classification Code	: M7
Hazard Identification Number	: 90
Labels	: 9
Tunnel restriction code	: (-)

RID	
Packing group	: III
Classification Code	: M7
Hazard Identification Number	: 90
Labels	: 9

IMDG	
Packing group	: III
Labels	: 9
EmS Code	: F-A, S-F

IATA (Cargo)	
Packing instruction (cargo aircraft)	: 956
Packing instruction (LQ)	: Y956
Packing group	: III
Labels	: Miscellaneous Dangerous Goods

IATA (Passenger)	
Packing instruction (passenger aircraft)	: 956
Packing instruction (LQ)	: Y956
Packing group	: III
Labels	: Miscellaneous Dangerous Goods

14.5 Environmental hazards

ADN	
Environmentally hazardous	: yes

ADR	
Environmentally hazardous	: yes

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878 - DE



OKS 479

Version 7.0	Revision Date: 08.09.2026	Date of last issue: 28.04.2026 Date of first issue: 09.07.2016	Print Date: 08.09.2026
----------------	------------------------------	---	---------------------------

RID

Environmentally hazardous : yes

IMDG

Marine pollutant : yes

IATA (Passenger)

Environmentally hazardous : yes

IATA (Cargo)

Environmentally hazardous : yes

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Remarks : Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII) : Not applicable

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59). (EU SVHC) : O,O,O-triphenyl phosphorothioate

Regulation (EU) No 2024/590 on substances that deplete the ozone layer (EC 2024/590) : Not applicable

Regulation (EU) 2019/1021 on persistent organic pollutants (recast) (EU POP) : Not applicable

Regulation (EU) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals (EU PIC) : Not applicable

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878 - DE



OKS 479

Version	Revision Date:	Date of last issue: 28.04.2026	Print Date:
7.0	08.09.2026	Date of first issue: 09.07.2016	08.09.2026

REACH - List of substances subject to authorisation : Not applicable
(Annex XIV)
(EU. REACH-Annex XIV)

Regulation (EU) 2019/1148 on the marketing and use of : Not applicable
explosives precursors

Seveso III: Directive 2012/18/EU of the European E2 ENVIRONMENTAL HAZARDS
Parliament and of the Council on the control of
major-accident hazards involving dangerous
substances.

Water hazard class : WGK 2 obviously hazardous to water
(Germany) Classification according to AwSV, Annex 1 (5.2)

TA Luft List (Germany) : 5.2.1: Total dust:
others: 13,47 %
5.2.5: Organic Substances:
Class 1: 86,44 %

Volatile organic compounds : Directive 2010/75/EU of 24 November 2010 on industrial and
livestock rearing emissions (integrated pollution prevention and
control)
Volatile organic compounds (VOC) content: 0,02 %

15.2 Chemical safety assessment

This information is not available.

SECTION 16: Other information

Full text of H-Statements

EUH440	: Accumulates in the environment and living organisms including in humans.
H302	: Harmful if swallowed.
H314	: Causes severe skin burns and eye damage.
H315	: Causes skin irritation.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878 - DE



OKS 479

Version	Revision Date:	Date of last issue: 28.04.2026	Print Date:
7.0	08.09.2026	Date of first issue: 09.07.2016	08.09.2026

H318	: Causes serious eye damage.
H319	: Causes serious eye irritation.
H332	: Harmful if inhaled.
H361d	: Suspected of damaging the unborn child.
H361f	: Suspected of damaging fertility.
H373	: May cause damage to organs through prolonged or repeated exposure if swallowed.
H400	: Very toxic to aquatic life.
H410	: Very toxic to aquatic life with long lasting effects.
H411	: Toxic to aquatic life with long lasting effects.
H412	: Harmful to aquatic life with long lasting effects.

Full text of other abbreviations

Acute Tox.	: Acute toxicity
Aquatic Acute	: Short-term (acute) aquatic hazard
Aquatic Chronic	: Long-term (chronic) aquatic hazard
Eye Dam.	: Serious eye damage
Eye Irrit.	: Eye irritation
PBT	: Persistent, bioaccumulative and toxic
Repr.	: Reproductive toxicity
Skin Corr.	: Skin corrosion
Skin Irrit.	: Skin irritation
STOT RE	: Specific target organ toxicity - repeated exposure
DE DFG MAK	: Germany. MAK BAT Annex IIa
DE TRGS 900	: Germany. TRGS 900 - Occupational exposure limit values.
DE DFG MAK / MAK	: MAK value
DE TRGS 900 / AGW	: Time Weighted Average

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; BGW - Biological Limit Values; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonised System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organisation; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardisation; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); LSPN - List of Hazardous Notified Substances (Chile); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organisation for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent,

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878 - DE



OKS 479

Version	Revision Date:	Date of last issue: 28.04.2026	Print Date:
7.0	08.09.2026	Date of first issue: 09.07.2016	08.09.2026

Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Classification of the mixture:

Aquatic Chronic 2	H411
PBT	EUH440

Classification procedure:

Calculation method
Calculation method

|| Relevant changes compared to the last edition are highlighted at the left margin. This version replaces all previous editions.

This safety data sheet applies only to products as originally packed and labelled. The information contained therein may not be reproduced or modified without our express written permission. Any forwarding of this document is only permitted to the extent required by law. Any further, in particular public, dissemination of the safety data sheet (e.g. as a document for download from the Internet) is not permitted without our express written consent. We provide our customers with amended safety data sheets as prescribed by law. The customer is responsible for passing on safety data sheets and any amendments contained therein to its own customers, employees and other users of the product. We provide no guarantee that safety data sheets received by users from third parties are up-to-date. All information and instructions in this safety data sheet have been compiled to the best of our knowledge and are based on the information available to us on the day of publication. The information provided is intended to describe the product in relation to the required safety measures; it is neither an assurance of characteristics nor a guarantee of the product's suitability for particular applications and does not justify any contractual legal relationship. The existence of a safety data sheet for a particular jurisdiction does not necessarily mean that import or use within that jurisdiction is legally permitted. If you have any questions, please contact your responsible sales contact or authorized trading partner.