

Version	Revision Date:	Date of last issue: 20.12.2022	Print Date:
2.4	03.02.2025	Date of first issue: 23.06.2016	03.02.2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1 1	Product identifier		
	Product name	:	OKS 235
1.2	Relevant identified uses of th	ne s	substance or mixture and uses advised against
	Use of the Substance/Mixture	:	Lubricant
	Recommended restrictions on use	:	Restricted to professional users.
1.3	Details of the supplier of the	saf	ety data sheet
	Company	:	OKS Spezialschmierstoffe GmbH Ganghoferstr. 47 82216 Maisach-Gernlinden Deutschland Tel.: +49 8142 3051 500 Fax: +49 8142 3051 599 info@oks-germany.com
	E-mail address of person responsible for the SDS	:	mcm@oks-germany.com
	National contact	:	

1.4 Emergency telephone number

Emergency telephone	:	+49 8142 3051 517
number		

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.





Version	Revision Date:	Date of last issue: 20.12.2022	Print Date:
2.4	03.02.2025	Date of first issue: 23.06.2016	03.02.2025

Additional Labelling

EUH210 Safety data sheet available on request.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

5

3.2 Mixtures

Chemical nature

Mineral oil. Metal powder

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	specific concentration limit M-Factor Notes Acute toxicity estimate	Concentration (% w/w)
Kaolin, calcined	92704-41-1 296-473-8	Eye Irrit.2; H319 STOT SE3; H335; EUH066		>= 1 - < 10
2,5-bis(tert- nonyldithio)-1,3,4- thiadiazole	89347-09-1 289-493-3	Aquatic Chronic3; H412		>= 1 - < 2,5
Substances with a work	place exposure limit :	•		
Distillates (petroleum),	64742-54-7	Not classified		>= 30 - < 50
hydrotreated heavy paraffinic; Baseoil — unspecified	265-157-1 649-467-00-8		Note L	



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - DE



OKS 235

Version 2.4	Revision Da 03.02.2025		ssue: 20.12.2022 ssue: 23.06.2016		Date: 2.2025
		01-2119484627-25- XXXX			
Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil — unspecified		64742-65-0 265-169-7 649-474-00-6 01-2119471299-27- XXXX	Not classified	Note L	>= 30 - < 50
aluminium powder (stabilised)		7429-90-5 231-072-3 013-002-00-1 01-2119529243-45- XXXX	Flam. Sol.1; H228	Note T	>= 1 - < 10

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

If inhaled	 Remove person to fresh air. If signs/symptoms continue, get medical attention. Keep patient warm and at rest. If breathing is irregular or stopped, administer artificial respiration.
In case of skin contact	: Remove contaminated clothing. If irritation develops, get medical attention. Wash off with soap and water.
In case of eye contact	: Rinse immediately with plenty of water, also under the eyelids, for at least 10 minutes. If eye irritation persists, consult a specialist.
If swallowed	: Move the victim to fresh air. Do not induce vomiting without medical advice.
4.2 Most important symptoms a Symptoms	nd effects, both acute and delayed : No symptoms known or expected.

Risks : None known.

4.3 Indication of any immediate medical attention and special treatment needed Treatment : Treat symptomatically.





Version	Revision Date:	Date of last issue: 20.12.2022	Print Date:
2.4	03.02.2025	Date of first issue: 23.06.2016	03.02.2025

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media	:	Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
Unsuitable extinguishing media	:	High volume water jet
5.2 Special hazards arising from Hazardous combustion		e substance or mixture Carbon oxides

Hazardous combustion	: Carbon oxides
products	Nitrogen oxides (NOx)
-	Sulphur oxides
	Metal oxides

5.3 Advice for firefighters

Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment. Exposure to decomposition products may be a hazard to health.
Further information	:	Standard procedure for chemical fires.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective	e equipment and emergency procedures
Personal precautions :	Evacuate personnel to safe areas. Do not breathe vapours, aerosols. Refer to protective measures listed in sections 7 and 8.
6.2 Environmental precautions	
Environmental precautions :	Try to prevent the material from entering drains or water courses. Local authorities should be advised if significant spillages cannot be contained.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Pick up and transfer to properly labelled containers.

6.4 Reference to other sections

For personal protection see section 8.





	Version 2.4	Revision Date: 03.02.2025	Date of last issue: 20.12.2022 Date of first issue: 23.06.2016	Print Date: 03.02.2025
--	----------------	------------------------------	---	------------------------

SECTION 7: Handling and storage

7.1 Precautions for safe handling Advice on safe handling	-	For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Wash hands and face before breaks and immediately after handling the product. Do not get in eyes or mouth or on skin.
Hygiene measures	:	Do not get on skin or clothing. Wash face, hands and any exposed skin thoroughly after handling.
7.2 Conditions for safe storage,	inc	luding any incompatibilities
Requirements for storage areas and containers	:	Store in original container. Keep container closed when not in use. Keep in a dry, cool and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store in accordance with the particular national regulations. Keep in properly labelled containers.
Storage class (TRGS 510)	:	11, Combustible Solids
7.3 Specific end use(s) Specific use(s)	:	Specific instructions for handling, not required.

SECTION 8: Exposure controls/personal protection


8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil — unspecified	64742-54-7	AGW (Vapour and aerosols)	5 mg/m3	DE TRGS 900 (2018-06-07)
	Peak-limit: ex	cursion factor (categ	ory): 4;(II)	
			compliance with the OEL ar of harming the unborn child	nd biological
Distillates (petroleum), solvent-dewaxed	64742-65-0	AGW (Vapour and aerosols)	5 mg/m3	DE TRGS 900 (2018-06-07)



SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as





OKS 235

Version 2.4	Revision Da 03.02.2025		of last issue: 20.12.2 of first issue: 23.06.2		Print Date: 03.02.2025	
Based	/ paraffinic; oil — ecified					
		Peak-limit: ex	cursion factor (categ	jory): 4;(II)		
		Further inform	nation: When there is	s compliance with the	e OEL and biologica	al
		tolerance valu	ies, there is no risk o	of harming the unbor	n child	
alumi	nium powder	7429-90-5	AGW (Inhalable	10 mg/m3	DE TRGS	3
(stabi	lised)		fraction)		900	
					(2014-04-	-02)
			cursion factor (categ			
			nation: When there is			al
		tolerance valu	es, there is no risk o			
			AGW (Alveolate	1,25 mg/m3	DE TRGS	3
			fraction)		900	
					(2014-04-	-02)
			cursion factor (categ			
			nation: When there is			al
		tolerance valu	es, there is no risk o	U		
			BM (Alveolar	0,5 mg/m3	DE TRGS	3
			dust fraction)		527	
					(2020-02-	-19)

Biological occupational exposure limits

Substance name	CAS-No.	Control parameters	Sampling time	Basis
aluminium powder (stabilised)	7429-90-5	Aluminium: 50 µg/g creatinine (Urine)	end of shift, for long-term exposures after several previous shifts	DE DFG BAT (2023-07- 01)
		Aluminium: 50 µg/g creatinine (Urine)	In case of long- term exposure: after more than one shift	TRGS 903 (2019-03- 29)

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

	. ,			
Substance name	End Use	Exposure routes	Potential health effects	Value
Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil — unspecified	Workers	Inhalation	Long-term local effects	5,58 mg/m3
	Workers	Inhalation	Long-term systemic effects	2,73 mg/m3
	Workers	Skin contact	Long-term systemic effects	0,97 mg/kg
Distillates (petroleum), solvent- dewaxed heavy paraffinic; Baseoil —	Workers	Inhalation	Long-term systemic effects	2,73 mg/m3



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - DE



OKS 235

Version	Revision Date:	Date of last issue: 20.12.2022	Print Date: 03.02.2025
2.4	03.02.2025	Date of first issue: 23.06.2016	

unspecified				
	Workers	Skin contact	Long-term systemic effects	0,97 mg/kg
aluminium powder (stabilised)	Workers	Inhalation	Long-term systemic effects	3,72 mg/m3
	Workers	Inhalation	Long-term local effects	3,72 mg/m3

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
Distillates (petroleum),	Oral	9,33 mg/kg
hydrotreated heavy paraffinic;		
Baseoil — unspecified		
Distillates (petroleum), solvent-	Oral	9,33 mg/kg
dewaxed heavy paraffinic;		
Baseoil — unspecified		

8.2 Exposure controls

Engineering measures

none

Personal protective equipment

Eye/face protection	:	Safety glasses
Hand protection Material Break through time Protective index	:	butyl-rubber > 10 min Class 1
Remarks	:	Wear protective gloves. The break through time depends amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each case. The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it.
Skin and body protection	:	Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.
Respiratory protection	:	Not required; except in case of aerosol formation.
Filter type	:	Filter type A-P
Protective measures	:	The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.





Version 2.4	Revision Date: 03.02.2025		te of last issue: 20.12.2022 te of first issue: 23.06.2016	Print Date: 03.02.2025
Envir Air	onmental exposure	contr :	ols No special environmental precautio	ons required.
Soil		:	The product should not be allowed courses or the soil.	to enter drains, water
Wate	r	:		
			The product should not be allowed courses or the soil.	to enter drains, water

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	:	paste
Colour	:	silver
Odour	:	fatty odour, slight
Odour Threshold	:	No data available
Drop point	:	110 °C
Boiling point/boiling range	:	No data available
Flammability (solid, gas)	:	Combustible Solids
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	Not applicable
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
рН	:	Not applicable substance/mixture is non-soluble (in water)



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - DE



OKS 235

Version 2.4	Revision Date: 03.02.2025		of last issue: 20.12.2022 of first issue: 23.06.2016	Print Date: 03.02.2025
Vis	scosity			
	Viscosity, dynamic	:	No data available	
	Viscosity, kinematic	:	Not applicable	
So	lubility(ies) Water solubility	:	insoluble	
	Solubility in other solvents	; ;	No data available	
	rtition coefficient: n- tanol/water	:	No data available	
Va	pour pressure	:	< 0,001 hPa (20 °C)	
Re	lative density	:	0,92 (20 °C) Reference substance: Water The value is calculated	
De	ensity	:	0,92 g/cm3 (20 °C)	
Bu	lk density	:	No data available	
Re	lative vapour density	:	No data available	
Pa	rticle characteristics Particle size	:	Not applicable	
	Particle Size Distribution	:	Not applicable	
9.2 Oth	er information			
Ex	plosives	:	Not explosive	
Ox	idizing properties	:	No data available	
Se	lf-ignition	:	not auto-flammable	
Me	etal corrosion rate	:	Not corrosive to metals	
Ev	aporation rate	:	No data available	
Su	blimation point	:	No data available	





Version 2.4	Revision Date: 03.02.2025	Date of last issue: 20.12.2022 Date of first issue: 23.06.2016	Print Date: 03.02.2025
SECTION	10: Stability and	reactivity	
10.1 Reac No ha	tivity azards to be specially	r mentioned.	
	nical stability e under normal condi	tions.	
	ibility of hazardous rdous reactions		under conditions of normal use.
	litions to avoid itions to avoid	: No conditions to be specially m	entioned.

10.5 Incompatible materials

Acute toxicity

Materials to avoid	:	No materials to be especially mentioned.
--------------------	---	--

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Product:							
Acute oral toxicity	Remarks: This information is not available.						
Acute inhalation toxicity	Remarks: This information is not available.						
Components:							
<u></u>							
Kaolin, calcined:							
Acute inhalation toxicity	Assessment: The substance or mixture is classified as sp target organ toxicant, single exposure, category 3 with respiratory tract irritation.	oecific					
2,5-bis(tert-nonyldithio)-1,3,4-thiadiazole:							
Acute oral toxicity	LD50 (Rat): > 10.000 mg/kg						
Acute dermal toxicity	LD50 (Rabbit): > 2.000 mg/kg						

Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - unspecified:





OKS 23	5			
/ersion 2.4	Revision Date: 03.02.2025		f last issue: 20.12.2022 f first issue: 23.06.2016	Print Date: 03.02.2025
Acute	e oral toxicity	N	D50 (Rat): > 5.000 mg/kg lethod: OECD Test Guideline 401 cLP: yes	I
Acute	e inhalation toxicity	E T N A	C50 (Rat): > 5,53 mg/l xposure time: 4 h est atmosphere: dust/mist lethod: OECD Test Guideline 403 ssessment: The substance or mis ihalation toxicity	
Acute	e dermal toxicity		D50 (Rabbit): > 5.000 mg/kg lethod: OECD Test Guideline 402	2
Distil	llates (petroleum) so	olvent-de	ewaxed heavy paraffinic; Based	unspecified [.]
	e oral toxicity	: L	D50 (Rat): > 5.000 mg/kg lethod: OECD Test Guideline 401	
Acute	e dermal toxicity		D50 (Rabbit): > 5.000 mg/kg lethod: OECD Test Guideline 402	2
alum	inium powder (stabi	lised):		
	e inhalation toxicity	: L E T A	C50 (Rat): > 5,09 mg/l xposure time: 4 h est atmosphere: dust/mist ssessment: The substance or mix halation toxicity	xture has no acute
Skin	corrosion/irritation			
Prod	uct:			
Rema	arks	: Т	his information is not available.	
Com	ponents:			
Kaoli	in, calcined:			
Resu	lt	: R	epeated exposure may cause sk	in dryness or cracking.
Distil	llates (petroleum), h	ydrotrea	ed heavy paraffinic; Baseoil —	unspecified:
Spec			abbit	
	ssment		lo skin irritation	
Metho Resu			ECD Test Guideline 404	
GLP			es	
Distil	llates (petroleum), so	olvent-de	ewaxed heavy paraffinic; Basec	il — unspecified:
Spec	ies	: R	abbit	



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - DE



(S 235			
sion	Revision Date: 03.02.2025	Date of last issue: 20.12.2022 Date of first issue: 23.06.2016	Print Date: 03.02.2025
Assess	sment	: No skin irritation	
Metho		: OECD Test Guideline 404	
Result GLP		: No skin irritation : yes	
alumir	nium powder (stab	ilised):	
Specie		: Rabbit	
Assess		: No skin irritation	
Result		: No skin irritation	
Seriou	ıs eye damage/eye	irritation	
Produ		Letter Marca de la companya	
Remar	'KS	: Irritating to eyes.	
<u>Comp</u>	onents:		
	, calcined:		
Result		: Irritating to eyes.	
		ydrotreated heavy paraffinic; Baseo	il — unspecified:
Specie		: Rabbit	
Assess		: No eye irritation : OECD Test Guideline 405	
Result		: No eye irritation	
GLP		: yes	
Distilla	ates (petroleum), s	olvent-dewaxed heavy paraffinic; Ba	seoil — unspecified:
Specie	S	: Rabbit	
Assess		: No eye irritation	
Metho		: OECD Test Guideline 405	
Result GLP		: No eye irritation	
GLP		: yes	
	nium powder (stab	•	
Specie		: Rabbit	
Asses: Result		: No eye irritation : No eye irritation	
result		. No eye imaion	
Respi	ratory or skin sens	itisation	
<u>Produ</u>			
	`ks	: This information is not available	e





Version	Revision Date:	Date of last issue: 20.12.2022	Print Date:
2.4	03.02.2025	Date of first issue: 23.06.2016	03.02.2025

Components:

Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil — unspecified:

Guinea pig
Does not cause skin sensitisation.
OECD Test Guideline 406
Does not cause skin sensitisation.
yes

Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil — unspecified:

Species	:	Guinea pig
Assessment	:	Does not cause skin sensitisation.
Method	:	OECD Test Guideline 406
Result	:	Does not cause skin sensitisation.
GLP	:	yes

aluminium powder (stabilised):

Species	:	Guinea pig
Assessment	:	Did not cause sensitisation on laboratory animals.
Result	:	Did not cause sensitisation on laboratory animals.

Germ cell mutagenicity

Pro	oduct:	

Genotoxicity in vitro	:	Remarks: No data available
Genotoxicity in vivo	:	Remarks: No data available

Components:

Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil — unspecified:				
Genotoxicity in vitro :	Test system: Salmonella typhimurium Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 471 Result: negative			
Genotoxicity in vivo :	Species: Mouse Application Route: Oral Method: OECD Test Guideline 474 Result: negative			
Carcinogenicity				
Product:				
Remarks :	No data available			





OKS 23 5	5			
/ersion 2.4	Revision Date: 03.02.2025		e of last issue: 20.12.2022 e of first issue: 23.06.2016	Print Date: 03.02.2025
<u>Com</u>	oonents:			
Carcii	lates (petroleum), h nogenicity - ssment	ydrotre :	eated heavy paraffinic; Baseoil - Not classifiable as a human carci	•
Distil	lates (petroleum), s	olvent-	dewaxed heavy paraffinic; Base	eoil — unspecified:
Speci Applic Metho Resul	cation Route	:	Mouse Dermal OECD Test Guideline 451 negative	
Repro	oductive toxicity			
<u>Produ</u> Effect	u ct: is on fertility	:	Remarks: No data available	
	s on foetal opment	:	Remarks: No data available	
<u>Com</u>	oonents:			
Distil	lates (petroleum), h	ydrotre	eated heavy paraffinic; Baseoil -	– unspecified:
	oductive toxicity - ssment	:	 Fertility - No toxicity to reproduction 	
Distil	lates (petroleum), s	olvent-	dewaxed heavy paraffinic; Base	eoil — unspecified:
	s on foetal opment	:	Species: Rat Application Route: Dermal General Toxicity Maternal: NOAE Developmental Toxicity: NOAEL: Method: OECD Test Guideline 47	30 mg/kg body weight
STOT	- single exposure			
<u>Produ</u> Rema		:	No data available	
<u>Com</u>	oonents:			
Expos	n, calcined: sure routes ssment	:	Inhalation The substance or mixture is class toxicant, single exposure, catego irritation.	





Version	Revision Date:	Date of last issue: 20.12.2022	Print Date:
2.4	03.02.2025	Date of first issue: 23.06.2016	03.02.2025

STOT - repeated exposure

Product:

Remarks : No data available

Repeated dose toxicity

Product:

Remarks

: This information is not available.

Aspiration toxicity

<u>Product:</u> This information is not available.

Components:

Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil — unspecified: No aspiration toxicity classification

Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil — unspecified: No aspiration toxicity classification

11.2 Information on other hazards

Endocrine disrupting properties

|--|

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Further information

Product:

Remarks

: Information given is based on data on the components and the toxicology of similar products.





Version	Revision Date:	Date of last issue: 20.12.2022	Print Date:
2.4	03.02.2025	Date of first issue: 23.06.2016	03.02.2025

SECTION 12: Ecological information

12.1 Toxicity

Product:

Toxicity to fish	:	Remarks: No data available
Toxicity to daphnia and other aquatic invertebrates	:	Remarks: No data available
Toxicity to algae/aquatic plants	:	Remarks: No data available
Toxicity to microorganisms	:	Remarks: No data available
Components:		
2,5-bis(tert-nonyldithio)-1,3,	4-tł	niadiazole:
Toxicity to fish	:	LC50 (Fish): > 10 - 100 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	(Daphnia magna (Water flea)): > 10 - 100 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	EC50 : > 10 - 100 mg/l Exposure time: 72 h
Distillatos (notroloum), hydr	otr	acted has a paraffinia: Passail — unspecified:
Toxicity to fish	:	eated heavy paraffinic; Baseoil — unspecified: LC50 (Pimephales promelas (fathead minnow)): > 100 mg/l Exposure time: 96 h Test Type: static test Method: OECD Test Guideline 203 GLP: yes
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 10.000 mg/l Exposure time: 48 h Test Type: Immobilization Method: OECD Test Guideline 202 GLP: yes
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC: 10 mg/l Exposure time: 21 d Species: Daphnia magna (Water flea) Test Type: semi-static test Method: OECD Test Guideline 211





OKS 23	5			
Version 2.4	Revision Date: 03.02.2025		e of last issue: 20.12.2022 e of first issue: 23.06.2016	Print Date: 03.02.2025
	llates (petroleum), sol aity to fish	vent :	-dewaxed heavy paraffinic; Based LC50 (Pimephales promelas (fathe Exposure time: 96 h Test Type: static test Method: OECD Test Guideline 203 GLP: yes	ead minnow)): > 100 mg/l
	ity to daphnia and othe tic invertebrates	r:	EC50 (Daphnia magna (Water flea Exposure time: 48 h Test Type: static test Method: OECD Test Guideline 202	
Toxic plants	ity to algae/aquatic s	:	NOEC (Pseudokirchneriella subca mg/l Exposure time: 72 h Test Type: static test Method: OECD Test Guideline 201	
aqua	ity to daphnia and othe tic invertebrates onic toxicity)	r :	NOEC: 10 mg/l Exposure time: 21 d Species: Daphnia magna (Water fl	lea)
	inium powder (stabili s ity to fish	sed): :	LC50 (Oncorhynchus mykiss (rain Exposure time: 96 h Test Type: static test Remarks: No toxicity at the limit of	
	oxicology Assessmer	nt :	This product has no known ecotox	icological effects.
Chro	nic aquatic toxicity	:	This product has no known ecotox	icological effects.
12.2 Pers	istence and degradab	ility		
<u>Prod</u> Biode	<u>uct:</u> egradability	:	Remarks: No data available	
	ico-chemical vability	:	Remarks: No data available	
Com	ponents:			
	is(tert-nonyldithio)-1 ,; egradability	3,4-tl :	niadiazole: Result: Not readily biodegradable.	

Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil — unspecified:



SAFETY DATA SHEET according to Regulation (EC) No. 1907/200

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - DE



OKS 23	5			
Version 2.4	Revision Date: 03.02.2025		e of last issue: 20.12.2022 e of first issue: 23.06.2016	Print Date: 03.02.2025
Biode	egradability	:	Test Type: aerobic Inoculum: activated sludge Result: Not rapidly biodegradable Biodegradation: 3 % Exposure time: 28 d Method: OECD Test Guideline 301B GLP: yes	
Disti	llates (petroleum), sol	vent	-dewaxed heavy paraffinic; Baseoil	— unspecified:
Biode	egradability	:	Test Type: aerobic Inoculum: activated sludge Result: Not rapidly biodegradable Biodegradation: 31 % Exposure time: 28 d Method: OECD Test Guideline 301B GLP: yes	
12.3 Bioa	ccumulative potential			
<u>Prod</u> Bioad	uct: ccumulation	:	Remarks: No data available	
<u>Com</u>	ponents:			
Disti	llates (petroleum), hyd	drotr	eated heavy paraffinic; Baseoil — u	nspecified:
	tion coefficient: n- nol/water	:	log Pow: 10,16 - 24,9	
12.4 Mob	ility in soil			
Prod	uct:			
Mobi	lity	:	Remarks: No data available	
	bution among onmental compartments	: S	Remarks: No data available	
12.5 Resi	ults of PBT and vPvB a	asse	ssment	
Prod	uct:			
Asse	ssment	:	This substance/mixture contains no c to be either persistent, bioaccumulati very persistent and very bioaccumula	ve and toxic (PBT), or

Components:

Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil — unspecified:

0.1% or higher.





OKS 235	5			
Version 2.4	Revision Date: 03.02.2025		te of last issue: 20.12.2022 te of first issue: 23.06.2016	Print Date: 03.02.2025
Asses	ssment	:	Non-classified vPvB substance. No	on-classified PBT substance
12.6 Endo	crine disrupting pro	opertie	es	
<u>Prodi</u> Asses	uct: ssment	:	The substance/mixture does not co considered to have endocrine disru to REACH Article 57(f) or Commiss (EU) 2017/2100 or Commission Re levels of 0.1% or higher.	pting properties according sion Delegated regulation
12.7 Othe	r adverse effects			
<u>Produ</u> Additi inform	onal ecological	:	No information on ecology is availa	able.

SECTION 13: Disposal considerations

13.1 Waste treatment methods	
Draduct	-

Product	:	The product should not be allowed to enter drains, water courses or the soil.
		Waste codes should be assigned by the user based on the application for which the product was used.
Contaminated packaging	:	Packaging that is not properly emptied must be disposed of as the unused product.
		Dispose of waste product or used containers according to local regulations.
		The following Waste Codes are only suggestions:
Waste Code	:	used product, unused product 12 01 12**, spent waxes and fats
		uncleaned packagings 15 01 10*, packaging containing residues of or contaminated by hazardous substances

SECTION 14: Transport information

14.1 UN number or ID number

ADN

: Not regulated as a dangerous good



OKS 235

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - DE



UN3 2	30		
Version 2.4	Revision Date: 03.02.2025	Date of last issue: 20.12.2022Print DateDate of first issue: 23.06.201603.02.202	
	_		
AD		: Not regulated as a dangerous good	
RIC		: Not regulated as a dangerous good	
IMI		: Not regulated as a dangerous good	
IAT		: Not regulated as a dangerous good	
14.2 UN	proper shipping nam		
AD	Ν	: Not regulated as a dangerous good	
AD	R	: Not regulated as a dangerous good	
RID)	: Not regulated as a dangerous good	
IME	DG	: Not regulated as a dangerous good	
ΙΑΤ	Ά	: Not regulated as a dangerous good	
14.3 Tra	ensport hazard class(e)	
AD	N	: Not regulated as a dangerous good	
AD	R	: Not regulated as a dangerous good	
RIC)	: Not regulated as a dangerous good	
IME	DG	: Not regulated as a dangerous good	
ΙΑΤ	A	: Not regulated as a dangerous good	
14.4 Pa	cking group		
AD	N	: Not regulated as a dangerous good	
AD	R	: Not regulated as a dangerous good	
RIC)	: Not regulated as a dangerous good	
IME	DG	: Not regulated as a dangerous good	
ΙΑΤ	A (Cargo)	: Not regulated as a dangerous good	
ΙΑΤ	A (Passenger)	: Not regulated as a dangerous good	
	vironmental hazards		
AD	N	: Not regulated as a dangerous good	
AD		: Not regulated as a dangerous good	
RID		: Not regulated as a dangerous good	
IME		: Not regulated as a dangerous good	
14.6 Sp	ecial precautions for u		
Not	applicable		
	ritime transport in bul marks	according to IMO instruments : Not applicable for product as supplied.	





Version	Revision Date:	Date of last issue: 20.12.2022	Print Date:
2.4	03.02.2025	Date of first issue: 23.06.2016	03.02.2025

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislat mixture	ion	specific for the substance or
REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)	:	Not applicable
REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59). (EU SVHC)	:	This product does not contain substances of very high concern (Regulation (EC) No 1907/2006 (REACH), Article 57).
Regulation (EC) No 1005/2009 on substances that deplete the ozone layer (EC 1005/2009)	:	Not applicable
Regulation (EU) 2019/1021 on persistent organic pollutants (recast) (EU POP)	:	Not applicable
Regulation (EU) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals (EU PIC)	:	Not applicable
REACH - List of substances subject to authorisation (Annex XIV) (EU. REACH-Annex XIV)	:	Not applicable
Regulation (EU) 2019/1148 on the marketing and use of explosives precursors	:	Not applicable
Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.		Not applicable
Water hazard class : WGK 1 slightly hazard (Germany) : Classification accordin		
TA Luft List (Germany) : 5.2.1: Total dust:		a brand of



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - DE



OKS 235						
Vers 2.4	ion	Revision Date: 03.02.2025		e of last issue: 20.12.2022 e of first issue: 23.06.2016		Print Date: 03.02.2025
				others: 15,2 % 5.2.2: Inorganic substances in power Not applicable 5.2.4: Inorganic substances in gase Not applicable 5.2.5: Organic Substances: Class 1: 68,12 % 5.2.7.1.1: Carcinogenic substance: Not applicable 5.2.7.1.1: Quartz fine dust PM4: others: 0,09 % 5.2.7.1.1: Formaldehyde: Not applicable 5.2.7.1.1: fibres: Not applicable 5.2.7.2: Poorly degradable, easily er organic substances: Not applicable	ous fo	orm:
	Volatile	e organic compounds	:	Directive 2010/75/EU of 24 Novemb emissions (integrated pollution prev Not applicable		

15.2 Chemical safety assessment

This information is not available.

SECTION 16: Other information

Full text of H-Statements	
H228	: Flammable solid.
H319	: Causes serious eye irritation.
H335	: May cause respiratory irritation.
H412	: Harmful to aquatic life with long lasting effects.
EUH066	: Repeated exposure may cause skin dryness or cracking.

Full text of other abbreviations

Note L

: The harmonised classification as a carcinogen applies unless it can be shown that the substance contains less than 3 % of dimethyl sulphoxide extract as measured by IP 346 ("Determination of polycyclic aromatics in unused lubricating base oils and asphaltene free petroleum fractions - Dimethyl sulphoxide extraction refractive index method"Institute of



OKS 235

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - DE



UNS 23	כ			
Version 2.4	Revision Date: 03.02.2025	Date of last issue: 20.12.2022 Date of first issue: 23.06.2016	Print Date: 03.02.2025	
Note T		 Petroleum, London), in which case a classification in accordance with Title II of this Regulation shall be perfor also for that hazard class. This substance may be marketed in a form which does n have the physical hazards as indicated by the classification the entry in Part 3. If the results of the relevant method o methods in accordance with Part 2 of Annex I of this Regulation show that the specific form of substance mar does not exhibit this physical property or these physical hazards, the substance shall be classified in accordance the result or results of this test or these tests. Relevant information, including reference to the relevant test meth shall be included in the safety data sheet. 		
DE DFG BAT DE TRGS 527 DE TRGS 900 TRGS 903 DE TRGS 527 / BM DE TRGS 900 / AGW		: Germany. TRGS 527 - Activ : Germany. TRGS 900 - Occu		

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN -Standard of the German Institute for Standardisation: DSL - Domestic Substances List (Canada): ECHA - European Chemicals Agency; EC-Number - European Community number; ECx -Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA -International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID -Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals





Version	Revision Date:	Date of last issue: 20.12.2022	Print Date:
2.4	03.02.2025	Date of first issue: 23.06.2016	03.02.2025

Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

|| Relevant changes compared to the last edition are highlighted at the left margin. This version replaces all previous editions.

This safety data sheet applies only to products as originally packed and labelled. The information contained therein may not be reproduced or modified without our express written permission. Any forwarding of this document is only permitted to the extent required by law. Any further, in particular public, dissemination of the safety data sheet (e.g. as a document for download from the Internet) is not permitted without our express written consent. We provide our customers with amended safety data sheets as prescribed by law. The customer is responsible for passing on safety data sheets and any amendments contained therein to its own customers, employees and other users of the product. We provide no guarantee that safety data sheets received by users from third parties are up-to-date. All information and instructions in this safety data sheet have been compiled to the best of our knowledge and are based on the information available to us on the day of publication. The information provided is intended to describe the product in relation to the required safety measures; it is neither an assurance of characteristics nor a guarantee of the product's suitability for particular applications and does not justify any contractual legal relationship. The existence of a safety data sheet for a particular jurisdiction does not necessarily mean that import or use within that jurisdiction is legally permitted. If you have any questions, please contact your responsible sales contact or authorized trading partner.

