

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878 - DE



## OKS 3600

Version	Revision Date:	Date of last issue: 28.08.2025	Print Date:
2.0	05.06.2026	Date of first issue: 01.06.2016	05.06.2026

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

Product name : OKS 3600

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Lubricating oil

Recommended restrictions on use : Restricted to professional users.

### 1.3 Details of the supplier of the safety data sheet

Company : OKS Spezialschmierstoffe GmbH  
Ganghoferstr. 47  
82216 Maisach  
Germany  
Tel.: +49 8142 3051-500  
info@oks-germany.com

E-mail address of person responsible for the SDS : mcm@oks-germany.com

National contact : Klüber Lubrication Deutschland GmbH & Co. KG  
Geisenhausenerstraße 7  
81379 München  
Germany  
Tel.: +49 (0) 89 7876 0  
customer.service.de@klueber.com

### 1.4 Emergency telephone number

Emergency telephone number : +49 8142 3051 517

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

#### Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

### 2.2 Label elements

#### Labelling (REGULATION (EC) No 1272/2008)

Supplemental Hazard Statements : EUH066 Repeated exposure may cause skin dryness or cracking.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878 - DE



## OKS 3600

Version 2.0	Revision Date: 05.06.2026	Date of last issue: 28.08.2025 Date of first issue: 01.06.2016	Print Date: 05.06.2026
----------------	------------------------------	---	---------------------------

### Additional Labelling

EUH210 Safety data sheet available on request.

EUH208 Contains N,N-bis(2-ethylhexyl)-5-methyl-1H-benzotriazole-1-methylamine, N,N-bis(2-ethylhexyl)-4-methyl-1H-benzotriazole-1-methylamine, 2H-Benzotriazole-2-methanamine, N,N-bis(2-ethylhexyl)-4-methyl-, 2H-Benzotriazole-2-methanamine, N,N-bis(2-ethylhexyl)-5-methyl-, 1H-Benzotriazole-1-methanamine, N,N-bis(2-ethylhexyl)-6-methyl-(Mixture)  
. May produce an allergic reaction.

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

Chemical nature : Mineral oil.  
Synthetic hydrocarbon oil

#### Components

Chemical name	CAS-No. EC-No.  Index-No. Registration number	Classification	specific concentration limit M-Factor Notes Acute toxicity estimate	Concentration (% w/w)
Hydrocarbons, C11- C13, isoalkanes, <2% aromatics	920-901-0  01-2119456810-40- XXXX	Asp. Tox. 1; H304 EUH066		>= 50 - < 70
Akyl naphthalene	Not Assigned	Eye Irrit. 2; H319		>= 1 - < 10

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878 - DE



## OKS 3600

Version 2.0      Revision Date: 05.06.2026      Date of last issue: 28.08.2025      Print Date: 05.06.2026  
Date of first issue: 01.06.2016

sulfonic acid, calcium salt (CAS-No. confidential)	943-845-9 01-2120126131-76-XXXX			
Poly Alpha Olefin (PAO)	68037-01-4 500-183-1	Asp. Tox. 1; H304		$\geq 1 - < 10$
N,N-bis(2-ethylhexyl)-5-methyl-1H-benzotriazole-1-methylamine, N,N-bis(2-ethylhexyl)-4-methyl-1H-benzotriazole-1-methylamine, 2H-Benzotriazole-2-methanamine, N,N-bis(2-ethylhexyl)-4-methyl-, 2H-Benzotriazole-2-methanamine, N,N-bis(2-ethylhexyl)-5-methyl-, 1H-Benzotriazole-1-methanamine, N,N-bis(2-ethylhexyl)-6-methyl-(Mixture)	939-700-4 01-2119982395-25-XXXX	Skin Irrit. 2; H315 Skin Sens. 1B; H317 Aquatic Acute 1; H400 Aquatic Chronic 2; H411	M-Factor: 1/	$\geq 0,1 - < 0,25$
Substances with a workplace exposure limit :				
1-Dodecene, polymer with 1-octene, hydrogenated	605-316-8	Not classified		$\geq 30 - < 50$

For explanation of abbreviations see section 16.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

If inhaled : Remove person to fresh air. If signs/symptoms continue, get medical attention.  
Keep patient warm and at rest.  
If unconscious, place in recovery position and seek medical advice.  
Keep respiratory tract clear.  
If breathing is irregular or stopped, administer artificial respiration.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878 - DE



## OKS 3600

Version	Revision Date:	Date of last issue: 28.08.2025	Print Date:
2.0	05.06.2026	Date of first issue: 01.06.2016	05.06.2026

- In case of skin contact : Take off all contaminated clothing immediately.  
Get medical attention immediately if irritation develops and persists.  
Wash clothing before reuse.  
Thoroughly clean shoes before reuse.  
Wash skin thoroughly with soap and water or use recognized skin cleanser.
- In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 10 minutes.  
Seek medical advice.
- If swallowed : Move the victim to fresh air.  
If unconscious, place in recovery position and seek medical advice.  
Keep respiratory tract clear.  
Do NOT induce vomiting.  
Rinse mouth with water.  
Never give anything by mouth to an unconscious person.

### 4.2 Most important symptoms and effects, both acute and delayed

- Symptoms : Skin contact may provoke the following symptoms:  
Erythema
- Risks : Repeated exposure may cause skin dryness or cracking.  
  
Can be absorbed through skin.

### 4.3 Indication of any immediate medical attention and special treatment needed

- Treatment : Treat symptomatically.

---

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

- Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
- Unsuitable extinguishing media : High volume water jet

### 5.2 Special hazards arising from the substance or mixture

- Hazardous combustion products : Carbon oxides  
Sulphur oxides  
Metal oxides

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878 - DE



## OKS 3600

Version	Revision Date:	Date of last issue: 28.08.2025	Print Date:
2.0	05.06.2026	Date of first issue: 01.06.2016	05.06.2026

### 5.3 Advice for firefighters

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment. Exposure to decomposition products may be a hazard to health.

Further information : Standard procedure for chemical fires.  
Cool containers/tanks with water spray.

---

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Evacuate personnel to safe areas.  
Use personal protective equipment.  
Ensure adequate ventilation.  
Remove all sources of ignition.  
Do not breathe vapours or spray mist.  
Refer to protective measures listed in sections 7 and 8.

### 6.2 Environmental precautions

Environmental precautions : Try to prevent the material from entering drains or water courses.  
Prevent further leakage or spillage if safe to do so.  
Local authorities should be advised if significant spillages cannot be contained.

### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).  
Non-sparking tools should be used.

### 6.4 Reference to other sections

For personal protection see section 8.

---

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Advice on safe handling : Do not use in areas without adequate ventilation.  
Do not breathe vapours or spray mist.  
In case of insufficient ventilation, wear suitable respiratory equipment.  
Avoid contact with skin and eyes.  
For personal protection see section 8.  
Keep away from fire, sparks and heated surfaces.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878 - DE



## OKS 3600

Version 2.0	Revision Date: 05.06.2026	Date of last issue: 28.08.2025 Date of first issue: 01.06.2016	Print Date: 05.06.2026
----------------	------------------------------	---	---------------------------

Smoking, eating and drinking should be prohibited in the application area.  
Take precautionary measures against static discharges.  
Wash hands and face before breaks and immediately after handling the product.  
Ensure all equipment is electrically grounded before beginning transfer operations.  
Do not get in eyes or mouth or on skin.  
Do not get on skin or clothing.  
Do not ingest.  
Do not enter areas where used or stored until adequately ventilated.  
Do not repack.  
Do not re-use empty containers.  
These safety instructions also apply to empty packaging which may still contain product residues.  
Keep container closed when not in use.

Advice on protection against fire and explosion : Keep away from heat and sources of ignition.

Hygiene measures : Wash face, hands and any exposed skin thoroughly after handling.

### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Store in original container. Keep container closed when not in use. Keep in a dry, cool and well-ventilated place. Do not store together with oxidizing and self-igniting products. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store in accordance with the particular national regulations. Keep in properly labelled containers.

Storage class (TRGS 510) : 10, Combustible liquids

### 7.3 Specific end use(s)

Specific use(s) : Specific instructions for handling, not required.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Hydrocarbons, C11-C13, isoalkanes, <2%	Not Assigned	MAK (aerosol)	5 mg/m <sup>3</sup>	DE DFG MAK (2023-07-01)

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878 - DE



## OKS 3600

Version 2.0      Revision Date: 05.06.2026      Date of last issue: 28.08.2025      Print Date: 05.06.2026  
Date of first issue: 01.06.2016

aromatics				
	Peak-limit: excursion factor (category): 2; II			
	Further information: Substances that cause concern that they could be carcinogenic for man but cannot be assessed conclusively because of lack of data, Damage to the embryo or foetus is unlikely when the MAK value or the BAT value is observed			
		MAK (Vapour)	50 ppm 350 mg/m3	DE DFG MAK (2023-07-01)
	Peak-limit: excursion factor (category): 2; II			
	Further information: Substances that cause concern that they could be carcinogenic for man but cannot be assessed conclusively because of lack of data, Damage to the embryo or foetus is unlikely when the MAK value or the BAT value is observed			
		AGW	300 mg/m3	DE TRGS 900 (2020-10-02)
	Peak-limit: excursion factor (category): 2;(II)			
	Further information: When there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child			
		AGW	300 mg/m3	DE TRGS 900 (2017-11-30)
	Peak-limit: excursion factor (category): 2;(II)			
	Further information: Group exposure limit for hydrocarbon solvent mixtures			
1-Dodecene, polymer with 1- octene, hydrogenated	Not Assigned	AGW (Alveolate fraction)	5 mg/m3	DE TRGS 900 (2012-01-12)
	Peak-limit: excursion factor (category): 4;(II)			
	Further information: When there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child			
		MAK (measured as the alveolate fraction)	5 mg/m3	DE DFG MAK (2023-07-01)
	Peak-limit: excursion factor (category): 4; II			
	Further information: Damage to the embryo or foetus is unlikely when the MAK value or the BAT value is observed			
Poly Alpha Olefin (PAO)	68037-01-4	AGW (Alveolate fraction)	5 mg/m3	DE TRGS 900 (2012-01-12)
	Peak-limit: excursion factor (category): 4;(II)			
	Further information: When there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child			
		MAK (measured as the alveolate fraction)	5 mg/m3	DE DFG MAK (2023-07-01)
	Peak-limit: excursion factor (category): 4; II			
	Further information: Damage to the embryo or foetus is unlikely when the MAK value or the BAT value is observed			

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878 - DE



## OKS 3600

Version	Revision Date:	Date of last issue: 28.08.2025	Print Date:
2.0	05.06.2026	Date of first issue: 01.06.2016	05.06.2026

### 8.2 Exposure controls

#### Engineering measures

Effective exhaust ventilation system

#### Personal protective equipment

Eye/face protection : Safety glasses with side-shields

Hand protection

Material : Nitrile rubber  
Break through time : > 10 min  
Protective index : Class 1

Remarks : Wear protective gloves. The break through time depends amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each case.  
The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it.

Skin and body protection : Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.

Respiratory protection : Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.

Filter type : Filter type A-P

Protective measures : The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

#### Environmental exposure controls

Air : No special environmental precautions required.  
Soil : The product should not be allowed to enter drains, water courses or the soil.  
Water : The product should not be allowed to enter drains, water courses or the soil.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Physical state : liquid

Colour : beige, orange

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878 - DE



## OKS 3600

Version	Revision Date:	Date of last issue: 28.08.2025	Print Date:
2.0	05.06.2026	Date of first issue: 01.06.2016	05.06.2026

---

Odour : characteristic

Odour Threshold : No data available

Melting point/ range : No data available

Boiling point/boiling range : 204 °C (1.013 hPa)

Flammability : Flammability (solid, gas):  
Not applicable

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : No data available

Flash point : 66,5 °C  
Method: DIN 51758

Auto-ignition temperature : No data available

Decomposition temperature : No data available

pH : Not applicable  
substance/mixture is non-polar/aprotic

Viscosity

    Viscosity, dynamic : No data available

    Viscosity, kinematic : 27,1 mm<sup>2</sup>/s (40 °C)

Solubility(ies)

    Water solubility : immiscible

    Solubility in other solvents : No data available

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878 - DE



## OKS 3600

Version 2.0	Revision Date: 05.06.2026	Date of last issue: 28.08.2025 Date of first issue: 01.06.2016	Print Date: 05.06.2026
----------------	------------------------------	---	---------------------------

Partition coefficient: n-octanol/water : No data available

Vapour pressure : 51,6 hPa (20 °C)

Relative density : 0,8072 (20 °C)  
Reference substance: Water  
The value is calculated

Density : 0,81 g/cm<sup>3</sup>  
(20 °C)

Bulk density : No data available

Relative vapour density : No data available

### 9.2 Other information

Explosives : Not explosive

Oxidizing properties : No data available

Self-ignition : No data available

Metal corrosion rate : Not corrosive to metals

Evaporation rate : No data available

Sublimation point : No data available

---

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

No hazards to be specially mentioned.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878 - DE



## OKS 3600

Version	Revision Date:	Date of last issue: 28.08.2025	Print Date:
2.0	05.06.2026	Date of first issue: 01.06.2016	05.06.2026

### 10.2 Chemical stability

Stable under normal conditions.

### 10.3 Possibility of hazardous reactions

Hazardous reactions : No dangerous reaction known under conditions of normal use.

### 10.4 Conditions to avoid

Conditions to avoid : Heat, flames and sparks.

### 10.5 Incompatible materials

Materials to avoid : Oxidizing agents

### 10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

## SECTION 11: Toxicological information

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

Based on available data, the classification criteria are not met.

#### Product:

Acute dermal toxicity : Remarks: Prolonged or repeated skin contact with liquid may cause defatting resulting in drying, redness and possible blistering.

Symptoms: Redness, Local irritation, Skin disorders

#### Components:

##### **Akyl naphthalene sulfonic acid, calcium salt (CAS-No. confidential):**

Acute oral toxicity : LD50 (Rat): > 2.000 mg/kg

##### **Poly Alpha Olefin (PAO):**

Acute oral toxicity : LD50 Oral (Rat): > 5.000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 5,2 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rat): > 2.000 mg/kg

N,N-bis(2-ethylhexyl)-5-methyl-1H-benzotriazole-1-methylamine, N,N-bis(2-ethylhexyl)-4-methyl-1H-benzotriazole-1-methylamine, 2H-Benzotriazole-2-methanamine, N,N-bis(2-ethylhexyl)-4-

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878 - DE



## OKS 3600

Version	Revision Date:	Date of last issue: 28.08.2025	Print Date:
2.0	05.06.2026	Date of first issue: 01.06.2016	05.06.2026

methyl-, 2H-Benzotriazole-2-methanamine, N,N-bis(2-ethylhexyl)-5-methyl-, 1H-Benzotriazole-1-methanamine, N,N-bis(2-ethylhexyl)-6-methyl-(Mixture)

:

Acute oral toxicity : LD50 (Rat): 3.313 mg/kg  
Method: OECD Test Guideline 401

Acute dermal toxicity : LD50 (Rat): > 2.000 mg/kg  
Method: OECD Test Guideline 402  
Assessment: The substance or mixture has no acute dermal toxicity

### 1-Dodecene, polymer with 1-octene, hydrogenated:

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg  
Method: OECD Test Guideline 401

Acute dermal toxicity : LD50 (Rabbit): > 2.000 mg/kg  
Method: OECD Test Guideline 402  
Assessment: The substance or mixture has no acute dermal toxicity

### Skin corrosion/irritation

Repeated exposure may cause skin dryness or cracking.

### Product:

Remarks : This information is not available.

### Components:

#### Hydrocarbons, C11-C13, isoalkanes, <2% aromatics:

Result : Repeated exposure may cause skin dryness or cracking.

#### Poly Alpha Olefin (PAO):

Result : No skin irritation

N,N-bis(2-ethylhexyl)-5-methyl-1H-benzotriazole-1-methylamine, N,N-bis(2-ethylhexyl)-4-methyl-1H-benzotriazole-1-methylamine, 2H-Benzotriazole-2-methanamine, N,N-bis(2-ethylhexyl)-4-methyl-, 2H-Benzotriazole-2-methanamine, N,N-bis(2-ethylhexyl)-5-methyl-, 1H-Benzotriazole-1-methanamine, N,N-bis(2-ethylhexyl)-6-methyl-(Mixture)

:

Species : Rabbit  
Assessment : Irritating to skin.  
Method : Draize Test  
Result : Irritating to skin.

#### 1-Dodecene, polymer with 1-octene, hydrogenated:

Assessment : No skin irritation

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878 - DE



## OKS 3600

Version	Revision Date:	Date of last issue: 28.08.2025	Print Date:
2.0	05.06.2026	Date of first issue: 01.06.2016	05.06.2026

Result : No skin irritation

### Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

### Product:

Remarks : This information is not available.

### Components:

#### Akyl naphthalene sulfonic acid, calcium salt (CAS-No. confidential):

Species : Rabbit  
Result : Eye irritation

#### Poly Alpha Olefin (PAO):

Result : No eye irritation

N,N-bis(2-ethylhexyl)-5-methyl-1H-benzotriazole-1-methylamine, N,N-bis(2-ethylhexyl)-4-methyl-1H-benzotriazole-1-methylamine, 2H-Benzotriazole-2-methanamine, N,N-bis(2-ethylhexyl)-4-methyl-, 2H-Benzotriazole-2-methanamine, N,N-bis(2-ethylhexyl)-5-methyl-, 1H-Benzotriazole-1-methanamine, N,N-bis(2-ethylhexyl)-6-methyl-(Mixture)

:  
Species : Rabbit  
Assessment : No eye irritation  
Method : Draize Test  
Result : No eye irritation

#### 1-Dodecene, polymer with 1-octene, hydrogenated:

Assessment : No eye irritation  
Result : No eye irritation

### Respiratory or skin sensitisation

#### Skin sensitisation

Based on available data, the classification criteria are not met.

#### Respiratory sensitisation

Based on available data, the classification criteria are not met.

### Product:

Remarks : This information is not available.

### Components:

#### Poly Alpha Olefin (PAO):

Result : Did not cause sensitisation on laboratory animals.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878 - DE



## OKS 3600

Version	Revision Date:	Date of last issue: 28.08.2025	Print Date:
2.0	05.06.2026	Date of first issue: 01.06.2016	05.06.2026

N,N-bis(2-ethylhexyl)-5-methyl-1H-benzotriazole-1-methylamine, N,N-bis(2-ethylhexyl)-4-methyl-1H-benzotriazole-1-methylamine, 2H-Benzotriazole-2-methanamine, N,N-bis(2-ethylhexyl)-4-methyl-, 2H-Benzotriazole-2-methanamine, N,N-bis(2-ethylhexyl)-5-methyl-, 1H-Benzotriazole-1-methanamine, N,N-bis(2-ethylhexyl)-6-methyl-(Mixture)

:

Test Type : Maximisation Test  
Species : Guinea pig  
Assessment : The product is a skin sensitiser, sub-category 1B.  
Method : OECD Test Guideline 406  
Result : The product is a skin sensitiser, sub-category 1B.

### 1-Dodecene, polymer with 1-octene, hydrogenated:

Assessment : Does not cause skin sensitisation.  
Result : Does not cause skin sensitisation.

### Germ cell mutagenicity

Based on available data, the classification criteria are not met.

#### Product:

Genotoxicity in vitro : Remarks: No data available  
Genotoxicity in vivo : Remarks: No data available

#### Components:

##### **Poly Alpha Olefin (PAO):**

Genotoxicity in vitro : Test Type: Ames test  
Result: negative  
Remarks: In vitro tests did not show mutagenic effects

N,N-bis(2-ethylhexyl)-5-methyl-1H-benzotriazole-1-methylamine, N,N-bis(2-ethylhexyl)-4-methyl-1H-benzotriazole-1-methylamine, 2H-Benzotriazole-2-methanamine, N,N-bis(2-ethylhexyl)-4-methyl-, 2H-Benzotriazole-2-methanamine, N,N-bis(2-ethylhexyl)-5-methyl-, 1H-Benzotriazole-1-methanamine, N,N-bis(2-ethylhexyl)-6-methyl-(Mixture)

:

Genotoxicity in vitro : Test Type: Ames test  
Method: OECD Test Guideline 471  
Result: negative  
Germ cell mutagenicity-Assessment : Tests on bacterial or mammalian cell cultures did not show mutagenic effects.

### Carcinogenicity

Based on available data, the classification criteria are not met.

#### Product:

Remarks : No data available

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878 - DE



## OKS 3600

Version	Revision Date:	Date of last issue: 28.08.2025	Print Date:
2.0	05.06.2026	Date of first issue: 01.06.2016	05.06.2026

### Components:

N,N-bis(2-ethylhexyl)-5-methyl-1H-benzotriazole-1-methylamine, N,N-bis(2-ethylhexyl)-4-methyl-1H-benzotriazole-1-methylamine, 2H-Benzotriazole-2-methanamine, N,N-bis(2-ethylhexyl)-4-methyl-, 2H-Benzotriazole-2-methanamine, N,N-bis(2-ethylhexyl)-5-methyl-, 1H-Benzotriazole-1-methanamine, N,N-bis(2-ethylhexyl)-6-methyl-(Mixture)

:

Carcinogenicity - Assessment : Carcinogenicity classification not possible from current data.

### **Reproductive toxicity**

Based on available data, the classification criteria are not met.

### Product:

Effects on fertility : Remarks: No data available

Effects on foetal development : Remarks: No data available

### Components:

N,N-bis(2-ethylhexyl)-5-methyl-1H-benzotriazole-1-methylamine, N,N-bis(2-ethylhexyl)-4-methyl-1H-benzotriazole-1-methylamine, 2H-Benzotriazole-2-methanamine, N,N-bis(2-ethylhexyl)-4-methyl-, 2H-Benzotriazole-2-methanamine, N,N-bis(2-ethylhexyl)-5-methyl-, 1H-Benzotriazole-1-methanamine, N,N-bis(2-ethylhexyl)-6-methyl-(Mixture)

:

Effects on fertility : Species: Rat  
Application Route: Oral  
General Toxicity - Parent: NOAEL: 45 mg/kg body weight  
General Toxicity F1: NOAEL: 45 mg/kg body weight  
Fertility: NOAEL: 150 mg/kg body weight  
Method: OECD Test Guideline 422

Effects on foetal development : Species: Rat  
Application Route: Oral  
Duration of Single Treatment: 28 h  
General Toxicity Maternal: NOAEL: 45 mg/kg body weight  
Developmental Toxicity: NOAEL: 45 mg/kg body weight  
Method: OECD Test Guideline 422

Reproductive toxicity - Assessment : - Fertility -  
No evidence of adverse effects on sexual function and fertility, or on development, based on animal experiments.  
- Teratogenicity -

No evidence of adverse effects on sexual function and fertility, or on development, based on animal experiments.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878 - DE



## OKS 3600

Version	Revision Date:	Date of last issue: 28.08.2025	Print Date:
2.0	05.06.2026	Date of first issue: 01.06.2016	05.06.2026

### STOT - single exposure

Based on available data, the classification criteria are not met.

#### Product:

Remarks : No data available

#### Components:

N,N-bis(2-ethylhexyl)-5-methyl-1H-benzotriazole-1-methylamine, N,N-bis(2-ethylhexyl)-4-methyl-1H-benzotriazole-1-methylamine, 2H-Benzotriazole-2-methanamine, N,N-bis(2-ethylhexyl)-4-methyl-, 2H-Benzotriazole-2-methanamine, N,N-bis(2-ethylhexyl)-5-methyl-, 1H-Benzotriazole-1-methanamine, N,N-bis(2-ethylhexyl)-6-methyl-(Mixture)

:

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

### STOT - repeated exposure

Based on available data, the classification criteria are not met.

#### Product:

Remarks : No data available

#### Components:

N,N-bis(2-ethylhexyl)-5-methyl-1H-benzotriazole-1-methylamine, N,N-bis(2-ethylhexyl)-4-methyl-1H-benzotriazole-1-methylamine, 2H-Benzotriazole-2-methanamine, N,N-bis(2-ethylhexyl)-4-methyl-, 2H-Benzotriazole-2-methanamine, N,N-bis(2-ethylhexyl)-5-methyl-, 1H-Benzotriazole-1-methanamine, N,N-bis(2-ethylhexyl)-6-methyl-(Mixture)

:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

### Repeated dose toxicity

#### Product:

Remarks : This information is not available.

#### Components:

N,N-bis(2-ethylhexyl)-5-methyl-1H-benzotriazole-1-methylamine, N,N-bis(2-ethylhexyl)-4-methyl-1H-benzotriazole-1-methylamine, 2H-Benzotriazole-2-methanamine, N,N-bis(2-ethylhexyl)-4-methyl-, 2H-Benzotriazole-2-methanamine, N,N-bis(2-ethylhexyl)-5-methyl-, 1H-Benzotriazole-1-methanamine, N,N-bis(2-ethylhexyl)-6-methyl-(Mixture)

:

Species : Rat  
NOAEL : 45 mg/kg  
Application Route : Oral

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878 - DE



## OKS 3600

Version	Revision Date:	Date of last issue: 28.08.2025	Print Date:
2.0	05.06.2026	Date of first issue: 01.06.2016	05.06.2026

Exposure time : 28 d  
Method : OECD Test Guideline 422

### Aspiration toxicity

Based on available data, the classification criteria are not met.

#### Product:

This information is not available.

#### Components:

##### **Hydrocarbons, C11-C13, isoalkanes, <2% aromatics:**

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

##### **Poly Alpha Olefin (PAO):**

May be fatal if swallowed and enters airways.

N,N-bis(2-ethylhexyl)-5-methyl-1H-benzotriazole-1-methylamine, N,N-bis(2-ethylhexyl)-4-methyl-1H-benzotriazole-1-methylamine, 2H-Benzotriazole-2-methanamine, N,N-bis(2-ethylhexyl)-4-methyl-, 2H-Benzotriazole-2-methanamine, N,N-bis(2-ethylhexyl)-5-methyl-, 1H-Benzotriazole-1-methanamine, N,N-bis(2-ethylhexyl)-6-methyl-(Mixture)

:

No aspiration toxicity classification

##### **1-Dodecene, polymer with 1-octene, hydrogenated:**

No aspiration toxicity classification

## 11.2 Information on other hazards

### Endocrine disrupting properties

Based on available data, the classification criteria are not met.

#### Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### Further information

#### Product:

Remarks : Information given is based on data on the components and the toxicology of similar products.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878 - DE



## OKS 3600

Version	Revision Date:	Date of last issue: 28.08.2025	Print Date:
2.0	05.06.2026	Date of first issue: 01.06.2016	05.06.2026

## SECTION 12: Ecological information

### 12.1 Toxicity

#### Product:

Toxicity to fish : Remarks: No data available

Toxicity to daphnia and other aquatic invertebrates : Remarks: No data available

Toxicity to algae/aquatic plants : Remarks: No data available

Toxicity to microorganisms :  
Remarks: No data available

#### Components:

##### **Poly Alpha Olefin (PAO):**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 1.000 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : NOEC (Daphnia magna (Water flea)): > 1.000 mg/l  
Exposure time: 48 h

Toxicity to algae/aquatic plants : NOEC (algae): > 1.000 mg/l  
Exposure time: 72 h

N,N-bis(2-ethylhexyl)-5-methyl-1H-benzotriazole-1-methylamine, N,N-bis(2-ethylhexyl)-4-methyl-1H-benzotriazole-1-methylamine, 2H-Benzotriazole-2-methanamine, N,N-bis(2-ethylhexyl)-4-methyl-, 2H-Benzotriazole-2-methanamine, N,N-bis(2-ethylhexyl)-5-methyl-, 1H-Benzotriazole-1-methanamine, N,N-bis(2-ethylhexyl)-6-methyl-(Mixture)

:

Toxicity to fish : LC50 (Brachydanio rerio (zebrafish)): 1,3 mg/l  
Exposure time: 96 h  
Test Type: static test  
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 2,05 mg/l  
Exposure time: 48 h  
Test Type: static test  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Desmodesmus subspicatus (green algae)): 0,762 mg/l  
Exposure time: 72 h  
Test Type: static test  
Method: OECD Test Guideline 201

M-Factor (Acute aquatic) : 1

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878 - DE



## OKS 3600

Version	Revision Date:	Date of last issue: 28.08.2025	Print Date:
2.0	05.06.2026	Date of first issue: 01.06.2016	05.06.2026

toxicity)

Toxicity to microorganisms : EC20 (activated sludge): 15 mg/l  
Exposure time: 3 h  
Test Type: Respiration inhibition  
Method: OECD Test Guideline 209

### Ecotoxicology Assessment

Acute aquatic toxicity : Very toxic to aquatic life.

Chronic aquatic toxicity : Toxic to aquatic life with long lasting effects.

## 12.2 Persistence and degradability

### Product:

Biodegradability : Remarks: No data available

Physico-chemical  
removability : Remarks: No data available

### Components:

#### **Akyl naphthalene sulfonic acid, calcium salt (CAS-No. confidential):**

Biodegradability : Remarks: No data available

#### **Poly Alpha Olefin (PAO):**

Biodegradability : Test Type: Primary biodegradation  
Inoculum: activated sludge  
Result: Not readily biodegradable.  
Method: OECD Test Guideline 301B

N,N-bis(2-ethylhexyl)-5-methyl-1H-benzotriazole-1-methylamine, N,N-bis(2-ethylhexyl)-4-methyl-1H-benzotriazole-1-methylamine, 2H-Benzotriazole-2-methanamine, N,N-bis(2-ethylhexyl)-4-methyl-, 2H-Benzotriazole-2-methanamine, N,N-bis(2-ethylhexyl)-5-methyl-, 1H-Benzotriazole-1-methanamine, N,N-bis(2-ethylhexyl)-6-methyl-(Mixture)

:

Biodegradability : Test Type: Primary biodegradation  
Inoculum: activated sludge  
Result: Not rapidly biodegradable  
Biodegradation: < 10 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301B

#### **1-Dodecene, polymer with 1-octene, hydrogenated:**

Biodegradability : Result: Not readily biodegradable.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878 - DE



## OKS 3600

Version	Revision Date:	Date of last issue: 28.08.2025	Print Date:
2.0	05.06.2026	Date of first issue: 01.06.2016	05.06.2026

### 12.3 Bioaccumulative potential

#### Product:

Bioaccumulation : Remarks: No data available

#### Components:

##### **Hydrocarbons, C11-C13, isoalkanes, <2% aromatics:**

Partition coefficient: n-  
octanol/water : log Pow: 1,99 - 7,22

##### **Akyl naphthalene sulfonic acid, calcium salt (CAS-No. confidential):**

Bioaccumulation : Remarks: No data available

##### **Poly Alpha Olefin (PAO):**

Bioaccumulation : Bioconcentration factor (BCF): > 10  
Remarks: No data available

N,N-bis(2-ethylhexyl)-5-methyl-1H-benzotriazole-1-methylamine, N,N-bis(2-ethylhexyl)-4-methyl-1H-benzotriazole-1-methylamine, 2H-Benzotriazole-2-methanamine, N,N-bis(2-ethylhexyl)-4-methyl-, 2H-Benzotriazole-2-methanamine, N,N-bis(2-ethylhexyl)-5-methyl-, 1H-Benzotriazole-1-methanamine, N,N-bis(2-ethylhexyl)-6-methyl-(Mixture)

:

Bioaccumulation : Bioconcentration factor (BCF): 1.676

Partition coefficient: n-  
octanol/water : log Pow: 7,6

### 12.4 Mobility in soil

#### Product:

Mobility : Remarks: No data available

Distribution among  
environmental compartments : Remarks: No data available

### 12.5 Results of PBT and vPvB assessment

#### Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

#### Components:

**1-Dodecene, polymer with 1-octene, hydrogenated:**

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878 - DE



## OKS 3600

Version	Revision Date:	Date of last issue: 28.08.2025	Print Date:
2.0	05.06.2026	Date of first issue: 01.06.2016	05.06.2026

Assessment : Non-classified vPvB substance. Non-classified PBT substance

### 12.6 Endocrine disrupting properties

**Product:**

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### 12.7 Other adverse effects

**Product:**

Additional ecological information : No information on ecology is available.

---

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Product : The product should not be allowed to enter drains, water courses or the soil.  
Do not dispose of with domestic refuse.  
Dispose of as hazardous waste in compliance with local and national regulations.

Waste codes should be assigned by the user based on the application for which the product was used.

Contaminated packaging : Packaging that is not properly emptied must be disposed of as the unused product.  
Dispose of waste product or used containers according to local regulations.

The following Waste Codes are only suggestions:

Waste Code : used product, unused product  
08 01 11\*, waste paint and varnish containing organic solvents or other hazardous substances  
  
uncleaned packagings  
15 01 10\*, packaging containing residues of or contaminated by hazardous substances

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878 - DE



## OKS 3600

Version 2.0	Revision Date: 05.06.2026	Date of last issue: 28.08.2025 Date of first issue: 01.06.2016	Print Date: 05.06.2026
----------------	------------------------------	---	---------------------------

### SECTION 14: Transport information

#### 14.1 UN number or ID number

ADN : Not regulated as a dangerous good  
ADR : Not regulated as a dangerous good  
RID : Not regulated as a dangerous good  
IMDG : Not regulated as a dangerous good  
IATA : Not regulated as a dangerous good

#### 14.2 UN proper shipping name

ADN : Not regulated as a dangerous good  
ADR : Not regulated as a dangerous good  
RID : Not regulated as a dangerous good  
IMDG : Not regulated as a dangerous good  
IATA : Not regulated as a dangerous good

#### 14.3 Transport hazard class(es)

ADN : Not regulated as a dangerous good  
ADR : Not regulated as a dangerous good  
RID : Not regulated as a dangerous good  
IMDG : Not regulated as a dangerous good  
IATA : Not regulated as a dangerous good

#### 14.4 Packing group

ADN : Not regulated as a dangerous good  
ADR : Not regulated as a dangerous good  
RID : Not regulated as a dangerous good  
IMDG : Not regulated as a dangerous good  
IATA (Cargo) : Not regulated as a dangerous good  
IATA (Passenger) : Not regulated as a dangerous good

#### 14.5 Environmental hazards

ADN : Not regulated as a dangerous good  
ADR : Not regulated as a dangerous good  
RID : Not regulated as a dangerous good  
IMDG : Not regulated as a dangerous good

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878 - DE



## OKS 3600

Version	Revision Date:	Date of last issue: 28.08.2025	Print Date:
2.0	05.06.2026	Date of first issue: 01.06.2016	05.06.2026

### 14.6 Special precautions for user

Not applicable

### 14.7 Maritime transport in bulk according to IMO instruments

Remarks : Not applicable for product as supplied.

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII) : Not applicable
- REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59). (EU SVHC) : This product does not contain substances of very high concern (Regulation (EC) No 1907/2006 (REACH), Article 57).
- Regulation (EU) No 2024/590 on substances that deplete the ozone layer (EC 2024/590) : Not applicable
- Regulation (EU) 2019/1021 on persistent organic pollutants (recast) (EU POP) : Not applicable
- Regulation (EU) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals (EU PIC) : Not applicable
- REACH - List of substances subject to authorisation (Annex XIV) (EU. REACH-Annex XIV) : Not applicable
- Regulation (EU) 2019/1148 on the marketing and use of explosives precursors : Not applicable
- Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous : Not applicable

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878 - DE



## OKS 3600

Version	Revision Date:	Date of last issue: 28.08.2025	Print Date:
2.0	05.06.2026	Date of first issue: 01.06.2016	05.06.2026

substances.

Water hazard class (Germany) : WGK 1 slightly hazardous to water  
Classification according to AwSV, Annex 1 (5.2)

TA Luft List (Germany) : 5.2.1: Total dust:  
others: 1,7 %  
5.2.5: Organic Substances:  
Class 1: 92,4 %

Volatile organic compounds : Directive 2010/75/EU of 24 November 2010 on industrial and  
livestock rearing emissions (integrated pollution prevention and  
control)  
Volatile organic compounds (VOC) content: 50 %

### 15.2 Chemical safety assessment

This information is not available.

## SECTION 16: Other information

### Full text of H-Statements

H304 : May be fatal if swallowed and enters airways.  
H315 : Causes skin irritation.  
H317 : May cause an allergic skin reaction.  
H319 : Causes serious eye irritation.  
H400 : Very toxic to aquatic life.  
H411 : Toxic to aquatic life with long lasting effects.  
EUH066 : Repeated exposure may cause skin dryness or cracking.

### Full text of other abbreviations

Aquatic Acute : Short-term (acute) aquatic hazard  
Aquatic Chronic : Long-term (chronic) aquatic hazard  
Asp. Tox. : Aspiration hazard  
Eye Irrit. : Eye irritation  
Skin Irrit. : Skin irritation  
Skin Sens. : Skin sensitisation  
DE DFG MAK : Germany. MAK BAT Annex IIa  
DE TRGS 900 : Germany. TRGS 900 - Occupational exposure limit values.  
DE DFG MAK / MAK : MAK value  
DE TRGS 900 / AGW : Time Weighted Average

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878 - DE



## OKS 3600

Version	Revision Date:	Date of last issue: 28.08.2025	Print Date:
2.0	05.06.2026	Date of first issue: 01.06.2016	05.06.2026

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonised System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organisation; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardisation; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organisation for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

### Further information

- || Relevant changes compared to the last edition are highlighted at the left margin. This version replaces all previous editions.

This safety data sheet applies only to products as originally packed and labelled. The information contained therein may not be reproduced or modified without our express written permission. Any forwarding of this document is only permitted to the extent required by law. Any further, in particular public, dissemination of the safety data sheet (e.g. as a document for download from the Internet) is not permitted without our express written consent. We provide our customers with amended safety data sheets as prescribed by law. The customer is responsible for passing on safety data sheets and any amendments contained therein to its own customers, employees and other users of the product. We provide no guarantee that safety data sheets received by users from third parties are up-to-date. All information and instructions in this safety data sheet have been compiled to the best of our knowledge and are based on the information available to us on the day of publication. The information provided is intended to describe the product in relation to the required safety measures; it is neither an assurance of characteristics nor a guarantee of the product's suitability for particular applications and does not justify any contractual legal relationship. The existence of a safety data sheet for a particular jurisdiction does not necessarily

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878 - DE



## OKS 3600

Version	Revision Date:	Date of last issue: 28.08.2025	Print Date:
2.0	05.06.2026	Date of first issue: 01.06.2016	05.06.2026

---

mean that import or use within that jurisdiction is legally permitted. If you have any questions, please contact your responsible sales contact or authorized trading partner.