according to Regulation (EC) No. 1907/2006 - DE (Commission Regulation (EU) 2020/878)



OKS 3600

Version Revision Date: Date of last issue: 22.09.2021 Print Date: 1.3 26.01.2023 Date of first issue: 01.06.2016 03.02.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name : OKS 3600

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub- : Lubricant

stance/Mixture

Recommended restrictions

on use

: Restricted to professional users.

1.3 Details of the supplier of the safety data sheet

Company : OKS Spezialschmierstoffe GmbH

Ganghoferstr. 47

D-82216 Maisach-Gernlinden Tel.: +49 8142 3051 500 Fax.: +49 8142 3051 599 info@oks-germany.com

E-mail address of person : mcm@oks-germany.com

responsible for the SDS Material Compliance Management

National contact :

1.4 Emergency telephone number

Emergency telephone num: +49 8142 3051 517

ber

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Supplemental Hazard : EUH066 Repeated exposure may cause skin

Statements dryness or cracking.

Additional Labelling



according to Regulation (EC) No. 1907/2006 - DE (Commission Regulation (EU) 2020/878)



OKS 3600

Version Revision Date: Date of last issue: 22.09.2021 Print Date: 1.3 26.01.2023 Date of first issue: 01.06.2016 03.02.2023

EUH210 Safety data sheet available on request.

EUH208 Contains N,N-bis(2-ethylhexyl)-5-methyl-1H-benzotriazole-1-methylamine, N,N-

bis(2-ethylhexyl)-4-methyl-1H-benzotriazole-1-methylamine, 2H-Benzotriazole-

2-methanamine, N,N-bis(2-ethylhexyl)-4-methyl-, 2H-Benzotriazole-2-methanamine, N,N-bis(2-ethylhexyl)-5-methyl-, 1H-Benzotriazole-1-

methanamine, N,N-bis(2-ethylhexyl)-6-methyl-(Mixture)

. May produce an allergic reaction.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature : Synthetic hydrocarbon oil

Additive

Components

Chemical name	CAS-No. EC-No.	Classification	specific concen- tration limit M-Factor	Concentration (% w/w)
	Index-No. Registration number		Notes Acute toxicity estimate	
Hydrocarbons, C11- C13, isoalkanes, <2% aromatics	920-901-0	Asp. Tox.1; H304; EUH066		>= 50 - < 70
	01-2119456810-40- XXXX			
Akyl naphthalene sul- fonic acid, calcium salt (CAS-No. confidential)	Not Assigned 943-845-9	Eye Irrit.2; H319		>= 1 - < 10
,	01-2120126131-76- xxxx			



according to Regulation (EC) No. 1907/2006 - DE (Commission Regulation (EU) 2020/878)



OKS 3600

Version Revision Date: Date of last issue: 22.09.2021 Print Date: 1.3 26.01.2023 Date of first issue: 01.06.2016 03.02.2023

1						
Poly Alpha Olefin (PAO)	68037-01-4 500-183-1	Asp. Tox.1; H304		>= 1 - < 10		
N,N-bis(2-ethylhexyl)-5-methyl-1H-benzotriazole-1-methylamine, N,N-bis(2-ethylhexyl)-4-methyl-1H-benzotriazole-1-methylamine, 2H-Benzotriazole-2-methanamine, N,N-bis(2-ethylhexyl)-4-methyl-, 2H-Benzotriazole-2-methanamine, N,N-bis(2-ethylhexyl)-5-methyl-, 1H-Benzotriazole-1-methanamine, N,N-bis(2-ethylhexyl)-6-methyl-(Mixture)	939-700-4 01-2119982395-25- XXXX	Skin Irrit.2; H315 Skin Sens.1B; H317 Aquatic Acute1; H400 Aquatic Chronic2; H411	M-Factor: 1/	>= 0,1 - < 0,25		
Substances with a work	Substances with a workplace exposure limit :					
1-Dodecene, polymer with 1-octene, hydro- genated	605-316-8	Not classified		>= 30 - < 50		
For explanation of abbreviations see section 16.						

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

If inhaled : Remove person to fresh air. If signs/symptoms continue, get

medical attention.

Keep patient warm and at rest.

If unconscious, place in recovery position and seek medical

advice.

Keep respiratory tract clear.

If breathing is irregular or stopped, administer artificial respira-

tion.

In case of skin contact : Take off all contaminated clothing immediately.

Get medical attention immediately if irritation develops and

persists.



according to Regulation (EC) No. 1907/2006 - DE (Commission Regulation (EU) 2020/878)



OKS 3600

Version Revision Date: Date of last issue: 22.09.2021 Print Date: 1.3 26.01.2023 Date of first issue: 01.06.2016 03.02.2023

Wash clothing before reuse.

Thoroughly clean shoes before reuse.

Wash skin thoroughly with soap and water or use recognized

skin cleanser.

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids,

for at least 10 minutes. Seek medical advice.

If swallowed : Move the victim to fresh air.

If unconscious, place in recovery position and seek medical

advice.

Keep respiratory tract clear. Do NOT induce vomiting. Rinse mouth with water.

Never give anything by mouth to an unconscious person.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms : Skin contact may provoke the following symptoms:

Erythema

Allergic appearance

Risks : Can be absorbed through skin.

May cause an allergic skin reaction.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : The first aid procedure should be established in consultation

with the doctor responsible for industrial medicine.

Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or car-

bon dioxide.

Unsuitable extinguishing

media

High volume water jet

5.2 Special hazards arising from the substance or mixture

Hazardous combustion prod: :

ucts

Carbon oxides Sulphur oxides Metal oxides

5.3 Advice for firefighters

Special protective equipment:

for firefighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment. Exposure to decomposi-

tion products may be a hazard to health.

according to Regulation (EC) No. 1907/2006 - DE (Commission Regulation (EU) 2020/878)



OKS 3600

VersionRevision Date:Date of last issue: 22.09.2021Print Date:1.326.01.2023Date of first issue: 01.06.201603.02.2023

Further information : Standard procedure for chemical fires.

Cool containers/tanks with water spray.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Evacuate personnel to safe areas.

Use personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition.

Do not breathe vapours or spray mist.

Refer to protective measures listed in sections 7 and 8.

6.2 Environmental precautions

Environmental precautions : Try to prevent the material from entering drains or water

courses.

Prevent further leakage or spillage if safe to do so. Local authorities should be advised if significant spillages

cannot be contained.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Contain spillage, and then collect with non-combustible ab-

sorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local

/ national regulations (see section 13). Non-sparking tools should be used.

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : Do not use in areas without adequate ventilation.

Do not breathe vapours or spray mist.

In case of insufficient ventilation, wear suitable respiratory

equipment.

Avoid contact with skin and eyes. For personal protection see section 8.

Keep away from fire, sparks and heated surfaces.

Persons with a history of skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being

used.

Smoking, eating and drinking should be prohibited in the ap-



according to Regulation (EC) No. 1907/2006 - DE (Commission Regulation (EU) 2020/878)



OKS 3600

Version Revision Date: Date of last issue: 22.09.2021 Print Date: 1.3 26.01.2023 Date of first issue: 01.06.2016 03.02.2023

plication area.

Take precautionary measures against static discharges. Wash hands and face before breaks and immediately after

handling the product.

Ensure all equipment is electrically grounded before beginning

transfer operations.

Do not get in eyes or mouth or on skin.

Do not get on skin or clothing.

Do not ingest.

Do not enter areas where used or stored until adequately ven-

tilated.

Do not repack.

Do not re-use empty containers.

These safety instructions also apply to empty packaging which

may still contain product residues.

Keep container closed when not in use.

Advice on protection against

fire and explosion

Keep away from heat and sources of ignition.

Hygiene measures : Wash face, hands and any exposed skin thoroughly after

handling.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Store in original container. Keep container closed when not in use. Keep in a dry, cool and well-ventilated place. Do not store together with oxidizing and self-igniting products. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store in accordance with the particular national regulations. Keep in properly labelled contain-

CI 3.

Storage class (TRGS 510) : 10, Combustible liquids

7.3 Specific end use(s)

Specific use(s) : Specific instructions for handling, not required.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form	Control parameters	Basis
		of exposure)		
Hydrocarbons, C11-C13, isoal- kanes, <2% aro- matics	Not Assigned	AGW	300 mg/m3	DE TRGS 900 (2017-11-30)
	Peak-limit: excursion factor (category): 2;(II)			



according to Regulation (EC) No. 1907/2006 - DE (Commission Regulation (EU) 2020/878)



OKS 3600

Version Revision Date: Date of last issue: 22.09.2021 Print Date: 1.3 26.01.2023 Date of first issue: 01.06.2016 03.02.2023

	Further information: Group exposure limit for hydrocarbon solvent mixtures					
		AGW	600 mg/m3	DE TRGS 900 (2009-02-16)		
	Peak-limit: ex	Peak-limit: excursion factor (category): 2;(II)				
	Further information: Group exposure limit for hydrocarbon solvent mixtures,					
	Commission f	Commission for dangerous substances, See also No. 2.9 of the TRGS 900				
		AGW	300 mg/m3	DE TRGS 900 (2020-10-02)		
	Peak-limit: excursion factor (category): 2;(II)					
	Further inform	Further information: When there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child				
	tolerance valu					
1-Dodecene, polymer with 1- octene, hydrogenated	Not As- signed	AGW (Alveolate fraction)	5 mg/m3	DE TRGS 900 (2012-01-12)		
	Peak-limit: excursion factor (category): 4;(II)					
	Further information: When there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child					
Poly Alpha Olefin (PAO)	68037-01-4	AGW (Alveolate fraction)	5 mg/m3	DE TRGS 900 (2012-01-12)		
	Peak-limit: ex	Peak-limit: excursion factor (category): 4;(II)				
	Further information: When there is compliance with the OEL and biological					
	tolerance values, there is no risk of harming the unborn child					

8.2 Exposure controls

Engineering measures

Effective exhaust ventilation system

Personal protective equipment

Eye protection : Safety glasses with side-shields

Hand protection

Material : Nitrile rubber
Break through time : > 10 min
Protective index : Class 1

Remarks : Wear protective gloves. The break through time depends

amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each

case.

The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374

derived from it.

Skin and body protection : Choose body protection in relation to its type, to the concen-

tration and amount of dangerous substances, and to the spe-

cific work-place.



according to Regulation (EC) No. 1907/2006 - DE (Commission Regulation (EU) 2020/878)



OKS 3600

Version Revision Date: Date of last issue: 22.09.2021 Print Date: 1.3 26.01.2023 Date of first issue: 01.06.2016 03.02.2023

Respiratory protection : Use respiratory protection unless adequate local exhaust ven-

tilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.

exposures are within recommended exposure guide

Filter type : Filter type A-P

Protective measures : The type of protective equipment must be selected according

to the concentration and amount of the dangerous substance

at the specific workplace.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state : liquid

Colour : beige, orange

Odour : characteristic

Odour Threshold : No data available

Melting point/range : No data available

Boiling point/boiling range : 204 °C (1.013 hPa)

Flammability (solid, gas) : Not applicable

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Flash point : 66,5 °C

Method: DIN 51758

Auto-ignition temperature : No data available

Decomposition temperature : No data available

pH : Not applicable

substance/mixture is non-polar/aprotic

Viscosity

Viscosity, dynamic : No data available

Viscosity, kinematic : 27,1 mm2/s (40 °C)

according to Regulation (EC) No. 1907/2006 - DE (Commission Regulation (EU) 2020/878)



OKS 3600

Version Revision Date: Date of last issue: 22.09.2021 Print Date: 1.3 26.01.2023 Date of first issue: 01.06.2016 03.02.2023

Solubility(ies)

Water solubility : immiscible

Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

No data available

Vapour pressure : 51,6 hPa (20 °C)

Relative density : 0,8072 (20 °C)

Reference substance: Water The value is calculated

Density : 0,81 g/cm3

(20 °C)

Bulk density : No data available

Relative vapour density : No data available

9.2 Other information

Explosives : Not explosive

Oxidizing properties : No data available

Self-ignition : No data available

Metal corrosion rate : Not corrosive to metals

Evaporation rate : No data available

Sublimation point : No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No hazards to be specially mentioned.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions : No dangerous reaction known under conditions of normal use.

10.4 Conditions to avoid

Conditions to avoid : Heat, flames and sparks.



according to Regulation (EC) No. 1907/2006 - DE (Commission Regulation (EU) 2020/878)



OKS 3600

VersionRevision Date:Date of last issue: 22.09.2021Print Date:1.326.01.2023Date of first issue: 01.06.201603.02.2023

10.5 Incompatible materials

Materials to avoid : Oxidizing agents

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Product:

Acute dermal toxicity : Remarks: Prolonged or repeated skin contact with liquid may

cause defatting resulting in drying, redness and possible blis-

tering.

Symptoms: Redness, Local irritation, Skin disorders

Components:

Akyl naphthalene sulfonic acid, calcium salt (CAS-No. confidential):

Acute oral toxicity : LD50 (Rat): > 2.000 mg/kg

Poly Alpha Olefin (PAO):

Acute oral toxicity : LD50 Oral (Rat): > 5.000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 5,2 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rat): > 2.000 mg/kg

N,N-bis(2-ethylhexyl)-5-methyl-1H-benzotriazole-1-methylamine, N,N-bis(2-ethylhexyl)-4-methyl-1H-benzotriazole-1-methylamine, 2H-Benzotriazole-2-methanamine, N,N-bis(2-ethylhexyl)-4-methyl-, 2H-Benzotriazole-2-methanamine, N,N-bis(2-ethylhexyl)-5-methyl-, 1H-Benzotriazole-1-methanamine, N,N-bis(2-ethylhexyl)-6-methyl-(Mixture)

:

Acute oral toxicity : LD50 (Rat): 3.313 mg/kg

Method: OECD Test Guideline 401

Acute dermal toxicity : LD50 (Rat): > 2.000 mg/kg

Method: OECD Test Guideline 402

Assessment: The substance or mixture has no acute dermal

toxicity



according to Regulation (EC) No. 1907/2006 - DE (Commission Regulation (EU) 2020/878)



OKS 3600

Version Revision Date: Date of last issue: 22.09.2021 Print Date: 1.3 26.01.2023 Date of first issue: 01.06.2016 03.02.2023

1-Dodecene, polymer with 1-octene, hydrogenated:

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg

Method: OECD Test Guideline 401

Acute dermal toxicity : LD50 (Rabbit): > 2.000 mg/kg

Method: OECD Test Guideline 402

Assessment: The substance or mixture has no acute dermal

toxicity

Skin corrosion/irritation

Product:

Remarks : This information is not available.

Components:

Hydrocarbons, C11-C13, isoalkanes, <2% aromatics:

Result : Repeated exposure may cause skin dryness or cracking.

Poly Alpha Olefin (PAO):

Result : No skin irritation

N,N-bis(2-ethylhexyl)-5-methyl-1H-benzotriazole-1-methylamine, N,N-bis(2-ethylhexyl)-4-methyl-1H-benzotriazole-1-methylamine, 2H-Benzotriazole-2-methanamine, N,N-bis(2-ethylhexyl)-4-methyl-, 2H-Benzotriazole-2-methanamine, N,N-bis(2-ethylhexyl)-5-methyl-, 1H-Benzotriazole-1-methanamine, N,N-bis(2-ethylhexyl)-6-methyl-(Mixture)

:

Species : Rabbit

Assessment : Irritating to skin.

Method : Draize Test

Result : Irritating to skin.

1-Dodecene, polymer with 1-octene, hydrogenated:

Assessment : No skin irritation Result : No skin irritation

Serious eye damage/eye irritation

Product:

Remarks : This information is not available.

Components:

Akyl naphthalene sulfonic acid, calcium salt (CAS-No. confidential):

Species : Rabbit Result : Eye irritation



according to Regulation (EC) No. 1907/2006 - DE (Commission Regulation (EU) 2020/878)



OKS 3600

Version Revision Date: Date of last issue: 22.09.2021 Print Date: 1.3 26.01.2023 Date of first issue: 01.06.2016 03.02.2023

Poly Alpha Olefin (PAO):

Result : No eye irritation

N,N-bis(2-ethylhexyl)-5-methyl-1H-benzotriazole-1-methylamine, N,N-bis(2-ethylhexyl)-4-methyl-1H-benzotriazole-1-methylamine, 2H-Benzotriazole-2-methanamine, N,N-bis(2-ethylhexyl)-4-methyl-, 2H-Benzotriazole-2-methanamine, N,N-bis(2-ethylhexyl)-5-methyl-, 1H-Benzotriazole-1-methanamine, N,N-bis(2-ethylhexyl)-6-methyl-(Mixture)

:

Species : Rabbit

Assessment : No eye irritation
Method : Draize Test
Result : No eye irritation

1-Dodecene, polymer with 1-octene, hydrogenated:

Assessment : No eye irritation Result : No eye irritation

Respiratory or skin sensitisation

Product:

Remarks : This information is not available.

Components:

Poly Alpha Olefin (PAO):

Result : Did not cause sensitisation on laboratory animals.

N,N-bis(2-ethylhexyl)-5-methyl-1H-benzotriazole-1-methylamine, N,N-bis(2-ethylhexyl)-4-methyl-1H-benzotriazole-1-methylamine, 2H-Benzotriazole-2-methanamine, N,N-bis(2-ethylhexyl)-4-methyl-, 2H-Benzotriazole-2-methanamine, N,N-bis(2-ethylhexyl)-5-methyl-, 1H-Benzotriazole-1-methanamine, N,N-bis(2-ethylhexyl)-6-methyl-(Mixture)

.

Test Type : Maximisation Test

Species : Guinea pig

Assessment : The product is a skin sensitiser, sub-category 1B.

Method : OECD Test Guideline 406

Result : The product is a skin sensitiser, sub-category 1B.

1-Dodecene, polymer with 1-octene, hydrogenated:

Assessment : Does not cause skin sensitisation.
Result : Does not cause skin sensitisation.

Germ cell mutagenicity

Product:

Genotoxicity in vitro : Remarks: No data available



according to Regulation (EC) No. 1907/2006 - DE (Commission Regulation (EU) 2020/878)



OKS 3600

VersionRevision Date:Date of last issue: 22.09.2021Print Date:1.326.01.2023Date of first issue: 01.06.201603.02.2023

Genotoxicity in vivo : Remarks: No data available

Components:

Poly Alpha Olefin (PAO):

Genotoxicity in vitro : Test Type: Ames test

Result: negative

Remarks: In vitro tests did not show mutagenic effects

N,N-bis(2-ethylhexyl)-5-methyl-1H-benzotriazole-1-methylamine, N,N-bis(2-ethylhexyl)-4-methyl-1H-benzotriazole-1-methylamine, 2H-Benzotriazole-2-methanamine, N,N-bis(2-ethylhexyl)-4-methyl-, 2H-Benzotriazole-2-methanamine, N,N-bis(2-ethylhexyl)-5-methyl-, 1H-Benzotriazole-1-methanamine, N,N-bis(2-ethylhexyl)-6-methyl-(Mixture)

:

Genotoxicity in vitro : Test Type: Ames test

Method: OECD Test Guideline 471

Result: negative

Germ cell mutagenicity- As-

sessment

Tests on bacterial or mammalian cell cultures did not show

mutagenic effects.

Carcinogenicity

Product:

Remarks : No data available

Components:

N,N-bis(2-ethylhexyl)-5-methyl-1H-benzotriazole-1-methylamine, N,N-bis(2-ethylhexyl)-4-methyl-1H-benzotriazole-1-methylamine, 2H-Benzotriazole-2-methanamine, N,N-bis(2-ethylhexyl)-4-methyl-, 2H-Benzotriazole-2-methanamine, N,N-bis(2-ethylhexyl)-5-methyl-, 1H-Benzotriazole-1-methanamine, N,N-bis(2-ethylhexyl)-6-methyl-(Mixture)

:

Carcinogenicity - Assess-

Carcinogenicity classification not possible from current data.

ment

Reproductive toxicity

Product:

Effects on fertility : Remarks: No data available

Effects on foetal develop-

ment

Remarks: No data available



according to Regulation (EC) No. 1907/2006 - DE (Commission Regulation (EU) 2020/878)



OKS 3600

Version Revision Date: Date of last issue: 22.09.2021 Print Date: 1.3 26.01.2023 Date of first issue: 01.06.2016 03.02.2023

Components:

N,N-bis(2-ethylhexyl)-5-methyl-1H-benzotriazole-1-methylamine, N,N-bis(2-ethylhexyl)-4-methyl-1H-benzotriazole-1-methylamine, 2H-Benzotriazole-2-methanamine, N,N-bis(2-ethylhexyl)-4-methyl-, 2H-Benzotriazole-2-methanamine, N,N-bis(2-ethylhexyl)-5-methyl-, 1H-Benzotriazole-1-methanamine, N,N-bis(2-ethylhexyl)-6-methyl-(Mixture)

:

Effects on fertility : Species: Rat

Application Route: Oral

General Toxicity - Parent: NOAEL: 45 mg/kg body weight General Toxicity F1: NOAEL: 45 mg/kg body weight

Fertility: NOAEL: 150 mg/kg body weight Method: OECD Test Guideline 422

Effects on foetal develop-

ment

Species: Rat

Application Route: Oral

Duration of Single Treatment: 28 h

General Toxicity Maternal: NOAEL: 45 mg/kg body weight Developmental Toxicity: NOAEL: 45 mg/kg body weight

Method: OECD Test Guideline 422

Reproductive toxicity - As-

sessment

- Fertility -

No evidence of adverse effects on sexual function and fertility,

or on development, based on animal experiments.

- Teratogenicity -

No evidence of adverse effects on sexual function and fertility,

or on development, based on animal experiments.

STOT - single exposure

Components:

N,N-bis(2-ethylhexyl)-5-methyl-1H-benzotriazole-1-methylamine, N,N-bis(2-ethylhexyl)-4-methyl-1H-benzotriazole-1-methylamine, 2H-Benzotriazole-2-methanamine, N,N-bis(2-ethylhexyl)-4-methyl-, 2H-Benzotriazole-2-methanamine, N,N-bis(2-ethylhexyl)-5-methyl-, 1H-Benzotriazole-1-methanamine, N,N-bis(2-ethylhexyl)-6-methyl-(Mixture)

:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, single exposure.

STOT - repeated exposure

Components:

N,N-bis(2-ethylhexyl)-5-methyl-1H-benzotriazole-1-methylamine, N,N-bis(2-ethylhexyl)-4-methyl-1H-benzotriazole-1-methylamine, 2H-Benzotriazole-2-methanamine, N,N-bis(2-ethylhexyl)-4-methyl-, 2H-Benzotriazole-2-methanamine, N,N-bis(2-ethylhexyl)-5-methyl-, 1H-Benzotriazole-1-methanamine, N,N-bis(2-ethylhexyl)-6-methyl-(Mixture)

:



according to Regulation (EC) No. 1907/2006 - DE (Commission Regulation (EU) 2020/878)



OKS 3600

Version Revision Date: Date of last issue: 22.09.2021 Print Date: 1.3 26.01.2023 Date of first issue: 01.06.2016 03.02.2023

Assessment : The substance or mixture is not classified as specific target

organ toxicant, repeated exposure.

Repeated dose toxicity

Product:

Remarks : This information is not available.

Components:

N,N-bis(2-ethylhexyl)-5-methyl-1H-benzotriazole-1-methylamine, N,N-bis(2-ethylhexyl)-4-methyl-1H-benzotriazole-1-methylamine, 2H-Benzotriazole-2-methanamine, N,N-bis(2-ethylhexyl)-4-methyl-, 2H-Benzotriazole-2-methanamine, N,N-bis(2-ethylhexyl)-5-methyl-, 1H-Benzotriazole-1-methanamine, N,N-bis(2-ethylhexyl)-6-methyl-(Mixture)

:

Species : Rat
NOAEL : 45 mg/kg
Application Route : Oral
Exposure time : 28

Method : OECD Test Guideline 422

Aspiration toxicity

Product:

This information is not available.

Components:

Hydrocarbons, C11-C13, isoalkanes, <2% aromatics:

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

Poly Alpha Olefin (PAO):

May be fatal if swallowed and enters airways.

N,N-bis(2-ethylhexyl)-5-methyl-1H-benzotriazole-1-methylamine, N,N-bis(2-ethylhexyl)-4-methyl-1H-benzotriazole-1-methylamine, 2H-Benzotriazole-2-methanamine, N,N-bis(2-ethylhexyl)-4-methyl-, 2H-Benzotriazole-2-methanamine, N,N-bis(2-ethylhexyl)-5-methyl-, 1H-Benzotriazole-1-methanamine, N,N-bis(2-ethylhexyl)-6-methyl-(Mixture)

:

No aspiration toxicity classification

1-Dodecene, polymer with 1-octene, hydrogenated:

No aspiration toxicity classification



according to Regulation (EC) No. 1907/2006 - DE (Commission Regulation (EU) 2020/878)



OKS 3600

Version Revision Date: Date of last issue: 22.09.2021 Print Date: 1.3 26.01.2023 Date of first issue: 01.06.2016 03.02.2023

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components consid-

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

Further information

Product:

Remarks : Information given is based on data on the components and

the toxicology of similar products.

SECTION 12: Ecological information

12.1 Toxicity

Product:

Toxicity to fish : Remarks: No data available

Toxicity to daphnia and other :

aquatic invertebrates

Remarks: No data available

Toxicity to algae/aquatic

plants

Remarks: No data available

Toxicity to microorganisms :

Remarks: No data available

Components:

Poly Alpha Olefin (PAO):

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 1.000 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

NOEC (Daphnia magna (Water flea)): > 1.000 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

NOEC (algae): > 1.000 mg/l

Exposure time: 72 h

according to Regulation (EC) No. 1907/2006 - DE (Commission Regulation (EU) 2020/878)



OKS 3600

Version Revision Date: Date of last issue: 22.09.2021 Print Date: 1.3 26.01.2023 Date of first issue: 01.06.2016 03.02.2023

N,N-bis(2-ethylhexyl)-5-methyl-1H-benzotriazole-1-methylamine, N,N-bis(2-ethylhexyl)-4-methyl-1H-benzotriazole-1-methylamine, 2H-Benzotriazole-2-methanamine, N,N-bis(2-ethylhexyl)-4-methyl-, 2H-Benzotriazole-2-methanamine, N,N-bis(2-ethylhexyl)-5-methyl-, 1H-Benzotriazole-1-methanamine, N,N-bis(2-ethylhexyl)-6-methyl-(Mixture)

:

Toxicity to fish : LC50 (Brachydanio rerio (zebrafish)): 1,3 mg/l

Exposure time: 96 h Test Type: static test

Method: OECD Test Guideline 203

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 2,05 mg/l

Exposure time: 48 h Test Type: static test

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

EC50 (Desmodesmus subspicatus (green algae)): 0,762 mg/l

Exposure time: 72 h Test Type: static test

Method: OECD Test Guideline 201

M-Factor (Acute aquatic tox-

icity)

ı

Toxicity to microorganisms : EC20 (activated sludge): 15 mg/l

Exposure time: 3 h

Test Type: Respiration inhibition Method: OECD Test Guideline 209

Ecotoxicology Assessment

Acute aquatic toxicity : Very toxic to aquatic life.

Chronic aquatic toxicity : Toxic to aquatic life with long lasting effects.

12.2 Persistence and degradability

Product:

Biodegradability : Remarks: No data available

Physico-chemical removabil- :

ity

Remarks: No data available

Components:

Akyl naphthalene sulfonic acid, calcium salt (CAS-No. confidential):

Biodegradability : Remarks: No data available

Poly Alpha Olefin (PAO):

Biodegradability : Test Type: Primary biodegradation

Inoculum: activated sludge

according to Regulation (EC) No. 1907/2006 - DE (Commission Regulation (EU) 2020/878)



OKS 3600

Version Revision Date: Date of last issue: 22.09.2021 Print Date: 1.3 26.01.2023 Date of first issue: 01.06.2016 03.02.2023

Result: Not readily biodegradable.
Method: OECD Test Guideline 301B

N,N-bis(2-ethylhexyl)-5-methyl-1H-benzotriazole-1-methylamine, N,N-bis(2-ethylhexyl)-4-methyl-1H-benzotriazole-1-methylamine, 2H-Benzotriazole-2-methanamine, N,N-bis(2-ethylhexyl)-4-methyl-, 2H-Benzotriazole-2-methanamine, N,N-bis(2-ethylhexyl)-5-methyl-, 1H-Benzotriazole-1-methanamine, N,N-bis(2-ethylhexyl)-6-methyl-(Mixture)

:

Biodegradability : Test Type: Primary biodegradation

Inoculum: activated sludge Result: Not rapidly biodegradable

Biodegradation: < 10 % Exposure time: 28 d

Method: OECD Test Guideline 301B

1-Dodecene, polymer with 1-octene, hydrogenated:

Biodegradability : Result: Not readily biodegradable.

12.3 Bioaccumulative potential

Product:

Bioaccumulation : Remarks: This mixture contains no substance considered to

be persistent, bioaccumulating and toxic (PBT).

This mixture contains no substance considered to be very

persistent and very bioaccumulating (vPvB).

Components:

Akyl naphthalene sulfonic acid, calcium salt (CAS-No. confidential):

Bioaccumulation : Remarks: No data available

Poly Alpha Olefin (PAO):

Bioaccumulation : Bioconcentration factor (BCF): > 10

Remarks: No data available

N,N-bis(2-ethylhexyl)-5-methyl-1H-benzotriazole-1-methylamine, N,N-bis(2-ethylhexyl)-4-methyl-1H-benzotriazole-1-methylamine, 2H-Benzotriazole-2-methanamine, N,N-bis(2-ethylhexyl)-4-methyl-, 2H-Benzotriazole-2-methanamine, N,N-bis(2-ethylhexyl)-5-methyl-, 1H-Benzotriazole-1-methanamine, N,N-bis(2-ethylhexyl)-6-methyl-(Mixture)

•

Bioaccumulation : Bioconcentration factor (BCF): 1.676

Partition coefficient: n-

octanol/water

: Remarks: Not applicable



according to Regulation (EC) No. 1907/2006 - DE (Commission Regulation (EU) 2020/878)



OKS 3600

Date of last issue: 22.09.2021 Version Revision Date: Print Date: 26.01.2023 Date of first issue: 01.06.2016 03.02.2023 1.3

12.4 Mobility in soil

Product:

Mobility Remarks: No data available

Distribution among environ-

mental compartments

: Remarks: No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment This substance/mixture contains no components considered

> to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher.

Components:

1-Dodecene, polymer with 1-octene, hydrogenated:

Assessment : Non-classified vPvB substance. Non-classified PBT substance

12.6 Endocrine disrupting properties

Product:

Assessment The substance/mixture does not contain components consid-

> ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

12.7 Other adverse effects

Product:

mation

Additional ecological infor- : No information on ecology is available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product The product should not be allowed to enter drains, water

courses or the soil.

Do not dispose of with domestic refuse.

Dispose of as hazardous waste in compliance with local and

national regulations.

Waste codes should be assigned by the user based on the

application for which the product was used.



according to Regulation (EC) No. 1907/2006 - DE (Commission Regulation (EU) 2020/878)



OKS 3600

Version Revision Date: Date of last issue: 22.09.2021 Print Date: 1.3 26.01.2023 Date of first issue: 01.06.2016 03.02.2023

Contaminated packaging : Packaging that is not properly emptied must be disposed of as

the unused product.

Dispose of waste product or used containers according to

local regulations.

The following Waste Codes are only suggestions:

Waste Code : used product, unused product

08 01 11*, waste paint and varnish containing organic sol-

vents or other hazardous substances

uncleaned packagings

15 01 10*, packaging containing residues of or contaminated

by hazardous substances

SECTION 14: Transport information

14.1 UN number or ID number

ADN : Not regulated as a dangerous good
ADR : Not regulated as a dangerous good
RID : Not regulated as a dangerous good
IMDG : Not regulated as a dangerous good
IATA : Not regulated as a dangerous good

14.2 UN proper shipping name

ADN : Not regulated as a dangerous good
ADR : Not regulated as a dangerous good
RID : Not regulated as a dangerous good
IMDG : Not regulated as a dangerous good
IATA : Not regulated as a dangerous good

14.3 Transport hazard class(es)

ADN : Not regulated as a dangerous good
ADR : Not regulated as a dangerous good
RID : Not regulated as a dangerous good
IMDG : Not regulated as a dangerous good
IATA : Not regulated as a dangerous good

14.4 Packing group

ADN : Not regulated as a dangerous good
ADR : Not regulated as a dangerous good
RID : Not regulated as a dangerous good



according to Regulation (EC) No. 1907/2006 - DE (Commission Regulation (EU) 2020/878)



OKS 3600

Version Revision Date: Date of last issue: 22.09.2021 Print Date: 26.01.2023 Date of first issue: 01.06.2016 03.02.2023 1.3

IMDG Not regulated as a dangerous good IATA (Cargo) Not regulated as a dangerous good IATA (Passenger) Not regulated as a dangerous good

14.5 Environmental hazards

ADN Not regulated as a dangerous good **ADR** Not regulated as a dangerous good RID Not regulated as a dangerous good **IMDG** Not regulated as a dangerous good

14.6 Special precautions for user

Not applicable

14.7 Maritime transport in bulk according to IMO instruments

Remarks Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances. mixtures and articles (Annex XVII)

Not applicable

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).

(EU SVHC)

This product does not contain substances of very high concern (Regulation (EC) No 1907/2006 (REACH),

Article 57). Not applicable REACH - List of substances subject to authorisation

(Annex XIV) (EU. REACH-Annex XIV)

Regulation (EC) No 1005/2009 on substances that de-

plete the ozone layer (EC 1005/2009)

Not applicable

Regulation (EU) 2019/1021 on persistent organic pollu-

tants (recast) (EU POP)

Not applicable

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import

of dangerous chemicals

(EU PIC)

Not applicable

Seveso III: Directive 2012/18/EU of the European :

Parliament and of the Council on the control of

Not applicable



according to Regulation (EC) No. 1907/2006 - DE (Commission Regulation (EU) 2020/878)



OKS 3600

Version Revision Date: Date of last issue: 22.09.2021 Print Date: 1.3 26.01.2023 Date of first issue: 01.06.2016 03.02.2023

major-accident hazards involving dangerous sub-

stances.

Water hazard class (Germa-

ny)

WGK 1 slightly hazardous to water

Classification according to AwSV, Annex 1 (5.2)

TA Luft List (Germany) : Total dust:

others: 1 %

Inorganic substances in powdered form:

Not applicable

Inorganic substances in vapour or gaseous form:

Not applicable Organic Substances: portion Class 1: 4,5 %

others: 88,3 %

Carcinogenic substances:

Not applicable
Mutagenic:
Not applicable
Toxic to reproduction:
Not applicable

Volatile organic compounds : Directive 2010/75/EU of 24 November 2010 on industrial

emissions (integrated pollution prevention and control) Volatile organic compounds (VOC) content: 50,3 %

15.2 Chemical safety assessment

This information is not available.

SECTION 16: Other information

Full text of H-Statements

EUH066 : Repeated exposure may cause skin dryness or cracking.

H304 : May be fatal if swallowed and enters airways.

H315 : Causes skin irritation.

H317 : May cause an allergic skin reaction.
H319 : Causes serious eye irritation.
H400 : Very toxic to aquatic life.

H411 : Toxic to aquatic life with long lasting effects.

EUH066 : Repeated exposure may cause skin dryness or cracking.

Full text of other abbreviations

DE TRGS 900 : Germany. TRGS 900 - Occupational exposure limit values.

according to Regulation (EC) No. 1907/2006 - DE (Commission Regulation (EU) 2020/878)



OKS 3600

VersionRevision Date:Date of last issue: 22.09.2021Print Date:1.326.01.2023Date of first issue: 01.06.201603.02.2023

DE TRGS 900 / AGW : Time Weighted Average

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways: ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA -European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association: IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance: PICCS - Philippines Inventory of Chemicals and Chemical Substances: (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

This safety data sheet applies only to products as originally packed and labelled. The information contained therein may not be reproduced or modified without our express written permission. Any forwarding of this document is only permitted to the extent required by law. Any further, in particular public, dissemination of the safety data sheet (e.g. as a document for download from the Internet) is not permitted without our express written consent. We provide our customers with amended safety data sheets as prescribed by law. The customer is responsible for passing on safety data sheets and any amendments contained therein to its own customers, employees and other users of the product. We provide no guarantee that safety data sheets received by users from third parties are up-to-date. All information and instructions in this safety data sheet have been compiled to the best of our knowledge and are based on the information available to us on the day of publication. The information provided is intended to describe the product in relation to the required safety measures; it is neither an assurance of characteristics nor a guarantee of the product's suitability for particular applications and does not justify any contractual legal relationship. The existence of a safety data sheet for a particular jurisdiction does not necessarily mean that import or use within that jurisdiction is legally permitted. If you have any questions, please contact your responsible sales contact or authorized trading partner.



according to Regulation (EC) No. 1907/2006 - DE (Commission Regulation (EU) 2020/878)



OKS 3600

 Version
 Revision Date:
 Date of last issue: 22.09.2021
 Print Date:

 1.3
 26.01.2023
 Date of first issue: 01.06.2016
 03.02.2023