

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878 - DE



## OKS 260

Version 2.7	Revision Date: 10.06.2026	Date of last issue: 18.07.2025 Date of first issue: 22.06.2016	Print Date: 10.06.2026
----------------	------------------------------	---	---------------------------

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

Product name : OKS 260

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Lubricant

Recommended restrictions on use : Restricted to professional users.

### 1.3 Details of the supplier of the safety data sheet

Company : OKS Spezialschmierstoffe GmbH  
Ganghoferstr. 47  
82216 Maisach  
Germany  
Tel.: +49 8142 3051-500  
info@oks-germany.com

E-mail address of person responsible for the SDS : mcm@oks-germany.com

National contact : Klüber Lubrication Deutschland GmbH & Co. KG  
Geisenhausenerstraße 7  
81379 München  
Germany  
Tel.: +49 (0) 89 7876 0  
customer.service.de@klueber.com

### 1.4 Emergency telephone number

Emergency telephone number : +49 8142 3051 517

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

#### Classification (REGULATION (EC) No 1272/2008)

Skin irritation, Category 2 H315: Causes skin irritation.

Serious eye damage, Category 1 H318: Causes serious eye damage.

Specific target organ toxicity - single exposure, Category 3, Respiratory system H335: May cause respiratory irritation.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878 - DE



## OKS 260

Version	Revision Date:	Date of last issue: 18.07.2025	Print Date:
2.7	10.06.2026	Date of first issue: 22.06.2016	10.06.2026

### 2.2 Label elements

#### Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :



Signal word : Danger

Hazard statements : H315 Causes skin irritation.  
H318 Causes serious eye damage.  
H335 May cause respiratory irritation.

Precautionary statements : **Prevention:**  
P264 Wash skin thoroughly after handling.  
P271 Use only outdoors or in a well-ventilated area.  
P280 Wear protective gloves/ eye protection/ face protection.

#### **Response:**

P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.

#### **Storage:**

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

#### **Hazardous components which must be listed on the label:**

calcium dihydroxide

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878 - DE



## OKS 260

Version 2.7	Revision Date: 10.06.2026	Date of last issue: 18.07.2025 Date of first issue: 22.06.2016	Print Date: 10.06.2026
----------------	------------------------------	---	---------------------------

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### SECTION 3: Composition/information on ingredients

#### 3.2 Mixtures

Chemical nature : Mineral oil.  
solid lubricant  
lithium soap

#### Components

Chemical name	CAS-No. EC-No.  Index-No. Registration number	Classification	specific concentration limit M-Factor Notes Acute toxicity estimate	Concentration (% w/w)
Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil — unspecified	64742-54-7 265-157-1  649-467-00-8 01-2119484627-25- XXXX	Asp. Tox. 1; H304	Note L	$\geq 30$ - $< 50$
calcium dihydroxide	1305-62-0 215-137-3  01-2119475151-45- XXXX	Skin Irrit. 2; H315 Eye Dam. 1; H318 STOT SE 3; H335 (Respiratory system)		$\geq 20$ - $< 30$
Substances with a workplace exposure limit :				
Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil — unspecified	64742-54-7 265-157-1  649-467-00-8 01-2119484627-25- XXXX	Not classified	Note L	$\geq 10$ - $< 20$
thiodiethylene bis[3- (3,5-di-tert-butyl-4- hydroxyphenyl)propio nate]	41484-35-9 255-392-8  01-2119960149-32- XXXX	Not classified		$\geq 1$ - $< 10$

For explanation of abbreviations see section 16.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878 - DE



## OKS 260

Version 2.7	Revision Date: 10.06.2026	Date of last issue: 18.07.2025 Date of first issue: 22.06.2016	Print Date: 10.06.2026
----------------	------------------------------	---	---------------------------

### SECTION 4: First aid measures

#### 4.1 Description of first aid measures

- If inhaled : Remove person to fresh air. If signs/symptoms continue, get medical attention.  
Keep patient warm and at rest.  
If unconscious, place in recovery position and seek medical advice.  
Keep respiratory tract clear.  
If breathing is irregular or stopped, administer artificial respiration.
- In case of skin contact : Take off all contaminated clothing immediately.  
Wash off immediately with soap and plenty of water.  
Get medical attention immediately if irritation develops and persists.  
Wash clothing before reuse.  
Thoroughly clean shoes before reuse.
- In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 10 minutes.  
Get medical attention immediately.
- If swallowed : Move the victim to fresh air.  
If unconscious, place in recovery position and seek medical advice.  
Keep respiratory tract clear.  
Do not induce vomiting without medical advice.  
Rinse mouth with water.  
Never give anything by mouth to an unconscious person.

#### 4.2 Most important symptoms and effects, both acute and delayed

- Symptoms : Skin contact may provoke the following symptoms:  
Erythema
- Risks : Causes skin irritation.  
Causes serious eye damage.  
May cause respiratory irritation.

#### 4.3 Indication of any immediate medical attention and special treatment needed

- Treatment : Treat symptomatically.

### SECTION 5: Firefighting measures

#### 5.1 Extinguishing media

- Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878 - DE



## OKS 260

Version 2.7	Revision Date: 10.06.2026	Date of last issue: 18.07.2025 Date of first issue: 22.06.2016	Print Date: 10.06.2026
----------------	------------------------------	---	---------------------------

carbon dioxide.

Unsuitable extinguishing media : High volume water jet

### 5.2 Special hazards arising from the substance or mixture

Hazardous combustion products : Carbon oxides  
Sulphur oxides  
Oxides of phosphorus  
Metal oxides

### 5.3 Advice for firefighters

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.  
Use personal protective equipment. Exposure to decomposition products may be a hazard to health.

Further information : Standard procedure for chemical fires.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Evacuate personnel to safe areas.  
Ensure adequate ventilation.  
Do not breathe vapours, aerosols.  
Refer to protective measures listed in sections 7 and 8.

### 6.2 Environmental precautions

Environmental precautions : Try to prevent the material from entering drains or water courses.  
Local authorities should be advised if significant spillages cannot be contained.

### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Pick up and transfer to properly labelled containers.

### 6.4 Reference to other sections

For personal protection see section 8.

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Advice on safe handling : Do not use in areas without adequate ventilation.  
In case of insufficient ventilation, wear suitable respiratory

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878 - DE



## OKS 260

Version 2.7	Revision Date: 10.06.2026	Date of last issue: 18.07.2025 Date of first issue: 22.06.2016	Print Date: 10.06.2026
----------------	------------------------------	---	---------------------------

equipment.  
Avoid contact with skin and eyes.  
For personal protection see section 8.  
Smoking, eating and drinking should be prohibited in the application area.  
Wash hands and face before breaks and immediately after handling the product.  
Do not get in eyes or mouth or on skin.  
Do not get on skin or clothing.  
Do not ingest.  
Do not repack.  
These safety instructions also apply to empty packaging which may still contain product residues.  
Keep container closed when not in use.

Hygiene measures : Wash face, hands and any exposed skin thoroughly after handling.

### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Store in original container. Keep container closed when not in use. Keep in a dry, cool and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store in accordance with the particular national regulations. Keep in properly labelled containers.

Storage class (TRGS 510) : 11, Combustible Solids

### 7.3 Specific end use(s)

Specific use(s) : Specific instructions for handling, not required.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil — unspecified	64742-54-7	AGW (Vapour and aerosols)	5 mg/m <sup>3</sup>	DE TRGS 900 (2018-06-07)
	Peak-limit: excursion factor (category): 4;(II)			
	Further information: When there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child			
calcium dihydroxide	1305-62-0	TWA (Respirable fraction)	1 mg/m <sup>3</sup>	2017/164/EU (2017-02-01)

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878 - DE



## OKS 260

Version 2.7      Revision Date: 10.06.2026      Date of last issue: 18.07.2025      Print Date: 10.06.2026  
Date of first issue: 22.06.2016

	Further information: Indicative			
		STEL (Respirable fraction)	4 mg/m <sup>3</sup>	2017/164/EU (2017-02-01)
	Further information: Indicative			
		MAK (inhalable fraction)	1 mg/m <sup>3</sup>	DE DFG MAK (2023-07-01)
	Peak-limit: excursion factor (category): 2; I			
	Further information: Damage to the embryo or foetus is unlikely when the MAK value or the BAT value is observed			
		AGW (Inhalable fraction)	1 mg/m <sup>3</sup>	DE TRGS 900 (2014-12-08)
	Peak-limit: excursion factor (category): 2;(I)			
	Further information: When there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child			
Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil — unspecified	64742-54-7	AGW (Vapour and aerosols)	5 mg/m <sup>3</sup>	DE TRGS 900 (2018-06-07)
	Peak-limit: excursion factor (category): 4;(II)			
	Further information: When there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child			
thiodiethylene bis[3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate]	41484-35-9	MAK (inhalable fraction)	2 mg/m <sup>3</sup>	DE DFG MAK (2023-07-01)
	Peak-limit: excursion factor (category): 2; II			
	Further information: Either there are no data for an assessment of damage to the embryo or foetus, including developmental neurotoxicity, or the currently available data are not sufficient for classification in one of the groups A - C			
		AGW (Inhalable fraction)	2 mg/m <sup>3</sup>	DE TRGS 900 (2018-06-07)
	Peak-limit: excursion factor (category): 2;(II)			

### Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006

Substance name	End Use	Exposure routes	Potential health effects	Value
calcium dihydroxide	Workers	Inhalation	Long-term local effects	1 mg/m <sup>3</sup>
	Workers	Inhalation	Acute local effects	4 mg/m <sup>3</sup>
Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil — unspecified	Workers	Inhalation	Long-term local effects	5,58 mg/m <sup>3</sup>
	Workers	Inhalation	Long-term systemic effects	2,73 mg/m <sup>3</sup>

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878 - DE



## OKS 260

Version 2.7      Revision Date: 10.06.2026      Date of last issue: 18.07.2025      Print Date: 10.06.2026  
Date of first issue: 22.06.2016

	Workers	Skin contact	Long-term systemic effects	0,97 mg/kg
thiodiethylene bis[3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate]	Workers	Inhalation	Long-term systemic effects	3 mg/m <sup>3</sup>
	Workers	Inhalation	Acute systemic effects	3 mg/m <sup>3</sup>
	Workers	Skin contact	Long-term systemic effects	13,8 mg/kg
Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil — unspecified	Workers	Inhalation	Long-term systemic effects	2,73 mg/m <sup>3</sup>
	Workers	Inhalation	Long-term local effects	5,58 mg/m <sup>3</sup>
	Workers	Skin contact	Long-term systemic effects	0,97 mg/kg bw/day

### Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006

Substance name	Environmental Compartment	Value
calcium dihydroxide	Fresh water	0,49 mg/l
	Marine water	0,32 mg/l
	Intermittent use/release	0,49 mg/l
	Microbiological Activity in Sewage Treatment Systems	3 mg/l
	Soil	1080 mg/kg
Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil — unspecified	Oral	9,33 mg/kg
thiodiethylene bis[3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate]	Sewage treatment plant	1 mg/l

## 8.2 Exposure controls

### Engineering measures

Effective exhaust ventilation system

### Personal protective equipment

Eye/face protection : Tightly fitting safety goggles

Hand protection

Material : Fluorinated rubber

Break through time : > 10 min

Protective index : Class 1

Remarks : Wear protective gloves. The break through time depends amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878 - DE



## OKS 260

Version 2.7	Revision Date: 10.06.2026	Date of last issue: 18.07.2025 Date of first issue: 22.06.2016	Print Date: 10.06.2026
----------------	------------------------------	---	---------------------------

case.

The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it.

Skin and body protection : Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.

Respiratory protection : Not required; except in case of aerosol formation.

Filter type : Filter type A-P

Protective measures : The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

### Environmental exposure controls

Air : No special environmental precautions required.

Soil : The product should not be allowed to enter drains, water courses or the soil.

Water : The product should not be allowed to enter drains, water courses or the soil.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Physical state : solid

Form : paste

Colour : white, beige

Odour : odourless

Odour Threshold : No data available

Drop point : 150 °C (1.013 hPa)

Boiling point/boiling range : No data available

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878 - DE



## OKS 260

Version 2.7	Revision Date: 10.06.2026	Date of last issue: 18.07.2025 Date of first issue: 22.06.2016	Print Date: 10.06.2026
----------------	------------------------------	---	---------------------------

Flammability : Flammability (solid, gas):  
Combustible Solids

Upper explosion limit / Upper  
flammability limit : No data available

Lower explosion limit / Lower  
flammability limit : No data available

Flash point : Not applicable

Auto-ignition temperature : No data available

Decomposition temperature : No data available

pH : Not applicable  
substance/mixture is non-soluble (in water)

Viscosity  
Viscosity, dynamic : No data available

Viscosity, kinematic : Not applicable

Solubility(ies)  
Water solubility : insoluble

Solubility in other solvents : No data available

Partition coefficient: n-  
octanol/water : No data available

Vapour pressure : < 0,001 hPa (20 °C)

Relative density : 1,25 (20 °C)  
Reference substance: Water  
The value is calculated

Density : 1,25 g/cm<sup>3</sup>

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878 - DE



## OKS 260

Version 2.7	Revision Date: 10.06.2026	Date of last issue: 18.07.2025 Date of first issue: 22.06.2016	Print Date: 10.06.2026
----------------	------------------------------	---	---------------------------

(20 °C)

Bulk density : No data available

Relative vapour density : No data available

Particle characteristics  
Particle size : Not applicable

Particle Size Distribution : Not applicable

### 9.2 Other information

Explosives : Not explosive

Oxidizing properties : No data available

Self-ignition : not auto-flammable

Metal corrosion rate : Not corrosive to metals

Evaporation rate : No data available

Sublimation point : No data available

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

No hazards to be specially mentioned.

### 10.2 Chemical stability

Stable under normal conditions.

### 10.3 Possibility of hazardous reactions

Hazardous reactions : No dangerous reaction known under conditions of normal use.

### 10.4 Conditions to avoid

Conditions to avoid : No conditions to be specially mentioned.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878 - DE



## OKS 260

Version	Revision Date:	Date of last issue: 18.07.2025	Print Date:
2.7	10.06.2026	Date of first issue: 22.06.2016	10.06.2026

### 10.5 Incompatible materials

Materials to avoid : No materials to be especially mentioned.

### 10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

## SECTION 11: Toxicological information

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

Based on available data, the classification criteria are not met.

#### Product:

Acute oral toxicity : Remarks: This information is not available.

Acute inhalation toxicity : Symptoms: Inhalation may provoke the following symptoms: Local irritation, Respiratory disorders  
Remarks: Irritating to respiratory system.

Acute dermal toxicity : Symptoms: Redness, Local irritation

#### Components:

#### **Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil — unspecified:**

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg  
Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat): > 5,53 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403  
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rabbit): > 5.000 mg/kg  
Method: OECD Test Guideline 402

#### **calcium dihydroxide:**

Acute oral toxicity : LD50 (Rat, female): > 2.000 mg/kg  
Method: OECD Test Guideline 425  
GLP: yes  
Assessment: The substance or mixture has no acute oral toxicity

Acute inhalation toxicity : LC50 (Rat, male and female): > 6,04 mg/l  
Exposure time: 4 h

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878 - DE



## OKS 260

Version	Revision Date:	Date of last issue: 18.07.2025	Print Date:
2.7	10.06.2026	Date of first issue: 22.06.2016	10.06.2026

Test atmosphere: dust/mist  
Method: OECD Test Guideline 436  
GLP: yes

Acute dermal toxicity : LD50 (Rabbit, male and female): > 2.500 mg/kg  
Method: OECD Test Guideline 402  
Assessment: The substance or mixture has no acute dermal toxicity

### **Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil — unspecified:**

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg  
Method: OECD Test Guideline 401  
GLP: yes

Acute inhalation toxicity : LC50 (Rat): > 5,53 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403  
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rabbit): > 5.000 mg/kg  
Method: OECD Test Guideline 402

### **thiodiethylene bis[3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate]:**

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg  
Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat): > 6,3 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rat): > 2.000 mg/kg  
Method: OECD Test Guideline 402  
GLP: yes  
Assessment: The substance or mixture has no acute dermal toxicity

### **Skin corrosion/irritation**

Causes skin irritation.

### **Product:**

Remarks : This information is not available.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878 - DE



## OKS 260

Version	Revision Date:	Date of last issue: 18.07.2025	Print Date:
2.7	10.06.2026	Date of first issue: 22.06.2016	10.06.2026

### Components:

#### **Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil — unspecified:**

Species : Rabbit  
Assessment : No skin irritation  
Method : OECD Test Guideline 404  
Result : No skin irritation  
GLP : yes

#### **calcium dihydroxide:**

Species : human skin  
Assessment : Irritating to skin.  
Method : OECD Test Guideline 431  
Result : Irritating to skin.  
GLP : yes

Species : Rabbit  
Assessment : Irritating to skin.  
Method : OECD Test Guideline 404  
Result : Irritating to skin.  
GLP : yes

#### **Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil — unspecified:**

Species : Rabbit  
Assessment : No skin irritation  
Method : OECD Test Guideline 404  
Result : No skin irritation  
GLP : yes

#### **thiodiethylene bis[3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate]:**

Species : Rabbit  
Assessment : No skin irritation  
Method : OECD Test Guideline 404  
Result : No skin irritation

#### **Serious eye damage/eye irritation**

Causes serious eye damage.

### Product:

Remarks : This information is not available.

### Components:

#### **Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil — unspecified:**

Species : Rabbit  
Assessment : No eye irritation  
Method : OECD Test Guideline 405  
Result : No eye irritation

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878 - DE



## OKS 260

Version 2.7	Revision Date: 10.06.2026	Date of last issue: 18.07.2025 Date of first issue: 22.06.2016	Print Date: 10.06.2026
----------------	------------------------------	---	---------------------------

GLP : yes

### calcium dihydroxide:

Species : Rabbit  
Assessment : Risk of serious damage to eyes.  
Method : OECD Test Guideline 405  
Result : Risk of serious damage to eyes.  
GLP : yes

### Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil — unspecified:

Species : Rabbit  
Assessment : No eye irritation  
Method : OECD Test Guideline 405  
Result : No eye irritation  
GLP : yes

### thiodiethylene bis[3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate]:

Species : Rabbit  
Assessment : No eye irritation  
Method : OECD Test Guideline 405  
Result : No eye irritation

### Respiratory or skin sensitisation

#### Skin sensitisation

Based on available data, the classification criteria are not met.

#### Respiratory sensitisation

Based on available data, the classification criteria are not met.

#### Product:

Remarks : This information is not available.

#### Components:

### Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil — unspecified:

Species : Guinea pig  
Assessment : Does not cause skin sensitisation.  
Method : OECD Test Guideline 406  
Result : Does not cause skin sensitisation.  
GLP : yes

### calcium dihydroxide:

Test Type : Local lymph node assay (LLNA)  
Species : Mouse  
Assessment : Does not cause skin sensitisation.  
Method : OECD Test Guideline 429

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878 - DE



## OKS 260

Version	Revision Date:	Date of last issue: 18.07.2025	Print Date:
2.7	10.06.2026	Date of first issue: 22.06.2016	10.06.2026

Result : Does not cause skin sensitisation.  
GLP : yes

### Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil — unspecified:

Species : Guinea pig  
Assessment : Does not cause skin sensitisation.  
Method : OECD Test Guideline 406  
Result : Does not cause skin sensitisation.  
GLP : yes

### thiodiethylene bis[3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate]:

Test Type : Maximisation Test  
Species : Guinea pig  
Assessment : Does not cause skin sensitisation.  
Method : OECD Test Guideline 406  
Result : Does not cause skin sensitisation.  
GLP : yes

### Germ cell mutagenicity

Based on available data, the classification criteria are not met.

#### Product:

Genotoxicity in vitro : Remarks: No data available

Genotoxicity in vivo : Remarks: No data available

#### Components:

### Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil — unspecified:

Germ cell mutagenicity-  
Assessment : Tests on bacterial or mammalian cell cultures did not show  
mutagenic effects.

### calcium dihydroxide:

Genotoxicity in vitro : Test Type: Ames test  
Method: OECD Test Guideline 471  
Result: negative  
GLP: yes

Test Type: Chromosome aberration test in vitro  
Method: OECD Test Guideline 473  
Result: negative  
GLP: yes

Test Type: In vitro mammalian cell gene mutation test  
Method: OECD Test Guideline 476

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878 - DE



## OKS 260

Version 2.7	Revision Date: 10.06.2026	Date of last issue: 18.07.2025 Date of first issue: 22.06.2016	Print Date: 10.06.2026
----------------	------------------------------	---	---------------------------

Result: negative  
GLP: yes

### **thiodiethylene bis[3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate]:**

Genotoxicity in vitro : Test Type: Ames test  
Test system: Salmonella typhimurium  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 471  
Result: negative  
GLP: no

Test Type: In vitro mammalian cell gene mutation test  
Test system: Chinese hamster fibroblasts  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 476  
Result: negative  
GLP: yes

Genotoxicity in vivo : Test Type: In vivo micronucleus test  
Species: Chinese hamster  
Application Route: oral (gavage)  
Exposure time: 2 d  
Method: OECD Test Guideline 474  
Result: negative  
GLP: no

Germ cell mutagenicity-  
Assessment : Weight of evidence does not support classification as a germ  
cell mutagen.

### **Carcinogenicity**

Based on available data, the classification criteria are not met.

### **Product:**

Remarks : No data available

### **Components:**

#### **Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil — unspecified:**

Carcinogenicity -  
Assessment : Not classifiable as a human carcinogen.

#### **calcium dihydroxide:**

Carcinogenicity -  
Assessment : No evidence of carcinogenicity in animal studies.

#### **Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil — unspecified:**

Carcinogenicity -  
Assessment : Not classifiable as a human carcinogen.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878 - DE



## OKS 260

Version 2.7	Revision Date: 10.06.2026	Date of last issue: 18.07.2025 Date of first issue: 22.06.2016	Print Date: 10.06.2026
----------------	------------------------------	---	---------------------------

### Reproductive toxicity

Based on available data, the classification criteria are not met.

#### Product:

Effects on fertility : Remarks: No data available

Effects on foetal development : Remarks: No data available

#### Components:

##### **Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil — unspecified:**

Reproductive toxicity - Assessment : - Fertility -  
No toxicity to reproduction

##### **calcium dihydroxide:**

Reproductive toxicity - Assessment : - Fertility -  
No toxicity to reproduction  
- Teratogenicity -  
No effects on or via lactation

##### **Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil — unspecified:**

Reproductive toxicity - Assessment : - Fertility -  
No toxicity to reproduction

##### **thiodiethylene bis[3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate]:**

Effects on foetal development : Test Type: Pre-natal  
Species: Rat  
Application Route: oral (gavage)  
General Toxicity Maternal: NOAEL: 300 mg/kg body weight  
Embryo-foetal toxicity: NOAEL: 1.000 mg/kg body weight  
Symptoms: No embryotoxic effects  
Method: OECD Test Guideline 414  
Result: No effects on fertility and early embryonic development were detected.  
GLP: yes

Reproductive toxicity - Assessment : - Fertility -  
No toxicity to reproduction  
- Teratogenicity -  
Animal testing did not show any effects on foetal development.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878 - DE



## OKS 260

Version 2.7	Revision Date: 10.06.2026	Date of last issue: 18.07.2025 Date of first issue: 22.06.2016	Print Date: 10.06.2026
----------------	------------------------------	---	---------------------------

### STOT - single exposure

May cause respiratory irritation.

#### Product:

Remarks : No data available

#### Components:

##### calcium dihydroxide:

Assessment : May cause respiratory irritation.

##### thiodiethylene bis[3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate]:

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

### STOT - repeated exposure

Based on available data, the classification criteria are not met.

#### Product:

Remarks : No data available

### Repeated dose toxicity

#### Product:

Remarks : This information is not available.

#### Components:

##### thiodiethylene bis[3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate]:

Species : Rat  
NOAEL :  $\geq 138$  mg/kg  
Application Route : oral (feed)  
Exposure time : 90 d  
Number of exposures : daily  
Control Group : yes  
Method : OECD Test Guideline 408  
GLP : yes

### Aspiration toxicity

Based on available data, the classification criteria are not met.

#### Product:

This information is not available.

#### Components:

##### Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil — unspecified:

May be fatal if swallowed and enters airways.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878 - DE



## OKS 260

Version	Revision Date:	Date of last issue: 18.07.2025	Print Date:
2.7	10.06.2026	Date of first issue: 22.06.2016	10.06.2026

### **Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil — unspecified:**

No aspiration toxicity classification

### **thiodiethylene bis[3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate]:**

No aspiration toxicity classification

## 11.2 Information on other hazards

### **Endocrine disrupting properties**

Based on available data, the classification criteria are not met.

#### **Product:**

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### **Further information**

#### **Product:**

Remarks : Ingestion causes irritation of upper respiratory system and gastrointestinal disturbance.

---

## SECTION 12: Ecological information

### 12.1 Toxicity

#### **Product:**

Toxicity to fish : Remarks: No data available

Toxicity to daphnia and other aquatic invertebrates : Remarks: No data available

Toxicity to algae/aquatic plants : Remarks: No data available

Toxicity to microorganisms : Remarks: No data available

#### **Components:**

### **Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil — unspecified:**

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 100 mg/l  
Exposure time: 96 h

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878 - DE



## OKS 260

Version	Revision Date:	Date of last issue: 18.07.2025	Print Date:
2.7	10.06.2026	Date of first issue: 22.06.2016	10.06.2026

Test Type: static test  
Method: OECD Test Guideline 203  
GLP: yes

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 10.000 mg/l  
Exposure time: 48 h  
Test Type: Immobilization  
Method: OECD Test Guideline 202  
GLP: yes

Toxicity to algae/aquatic plants : NOEC (Pseudokirchneriella subcapitata (microalgae)): > 100 mg/l  
Exposure time: 72 h  
Test Type: static test  
Method: OECD Test Guideline 201

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOELR: 10 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)  
Method: OECD Test Guideline 211  
Remarks: No toxicity at the limit of solubility

### calcium dihydroxide:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 50,6 mg/l  
Exposure time: 96 h  
Test Type: static test  
Method: OECD Test Guideline 203  
GLP: yes

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 49,1 mg/l  
Exposure time: 48 h  
Test Type: static test  
Method: OECD Test Guideline 202  
GLP: yes

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): 184,57 mg/l  
Exposure time: 72 h  
Test Type: static test  
Method: OECD Test Guideline 201  
GLP: yes

### Ecotoxicology Assessment

Acute aquatic toxicity : This product has no known ecotoxicological effects.

Chronic aquatic toxicity : This product has no known ecotoxicological effects.

### Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil — unspecified:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 100 mg/l  
Exposure time: 96 h

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878 - DE



## OKS 260

Version 2.7	Revision Date: 10.06.2026	Date of last issue: 18.07.2025 Date of first issue: 22.06.2016	Print Date: 10.06.2026
----------------	------------------------------	---	---------------------------

Test Type: static test  
Method: OECD Test Guideline 203  
GLP: yes

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 10.000 mg/l  
Exposure time: 48 h  
Test Type: Immobilization  
Method: OECD Test Guideline 202  
GLP: yes

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 10 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)  
Test Type: semi-static test  
Method: OECD Test Guideline 211  
GLP: yes

### **thiodiethylene bis[3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate]:**

Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 57 mg/l  
Exposure time: 96 h  
Test Type: static test  
Method: OECD Test Guideline 203  
Remarks: Aquatic toxicity is unlikely due to low solubility.

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l  
Exposure time: 48 h  
Test Type: static test  
Method: OECD Test Guideline 202  
GLP: yes  
Remarks: No toxicity at the limit of solubility

Toxicity to algae/aquatic plants : EC50 (Desmodesmus subspicatus (green algae)): > 100 mg/l  
Exposure time: 72 h  
Test Type: static test  
Method: OECD Test Guideline 201  
GLP: yes  
Remarks: No toxicity at the limit of solubility

NOEC (Desmodesmus subspicatus (green algae)): 100 mg/l  
Exposure time: 72 h  
Test Type: static test  
Method: OECD Test Guideline 201  
GLP: yes  
Remarks: No toxicity at the limit of solubility

Toxicity to microorganisms : EC20 (activated sludge): > 100 mg/l  
Exposure time: 3 h  
Test Type: static test  
Method: OECD Test Guideline 209

Toxicity to daphnia and other : NOEC: > 10 mg/l



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878 - DE



## OKS 260

Version 2.7	Revision Date: 10.06.2026	Date of last issue: 18.07.2025 Date of first issue: 22.06.2016	Print Date: 10.06.2026
----------------	------------------------------	---	---------------------------

### 12.3 Bioaccumulative potential

**Product:**

Bioaccumulation : Remarks: No data available

**Components:**

**Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil — unspecified:**

Partition coefficient: n-  
octanol/water : log Pow: 10,16 - 24,9

**calcium dihydroxide:**

Partition coefficient: n-  
octanol/water : log Pow: 0,05

**Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil — unspecified:**

Partition coefficient: n-  
octanol/water : log Pow: 10,16 - 24,9

**thiodiethylene bis[3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate]:**

Bioaccumulation : Species: Cyprinus carpio (Carp)  
Exposure time: 56 d  
Bioconcentration factor (BCF): <= 12  
Method: OECD Test Guideline 305C

Partition coefficient: n-  
octanol/water : log Pow: 10 (25 °C)

### 12.4 Mobility in soil

**Product:**

Mobility : Remarks: No data available

Distribution among  
environmental compartments : Remarks: No data available

### 12.5 Results of PBT and vPvB assessment

**Product:**

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878 - DE



## OKS 260

Version	Revision Date:	Date of last issue: 18.07.2025	Print Date:
2.7	10.06.2026	Date of first issue: 22.06.2016	10.06.2026

### Components:

#### **Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil — unspecified:**

Assessment : Non-classified vPvB substance. Non-classified PBT substance

#### **thiodiethylene bis[3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate]:**

Assessment : Non-classified PBT substance. Non-classified vPvB substance

## 12.6 Endocrine disrupting properties

### Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## 12.7 Other adverse effects

### Product:

Additional ecological information : No information on ecology is available.

---

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Product : The product should not be allowed to enter drains, water courses or the soil.  
Do not dispose of with domestic refuse.  
Dispose of as hazardous waste in compliance with local and national regulations.

Waste codes should be assigned by the user based on the application for which the product was used.

Contaminated packaging : Packaging that is not properly emptied must be disposed of as the unused product.  
Dispose of waste product or used containers according to local regulations.

The following Waste Codes are only suggestions:

Waste Code : used product, unused product  
12 01 12\*, spent waxes and fats

uncleaned packagings  
15 01 10\*, packaging containing residues of or contaminated

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878 - DE



## OKS 260

Version 2.7	Revision Date: 10.06.2026	Date of last issue: 18.07.2025 Date of first issue: 22.06.2016	Print Date: 10.06.2026
----------------	------------------------------	---	---------------------------

by hazardous substances

## SECTION 14: Transport information

### 14.1 UN number or ID number

ADN : Not regulated as a dangerous good  
ADR : Not regulated as a dangerous good  
RID : Not regulated as a dangerous good  
IMDG : Not regulated as a dangerous good  
IATA : Not regulated as a dangerous good

### 14.2 UN proper shipping name

ADN : Not regulated as a dangerous good  
ADR : Not regulated as a dangerous good  
RID : Not regulated as a dangerous good  
IMDG : Not regulated as a dangerous good  
IATA : Not regulated as a dangerous good

### 14.3 Transport hazard class(es)

ADN : Not regulated as a dangerous good  
ADR : Not regulated as a dangerous good  
RID : Not regulated as a dangerous good  
IMDG : Not regulated as a dangerous good  
IATA : Not regulated as a dangerous good

### 14.4 Packing group

ADN : Not regulated as a dangerous good  
ADR : Not regulated as a dangerous good  
RID : Not regulated as a dangerous good  
IMDG : Not regulated as a dangerous good  
IATA (Cargo) : Not regulated as a dangerous good  
IATA (Passenger) : Not regulated as a dangerous good

### 14.5 Environmental hazards

ADN : Not regulated as a dangerous good  
ADR : Not regulated as a dangerous good

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878 - DE



## OKS 260

Version 2.7	Revision Date: 10.06.2026	Date of last issue: 18.07.2025 Date of first issue: 22.06.2016	Print Date: 10.06.2026
----------------	------------------------------	---	---------------------------

**RID** : Not regulated as a dangerous good

**IMDG** : Not regulated as a dangerous good

### 14.6 Special precautions for user

Not applicable

### 14.7 Maritime transport in bulk according to IMO instruments

Remarks : Not applicable for product as supplied.

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII) : Conditions of restriction for the following entries should be considered:  
Number on list 75  
If you intend to use this product as tattoo ink, please contact your vendor.

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59). (EU SVHC) : This product does not contain substances of very high concern (Regulation (EC) No 1907/2006 (REACH), Article 57).

Regulation (EU) No 2024/590 on substances that deplete the ozone layer (EC 2024/590) : Not applicable

Regulation (EU) 2019/1021 on persistent organic pollutants (recast) (EU POP) : Not applicable

Regulation (EU) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals (EU PIC) : Not applicable

REACH - List of substances subject to authorisation (Annex XIV) (EU. REACH-Annex XIV) : Not applicable

Regulation (EU) 2019/1148 on the marketing and use of explosives precursors : Not applicable

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878 - DE



## OKS 260

Version 2.7	Revision Date: 10.06.2026	Date of last issue: 18.07.2025 Date of first issue: 22.06.2016	Print Date: 10.06.2026
----------------	------------------------------	---	---------------------------

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. Not applicable

Water hazard class (Germany) : WGK 1 slightly hazardous to water  
Classification according to AwSV, Annex 1 (5.2)

TA Luft List (Germany) : 5.2.1: Total dust:  
others: 46,51 %  
5.2.5: Organic Substances:  
Class 1: 47,99 %

Volatile organic compounds : Directive 2010/75/EU of 24 November 2010 on industrial and livestock rearing emissions (integrated pollution prevention and control)  
Not applicable

### 15.2 Chemical safety assessment

This information is not available.

---

## SECTION 16: Other information

### Full text of H-Statements

H304 : May be fatal if swallowed and enters airways.  
H315 : Causes skin irritation.  
H318 : Causes serious eye damage.  
H335 : May cause respiratory irritation.

### Full text of other abbreviations

Asp. Tox. : Aspiration hazard  
Eye Dam. : Serious eye damage  
Note L : The harmonised classification as a carcinogen applies unless it can be shown that the substance contains less than 3 % of dimethyl sulphoxide extract as measured by IP 346  
("Determination of polycyclic aromatics in unused lubricating base oils and asphaltene free petroleum fractions - Dimethyl

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878 - DE



## OKS 260

Version	Revision Date:	Date of last issue: 18.07.2025	Print Date:
2.7	10.06.2026	Date of first issue: 22.06.2016	10.06.2026

sulphoxide extraction refractive index method" (Institute of Petroleum, London), in which case a classification in accordance with Title II of this Regulation shall be performed also for that hazard class.

Skin Irrit. : Skin irritation  
STOT SE : Specific target organ toxicity - single exposure  
2017/164/EU : Europe. Commission Directive 2017/164/EU establishing a fourth list of indicative occupational exposure limit values  
DE DFG MAK : Germany. MAK BAT Annex IIa  
DE TRGS 900 : Germany. TRGS 900 - Occupational exposure limit values.  
2017/164/EU / STEL : Short term exposure limit  
2017/164/EU / TWA : Limit Value - eight hours  
DE DFG MAK / MAK : MAK value  
DE TRGS 900 / AGW : Time Weighted Average

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonised System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organisation; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardisation; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organisation for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

### Further information

#### Classification of the mixture:

Skin Irrit. 2 H315

#### Classification procedure:

Calculation method

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878 - DE



## OKS 260

Version 2.7	Revision Date: 10.06.2026	Date of last issue: 18.07.2025 Date of first issue: 22.06.2016	Print Date: 10.06.2026
----------------	------------------------------	---	---------------------------

Eye Dam. 1	H318	Calculation method
STOT SE 3	H335	Calculation method

|| Relevant changes compared to the last edition are highlighted at the left margin. This version replaces all previous editions.

This safety data sheet applies only to products as originally packed and labelled. The information contained therein may not be reproduced or modified without our express written permission. Any forwarding of this document is only permitted to the extent required by law. Any further, in particular public, dissemination of the safety data sheet (e.g. as a document for download from the Internet) is not permitted without our express written consent. We provide our customers with amended safety data sheets as prescribed by law. The customer is responsible for passing on safety data sheets and any amendments contained therein to its own customers, employees and other users of the product. We provide no guarantee that safety data sheets received by users from third parties are up-to-date. All information and instructions in this safety data sheet have been compiled to the best of our knowledge and are based on the information available to us on the day of publication. The information provided is intended to describe the product in relation to the required safety measures; it is neither an assurance of characteristics nor a guarantee of the product's suitability for particular applications and does not justify any contractual legal relationship. The existence of a safety data sheet for a particular jurisdiction does not necessarily mean that import or use within that jurisdiction is legally permitted. If you have any questions, please contact your responsible sales contact or authorized trading partner.