

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - DE



## OKS 260

|         |                |                                 |             |
|---------|----------------|---------------------------------|-------------|
| Version | Revision Date: | Date of last issue: 14.08.2018  | Print Date: |
| 2.2     | 04.07.2019     | Date of first issue: 22.06.2016 | 04.07.2019  |

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Product name : OKS 260

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-  
stance/Mixture : Lubricant

Recommended restrictions  
on use : Restricted to professional users.

#### 1.3 Details of the supplier of the safety data sheet

Company : OKS Spezialschmierstoffe GmbH  
Ganghoferstr. 47  
D-82216 Maisach-Gernlinden  
Tel.: +49 8142 3051 500  
Fax.: +49 8142 3051 599

E-mail address of person  
responsible for the SDS : mcm@oks-germany.com  
National contact :

#### 1.4 Emergency telephone number

Emergency telephone  
number : +49 8142 3051 517

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

##### Classification (REGULATION (EC) No 1272/2008)

|  |   |
|--|---|
| Skin irritation, Category 2  | H315: Causes skin irritation.           |
| Serious eye damage, Category 1   | H318: Causes serious eye damage.        |
| Specific target organ toxicity - single exposure, Category 3, Respiratory system | H335: May cause respiratory irritation. |

#### 2.2 Label elements

##### Labelling (REGULATION (EC) No 1272/2008)



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - DE



## OKS 260

|         |                |                                 |             |
|---------|----------------|---------------------------------|-------------|
| Version | Revision Date: | Date of last issue: 14.08.2018  | Print Date: |
| 2.2     | 04.07.2019     | Date of first issue: 22.06.2016 | 04.07.2019  |

Hazard pictograms :  

Signal word : Danger

Hazard statements : H315 Causes skin irritation.  
H318 Causes serious eye damage.  
H335 May cause respiratory irritation.

Precautionary statements : **Prevention:**  
P264 Wash skin thoroughly after handling.  
P271 Use only outdoors or in a well-ventilated area.  
P280 Wear protective gloves/ eye protection/ face protection.

**Response:**  
P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell.  
P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.

**Storage:**  
P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

Hazardous components which must be listed on the label:  
calcium dihydroxide

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

Chemical nature : Mineral oil.  
solid lubricant  
lithium soap

### Hazardous components

| Chemical name | CAS-No. | Classification | Concentration | Concentration |
|---------------|---------|----------------|---------------|---------------|
|---------------|---------|----------------|---------------|---------------|

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - DE



## OKS 260

Version 2.2      Revision Date: 04.07.2019      Date of last issue: 14.08.2018  
Date of first issue: 22.06.2016

Print Date:  
04.07.2019

|  | EC-No.<br>Index-No.<br>Registration number                           |   | limits<br>M-Factor<br>Notes | (% w/w)      |
|--|--|---|-----------------------------|--------------|
| distillates (petroleum),<br>hydrotreated heavy<br>paraffinic                           | 64742-54-7<br>265-157-1<br><br>649-467-00-8                          | Asp. Tox.1; H304  | Note L, Note H              | >= 30 - < 50 |
| calcium dihydroxide  | 1305-62-0<br>215-137-3<br><br>01-2119475151-45-XXXX                  | Skin Irrit.2; H315<br>Eye Dam.1; H318<br>STOT SE3; H335 |                             | >= 20 - < 30 |
| Substances with a workplace exposure limit :   |  |   |                             |              |
| Distillates (petroleum),<br>hydrotreated heavy<br>paraffinic; Baseoil —<br>unspecified | 64742-54-7<br>265-157-1<br><br>649-467-00-8<br>01-2119484627-25-XXXX |   | Note L                      | >= 10 - < 20 |
| thiodiethylene bis[3-<br>(3,5-di-tert-butyl-4-<br>hydroxy-<br>phenyl)propionate]       | 41484-35-9<br>255-392-8<br><br>01-2119960149-32-XXXX                 |   |                             | >= 1 - < 10  |

For explanation of abbreviations see section 16.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

- If inhaled : Remove person to fresh air. If signs/symptoms continue, get medical attention.  
Keep patient warm and at rest.  
If unconscious, place in recovery position and seek medical advice.  
Keep respiratory tract clear.  
If breathing is irregular or stopped, administer artificial respiration.
- In case of skin contact : Take off all contaminated clothing immediately.  
Wash off immediately with soap and plenty of water.  
Get medical attention immediately if irritation develops and persists.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - DE



## OKS 260

|         |                |                                 |             |
|---------|----------------|---------------------------------|-------------|
| Version | Revision Date: | Date of last issue: 14.08.2018  | Print Date: |
| 2.2     | 04.07.2019     | Date of first issue: 22.06.2016 | 04.07.2019  |

Wash clothing before reuse.  
Thoroughly clean shoes before reuse.

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 10 minutes.  
Get medical attention immediately.

If swallowed : Move the victim to fresh air.  
If unconscious, place in recovery position and seek medical advice.  
Keep respiratory tract clear.  
Do not induce vomiting without medical advice.  
Never give anything by mouth to an unconscious person.

### 4.2 Most important symptoms and effects, both acute and delayed

Symptoms : Skin contact may provoke the following symptoms:  
Erythema

Risks : Causes skin irritation.

### 4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically.

---

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Unsuitable extinguishing media : High volume water jet

### 5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : Fire may cause evolution of:  
Carbon oxides  
Metal oxides  
Nitrogen oxides (NO<sub>x</sub>)  
Oxides of phosphorus  
Sulphur oxides

### 5.3 Advice for firefighters

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.  
Use personal protective equipment. Exposure to decomposition products may be a hazard to health.

Further information : Standard procedure for chemical fires.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - DE



## OKS 260

|         |                |                                 |             |
|---------|----------------|---------------------------------|-------------|
| Version | Revision Date: | Date of last issue: 14.08.2018  | Print Date: |
| 2.2     | 04.07.2019     | Date of first issue: 22.06.2016 | 04.07.2019  |

### SECTION 6: Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Evacuate personnel to safe areas.  
Use the indicated respiratory protection if the occupational exposure limit is exceeded and/or in case of product release (dust).  
Do not breathe vapours, aerosols.  
Refer to protective measures listed in sections 7 and 8.

#### 6.2 Environmental precautions

Environmental precautions : Try to prevent the material from entering drains or water courses.  
Local authorities should be advised if significant spillages cannot be contained.

#### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Clean up promptly by sweeping or vacuum.  
Keep in suitable, closed containers for disposal.

#### 6.4 Reference to other sections

For personal protection see section 8.

### SECTION 7: Handling and storage

#### 7.1 Precautions for safe handling

Advice on safe handling : Do not use in areas without adequate ventilation.  
In case of insufficient ventilation, wear suitable respiratory equipment.  
Avoid contact with skin and eyes.  
For personal protection see section 8.  
Smoking, eating and drinking should be prohibited in the application area.  
Wash hands and face before breaks and immediately after handling the product.  
Do not get in eyes or mouth or on skin.  
Do not get on skin or clothing.  
Do not ingest.  
Do not repack.  
These safety instructions also apply to empty packaging which may still contain product residues.  
Keep container closed when not in use.

Hygiene measures : Wash face, hands and any exposed skin thoroughly after handling.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - DE



## OKS 260

|         |                |                                 |             |
|---------|----------------|---------------------------------|-------------|
| Version | Revision Date: | Date of last issue: 14.08.2018  | Print Date: |
| 2.2     | 04.07.2019     | Date of first issue: 22.06.2016 | 04.07.2019  |

### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Store in original container. Keep container closed when not in use. Keep in a dry, cool and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store in accordance with the particular national regulations. Keep in properly labelled containers.

Storage class (TRGS 510) : 11, Combustible Solids

### 7.3 Specific end use(s)

Specific use(s) : Specific instructions for handling, not required.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Occupational Exposure Limits

| Components   | CAS-No.   | Value type (Form of exposure) | Control parameters  | Basis                    |
|--|---|-------------------------------|---------------------|--------------------------|
| distillates (petroleum), hydrotreated heavy paraffinic | 64742-54-7  | AGW (Vapour and aerosols)     | 5 mg/m <sup>3</sup> | DE TRGS 900 (2018-06-07) |
| Peak-limit: excursion factor (category)                | 4;(II)  |                               |                     |                          |
| Further information                                    | Senate commission for the review of compounds at the work place dangerous for the health (MAK-commission)., Sum of vapor and aerosols., When there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child   |                               |                     |                          |
| calcium dihydroxide                                    | 1305-62-0   | AGW (Inhalable fraction)      | 1 mg/m <sup>3</sup> | DE TRGS 900 (2014-12-08) |
| Peak-limit: excursion factor (category)                | 2;(I)   |                               |                     |                          |
| Further information                                    | Senate commission for the review of compounds at the work place dangerous for the health (MAK-commission)., European Union (The EU has established a limit value: deviations in value and peak limit are possible), When there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child |                               |                     |                          |
|  |   | TWA (Respirable fraction)     | 1 mg/m <sup>3</sup> | 2017/164/EU (2017-02-01) |
| Further information                                    | Indicative  |                               |                     |                          |
|  |   | STEL (Respirable fraction)    | 4 mg/m <sup>3</sup> | 2017/164/EU (2017-02-01) |
| Further information                                    | Indicative  |                               |                     |                          |
| Distillates (petroleum), hydrotreated                  | 64742-54-7  | AGW (Vapour and aerosols)     | 5 mg/m <sup>3</sup> | DE TRGS 900              |

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - DE



## OKS 260

Version 2.2      Revision Date: 04.07.2019      Date of last issue: 14.08.2018      Print Date: 04.07.2019  
 Date of first issue: 22.06.2016

|  |   |                          |                     |                          |
|--|---|--------------------------|---------------------|--------------------------|
| heavy paraffinic;<br>Baseoil — un-<br>specified                      |   |                          |                     | (2018-06-07)             |
| Peak-limit: excursion factor (category)                              | 4;(II)  |                          |                     |                          |
| Further information  | Senate commission for the review of compounds at the work place dangerous for the health (MAK-commission)., Sum of vapor and aerosols., When there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child |                          |                     |                          |
| thiodiethylene bis[3-(3,5-di-tert-butyl-4-hydroxy-phenyl)propionate] | 41484-35-9  | AGW (Inhalable fraction) | 2 mg/m <sup>3</sup> | DE TRGS 900 (2018-06-07) |
| Peak-limit: excursion factor (category)                              | 2;(II)  |                          |                     |                          |
| Further information  | Senate commission for the review of compounds at the work place dangerous for the health (MAK-commission).  |                          |                     |                          |

### Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

| Substance name  | End Use | Exposure routes | Potential health effects   | Value                 |
|---|---------|-----------------|----------------------------|-----------------------|
| calcium dihydroxide   | Workers | Inhalation      | Long-term local effects    | 1 mg/m <sup>3</sup>   |
|   | Workers | Inhalation      | Acute local effects        | 4 mg/m <sup>3</sup>   |
| Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil — unspecified | Workers | Inhalation      | Long-term local effects    | 5,6 mg/m <sup>3</sup> |
|   | Workers | Inhalation      | Long-term systemic effects | 3 mg/m <sup>3</sup>   |
| thiodiethylene bis[3-(3,5-di-tert-butyl-4-hydroxy-phenyl)propionate]          | Workers | Inhalation      | Acute systemic effects     | 3 mg/m <sup>3</sup>   |
|   | Workers | Skin contact    | Long-term systemic effects | 13,8 mg/kg            |

### Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

| Substance name               | Environmental Compartment                            | Value      |
|------------------------------|--|------------|
| Distillates (petroleum), hy- | Fresh water  | 0,49 mg/l  |
|                              | Marine water   | 0,32 mg/l  |
|                              | Intermittent use/release                             | 0,49 mg/l  |
|                              | Microbiological Activity in Sewage Treatment Systems | 3 mg/l     |
|                              | Soil   | 1080 mg/kg |
|                              | Oral   | 9,33 mg/kg |

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - DE



## OKS 260

|         |                |                                 |             |
|---------|----------------|---------------------------------|-------------|
| Version | Revision Date: | Date of last issue: 14.08.2018  | Print Date: |
| 2.2     | 04.07.2019     | Date of first issue: 22.06.2016 | 04.07.2019  |

|   |                        |        |
|---|------------------------|--------|
| drotreated heavy paraffinic;<br>Baseoil — unspecified               |                        |        |
| thiodiethylene bis[3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate] | Sewage treatment plant | 1 mg/l |

### 8.2 Exposure controls

#### Engineering measures

Effective exhaust ventilation system

#### Personal protective equipment

Eye protection : Tightly fitting safety goggles

Hand protection

Material : Fluorinated rubber

Protective index : Class 1

Remarks : Wear protective gloves. The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it. The break through time depends amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each case.

Respiratory protection : Not required; except in case of aerosol formation.

Filter type : Filter type A-P

Protective measures : The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.  
Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Appearance : paste

Colour : white, beige

Odour : odourless

Odour Threshold : No data available



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - DE



## OKS 260

|                |                              |   |                           |
|----------------|------------------------------|---|---------------------------|
| Version<br>2.2 | Revision Date:<br>04.07.2019 | Date of last issue: 14.08.2018<br>Date of first issue: 22.06.2016 | Print Date:<br>04.07.2019 |
|----------------|------------------------------|---|---------------------------|

pH : Not applicable

Drop point : 150 °C  
(1.013 hPa)

Boiling point/boiling range : No data available

Flash point : Not applicable

Evaporation rate : No data available

Flammability (solid, gas) : Combustible Solids

Upper explosion limit : No data available

Lower explosion limit : No data available

Vapour pressure : < 0,001 hPa (20 °C)

Relative vapour density : No data available

Density : 1,25 g/cm<sup>3</sup>  
(20 °C)

Bulk density : No data available

Solubility(ies)

    Water solubility : insoluble

    Solubility in other solvents : No data available

Partition coefficient: n-  
octanol/water : No data available

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity

    Viscosity, dynamic : No data available

    Viscosity, kinematic : Not applicable

Explosive properties : Not explosive

Oxidizing properties : No data available

### 9.2 Other information

Sublimation point : No data available

Metal corrosion rate : Not corrosive to metals

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - DE



## OKS 260

|         |                |                                 |             |
|---------|----------------|---------------------------------|-------------|
| Version | Revision Date: | Date of last issue: 14.08.2018  | Print Date: |
| 2.2     | 04.07.2019     | Date of first issue: 22.06.2016 | 04.07.2019  |

Self-ignition : not auto-flammable

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

No hazards to be specially mentioned.

### 10.2 Chemical stability

Stable under normal conditions.

### 10.3 Possibility of hazardous reactions

Hazardous reactions : No dangerous reaction known under conditions of normal use.

### 10.4 Conditions to avoid

Conditions to avoid : No conditions to be specially mentioned.

### 10.5 Incompatible materials

Materials to avoid : No materials to be especially mentioned.

### 10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

#### Acute toxicity

##### Product:

Acute oral toxicity : Remarks: This information is not available.

Acute inhalation toxicity : Remarks: Irritating to respiratory system.

Symptoms: Inhalation may provoke the following symptoms:  
Local irritation, Respiratory disorders

Acute dermal toxicity : Symptoms: Redness, Local irritation

##### Components:

#### **distillates (petroleum), hydrotreated heavy paraffinic:**

Acute oral toxicity : LD50 Oral (Rat): > 5.000 mg/kg

Acute inhalation toxicity : LC50 (Rat): Exposure time: 4 h  
Test atmosphere: dust/mist

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - DE



## OKS 260

|         |                |                                 |             |
|---------|----------------|---------------------------------|-------------|
| Version | Revision Date: | Date of last issue: 14.08.2018  | Print Date: |
| 2.2     | 04.07.2019     | Date of first issue: 22.06.2016 | 04.07.2019  |

Acute dermal toxicity : LD50 Dermal (Rabbit): > 5.000 mg/kg

### **calcium dihydroxide:**

Acute oral toxicity : LD50 (Rat, female): > 2.000 mg/kg  
Method: OECD Test Guideline 425  
GLP: yes  
Assessment: The substance or mixture has no acute oral toxicity

Acute inhalation toxicity : LC50 (Rat, male and female): > 6,04 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 436  
GLP: yes

Acute dermal toxicity : LD50 (Rabbit, male and female): > 2.500 mg/kg  
Method: OECD Test Guideline 402  
Assessment: The substance or mixture has no acute dermal toxicity

### **Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil — unspecified:**

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg  
Method: OECD Test Guideline 401  
GLP: yes

Acute inhalation toxicity : LC50 (Rat): > 5,53 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403  
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rabbit): > 5.000 mg/kg  
Method: OECD Test Guideline 402

### **thiodiethylene bis[3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate]:**

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg  
Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat): > 6,3 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rat): > 2.000 mg/kg  
Method: OECD Test Guideline 402  
GLP: yes  
Assessment: The substance or mixture has no acute dermal toxicity

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - DE



## OKS 260

|         |                |                                 |             |
|---------|----------------|---------------------------------|-------------|
| Version | Revision Date: | Date of last issue: 14.08.2018  | Print Date: |
| 2.2     | 04.07.2019     | Date of first issue: 22.06.2016 | 04.07.2019  |

### Skin corrosion/irritation

#### Product:

Remarks: Irritating to skin.

#### Components:

##### **calcium dihydroxide:**

Species: human skin  
Assessment: Irritating to skin.  
Method: OECD Test Guideline 431  
Result: Irritating to skin.  
GLP: yes

Species: Rabbit  
Assessment: Irritating to skin.  
Method: OECD Test Guideline 404  
Result: Irritating to skin.  
GLP: yes

##### **Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil — unspecified:**

Species: Rabbit  
Assessment: No skin irritation  
Method: OECD Test Guideline 404  
Result: No skin irritation  
GLP: yes

##### **thiodiethylene bis[3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate]:**

Species: Rabbit  
Assessment: No skin irritation  
Method: OECD Test Guideline 404  
Result: No skin irritation

### Serious eye damage/eye irritation

#### Product:

Remarks: Risk of serious damage to eyes.

#### Components:

##### **calcium dihydroxide:**

Species: Rabbit  
Assessment: Risk of serious damage to eyes.  
Method: OECD Test Guideline 405  
Result: Risk of serious damage to eyes.  
GLP: yes

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - DE



## OKS 260

|         |                |                                 |             |
|---------|----------------|---------------------------------|-------------|
| Version | Revision Date: | Date of last issue: 14.08.2018  | Print Date: |
| 2.2     | 04.07.2019     | Date of first issue: 22.06.2016 | 04.07.2019  |

### **Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil — unspecified:**

Species: Rabbit  
Assessment: No eye irritation  
Method: OECD Test Guideline 405  
Result: No eye irritation  
GLP: yes

### **thiodiethylene bis[3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate]:**

Species: Rabbit  
Assessment: No eye irritation  
Method: OECD Test Guideline 405  
Result: No eye irritation

### **Respiratory or skin sensitisation**

#### **Product:**

Remarks: This information is not available.

#### **Components:**

##### **calcium dihydroxide:**

Test Type: Local lymph node assay (LLNA)  
Species: Mouse  
Assessment: Does not cause skin sensitisation.  
Method: OECD Test Guideline 429  
Result: Does not cause skin sensitisation.  
GLP: yes

### **Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil — unspecified:**

Species: Guinea pig  
Assessment: Does not cause skin sensitisation.  
Method: OECD Test Guideline 406  
Result: Does not cause skin sensitisation.  
GLP: yes

### **thiodiethylene bis[3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate]:**

Test Type: Maximisation Test  
Species: Guinea pig  
Assessment: Does not cause skin sensitisation.  
Method: OECD Test Guideline 406  
Result: Does not cause skin sensitisation.  
GLP: yes

### **Germ cell mutagenicity**

#### **Product:**

Genotoxicity in vitro : Remarks: No data available

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - DE



## OKS 260

|         |                |                                 |             |
|---------|----------------|---------------------------------|-------------|
| Version | Revision Date: | Date of last issue: 14.08.2018  | Print Date: |
| 2.2     | 04.07.2019     | Date of first issue: 22.06.2016 | 04.07.2019  |

Genotoxicity in vivo : Remarks: No data available

### Components:

#### **calcium dihydroxide:**

Genotoxicity in vitro : Test Type: Ames test  
Method: OECD Test Guideline 471  
Result: negative  
GLP: yes

: Test Type: Chromosome aberration test in vitro  
Method: OECD Test Guideline 473  
Result: negative  
GLP: yes

: Test Type: In vitro mammalian cell gene mutation test  
Method: OECD Test Guideline 476  
Result: negative  
GLP: yes

#### **thiodiethylene bis[3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate]:**

Genotoxicity in vitro : Test Type: Ames test  
Method: OECD Test Guideline 471  
Result: negative

Genotoxicity in vivo : Test Type: In vivo micronucleus test  
Species: Hamster  
Method: Mutagenicity (micronucleus test)  
Result: negative

Germ cell mutagenicity- Assessment : Animal testing did not show any mutagenic effects.

### **Carcinogenicity**

#### Product:

Remarks: No data available

### Components:

#### **distillates (petroleum), hydrotreated heavy paraffinic:**

Carcinogenicity - Assessment : Not classifiable as a human carcinogen.

#### **calcium dihydroxide:**

Carcinogenicity - Assessment : No evidence of carcinogenicity in animal studies.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - DE



## OKS 260

|         |                |                                 |             |
|---------|----------------|---------------------------------|-------------|
| Version | Revision Date: | Date of last issue: 14.08.2018  | Print Date: |
| 2.2     | 04.07.2019     | Date of first issue: 22.06.2016 | 04.07.2019  |

### **Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil — unspecified:**

Carcinogenicity - Assessment : Not classifiable as a human carcinogen.

### **thiodiethylene bis[3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate]:**

Carcinogenicity - Assessment : Animal testing did not show any carcinogenic effects.

### **Reproductive toxicity**

#### **Product:**

Effects on fertility : Remarks: No data available

Effects on foetal development : Remarks: No data available

#### **Components:**

##### **calcium dihydroxide:**

Reproductive toxicity - Assessment : No toxicity to reproduction  
No effects on or via lactation

### **Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil — unspecified:**

Reproductive toxicity - Assessment : No toxicity to reproduction

### **thiodiethylene bis[3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate]:**

Reproductive toxicity - Assessment : No toxicity to reproduction  
Animal testing did not show any effects on foetal development.

### **STOT - single exposure**

#### **Components:**

##### **calcium dihydroxide:**

Assessment: May cause respiratory irritation.

### **thiodiethylene bis[3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate]:**

Assessment: The substance or mixture is not classified as specific target organ toxicant, single exposure.

### **Repeated dose toxicity**

#### **Product:**

Remarks: This information is not available.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - DE



## OKS 260

|         |                |                                 |             |
|---------|----------------|---------------------------------|-------------|
| Version | Revision Date: | Date of last issue: 14.08.2018  | Print Date: |
| 2.2     | 04.07.2019     | Date of first issue: 22.06.2016 | 04.07.2019  |

### Components:

#### **thiodiethylene bis[3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate]:**

Species: Rat  
NOAEL: >= 138 mg/kg  
Application Route: Oral  
Method: OECD Test Guideline 408

### **Aspiration toxicity**

#### Product:

This information is not available.

### Components:

#### **distillates (petroleum), hydrotreated heavy paraffinic:**

May be fatal if swallowed and enters airways.

May be harmful if swallowed and enters airways.

#### **Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil — unspecified:**

No aspiration toxicity classification

#### **thiodiethylene bis[3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate]:**

No aspiration toxicity classification

### **Further information**

#### Product:

Remarks: Ingestion causes irritation of upper respiratory system and gastrointestinal disturbance.

### Components:

#### **distillates (petroleum), hydrotreated heavy paraffinic:**

Remarks: Information given is based on data on the components and the toxicology of similar products.

---

## SECTION 12: Ecological information

### 12.1 Toxicity

#### Product:

Toxicity to fish : Remarks: No data available



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - DE



## OKS 260

|         |                |                                 |             |
|---------|----------------|---------------------------------|-------------|
| Version | Revision Date: | Date of last issue: 14.08.2018  | Print Date: |
| 2.2     | 04.07.2019     | Date of first issue: 22.06.2016 | 04.07.2019  |

Toxicity to daphnia and other aquatic invertebrates : Remarks: No data available

Toxicity to algae : Remarks: No data available

Toxicity to microorganisms :  
Remarks: No data available

### Components:

#### **calcium dihydroxide:**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 50,6 mg/l  
Exposure time: 96 h  
Test Type: static test  
Method: OECD Test Guideline 203  
GLP: yes

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 49,1 mg/l  
Exposure time: 48 h  
Test Type: static test  
Method: OECD Test Guideline 202  
GLP: yes

Toxicity to algae : EC50 (Pseudokirchneriella subcapitata (green algae)): 184,57 mg/l  
Exposure time: 72 h  
Test Type: static test  
Method: OECD Test Guideline 201  
GLP: yes

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 32 mg/l  
Exposure time: 14 d  
Species: Crangon crangon (shrimp)  
Test Type: semi-static test

#### **Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil — unspecified:**

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 100 mg/l  
Exposure time: 96 h  
Test Type: static test  
Method: OECD Test Guideline 203  
GLP: yes

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 10.000 mg/l  
Exposure time: 48 h  
Test Type: Immobilization  
Method: OECD Test Guideline 202  
GLP: yes

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 10 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)  
Test Type: semi-static test

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - DE



## OKS 260

|         |                |                                 |             |
|---------|----------------|---------------------------------|-------------|
| Version | Revision Date: | Date of last issue: 14.08.2018  | Print Date: |
| 2.2     | 04.07.2019     | Date of first issue: 22.06.2016 | 04.07.2019  |

Method: OECD Test Guideline 211  
GLP: yes

### **thiodiethylene bis[3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate]:**

- Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 57 mg/l  
Exposure time: 96 h  
Test Type: static test  
Method: OECD Test Guideline 203  
Remarks: Aquatic toxicity is unlikely due to low solubility.
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l  
Exposure time: 48 h  
Test Type: static test  
Method: OECD Test Guideline 202  
GLP: yes  
Remarks: No toxicity at the limit of solubility
- Toxicity to algae : EC50 (Desmodesmus subspicatus (green algae)): > 100 mg/l  
Exposure time: 72 h  
Test Type: static test  
Method: OECD Test Guideline 201  
GLP: yes  
Remarks: No toxicity at the limit of solubility
- NOEC (Desmodesmus subspicatus (green algae)): 100 mg/l  
Exposure time: 72 h  
Test Type: static test  
Method: OECD Test Guideline 201  
GLP: yes  
Remarks: No toxicity at the limit of solubility
- Toxicity to microorganisms : EC20 (activated sludge): > 100 mg/l  
Exposure time: 3 h  
Test Type: static test  
Method: OECD Test Guideline 209  
GLP:
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: > 10 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)  
Method: OECD Test Guideline 211

### **Ecotoxicology Assessment**

- Short-term (acute) aquatic hazard : This product has no known ecotoxicological effects.
- Long-term (chronic) aquatic hazard : This product has no known ecotoxicological effects.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - DE



## OKS 260

|         |                |                                 |             |
|---------|----------------|---------------------------------|-------------|
| Version | Revision Date: | Date of last issue: 14.08.2018  | Print Date: |
| 2.2     | 04.07.2019     | Date of first issue: 22.06.2016 | 04.07.2019  |

### 12.2 Persistence and degradability

#### Product:

Biodegradability : Remarks: No data available

Physico-chemical removability : Remarks: No data available

#### Components:

##### **calcium dihydroxide:**

Biodegradability : Remarks: The methods for determining the biological degradability are not applicable to inorganic substances.

##### **Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil — unspecified:**

Biodegradability : Test Type: aerobic  
Inoculum: activated sludge  
Result: Not rapidly biodegradable  
Biodegradation: 3 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301B  
GLP: yes

##### **thiodiethylene bis[3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate]:**

Biodegradability : Test Type: Primary biodegradation  
Inoculum: activated sludge  
Result: Not rapidly biodegradable  
Biodegradation: 7 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301B

### 12.3 Bioaccumulative potential

#### Product:

Bioaccumulation : Remarks: This mixture contains no substance considered to be persistent, bioaccumulating and toxic (PBT).  
This mixture contains no substance considered to be very persistent and very bioaccumulating (vPvB).

#### Components:

##### **Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil — unspecified:**

Partition coefficient: n-octanol/water : log Pow: > 2

##### **thiodiethylene bis[3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate]:**

Bioaccumulation : Species: Cyprinus carpio (Carp)  
Exposure time: 56 d  
Bioconcentration factor (BCF): <= 12

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - DE



## OKS 260

|         |                |                                 |             |
|---------|----------------|---------------------------------|-------------|
| Version | Revision Date: | Date of last issue: 14.08.2018  | Print Date: |
| 2.2     | 04.07.2019     | Date of first issue: 22.06.2016 | 04.07.2019  |

Method: OECD Test Guideline 305C

Partition coefficient: n-octanol/water : log Pow: 10 (25 °C)

### 12.4 Mobility in soil

#### Product:

Mobility : Remarks: No data available

Distribution among environmental compartments : Remarks: No data available

### 12.5 Results of PBT and vPvB assessment

#### Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

#### Components:

##### **Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil — unspecified:**

Assessment : Non-classified vPvB substance. Non-classified PBT substance.

##### **thiodiethylene bis[3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate]:**

Assessment : Non-classified PBT substance. Non-classified vPvB substance.

### 12.6 Other adverse effects

#### Product:

Additional ecological information : No information on ecology is available.

---

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Product : The product should not be allowed to enter drains, water courses or the soil.  
Do not dispose of with domestic refuse.  
Dispose of as hazardous waste in compliance with local and national regulations.

Waste codes should be assigned by the user based on the

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - DE



## OKS 260

|                |                              |   |                           |
|----------------|------------------------------|---|---------------------------|
| Version<br>2.2 | Revision Date:<br>04.07.2019 | Date of last issue: 14.08.2018<br>Date of first issue: 22.06.2016 | Print Date:<br>04.07.2019 |
|----------------|------------------------------|---|---------------------------|

application for which the product was used.

Contaminated packaging : Packaging that is not properly emptied must be disposed of as the unused product.  
Dispose of waste product or used containers according to local regulations.

The following Waste Codes are only suggestions:

## SECTION 14: Transport information

### 14.1 UN number

ADR : Not regulated as a dangerous good  
IMDG : Not regulated as a dangerous good  
IATA : Not regulated as a dangerous good

### 14.2 UN proper shipping name

ADR : Not regulated as a dangerous good  
IMDG : Not regulated as a dangerous good  
IATA : Not regulated as a dangerous good

### 14.3 Transport hazard class(es)

ADR : Not regulated as a dangerous good  
IMDG : Not regulated as a dangerous good  
IATA : Not regulated as a dangerous good

### 14.4 Packing group

ADR : Not regulated as a dangerous good  
IMDG : Not regulated as a dangerous good  
IATA (Cargo) : Not regulated as a dangerous good  
IATA (Passenger) : Not regulated as a dangerous good

### 14.5 Environmental hazards

ADR : Not regulated as a dangerous good  
IMDG : Not regulated as a dangerous good  
IATA (Passenger) : Not regulated as a dangerous good  
IATA (Cargo) : Not regulated as a dangerous good

### 14.6 Special precautions for user

No special precautions required.

### 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Remarks : Not applicable for product as supplied.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - DE



## OKS 260

|         |                |                                 |             |
|---------|----------------|---------------------------------|-------------|
| Version | Revision Date: | Date of last issue: 14.08.2018  | Print Date: |
| 2.2     | 04.07.2019     | Date of first issue: 22.06.2016 | 04.07.2019  |

### SECTION 15: Regulatory information

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59). : This product does not contain substances of very high concern (Regulation (EC) No 1907/2006 (REACH), Article 57).
- REACH - List of substances subject to authorisation (Annex XIV) : Not applicable
- Regulation (EC) No 1005/2009 on substances that deplete the ozone layer : Not applicable
- Regulation (EC) No 850/2004 on persistent organic pollutants : Not applicable
- Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals : Not applicable
- REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, preparations and articles (Annex XVII) : Not applicable
- Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.  
Not applicable
- Water contaminating class (Germany) : WGK 1 slightly hazardous to water  
Classification according to AwSV, Annex 1 (5.2)
- TA Luft List (Germany) : Total dust:  
others: 39,82 %
- Inorganic substances in powdered form:  
Not applicable  
Inorganic substances in vapour or gaseous form:  
Not applicable  
Organic Substances:  
portion Class 1: 1,01 %  
others: 49,87 %
- Carcinogenic substances:  
Not applicable  
Mutagenic:  
Not applicable  
Toxic to reproduction:

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - DE



## OKS 260

|         |                |                                 |             |
|---------|----------------|---------------------------------|-------------|
| Version | Revision Date: | Date of last issue: 14.08.2018  | Print Date: |
| 2.2     | 04.07.2019     | Date of first issue: 22.06.2016 | 04.07.2019  |

Not applicable

Volatile organic compounds : Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control)  
Remarks: Not applicable

### 15.2 Chemical safety assessment

This information is not available.

## SECTION 16: Other information

### Full text of H-Statements

H304 : May be fatal if swallowed and enters airways.  
H315 : Causes skin irritation.  
H318 : Causes serious eye damage.  
H335 : May cause respiratory irritation.

### Full text of other abbreviations

Note H : The classification and labelling shown for this substance applies to the hazardous property(ies) indicated by the hazard statement(s) in combination with the hazard class(es) and category(ies) shown. The requirements of Article 4 for manufacturers, importers or downstream users of this substance apply to all other hazard classes and categories. For hazard classes where the route of exposure or the nature of the effects leads to a differentiation of the classification of the hazard class, the manufacturer, importer or downstream user is required to consider the routes of exposure or the nature of the effects not already considered. The final label shall follow the requirements of Article 17 and of section 1.2 of Annex I.

Note L : The classification as a carcinogen need not apply if it can be shown that the substance contains less than 3 % DMSO extract as measured by IP 346 "Determination of polycyclic aromatics in unused lubricating base oils and asphaltene free petroleum fractions - Dimethyl sulphoxide extraction refractive index method", Institute of Petroleum, London. This note applies only to certain complex oil-derived substances in Part 3.

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx -

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - DE



## OKS 260

|         |                |                                 |             |
|---------|----------------|---------------------------------|-------------|
| Version | Revision Date: | Date of last issue: 14.08.2018  | Print Date: |
| 2.2     | 04.07.2019     | Date of first issue: 22.06.2016 | 04.07.2019  |

Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

### Further information

#### Classification of the mixture:

|               |      |
|---------------|------|
| Skin Irrit. 2 | H315 |
| Eye Dam. 1    | H318 |
| STOT SE 3     | H335 |

#### Classification procedure:

|                    |
|--------------------|
| Calculation method |
| Calculation method |
| Calculation method |

This safety data sheet applies only to products originally packed and labelled by OKS Spezialschmierstoffe. The information contained therein may not be reproduced or modified without the express written permission of OKS Spezialschmierstoffe. Any forwarding of this document is only permitted to the extent required by law. Any further, in particular public, dissemination of our safety data sheets (e.g. as a document for download from the Internet) is not permitted without the express written consent of OKS Spezialschmierstoffe. OKS Spezialschmierstoffe provides its customers with amended safety data sheets as prescribed by law. The customer is responsible for passing on safety data sheets and any amendments contained therein to its own customers, employees and other users of the product. OKS Spezialschmierstoffe provides no guarantee that safety data sheets received by users from third parties are up-to-date. All information and instructions in this safety data sheet have been compiled to the best of our knowledge and are based on the information available to us on the day of publication. The information provided is intended to describe the product in relation to the required safety measures; it is neither an assurance of characteristics nor a guarantee of the product's suitability for particular applications and does not justify any contractual legal relationship. The existence of a safety data sheet for a particular jurisdiction does not necessarily mean that import or use within that jurisdiction is legally permitted. If you have any questions, please contact your responsible sales contact or authorised trading partner of OKS Spezialschmierstoffe.



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - DE



## OKS 260

|         |                |                                 |             |
|---------|----------------|---------------------------------|-------------|
| Version | Revision Date: | Date of last issue: 14.08.2018  | Print Date: |
| 2.2     | 04.07.2019     | Date of first issue: 22.06.2016 | 04.07.2019  |

---