

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - DE



## OKS 473

Version	Revision Date:	Date of last issue: 26.03.2018	Print Date:
1.2	19.08.2020	Date of first issue: 02.05.2016	19.08.2020

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Product name : OKS 473

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub- : Grease  
stance/Mixture

Recommended restrictions : Restricted to professional users.  
on use

#### 1.3 Details of the supplier of the safety data sheet

Company : OKS Spezialschmierstoffe GmbH  
Ganghoferstr. 47  
D-82216 Maisach-Gernlinden  
Tel.: +49 8142 3051 500  
Fax.: +49 8142 3051 599

E-mail address of person : mcm@oks-germany.com  
responsible for the SDS  
National contact :

#### 1.4 Emergency telephone number

Emergency telephone num- : +49 8142 3051 517  
ber

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

##### Classification (REGULATION (EC) No 1272/2008)

Long-term (chronic) aquatic hazard, Cat- H412: Harmful to aquatic life with long lasting ef-  
egory 3 fects.

#### 2.2 Label elements

##### Labelling (REGULATION (EC) No 1272/2008)

Hazard statements : H412 Harmful to aquatic life with long lasting ef-  
fects.

Precautionary statements : **Prevention:**  
P273 Avoid release to the environment.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - DE



## OKS 473

Version	Revision Date:	Date of last issue: 26.03.2018	Print Date:
1.2	19.08.2020	Date of first issue: 02.05.2016	19.08.2020

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

Chemical nature : Synthetic hydrocarbon oil  
aluminium complex soap

#### Components

Chemical name	CAS-No. EC-No.  Index-No. Registration number	Classification	Concentration limits M-Factor Notes	Concentration (% w/w)
N-methyl-N-[C18-(unsaturated)alkanoyl]glycine	701-177-3  01-2119488991-20-XXXX	Acute Tox.4; H332 Skin Irrit.2; H315 Eye Dam.1; H318 Aquatic Acute1; H400 Aquatic Chronic3; H412	M-Factor: 1/	>= 0,25 - < 1
Amines, C12-14-alkyl, isooctyl phosphates	68187-67-7 269-119-5  01-2120286234-55-XXXX	Acute Tox.4; H302 Acute Tox.4; H312 Skin Corr.1C; H314 Eye Dam.1; H318 Aquatic Acute1; H400 Aquatic Chronic1; H410	M-Factor: 1/1	>= 0,25 - < 1
2,6-di-tert-butyl-p-cresol	128-37-0 204-881-4  01-2119555270-46-XXXX	Aquatic Acute1; H400 Aquatic Chronic1; H410	M-Factor: 1/1	>= 0,1 - < 0,25
Substances with a workplace exposure limit :				
White mineral oil (petroleum)	8042-47-5 232-455-8  01-2119487078-27-XXXX	Not classified		>= 1 - < 10

For explanation of abbreviations see section 16.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - DE



## OKS 473

Version	Revision Date:	Date of last issue: 26.03.2018	Print Date:
1.2	19.08.2020	Date of first issue: 02.05.2016	19.08.2020

### SECTION 4: First aid measures

#### 4.1 Description of first aid measures

- If inhaled : Remove person to fresh air. If signs/symptoms continue, get medical attention.  
Keep patient warm and at rest.  
If unconscious, place in recovery position and seek medical advice.  
Keep respiratory tract clear.  
If breathing is irregular or stopped, administer artificial respiration.
- In case of skin contact : Remove contaminated clothing. If irritation develops, get medical attention.  
Wash off with soap and water.  
Wash clothing before reuse.  
Thoroughly clean shoes before reuse.
- In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 10 minutes.  
If eye irritation persists, consult a specialist.
- If swallowed : Move the victim to fresh air.  
If unconscious, place in recovery position and seek medical advice.  
Keep respiratory tract clear.  
Do not induce vomiting without medical advice.  
Never give anything by mouth to an unconscious person.

#### 4.2 Most important symptoms and effects, both acute and delayed

- Symptoms : No information available.
- Risks : None known.

#### 4.3 Indication of any immediate medical attention and special treatment needed

- Treatment : No information available.

### SECTION 5: Firefighting measures

#### 5.1 Extinguishing media

- Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
- Unsuitable extinguishing media : High volume water jet

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - DE



## OKS 473

Version	Revision Date:	Date of last issue: 26.03.2018	Print Date:
1.2	19.08.2020	Date of first issue: 02.05.2016	19.08.2020

### 5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : Fire may cause evolution of: Carbon oxides

### 5.3 Advice for firefighters

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment. Exposure to decomposition products may be a hazard to health.

Further information : Standard procedure for chemical fires. Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Evacuate personnel to safe areas. Use the indicated respiratory protection if the occupational exposure limit is exceeded and/or in case of product release (dust). Do not breathe vapours, aerosols. Refer to protective measures listed in sections 7 and 8.

### 6.2 Environmental precautions

Environmental precautions : Do not allow contact with soil, surface or ground water. If the product contaminates rivers and lakes or drains inform respective authorities.

### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Clean up promptly by sweeping or vacuum. Keep in suitable, closed containers for disposal.

### 6.4 Reference to other sections

For personal protection see section 8.

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Advice on safe handling : Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Wash hands and face before breaks and immediately after handling the product. Do not ingest.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - DE



## OKS 473

Version	Revision Date:	Date of last issue: 26.03.2018	Print Date:
1.2	19.08.2020	Date of first issue: 02.05.2016	19.08.2020

Do not repack.  
These safety instructions also apply to empty packaging which may still contain product residues.  
Keep container closed when not in use.

Hygiene measures : Wash face, hands and any exposed skin thoroughly after handling.

### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Store in original container. Keep container closed when not in use. Keep in a dry, cool and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store in accordance with the particular national regulations. Keep in properly labelled containers.

Storage class (TRGS 510) : 11, Combustible Solids

### 7.3 Specific end use(s)

Specific use(s) : Specific instructions for handling, not required.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
White mineral oil (petroleum)	8042-47-5	AGW (Alveolate fraction)	5 mg/m <sup>3</sup>	DE TRGS 900 (2015-11-06)
Peak-limit: excursion factor (category)	4;(II)			
Further information	When there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child			
N-methyl-N-[C18-(unsaturated)alkanoyl]glycine	Not Assigned	AGW (Inhalable fraction)	0,05 mg/m <sup>3</sup>	DE TRGS 900 (2019-03-29)
Peak-limit: excursion factor (category)	2;(II)			
2,6-di-tert-butyl-p-cresol	128-37-0	AGW (Vapour and aerosols, inhalable fraction)	10 mg/m <sup>3</sup>	DE TRGS 900 (2012-09-13)
Peak-limit: excursion factor (category)	4;(II)			

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - DE



## OKS 473

Version 1.2      Revision Date: 19.08.2020      Date of last issue: 26.03.2018  
Date of first issue: 02.05.2016

Print Date:  
19.08.2020

Further information	When there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child
---------------------	---

### Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
White mineral oil (petroleum)	Workers	Inhalation	Long-term systemic effects	160 mg/m <sup>3</sup>
	Workers	Skin contact	Long-term systemic effects	220 mg/kg
N-methyl-N-[C18-(unsaturated)alkanoyl]glycine	Workers	Inhalation	Long-term systemic effects	0,8 mg/m <sup>3</sup>
	Workers	Skin contact	Long-term systemic effects	20 mg/kg bw/day
2,6-di-tert-butyl-p-cresol	Workers	Inhalation	Long-term systemic effects	3,5 mg/m <sup>3</sup>
	Workers	Skin contact	Long-term systemic effects	0,5 mg/kg

### Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
N-methyl-N-[C18-(unsaturated)alkanoyl]glycine	Fresh water	0,00043 mg/l
	Marine water	0,000043 mg/l
	Microbiological Activity in Sewage Treatment Systems	1 mg/l
	Fresh water sediment	0,007 mg/kg
	Marine sediment	0,001 mg/kg
	Soil	1,71 mg/kg
	2,6-di-tert-butyl-p-cresol	Fresh water
Marine water		0,02 µg/l
Intermittent use/release		1,99 µg/l
Microbiological Activity in Sewage Treatment Systems		0,17 mg/l
Fresh water sediment		0,0996 mg/kg
Marine sediment		0,00996 mg/kg
Soil		0,04769 mg/kg
	Oral	8,33 mg/kg

## 8.2 Exposure controls

### Engineering measures

none

### Personal protective equipment

Eye protection : Tightly fitting safety goggles

### Hand protection

Material : Nitrile rubber  
Break through time : > 10 min  
Protective index : Class 1

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - DE



## OKS 473

Version	Revision Date:	Date of last issue: 26.03.2018	Print Date:
1.2	19.08.2020	Date of first issue: 02.05.2016	19.08.2020

- Remarks : For prolonged or repeated contact use protective gloves. The break through time depends amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each case.  
The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it.
- Respiratory protection : Not required; except in case of aerosol formation.
- Filter type : Filter type P
- Protective measures : The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.  
Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

- Appearance : paste
- Colour : yellow
- Odour : characteristic
- Odour Threshold : No data available
- pH : No data available
- Melting point/range : No data available
- Boiling point/boiling range : No data available
- Flash point : Not applicable
- Evaporation rate : No data available
- Flammability (solid, gas) : Combustible Solids
- Upper explosion limit / Upper flammability limit : No data available
- Lower explosion limit / Lower flammability limit : No data available

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - DE



## OKS 473

Version	Revision Date:	Date of last issue: 26.03.2018	Print Date:
1.2	19.08.2020	Date of first issue: 02.05.2016	19.08.2020

Vapour pressure : < 0,001 hPa (20 °C)

Relative vapour density : No data available

Relative density : 0,85 (20 °C)  
Reference substance: Water  
The value is calculated

Density : 0,85 g/cm<sup>3</sup>  
(20 °C)

Bulk density : No data available

Solubility(ies)  
Water solubility : insoluble

Solubility in other solvents : No data available

Partition coefficient: n-octanol/water : No data available

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity  
Viscosity, dynamic : No data available

Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : No data available

### 9.2 Other information

Sublimation point : No data available

Self-ignition : No data available

---

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

No hazards to be specially mentioned.

### 10.2 Chemical stability

Stable under normal conditions.

### 10.3 Possibility of hazardous reactions



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - DE



## OKS 473

Version	Revision Date:	Date of last issue: 26.03.2018	Print Date:
1.2	19.08.2020	Date of first issue: 02.05.2016	19.08.2020

Hazardous reactions : No dangerous reaction known under conditions of normal use.

### 10.4 Conditions to avoid

Conditions to avoid : No conditions to be specially mentioned.

### 10.5 Incompatible materials

Materials to avoid : No materials to be especially mentioned.

### 10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

#### Acute toxicity

##### Product:

Acute oral toxicity : Remarks: This information is not available.

Acute inhalation toxicity : Remarks: This information is not available.

Acute dermal toxicity : Remarks: This information is not available.

##### Components:

#### **N-methyl-N-[C18-(unsaturated)alkanoyl]glycine:**

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg  
Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat, male): 1,05 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403

#### **Amines, C12-14-alkyl, isooctyl phosphates:**

Acute oral toxicity : LD50 (Rat): 1.000 mg/kg  
Method: OECD Test Guideline 423  
GLP: yes

Acute inhalation toxicity : Assessment: Corrosive to the respiratory tract.

Acute dermal toxicity : LD50 (Rabbit): 2.000 mg/kg  
Method: OECD Test Guideline 402  
GLP: yes

#### **2,6-di-tert-butyl-p-cresol:**

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - DE



## OKS 473

Version	Revision Date:	Date of last issue: 26.03.2018	Print Date:
1.2	19.08.2020	Date of first issue: 02.05.2016	19.08.2020

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg  
Method: OECD Test Guideline 401

Acute dermal toxicity : LD50 (Rat): > 5.000 mg/kg  
Method: OECD Test Guideline 402

### White mineral oil (petroleum):

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg  
Method: OECD Test Guideline 401  
GLP: yes

Acute inhalation toxicity : LC50 (Rat): > 5 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403  
GLP: yes  
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rabbit): > 2.000 mg/kg  
Method: OECD Test Guideline 402  
GLP: yes  
Assessment: The substance or mixture has no acute dermal toxicity

### Skin corrosion/irritation

#### Product:

Remarks : This information is not available.

#### Components:

##### **N-methyl-N-[C18-(unsaturated)alkanoyl]glycine:**

Species : Rabbit  
Assessment : Irritating to skin.  
Result : Irritating to skin.

##### **Amines, C12-14-alkyl, isooctyl phosphates:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : Corrosive, category 1C - where responses occur after exposures between 1 hour and 4 hours and observations up to 14 days.  
GLP : yes

##### **2,6-di-tert-butyl-p-cresol:**

Species : Rabbit  
Assessment : No skin irritation  
Result : No skin irritation

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - DE



## OKS 473

Version	Revision Date:	Date of last issue: 26.03.2018	Print Date:
1.2	19.08.2020	Date of first issue: 02.05.2016	19.08.2020

### White mineral oil (petroleum):

Species : Rabbit  
Assessment : No skin irritation  
Method : OECD Test Guideline 404  
Result : No skin irritation  
GLP : yes

### Serious eye damage/eye irritation

#### Product:

Remarks : This information is not available.

#### Components:

### N-methyl-N-[C18-(unsaturated)alkanoyl]glycine:

Species : Rabbit  
Assessment : Risk of serious damage to eyes.  
Result : Risk of serious damage to eyes.

### Amines, C12-14-alkyl, isoctyl phosphates:

Assessment : Risk of serious damage to eyes.  
Result : Risk of serious damage to eyes.

### 2,6-di-tert-butyl-p-cresol:

Species : Rabbit  
Assessment : No eye irritation  
Method : Draize Test  
Result : No eye irritation

### White mineral oil (petroleum):

Species : Rabbit  
Assessment : No eye irritation  
Method : OECD Test Guideline 405  
Result : No eye irritation  
GLP : yes

### Respiratory or skin sensitisation

#### Product:

Remarks : This information is not available.

#### Components:

### N-methyl-N-[C18-(unsaturated)alkanoyl]glycine:

Test Type : Maximisation Test  
Species : Guinea pig

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - DE



## OKS 473

Version	Revision Date:	Date of last issue: 26.03.2018	Print Date:
1.2	19.08.2020	Date of first issue: 02.05.2016	19.08.2020

Assessment : Does not cause skin sensitisation.  
Method : OECD Test Guideline 406  
Result : Does not cause skin sensitisation.

### **Amines, C12-14-alkyl, isooctyl phosphates:**

Species : Guinea pig  
Assessment : Did not cause sensitisation on laboratory animals.  
Method : OECD Test Guideline 406  
Result : Did not cause sensitisation on laboratory animals.  
GLP : yes

### **2,6-di-tert-butyl-p-cresol:**

Species : Humans  
Assessment : Does not cause skin sensitisation.  
Result : Does not cause skin sensitisation.

### **White mineral oil (petroleum):**

Test Type : Maximisation Test  
Species : Guinea pig  
Assessment : Does not cause skin sensitisation.  
Method : OECD Test Guideline 406  
Result : Does not cause skin sensitisation.  
GLP : yes

### **Germ cell mutagenicity**

#### **Product:**

Genotoxicity in vitro : Remarks: No data available

Genotoxicity in vivo : Remarks: No data available

#### **Components:**

### **Amines, C12-14-alkyl, isooctyl phosphates:**

Germ cell mutagenicity- Assessment : Tests on bacterial or mammalian cell cultures did not show mutagenic effects.

### **2,6-di-tert-butyl-p-cresol:**

Genotoxicity in vitro : Test Type: Ames test  
Result: negative  
Remarks: In vitro tests did not show mutagenic effects

Genotoxicity in vivo : Test Type: In vivo micronucleus test  
Result: negative

Germ cell mutagenicity- Assessment : Tests on bacterial or mammalian cell cultures did not show mutagenic effects.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - DE



## OKS 473

Version	Revision Date:	Date of last issue: 26.03.2018	Print Date:
1.2	19.08.2020	Date of first issue: 02.05.2016	19.08.2020

### White mineral oil (petroleum):

Genotoxicity in vitro : Test Type: Ames test  
Method: Mutagenicity (Salmonella typhimurium - reverse mutation assay)  
Result: negative  
GLP: yes

Germ cell mutagenicity- Assessment : Tests on bacterial or mammalian cell cultures did not show mutagenic effects.

### Carcinogenicity

#### Product:

Remarks : No data available

#### Components:

### White mineral oil (petroleum):

Carcinogenicity - Assessment : No evidence of carcinogenicity in animal studies.

### Reproductive toxicity

#### Product:

Effects on fertility : Remarks: No data available

Effects on foetal development : Remarks: No data available

#### Components:

### 2,6-di-tert-butyl-p-cresol:

Reproductive toxicity - Assessment :

Fertility : No toxicity to reproduction

Teratogenicity :

### White mineral oil (petroleum):

Reproductive toxicity - Assessment :

Fertility : No toxicity to reproduction

Teratogenicity : No effects on or via lactation

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - DE



## OKS 473

Version	Revision Date:	Date of last issue: 26.03.2018	Print Date:
1.2	19.08.2020	Date of first issue: 02.05.2016	19.08.2020

### STOT - single exposure

#### Components:

##### 2,6-di-tert-butyl-p-cresol:

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

##### White mineral oil (petroleum):

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

### STOT - repeated exposure

#### Components:

##### 2,6-di-tert-butyl-p-cresol:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

##### White mineral oil (petroleum):

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

### Repeated dose toxicity

#### Product:

Remarks : This information is not available.

#### Components:

##### White mineral oil (petroleum):

NOAEL : 1.800 mg/kg  
Exposure time : 90 d

### Aspiration toxicity

#### Product:

This information is not available.

#### Components:

##### 2,6-di-tert-butyl-p-cresol:

No aspiration toxicity classification

##### White mineral oil (petroleum):

No aspiration toxicity classification

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - DE



## OKS 473

Version	Revision Date:	Date of last issue: 26.03.2018	Print Date:
1.2	19.08.2020	Date of first issue: 02.05.2016	19.08.2020

### Further information

#### Product:

Remarks : Information given is based on data on the components and the toxicology of similar products.

## SECTION 12: Ecological information

### 12.1 Toxicity

#### Product:

Toxicity to fish : Remarks: Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Toxicity to daphnia and other aquatic invertebrates : Remarks: No data available

Toxicity to algae/aquatic plants : Remarks: No data available

Toxicity to microorganisms : Remarks: No data available

#### Components:

##### **N-methyl-N-[C18-(unsaturated)alkanoyl]glycine:**

Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 0,43 mg/l  
Exposure time: 96 h  
Test Type: flow-through test  
Method: OECD Test Guideline 203  
GLP: yes

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0,43 mg/l  
Exposure time: 48 h  
Test Type: static test  
Method: OECD Test Guideline 202  
GLP: yes

Toxicity to algae/aquatic plants : EC50 (Desmodesmus subspicatus (green algae)): 6,3 mg/l  
Exposure time: 72 h  
Test Type: static test  
Method: OECD Test Guideline 201

M-Factor (Acute aquatic toxicity) : 1

#### **Ecotoxicology Assessment**

Acute aquatic toxicity : Very toxic to aquatic life.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - DE



## OKS 473

Version	Revision Date:	Date of last issue: 26.03.2018	Print Date:
1.2	19.08.2020	Date of first issue: 02.05.2016	19.08.2020

Chronic aquatic toxicity : Harmful to aquatic life with long lasting effects.

### Amines, C12-14-alkyl, isoocetyl phosphates:

Toxicity to fish : LC0 (Danio rerio (zebra fish)): 1 mg/l  
Exposure time: 96 h  
Test Type: static test  
Method: Regulation (EC) No. 440/2008, Annex, C.1  
GLP: yes

Toxicity to daphnia and other aquatic invertebrates : EL50 (Daphnia magna (Water flea)): 17 mg/l  
Exposure time: 48 h  
Test Type: static test  
Method: OECD Test Guideline 202  
GLP: yes

Toxicity to algae/aquatic plants : EL50 (Pseudokirchneriella subcapitata (green algae)): 0,8 mg/l  
Exposure time: 72 h  
Test Type: static test  
Method: OECD Test Guideline 201  
GLP: yes

M-Factor (Acute aquatic toxicity) : 1

M-Factor (Chronic aquatic toxicity) : 1

### 2,6-di-tert-butyl-p-cresol:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): 0,57 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0,61 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Desmodesmus subspicatus (green algae)): > 0,4 mg/l  
Exposure time: 72 h  
Method: Regulation (EC) No. 440/2008, Annex, C.3

M-Factor (Acute aquatic toxicity) : 1

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 0,316 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)

M-Factor (Chronic aquatic toxicity) : 1



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - DE



## OKS 473

Version	Revision Date:	Date of last issue: 26.03.2018	Print Date:
1.2	19.08.2020	Date of first issue: 02.05.2016	19.08.2020

### White mineral oil (petroleum):

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l  
Exposure time: 96 h  
Test Type: static test  
Method: OECD Test Guideline 203

Toxicity to daphnia and other : EC50 (Daphnia (water flea)): > 100 mg/l  
aquatic invertebrates : Exposure time: 48 h  
Test Type: Immobilization  
Method: OECD Test Guideline 202

Toxicity to daphnia and other : NOEC: >= 1.000 mg/l  
aquatic invertebrates (Chronic toxicity) : Exposure time: 21 d  
Species: Daphnia magna (Water flea)

## 12.2 Persistence and degradability

### Product:

Biodegradability : Remarks: No data available

Physico-chemical removability : Remarks: No data available

### Components:

#### **N-methyl-N-[C18-(unsaturated)alkanoyl]glycine:**

Biodegradability : Test Type: aerobic  
Inoculum: activated sludge  
Result: rapidly biodegradable  
Biodegradation: 85,2 %  
Exposure time: 28 d

#### **Amines, C12-14-alkyl, isooctyl phosphates:**

Biodegradability : Result: Not rapidly biodegradable  
Biodegradation: 35 %  
Exposure time: 28 d  
Method: Directive 67/548/EEC Annex V, C.4.D.  
GLP: yes

#### **2,6-di-tert-butyl-p-cresol:**

Biodegradability : Test Type: aerobic  
Inoculum: activated sludge  
Result: Not rapidly biodegradable  
Biodegradation: 4,5 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301C

#### **White mineral oil (petroleum):**

Biodegradability : Test Type: Primary biodegradation

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - DE



## OKS 473

Version	Revision Date:	Date of last issue: 26.03.2018	Print Date:
1.2	19.08.2020	Date of first issue: 02.05.2016	19.08.2020

Inoculum: activated sludge  
Result: Not rapidly biodegradable  
Biodegradation: 31 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301B

### 12.3 Bioaccumulative potential

#### Product:

Bioaccumulation : Remarks: This mixture contains no substance considered to be persistent, bioaccumulating and toxic (PBT).  
This mixture contains no substance considered to be very persistent and very bioaccumulating (vPvB).

#### Components:

##### **N-methyl-N-[C18-(unsaturated)alkanoyl]glycine:**

Partition coefficient: n-octanol/water : log Pow: 3,5 - 4,2

##### **Amines, C12-14-alkyl, isooctyl phosphates:**

Partition coefficient: n-octanol/water : log Pow: 1,87  
Method: OECD Test Guideline 117  
GLP: yes

##### **2,6-di-tert-butyl-p-cresol:**

Bioaccumulation : Bioconcentration factor (BCF): 598,4

Partition coefficient: n-octanol/water : log Pow: 5,1

##### **White mineral oil (petroleum):**

Partition coefficient: n-octanol/water : Pow: > 6

### 12.4 Mobility in soil

#### Product:

Mobility : Remarks: No data available

Distribution among environmental compartments : Remarks: No data available

### 12.5 Results of PBT and vPvB assessment

#### Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - DE



## OKS 473

Version	Revision Date:	Date of last issue: 26.03.2018	Print Date:
1.2	19.08.2020	Date of first issue: 02.05.2016	19.08.2020

very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

### Components:

#### **2,6-di-tert-butyl-p-cresol:**

Assessment : Non-classified PBT substance. Non-classified vPvB substance.

#### **White mineral oil (petroleum):**

Assessment : Non-classified PBT substance. Non-classified vPvB substance.

### 12.6 Other adverse effects

#### Product:

Additional ecological information : Harmful to aquatic life with long lasting effects.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Product : The product should not be allowed to enter drains, water courses or the soil.  
Do not dispose of with domestic refuse.  
Dispose of as hazardous waste in compliance with local and national regulations.

Waste codes should be assigned by the user based on the application for which the product was used.

Contaminated packaging : Packaging that is not properly emptied must be disposed of as the unused product.  
Dispose of waste product or used containers according to local regulations.

The following Waste Codes are only suggestions:

Waste Code : used product, unused product  
12 01 12\*, spent waxes and fats  
  
uncleaned packagings  
15 01 10, packaging containing residues of or contaminated by hazardous substances

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - DE



## OKS 473

Version	Revision Date:	Date of last issue: 26.03.2018	Print Date:
1.2	19.08.2020	Date of first issue: 02.05.2016	19.08.2020

### SECTION 14: Transport information

#### 14.1 UN number

ADR : Not regulated as a dangerous good  
IMDG : Not regulated as a dangerous good  
IATA : Not regulated as a dangerous good

#### 14.2 UN proper shipping name

ADR : Not regulated as a dangerous good  
IMDG : Not regulated as a dangerous good  
IATA : Not regulated as a dangerous good

#### 14.3 Transport hazard class(es)

ADR : Not regulated as a dangerous good  
IMDG : Not regulated as a dangerous good  
IATA : Not regulated as a dangerous good

#### 14.4 Packing group

ADR : Not regulated as a dangerous good  
IMDG : Not regulated as a dangerous good  
IATA (Cargo) : Not regulated as a dangerous good  
IATA (Passenger) : Not regulated as a dangerous good

#### 14.5 Environmental hazards

ADR : Not regulated as a dangerous good  
IMDG : Not regulated as a dangerous good  
IATA (Passenger) : Not regulated as a dangerous good  
IATA (Cargo) : Not regulated as a dangerous good

#### 14.6 Special precautions for user

Not applicable

#### 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Remarks : Not applicable for product as supplied.

### SECTION 15: Regulatory information

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59). : This product does not contain substances of very high concern (Regulation (EC) No 1907/2006 (REACH),

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - DE



## OKS 473

Version	Revision Date:	Date of last issue: 26.03.2018	Print Date:
1.2	19.08.2020	Date of first issue: 02.05.2016	19.08.2020

- REACH - List of substances subject to authorisation (Annex XIV) : Article 57).  
Not applicable
- Regulation (EC) No 1005/2009 on substances that deplete the ozone layer : Not applicable
- Regulation (EU) 2019/1021 on persistent organic pollutants (recast) : Not applicable
- Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals : Not applicable
- REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, preparations and articles (Annex XVII) : Not applicable
- Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.  
Not applicable
- Water contaminating class (Germany) : WGK 1 slightly hazardous to water  
Classification according to AwSV, Annex 1 (5.2)
- TA Luft List (Germany) : Total dust:  
others: 0,21 %
- Inorganic substances in powdered form:  
Not applicable  
Inorganic substances in vapour or gaseous form:  
Not applicable  
Organic Substances:  
portion Class 1: < 0,01 %  
others: 99,79 %
- Carcinogenic substances:  
Not applicable  
Mutagenic:  
Not applicable  
Toxic to reproduction:  
Not applicable
- Volatile organic compounds : Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control)  
Not applicable

### 15.2 Chemical safety assessment

This information is not available.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - DE



## OKS 473

Version	Revision Date:	Date of last issue: 26.03.2018	Print Date:
1.2	19.08.2020	Date of first issue: 02.05.2016	19.08.2020

### SECTION 16: Other information

#### Full text of H-Statements

H302 : Harmful if swallowed.  
H312 : Harmful in contact with skin.  
H314 : Causes severe skin burns and eye damage.  
H315 : Causes skin irritation.  
H318 : Causes serious eye damage.  
H332 : Harmful if inhaled.  
H400 : Very toxic to aquatic life.  
H410 : Very toxic to aquatic life with long lasting effects.  
H412 : Harmful to aquatic life with long lasting effects.

#### Full text of other abbreviations

DE TRGS 900 : Germany. TRGS 900 - Occupational exposure limit values.  
DE TRGS 900 / AGW : Time Weighted Average

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Sub-

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - DE



## OKS 473

Version	Revision Date:	Date of last issue: 26.03.2018	Print Date:
1.2	19.08.2020	Date of first issue: 02.05.2016	19.08.2020

---

stances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

### Further information

#### Classification of the mixture:

Aquatic Chronic 3

H412

#### Classification procedure:

Calculation method

This safety data sheet applies only to products as originally packed and labelled. The information contained therein may not be reproduced or modified without our express written permission. Any forwarding of this document is only permitted to the extent required by law. Any further, in particular public, dissemination of the safety data sheet (e.g. as a document for download from the Internet) is not permitted without our express written consent. We provide our customers with amended safety data sheets as prescribed by law. The customer is responsible for passing on safety data sheets and any amendments contained therein to its own customers, employees and other users of the product. We provide no guarantee that safety data sheets received by users from third parties are up-to-date. All information and instructions in this safety data sheet have been compiled to the best of our knowledge and are based on the information available to us on the day of publication. The information provided is intended to describe the product in relation to the required safety measures; it is neither an assurance of characteristics nor a guarantee of the product's suitability for particular applications and does not justify any contractual legal relationship. The existence of a safety data sheet for a particular jurisdiction does not necessarily mean that import or use within that jurisdiction is legally permitted. If you have any questions, please contact your responsible sales contact or authorized trading partner.