

Version	Revision Date:	Date of last issue: 07.12.2021	Print Date:
2.3	24.04.2025	Date of first issue: 10.06.2016	24.04.2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier		
Product name	:	OKS 1111
1.2 Relevant identified uses of t Use of the Substance/Mixture Recommended restrictions on use	:	Substance or mixture and uses advised against Lubricant Restricted to professional users.
1.3 Details of the supplier of the	e saf	ety data sheet
Company	:	OKS Spezialschmierstoffe GmbH Ganghoferstr. 47 82216 Maisach-Gernlinden Deutschland Tel.: +49 8142 3051 500 Fax: +49 8142 3051 599 info@oks-germany.com
E-mail address of person responsible for the SDS	:	mcm@oks-germany.com
National contact	:	
1.4 Emergency telephone numb	ber	

rgency telep

Emergency telephone	:	+49 8142 3051 517
number		

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1	272/2008)	
Aerosols, Category 1	H222: Extremely flamm H229: Pressurised cont	able aerosol. ainer: May burst if heated.
Specific target organ toxicity - single exposure, Category 3, Central nervous system	H336: May cause drows	siness or dizziness.
Aspiration hazard, Category 1	H304: May be fatal if sw	vallowed and enters
	1 / 23	a brand of

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - DE



Print Date: 24.04.2025

OKS 11	11	
Version 2.3	Revision Date: 24.04.2025	Date of last issue: 07.12.2021 Date of first issue: 10.06.2016
		airways.

airways.

Long-term (chronic) aquatic hazard, Category 3

H412: Harmful to aquatic life with long lasting effects.

2.2 Label elements

Labelling (REGULATION (EC Hazard pictograms :) No 1272/2008)	
Signal word :	Danger	
Hazard statements :	H222 H229 H304 H336 H412	Extremely flammable aerosol. Pressurised container: May burst if heated. May be fatal if swallowed and enters airways. May cause drowsiness or dizziness. Harmful to aquatic life with long lasting effects.
Precautionary statements :	Prevention: P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
	P211	Do not spray on an open flame or other ignition source.
	P251	Do not pierce or burn, even after use.
	Response:	
	P301 + P310	IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
	P331	Do NOT induce vomiting.
	Storage:	
	P410 + P412	Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F.

Hazardous components which must be listed on the label:

Hydrocarbons, C7-C9, n-alkanes, isoalkanes, cyclics

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.





Version	Revision Date:	Date of last issue: 07.12.2021	Print Date:
2.3	24.04.2025	Date of first issue: 10.06.2016	24.04.2025

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature

: Active agent with propellant and solvent.

Components

Components					
Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	specific concentration limit M-Factor Notes Acute toxicity estimate	Concentration (% w/w)	
Hydrocarbons, C7-C9, n-alkanes, isoalkanes, cyclics	920-750-0 01-2119473851-33- xxxx	Flam. Liq.2; H225 STOT SE3; H336 Asp. Tox.1; H304 Aquatic Chronic2; H411; EUH066		>= 10 - < 20	
Substances with a workplace exposure limit :					
butane	106-97-8 203-448-7 601-004-00-0 01-2119474691-32- XXXX	Flam. Gas1; H220 Press. GasCompr. Gas; H280	Note U (Table 3), Note C	>= 50 - < 70	
propane	74-98-6 200-827-9 601-003-00-5 01-2119486944-21- XXXX	Flam. Gas1A; H220 Press. GasCompr. Gas; H280	Note U (Table 3)	>= 20 - < 30	
isobutane	75-28-5 200-857-2	Flam. Gas1A; H220 Press. GasCompr.	Note U (Table	>= 1 - < 10	





Version 2.3	Revision Date: 24.04.2025		ssue: 07.12.2021 ssue: 10.06.2016		t Date:)4.2025
)4-00-0 9485395-27-	Gas; H280	3), Note C	

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

If inhaled	 Call a physician or poison control centre immediately. Remove person to fresh air. If signs/symptoms continue, get medical attention. Keep patient warm and at rest. If unconscious, place in recovery position and seek medical advice. Keep respiratory tract clear. If breathing is irregular or stopped, administer artificial respiration.
In case of skin contact	 Take off all contaminated clothing immediately. Wash off immediately with soap and plenty of water. Get medical attention immediately if irritation develops and persists. Wash clothing before reuse. Thoroughly clean shoes before reuse.
In case of eye contact	 Rinse immediately with plenty of water, also under the eyelids, for at least 10 minutes. If eye irritation persists, consult a specialist.
If swallowed	 Move the victim to fresh air. If accidentally swallowed obtain immediate medical attention. Keep respiratory tract clear. Do NOT induce vomiting. Rinse mouth with water. Aspiration hazard if swallowed - can enter lungs and cause damage.
4.2 Most important symptoms	s and effects, both acute and delayed
Symptoms	: Inhalation may provoke the following symptoms: Unconsciousness Dizziness Drowsiness



Headache Nausea Tiredness



Version 2.3	Revision Date: 24.04.2025	Date of last issue: 07.12.2021 Date of first issue: 10.06.2016	Print Date: 24.04.2025
		Aspiration may cause pulmonary	oedema and pneumonitis.
Risks		: May be fatal if swallowed and enter May cause drowsiness or dizzines	
		Central nervous system depression Risk of product entering the lungs Health injuries may be delayed.	

4.3 Indication of any immediate medical attention and special treatment needed

Treatment	
-----------	--

: Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing modia		
5.1 Extinguishing media Suitable extinguishing media		ABC powder
Suitable extinguishing media	•	
Unsuitable extinguishing media	:	High volume water jet
5.2 Special hazards arising from	the	e substance or mixture
Specific hazards during firefighting	:	Fire Hazard Do not let product enter drains. Contains gas under pressure; may explode if heated. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.
Hazardous combustion products	:	Carbon oxides Metal oxides
5.3 Advice for firefighters		
Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment. Exposure to decomposition products may be a hazard to health.
Further information	:	Standard procedure for chemical fires. Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Cool containers/tanks with water spray.





Version	Revision Date:	Date of last issue: 07.12.2021	Print Date:
2.3	24.04.2025	Date of first issue: 10.06.2016	24.04.2025

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	 Evacuate personnel to safe areas. Ensure adequate ventilation. Remove all sources of ignition. Do not breathe vapours or spray mist. Do not breathe dust/ fume/ gas/ mist/ vapours/ spray. Refer to protective measures listed in sections 7 and 8. Only qualified personnel equipped with suitable protective equipment may intervene.
6.2 Environmental precautions	

Environmental precautions	:	Do not allow contact with soil, surface or ground water. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.
---------------------------	---	---

6.3 Methods and material for containment and cleaning up

Methods for cleaning up	:	Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Keep in suitable, closed containers for disposal. Non-sparking tools should be used.
-------------------------	---	---

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Wash hands and face before breaks and immediately after handling the product. Do not get in eyes or mouth or on skin. Do not get on skin or clothing. Do not ingest.	Advice on safe handling	handling the product. Do not get in eyes or mouth or on skin. Do not get on skin or clothing.
--	-------------------------	---





OKS 111	1			
Version 2.3	Revision Date: 24.04.2025		e of last issue: 07.12.2021 e of first issue: 10.06.2016	Print Date: 24.04.2025
			Do not use sparking tools. These safety instructions also apply to may still contain product residues. Pressurized container: protect from sur expose to temperatures exceeding 50 to burn, even after use.	nlight and do not
Hygie	ne measures	:	Wash face, hands and any exposed sk handling.	in thoroughly after
7.2 Conditions for safe storage, including any incompatibilities				
Requirements for storage areas and containers		:	BEWARE: Aerosol is pressurized. Kee exposure and temperatures over 50 °C or throw into fire even after use. Do not red-hot objects. Store in accordance w national regulations.	. Do not open by force spray on flames or
Stora	ge class (TRGS 510)	:	2B, Aerosol cans and lighters	
-	ic end use(s) fic use(s)	:	Specific instructions for handling, not re	equired.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
butane	106-97-8	AGW	1.000 ppm 2.400 mg/m3	DE TRGS 900
	Peak-limit: e	kcursion factor (categ	orv): 4:(II)	(2006-01-01)
		MAK	1.000 ppm 2.400 mg/m3	DE DFG MAK (2008-07-01)
	the embryo o	r foetus, including de	re no data for an assessmen velopmental neurotoxicity, or r classification in one of the c	r the currently
propane	74-98-6	MAK	1.000 ppm 1.800 mg/m3	DE DFG MAK (2023-07-01)
	Peak-limit: ex	cursion factor (categ	<u> </u>	/
	Further information: Either there are no data for an assessment of damage the embryo or foetus, including developmental neurotoxicity, or the curren available data are not sufficient for classification in one of the groups A - C			r the currently
		AGW	1.000 ppm 1.800 mg/m3	DE TRGS 900



SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - DE



OKS 1111

Vers 2.3	sion Revision Da 24.04.2025		of last issue: 07.12.2 of first issue: 10.06.2		Print Date: 24.04.2025
				1	(2006-01-01)
		Peak-limit: ex	cursion factor (categ	gory): 4;(II)	
	Hydrocarbons, C7- C9, n-alkanes, isoalkanes, cyclics	Not Assigned	AGW	1.500 mg/m3	DE TRGS 900 (2009-02-16)
		Peak-limit: ex	cursion factor (categ	ory): 2;(II)	
		Further inforn	nation: Group expos	ure limit for hydroca	rbon solvent mixtures
	isobutane	75-28-5	AGW	1.000 ppm 2.400 mg/m3	DE TRGS 900 (2006-01-01)
		Peak-limit: ex	cursion factor (cated	pory): 4;(II)	
			MAK	1.000 ppm 2.400 mg/m3	DE DFG MAK (2023-07-01)
İ		Peak-limit: excursion factor (category): 4; II			
		the embryo o	r foetus, including de	evelopmental neurot	sessment of damage to oxicity, or the currently e of the groups A - C

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
Hydrocarbons, C7- C9, n-alkanes, isoalkanes, cyclics	Workers	Inhalation	Acute systemic effects	1286,4 mg/m3
	Workers	Inhalation	Long-term local effects	837,5 mg/m3

8.2 Exposure controls

Engineering measures

Use only in an area equipped with explosion proof exhaust ventilation. Handle only in a place equipped with local exhaust (or other appropriate exhaust).

Personal protective equipment				
Eye/face protection	:	Safety glasses with side-shields		
Hand protection Material Break through time Protective index	:	butyl-rubber > 10 min Class 1		
Remarks	:	Wear protective gloves. The break through time depends amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each case. The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it.		
Skin and body protection	:	Choose body protection in relation to its type, to the		





OKS 11	11			
Version 2.3	Revision Date: 24.04.2025	Date of last issue: 07.12.2021 Date of first issue: 10.06.2016	Print Date: 24.04.2025	
		concentration and amount c the specific work-place.	f dangerous substances, and to	
Resp	iratory protection	ventilation is provided or exp	Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines. Short term only	
Fi	lter type	: Filter type A-P		
Prote	ective measures		The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.	
Envi	ronmental exposure	ontrols		
Air		: Should not be released into	the environment.	
Soil		:		
		Do not allow contact with sc The product should not be a courses or the soil.	il, surface or ground water. Illowed to enter drains, water	
Wate	r	:		
		Do not allow contact with so The product should not be a courses or the soil.	il, surface or ground water. Illowed to enter drains, water	

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	: aerosol	
Colour	: colourless	
Odour	: hydrocarbon-lik	е
Odour Threshold	: No data availab	le
Melting point/ range	: No data availab	le

Initial boiling point and boiling : < -20 °C (1.013 hPa)





Vers 2.3	sion	Revision Date: 24.04.2025		e of last issue: 07.12.2021 e of first issue: 10.06.2016	Print Date: 24.04.2025
	range				
	Flamm	nability (solid, gas)	:	Extremely flammable aerosol.	
		explosion limit / Uppei ability limit	r :	15 %(V)	
		explosion limit / Lowei ability limit	:	0,6 %(V)	
	Flash	point	:	< -20 °C Method: Abel-Pensky	
	Auto-ię	gnition temperature	:	> 200 °C	
	Decom	nposition temperature	:	No data available	
	pН		:	Not applicable substance/mixture is non-soluble	(in water)
	Viscos Vis	ity cosity, dynamic	:	No data available	
	Vis	cosity, kinematic	:	< 20,5 mm2/s (40 °C)	
		lity(ies) tter solubility	:	insoluble	
	Sol	ubility in other solvents	6 :	No data available	
		on coefficient: n- bl/water	:	No data available	
	Vapou	r pressure	:	4.920 hPa (20 °C)	
	Relativ	ve density	:	0,6 (20 °C) Reference substance: Water The value is calculated	
	Densit	У	:	0,60 g/cm3 (20 °C)	
	Bulk d	ensity	:	No data available	
	Relativ	ve vapour density	:	No data available	
9.2 (Other i	nformation			
	Explos	sives	:	Not explosive	





Version 2.3	Revision Date: 24.04.2025		of last issue: 07.12.2021 of first issue: 10.06.2016	Print Date: 24.04.2025	
Oxidiz	zing properties	:	No data available		
Self-ignition		:	not auto-flammable		
Metal corrosion rate		:	Not corrosive to metals		
Sublimation point		:	No data available		

SECTION 10: Stability and reactivity

10.1 Reactivity

No hazards to be specially mentioned.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions	:	No dangerous reaction known under conditions of normal use.
---------------------	---	---

10.4 Conditions to avoid

Conditions to avoid	:	Heat, flames and sparks.
		Strong sunlight for prolonged periods. Risk of receptacle bursting.

10.5 Incompatible materials

:	Oxidizing agents
	:

10.6 Hazardous decomposition products

>150 °C small quantities of formaldehyde may be formed.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Based on available data, the classification criteria are not met.

Product:

Acute oral toxicity :	Remarks: Effects due to	ingestion may include:
-----------------------	-------------------------	------------------------

Symptoms: Central nervous system depression





OKS	11	11

rsion	Revision Date: 24.04.2025		e of last issue: 07.12.2021 e of first issue: 10.06.2016	Print Date: 24.04.2025
Acute	inhalation toxicity	:	Remarks: Respiration of solvent v	apour may cause dizzine
			Symptoms: Inhalation may provol Respiratory disorder, Dizziness, I Fatigue, Vertigo, Central nervous	Drowsiness, Vomiting,
Acute	e dermal toxicity	:	Remarks: This information is not a	available.
Com	ponents:			
Hydro	ocarbons, C7-C9, n-	alkane	s, isoalkanes, cyclics:	
Acute	e oral toxicity	:	LD50 Oral (Rat): > 5.000 mg/kg	
butar	ne:			
Acute	inhalation toxicity	:	LC50 (Rat): 658 mg/l Exposure time: 4 h Test atmosphere: gas	
isobı	itane:			
Acute	inhalation toxicity	:	LC50 (Rat): 658 mg/l Exposure time: 4 h Test atmosphere: gas	
Skin	corrosion/irritation			
Base	d on available data, th	ne clas	sification criteria are not met.	
Prod				
Rema	arks	:	This information is not available.	
<u>Com</u>	ponents:			
Hydro	ocarbons, C7-C9, n-	alkane	s, isoalkanes, cyclics:	
Resu	lt	:	Repeated exposure may cause sl	kin dryness or cracking.
	ous eye damage/eye			
		ne clas	sification criteria are not met.	
Prod Rema		:	Contact with eyes may cause irrita	ation.
Rosn	iratory or skin sens	itisatio		
-	-	iisailt	···	
Skin	sensitisation			



SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - DE



OKS 1111

rsion 3	Revision Date: 24.04.2025		e of last issue: 07.12.2021 e of first issue: 10.06.2016	Print Date: 24.04.2025
•	iratory sensitisatio d on available data, t		sification criteria are not met.	
Prod	uct:			
Rema		:	This information is not available.	
	n cell mutagenicity	he clas	sification criteria are not met.	
Prod				
	toxicity in vitro	:	Remarks: No data available	
Geno	toxicity in vivo	:	Remarks: No data available	
	inogenicity			
Base	d on available data, t	he class	sification criteria are not met.	
Prod				
Rema	arks	:	No data available	
Base Prod		he class	sification criteria are not met. Remarks: No data available	
Effect	ts on foetal opment	:		
	opmon			
0707				
	Γ - single exposure	diation		
Mayo	cause drowsiness or	dizzines	SS.	
May o <u>Prode</u> Expos	cause drowsiness or	:	ss. Inhalation The substance or mixture is classifie toxicant, single exposure, category 3	
May o <u>Prode</u> Expos Asses	cause drowsiness or <u>uct:</u> sure routes	:	Inhalation The substance or mixture is classifie	
May o Produ Expos Asses <u>Com</u>	cause drowsiness or <u>uct:</u> sure routes ssment ponents:	:	Inhalation The substance or mixture is classifie	
May of Produ Expose Asses Comp Hydro Asses	cause drowsiness or <u>uct:</u> sure routes ssment ponents: ocarbons, C7-C9, n ssment Γ - repeated exposu	-alkane :	Inhalation The substance or mixture is classifie toxicant, single exposure, category 3 s, isoalkanes, cyclics:	





Version	Revision Date:	Date of last issue: 07.12.2021	Print Date:
2.3	24.04.2025	Date of first issue: 10.06.2016	24.04.2025

Repeated dose toxicity

Product:

Remarks

: This information is not available.

Aspiration toxicity

May be fatal if swallowed and enters airways.

Product:

This information is not available.

Components:

Hydrocarbons, C7-C9, n-alkanes, isoalkanes, cyclics:

May be fatal if swallowed and enters airways.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Further information

Product:

Remarks

: Information given is based on data on the components and the toxicology of similar products.

SECTION 12: Ecological information

12.1 Toxicity

Product:		
Toxicity to fish	:	Remarks: Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
Toxicity to daphnia and other aquatic invertebrates	:	Remarks: No data available
Toxicity to algae/aquatic	:	Remarks: No data available





Version 2.3	Revision Date: 24.04.2025		e of last issue: 07.12.2021 e of first issue: 10.06.2016	Print Date: 24.04.2025
plant	S			
Toxic	sity to microorganisms	:	Remarks: No data available	
<u>Com</u>	ponents:			
Hydr	ocarbons, C7-C9, n-a	lkane	s, isoalkanes, cyclics:	
	oxicology Assessme nic aquatic toxicity	nt :	Toxic to aquatic life with long lasti	ng effects.
2.2 Pers	istence and degradal	oility		
<u>Prod</u> Biode	uct: egradability	:	Remarks: No data available	
	ico-chemical vability	:	Remarks: No data available	
<u>Com</u>	ponents:			
-	ocarbons, C7-C9, n-a egradability	lkane :	s, isoalkanes, cyclics: Result: Readily biodegradable.	
2.3 Bioa	ccumulative potentia	I		
Prod	uct:			
Bioad	ccumulation	:	Remarks: No data available	
<u>Com</u>	ponents:			
Hydr	ocarbons, C7-C9, n-a	lkane	s, isoalkanes, cyclics:	
Bioad	ccumulation	:	Remarks: Not applicable	
	tion coefficient: n- nol/water	:	Remarks: No data available	
buta	ne:			
	tion coefficient: n- nol/water	:	log Pow: 2,89 Method: OECD Test Guideline 10	7
prop Partit			log Pow: 2.36	
Partit	ane: tion coefficient: n- nol/water	:	log Pow: 2,36	





Version 2.3	Revision Date: 24.04.2025		e of last issue: 07.12.2021 e of first issue: 10.06.2016	Print Date: 24.04.2025
isob	utane:			
	Partition coefficient: n- octanol/water		log Pow: 2,88 Method: OECD Test Guideline 107	
12.4 Mob	ility in soil			
Prod	luct:			
Mobi	lity	:	Remarks: No data available	
	ibution among onmental compartment	-	Remarks: No data available	
12.5 Rest	ults of PBT and vPvB	asse	ssment	
Prod	luct:			
Asse	ssment	:	This substance/mixture contains no cor to be either persistent, bioaccumulative very persistent and very bioaccumulative	and toxic (PBT), or

0.1% or higher.

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

Product:

Additional ecological	:	Harmful to aquatic life with long lasting effects.
information		

Global warming potential

Assessment Report of the Intergovernmental Panel on Climate Change (IPCC) of the United Nations Framework Convention on Climate Change (UNFCCC)

Components:

propane:

20-year global warming potential: 0,072 100-year global warming potential: 0,02 500-year global warming potential: 0,006 Atmospheric lifetime: 0,036 yr Radiative efficiency: 0 Wm2ppb



SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - DE



OKS 1111

Version	Revision Date:	Date of last issue: 07.12.2021	Print Date:
2.3	24.04.2025	Date of first issue: 10.06.2016	24.04.2025

Further information: Miscellaneous compounds

octamethylcyclotetrasiloxane [D4]:

20-year global warming potential: 2,66 100-year global warming potential: 0,739 500-year global warming potential: 0,211 Atmospheric lifetime: 0,027 yr Radiative efficiency: 0,12 Wm2ppb Further information: Miscellaneous compounds

SECTION 13: Disposal considerations

13.1 Waste treatment methods	
Product :	Do not dispose of with domestic refuse. Dispose of as hazardous waste in compliance with local and national regulations.
	Waste codes should be assigned by the user based on the application for which the product was used.
Contaminated packaging :	Packaging that is not properly emptied must be disposed of as the unused product. Offer empty spray cans to an established disposal company. Pressurized container: Do not pierce or burn, even after use.
	The following Waste Codes are only suggestions:
Waste Code :	unused product, packagings not completely emptied 16 05 04*, gases in pressure containers (including halons) containing hazardous substances

SECTION 14: Transport information

14.1 UN number or ID number

ADN	:	UN 1950
ADR	:	UN 1950
RID	:	UN 1950
IMDG	:	UN 1950
ΙΑΤΑ	:	UN 1950
14.2 UN proper shipping name		
ADN	:	AEROSOLS
ADR	:	AEROSOLS



SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - DE



Version 2.3	Revision Date: 24.04.2025		e of last issue: 07.12.2021 e of first issue: 10.06.2016	Print Date: 24.04.2025
RID IMDG IATA		:	AEROSOLS AEROSOLS	
			Aerosols, flammable	
	sport hazard class(es)		<u> </u>	
		:	2	
ADR		:	2	
RID		:	2	
IMDG		:	2.1	
IATA		:	2.1	
	ing group			
ADN Packi Class Label	ing group ification Code Is	:	Not assigned by regulation 5F 2.1	
Class Label	ing group ification Code ls el restriction code	:	Not assigned by regulation 5F 2.1 (D)	
Class	ing group ification Code rd Identification Number Is	: : r :	Not assigned by regulation 5F 23 2.1	
Label	ing group	:	Not assigned by regulation 2.1 F-D, S-U	
Packi aircra Packi	ing instruction (LQ)	:	203 Y203 Not assigned by regulation Flammable Gas	
Packi (pass Packi	(Passenger) ing instruction enger aircraft) ing instruction (LQ) ing group	:	203 Y203 Not assigned by regulation Flammable Gas	

14.5 Environmental hazards





Version 2.3	Revision Date: 24.04.2025	Date of last issue: 07.12.2021 Date of first issue: 10.06.2016	Print Date: 24.04.2025
ADN Envir	onmentally hazardous	: no	
ADR			

Environmentally hazardous	:	no
RID Environmentally hazardous	:	no
IMDG		
Marine pollutant	:	no

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Remarks

: Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)	 Conditions of restriction for the following entries should be considered: Number on list 75 If you intend to use this product as tattoo ink, please contact your vendor.
REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59). (EU SVHC)	: This product does not contain substances of very high concern (Regulation (EC) No 1907/2006 (REACH), Article 57).
Regulation (EU) No 2024/590 on substances that deplete the ozone layer (EC 2024/590)	: Not applicable
Regulation (EU) 2019/1021 on persistent organic pollutants (recast) (EU POP)	: Not applicable
Regulation (EU) No 649/2012 of the European	: Not applicable





OKS 1111					
Version 2.3	Revision Date: 24.04.2025		e of last issue: 07. e of first issue: 10.	-	Print Date: 24.04.2025
impor	Parliament and the Council concerning the export and import of dangerous chemicals (EU PIC)				
(Anne	REACH - List of substances subject to authorisation : Not applicable (Annex XIV) (EU. REACH-Annex XIV)				
-	ation (EU) 2019/1148 sives precursors	on th	e marketing and us	se of :	Not applicable
				P2	
Parlia major	so III: Directive 2012/18 ment and of the Counc accident hazards invo ances.	cil on	the control of	P3a	FLAMMABLE AEROSOLS
				18	Liquefied flammable gases (including LPG) and natural gas
				34	Petroleum products: (a) gasolines and naphthas, (b) kerosenes (including jet fuels), (c) gas oils (including diesel fuels, home heating oils and gas oil blending streams),(d) heavy fuel oils (e) alternative fuels serving the same purposes and with similar properties as regards flammability and environmental hazards as the products referred to in points (a) to (d)
Water (Germ	hazard class hany)	:	WGK 2 obviously Classification acc		ous to water AwSV, Annex 1 (5.2)
TA Lu	TA Luft List (Germany) : 5.2.1: Total dust: others: 0,74 % 5.2.2: Inorganic substances in powdered form: Not applicable 5.2.4: Inorganic substances in gaseous form: Not applicable				



SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - DE



OKS 1	1111		
Version 2.3	Revision Date: 24.04.2025	Date of last issue: 07.12.2021 Date of first issue: 10.06.2016	Print Date: 24.04.2025
		5.2.5: Organic Substances: Class 1: 0,04 % 5.2.7.1.1: Carcinogenic substan Not applicable 5.2.7.1.1: Quartz fine dust PM4: Not applicable 5.2.7.1.1: Formaldehyde: Not applicable 5.2.7.1.2: Germ cell mutagens: Not applicable 5.2.7.1.3: Substances toxic to re Not applicable 5.2.7.2: Poorly degradable, easi organic substances: Not applicable	eproduction:
Vo	latile organic compounds	 Directive 2010/75/EU of 24 Novel livestock rearing emissions (inter and control) Volatile organic compounds (VC) 	grated pollution prevention
0+	her regulations:		

Other regulations:

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

15.2 Chemical safety assessment

This information is not available.

SECTION 16: Other information

Full text of H-Statements

H220 :	Extremely flammable gas.
H225 :	Highly flammable liquid and vapour.
H280 :	Contains gas under pressure; may explode if heated.
H304 :	May be fatal if swallowed and enters airways.
H336 :	May cause drowsiness or dizziness.
H411 :	Toxic to aquatic life with long lasting effects.
EUH066 :	Repeated exposure may cause skin dryness or cracking.

Full text of other abbreviations





Version 2.3	Revision Date: 24.04.2025	Date of last issue: 07.12.2021 Date of first issue: 10.06.2016	Print Date: 24.04.2025		
Note C		: Some organic substances may be marketed either in a specific isomeric form or as a mixture of several isomers. In this case the supplier must state on the label whether the substance is a specific isomer or a mixture of isomers.			
Note U (Table 3)		: When put on the market ga "Gases under pressure", in gas, liquefied gas, refrigera The group depends on the packaged and therefore ha following codes are assign (Liq.) Press. Gas (Ref. Liq. not be classified as gases 2, Section 2.3.2.1, Note 2)	: When put on the market gases have to be classified as "Gases under pressure", in one of the groups compressed gas, liquefied gas, refrigerated liquefied gas or dissolved gas. The group depends on the physical state in which the gas is packaged and therefore has to be assigned case by case. The following codes are assigned: Press. Gas (Comp.) Press. Gas (Liq.) Press. Gas (Ref. Liq.) Press. Gas (Diss.) Aerosols shall not be classified as gases under pressure (See Annex I, Part		
	FG MAK	: Germany. MAK BAT Anne			
			cupational exposure limit values.		
DE DFG MAK / MAK		: MAK value			
DE TRGS 900 / AGW		: Time Weighted Average			

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN -Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx -Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA -International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIOC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID -Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals





Version	Revision Date:	Date of last issue: 07.12.2021	Print Date:
2.3	24.04.2025	Date of first issue: 10.06.2016	24.04.2025

Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Classification of the mi	ixture:	Classification procedure:
Aerosol 1	H222, H229	Based on product data or assessment
STOT SE 3	H336	Based on product data or assessment
Asp. Tox. 1	H304	Calculation method
Aquatic Chronic 3	H412	Calculation method

|| Relevant changes compared to the last edition are highlighted at the left margin. This version replaces all previous editions.

This safety data sheet applies only to products as originally packed and labelled. The information contained therein may not be reproduced or modified without our express written permission. Any forwarding of this document is only permitted to the extent required by law. Any further, in particular public, dissemination of the safety data sheet (e.g. as a document for download from the Internet) is not permitted without our express written consent. We provide our customers with amended safety data sheets as prescribed by law. The customer is responsible for passing on safety data sheets and any amendments contained therein to its own customers, employees and other users of the product. We provide no guarantee that safety data sheets received by users from third parties are up-to-date. All information and instructions in this safety data sheet have been compiled to the best of our knowledge and are based on the information available to us on the day of publication. The information provided is intended to describe the product in relation to the required safety measures; it is neither an assurance of characteristics nor a guarantee of the product's suitability for particular applications and does not justify any contractual legal relationship. The existence of a safety data sheet for a particular jurisdiction does not necessarily mean that import or use within that jurisdiction is legally permitted. If you have any questions, please contact your responsible sales contact or authorized trading partner.

