according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - DE



OKS 476

Version Revision Date: Date of last issue: 21.11.2022 Print Date: 1.5 20.10.2025 Date of first issue: 09.07.2016 20.10.2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name : OKS 476

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the : Grease

Substance/Mixture

Recommended restrictions

on use

Restricted to professional users.

1.3 Details of the supplier of the safety data sheet

Company : OKS Spezialschmierstoffe GmbH

Ganghoferstr. 47

82216 Maisach-Gernlinden

Deutschland

Tel.: +49 8142 3051 500 Fax: +49 8142 3051 599 info@oks-germany.com

E-mail address of person

responsible for the SDS

mcm@oks-germany.com

National contact

1.4 Emergency telephone number

Emergency telephone

: +49 8142 3051 517

number

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

Additional Labelling

EUH210 Safety data sheet available on request.



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - DE



OKS 476

VersionRevision Date:Date of last issue: 21.11.2022Print Date:1.520.10.2025Date of first issue: 09.07.201620.10.2025

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature : Mineral oil.

aluminium complex soap Synthetic hydrocarbon oil

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	specific concentration limit M-Factor Notes Acute toxicity estimate	Concentration (% w/w)	
disodium sebacate	17265-14-4 241-300-3 01-2120762063-61- XXXX	Eye Irrit. 2; H319		>= 1 - < 10	
White mineral oil (petroleum)	8042-47-5 232-455-8 01-2119487078-27- XXXX	Asp. Tox. 1; H304		>= 1 - < 10	
Benzenamine, N- phenyl-, reaction products with 2,4,4- trimethylpentene	68411-46-1 270-128-1 01-2119491299-23- XXXX	Repr. 2; H361f		>= 0,1 - < 1	
Substances with a workplace exposure limit :					

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - DE



OKS 476

VersionRevision Date:Date of last issue: 21.11.2022Print Date:1.520.10.2025Date of first issue: 09.07.201620.10.2025

White mineral oil (petroleum)	8042-47-5 232-455-8	Not classified	>= 70 - < 90
	01-2119487078-27- XXXX		
zinc sulphide	1314-98-3 215-251-3	Not classified	>= 1 - < 10
	01-2119475779-15- XXXX		

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

If inhaled : Obtain medical attention.

Remove person to fresh air. If signs/symptoms continue, get

medical attention.

Keep patient warm and at rest.

If unconscious, place in recovery position and seek medical

advice.

Keep respiratory tract clear.

If breathing is irregular or stopped, administer artificial

respiration.

In case of skin contact : Take off all contaminated clothing immediately.

Get medical attention immediately if irritation develops and

persists.

Wash clothing before reuse.

Thoroughly clean shoes before reuse. Wash off immediately with plenty of water.

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids,

for at least 10 minutes.

If eye irritation persists, consult a specialist.

If swallowed : Move the victim to fresh air.

If unconscious, place in recovery position and seek medical

advice.

Keep respiratory tract clear.

Do not induce vomiting without medical advice.

Obtain medical attention. Rinse mouth with water.

Never give anything by mouth to an unconscious person.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms : No symptoms known or expected.



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - DE



OKS 476

Version Revision Date: Date of last issue: 21.11.2022 Print Date: 1.5 20.10.2025 Date of first issue: 09.07.2016 20.10.2025

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or

carbon dioxide.

Unsuitable extinguishing

media

High volume water jet

5.2 Special hazards arising from the substance or mixture

Hazardous combustion : Carbon oxides

products Nitrogen oxides (NOx)

Metal oxides

5.3 Advice for firefighters

Special protective equipment :

for firefighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment. Exposure to decomposition products may be a hazard to health.

Further information : Standard procedure for chemical fires.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Evacuate personnel to safe areas.

Ensure adequate ventilation. Do not breathe vapours, aerosols.

Refer to protective measures listed in sections 7 and 8.

6.2 Environmental precautions

Environmental precautions : Try to prevent the material from entering drains or water

courses.

Local authorities should be advised if significant spillages

cannot be contained.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Pick up and transfer to properly labelled containers.



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - DE



OKS 476

VersionRevision Date:Date of last issue: 21.11.2022Print Date:1.520.10.2025Date of first issue: 09.07.201620.10.2025

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : Avoid contact with skin and eyes.

For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the

application area.

Wash hands and face before breaks and immediately after

handling the product.

Do not get in eyes or mouth or on skin.

Do not get on skin or clothing.

Do not ingest. Do not repack.

These safety instructions also apply to empty packaging which

may still contain product residues. Keep container closed when not in use.

Hygiene measures : Wash face, hands and any exposed skin thoroughly after

handling.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Store in original container. Keep container closed when not in use. Keep in a dry, cool and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store in accordance with the particular national regulations. Keep in properly labelled containers.

Storage class (TRGS 510) : 11, Combustible Solids

7.3 Specific end use(s)

Specific use(s) : Specific instructions for handling, not required.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
White mineral oil	8042-47-5	MAK (measured	5 mg/m3	DE DFG MAK



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - DE $\,$



OKS 476

VersionRevision Date:Date of last issue: 21.11.2022Print Date:1.520.10.2025Date of first issue: 09.07.201620.10.2025

(petroleum)		as the alveolate fraction)		(2023-07-01)		
	Peak-limit: excursion factor (category): 4; II					
		Further information: Damage to the embryo or foetus is unlikely when the				
		MAK value or the BAT value is observed				
	AGW (Alveolate 5 mg/m3 DE fraction) 900					
	Dook limit: ov	L cursion factor (categ	 	(2015-11-06)		
			s compliance with the OEL ar	nd higheriaal		
			of harming the unborn child	id biological		
White mineral oil (petroleum)	8042-47-5	MAK (measured as the alveolate	5 mg/m3	DE DFG MAK (2023-07-01)		
	Deal limit as	fraction)				
		cursion factor (categ				
		Further information: Damage to the embryo or foetus is unlikely when the MAK value or the BAT value is observed				
	IVIAK value of			DE TRGS		
		AGW (Alveolate fraction)	5 mg/m3	900		
		Traction)		(2015-11-06)		
	Peak-limit: ev	cursion factor (categ	 ory): 4:()	(2013-11-00)		
			s compliance with the OEL ar	nd hiological		
			of harming the unborn child	id biological		
zinc sulphide	1314-98-3	MAK (measured as the alveolate fraction)	0,1 mg/m3	DE DFG MAK (2023-07-01)		
	Peak-limit: ex	cursion factor (categ	ory): 4; I			
		Further information: Zinc chloride: peak limit I(1), Damage to the embryo or foetus is unlikely when the MAK value or the BAT value is observed				
		MAK (inhalable fraction)	2 mg/m3	DE DFG MAK (2023-07-01)		
	Peak-limit: ex	cursion factor (categ	ory): 4; I	,		
	Further information: Zinc chloride: peak limit I(1), Damage to the embryo or foetus is unlikely when the MAK value or the BAT value is observed					

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006

Substance name	End Use	Exposure routes	Potential health effects	Value
White mineral oil (petroleum)	Workers	Inhalation	Long-term systemic effects	164,56 mg/m3
	Workers	Skin contact	Long-term systemic effects	217,05 mg/kg
disodium sebacate	Workers	Skin contact	Long-term systemic effects	10 mg/kg
	Workers	Inhalation	Long-term systemic effects	35,26 mg/m3
White mineral oil (petroleum)	Workers	Inhalation	Long-term systemic effects	164,56 mg/m3
	Workers	Dermal	Long-term systemic effects	217,05 mg/kg bw/day



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - DE



OKS 476

VersionRevision Date:Date of last issue: 21.11.2022Print Date:1.520.10.2025Date of first issue: 09.07.201620.10.2025

zinc sulphide	Workers	Inhalation	Long-term systemic effects	5 mg/m3
	Workers	Dermal	Long-term systemic effects	83 mg/kg bw/day
Benzenamine, N- phenyl-, reaction products with 2,4,4- trimethylpentene	Workers	Skin contact	Long-term systemic effects	0,44 mg/kg bw/day
	Workers	Inhalation	Long-term systemic effects	0,31 mg/m3

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006

Substance name	Environmental Compartment	Value
disodium sebacate	Fresh water	0,018 mg/l
	Marine water	0,002 mg/l
	Sewage treatment plant	10 mg/l
	Fresh water sediment	0,548 mg/kg
	Marine sediment	0,055 mg/kg
	Soil	0,099 mg/kg
zinc sulphide	Fresh water	0,0206 mg/l
	Marine water	0,0061 mg/l
	Microbiological Activity in Sewage	0,1 mg/l
	Treatment Systems	
	Fresh water sediment	117,8 mg/kg
	Marine sediment	56,5 mg/kg
	Soil	35,6 mg/kg
Benzenamine, N-phenyl-,	Fresh water	0,034 mg/l
reaction products with 2,4,4-		
trimethylpentene		
	Marine water	0,003 mg/l
	Fresh water sediment	0,446 mg/kg
	Marine sediment	0,045 mg/kg
	Soil	1,76 mg/kg
	Sewage treatment plant	10 mg/l
	Intermittent use/release	0,51 mg/l
Aluminum, benzoate C16-18-	Fresh water	0,1 mg/l
fatty acids complexes		
	Marine water	0,01 mg/l

8.2 Exposure controls

Engineering measures

Handle only in a place equipped with local exhaust (or other appropriate exhaust).

Personal protective equipment

Eye/face protection : Safety glasses

Hand protection

Material : Nitrile rubber
Break through time : > 10 min
Protective index : Class 1



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - DE



OKS 476

Version Revision Date: Date of last issue: 21.11.2022 Print Date: 1.5 20.10.2025 Date of first issue: 09.07.2016 20.10.2025

Remarks : Wear protective gloves. The break through time depends

amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each

case.

The selected protective gloves have to satisfy the

specifications of Regulation (EU) 2016/425 and the standard

EN 374 derived from it.

Skin and body protection : Choose body protection in relation to its type, to the

concentration and amount of dangerous substances, and to

the specific work-place.

Respiratory protection : Not required; except in case of aerosol formation.

Filter type : Filter type P

Protective measures : The type of protective equipment must be selected according

to the concentration and amount of the dangerous substance

at the specific workplace.

Environmental exposure controls

Air : No special environmental precautions required.

Soil : The product should not be allowed to enter drains, water

courses or the soil.

Water : The product should not be allowed to enter drains, water

courses or the soil.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state : solid

Form : paste

Colour : yellow

Odour : characteristic

Odour Threshold : No data available

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - DE



OKS 476

VersionRevision Date:Date of last issue: 21.11.2022Print Date:1.520.10.2025Date of first issue: 09.07.201620.10.2025

Melting point/ range : No data available

Boiling point/boiling range : No data available

Flammability : Flammability (solid, gas):

Combustible Solids

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Flash point : Not applicable

Auto-ignition temperature : No data available

Decomposition temperature : No data available

pH : Not applicable

Viscosity

Viscosity, dynamic : No data available

Viscosity, kinematic : Not applicable

Solubility(ies)

Water solubility : insoluble

Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

No data available

Vapour pressure : < 0,001 hPa (20 °C)

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - DE



OKS 476

VersionRevision Date:Date of last issue: 21.11.2022Print Date:1.520.10.2025Date of first issue: 09.07.201620.10.2025

Relative density : 0,92 (20 °C)

Reference substance: Water The value is calculated

Density : 0,92 g/cm3

(20 °C)

Bulk density : No data available

Relative vapour density : No data available

Particle characteristics

Particle size : Not applicable

Particle Size Distribution : Not applicable

9.2 Other information

Explosives : Not explosive

Oxidizing properties : No data available

Self-ignition : No data available

Evaporation rate : No data available

Sublimation point : No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No hazards to be specially mentioned.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions : No dangerous reaction known under conditions of normal use.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - DE



OKS 476

Version Revision Date: Date of last issue: 21.11.2022 Print Date: 1.5 20.10.2025 Date of first issue: 09.07.2016 20.10.2025

10.4 Conditions to avoid

Conditions to avoid : No conditions to be specially mentioned.

10.5 Incompatible materials

Materials to avoid : No materials to be especially mentioned.

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Based on available data, the classification criteria are not met.

Product:

Acute oral toxicity : Remarks: This information is not available.

Acute inhalation toxicity : Remarks: This information is not available.

Acute dermal toxicity : Remarks: This information is not available.

Components:

disodium sebacate:

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg

Method: OECD Test Guideline 401

GLP: no

Acute dermal toxicity : LD50 (Rabbit): > 2.000 mg/kg

Method: OECD Test Guideline 402

GLP: yes

Assessment: The substance or mixture has no acute dermal

toxicity

White mineral oil (petroleum):

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg

Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat): > 5 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

Assessment: The substance or mixture has no acute

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - DE



OKS 476

Version Revision Date: Date of last issue: 21.11.2022 Print Date: 1.5 20.10.2025 Date of first issue: 09.07.2016 20.10.2025

inhalation toxicity

Acute dermal toxicity : LD50 (Rabbit): > 2.000 mg/kg

Method: OECD Test Guideline 402

Assessment: The substance or mixture has no acute dermal

toxicity

Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg

Method: OECD Test Guideline 401

Acute dermal toxicity : LD50 (Rat): > 2.000 mg/kg

Method: OECD Test Guideline 402

Assessment: The substance or mixture has no acute dermal

toxicity

White mineral oil (petroleum):

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg

Method: OECD Test Guideline 401

GLP: yes

Acute inhalation toxicity : LC50 (Rat): > 5 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

GLP: yes

Assessment: The substance or mixture has no acute

inhalation toxicity

Acute dermal toxicity : LD50 (Rabbit): > 2.000 mg/kg

Method: OECD Test Guideline 402

GLP: yes

Assessment: The substance or mixture has no acute dermal

toxicity

zinc sulphide:

Acute oral toxicity : LD50 (Rat): > 15.000 mg/kg

Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat, male and female): > 5,7 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

Assessment: The substance or mixture has no acute

inhalation toxicity

Skin corrosion/irritation

Based on available data, the classification criteria are not met.



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - DE



OKS 476

Version Revision Date: Date of last issue: 21.11.2022 Print Date: 1.5 20.10.2025 Date of first issue: 09.07.2016 20.10.2025

Product:

Remarks : This information is not available.

Components:

disodium sebacate:

Species : Rabbit

Assessment : No skin irritation

Method : OECD Test Guideline 404

Result : No skin irritation

GLP : no

White mineral oil (petroleum):

Species : Rabbit

Assessment : No skin irritation

Method : OECD Test Guideline 404

Result : No skin irritation

GLP : yes

Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:

Species : Rabbit

Assessment : No skin irritation Result : No skin irritation

White mineral oil (petroleum):

Species : Rabbit

Assessment : No skin irritation

Method : OECD Test Guideline 404

Result : No skin irritation

GLP : yes

zinc sulphide:

Species : reconstructed human epidermis (RhE)

Assessment : No skin irritation

Method : OECD Test Guideline 439

Result : No skin irritation

Test substance : yes

Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

Product:

Remarks : This information is not available.



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - DE



OKS 476

Version Revision Date: Date of last issue: 21.11.2022 Print Date: 1.5 20.10.2025 Date of first issue: 09.07.2016 20.10.2025

Components:

disodium sebacate:

Species : Rabbit

Assessment : Irritating to eyes.

Method : OECD Test Guideline 437

Result : Irritating to eyes.

GLP : yes

White mineral oil (petroleum):

Species : Rabbit

Assessment : No eye irritation

Method : OECD Test Guideline 405

Result : No eye irritation

GLP : yes

Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:

Species : Rabbit

Assessment : No eye irritation Result : No eye irritation

White mineral oil (petroleum):

Species : Rabbit

Assessment : No eye irritation

Method : OECD Test Guideline 405

Result : No eye irritation

GLP : yes

zinc sulphide:

Species : Rabbit

Assessment : No eye irritation

Method : OECD Test Guideline 405

Result : No eye irritation

GLP : yes

Respiratory or skin sensitisation

Skin sensitisation

Based on available data, the classification criteria are not met.

Respiratory sensitisation

Based on available data, the classification criteria are not met.

Product:

Remarks : This information is not available.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - DE



OKS 476

Version Revision Date: Date of last issue: 21.11.2022 Print Date: 1.5 20.10.2025 Date of first issue: 09.07.2016 20.10.2025

Components:

disodium sebacate:

Species : Guinea pig

Assessment : Did not cause sensitisation on laboratory animals. Result : Did not cause sensitisation on laboratory animals.

White mineral oil (petroleum):

Test Type : Buehler Test Species : Guinea pig

Assessment : Does not cause skin sensitisation.

Method : OECD Test Guideline 406

Result : Does not cause skin sensitisation.

GLP : yes

Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:

Species : Guinea pig

Assessment : Does not cause skin sensitisation.
Method : OECD Test Guideline 406

Result : Does not cause skin sensitisation.

White mineral oil (petroleum):

Test Type : Maximisation Test

Species : Guinea pig

Assessment : Does not cause skin sensitisation.

Method : OECD Test Guideline 406

Result : Does not cause skin sensitisation.

GLP : yes

zinc sulphide:

Test Type : Maximisation Test

Exposure routes : Intradermal Species : Guinea pig

Assessment : Does not cause skin sensitisation.

Method : OECD Test Guideline 406

Result : Not a skin sensitizer.

GLP : yes

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Product:

Genotoxicity in vitro : Remarks: No data available

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - DE



OKS 476

Version Date of last issue: 21.11.2022 **Revision Date:** Print Date: 20.10.2025 Date of first issue: 09.07.2016 20.10.2025 1.5

Remarks: No data available Genotoxicity in vivo

Components:

disodium sebacate:

Germ cell mutagenicity-

Assessment

Tests on bacterial or mammalian cell cultures did not show

mutagenic effects.

White mineral oil (petroleum):

Germ cell mutagenicity-

Assessment

Tests on bacterial or mammalian cell cultures did not show

mutagenic effects.

White mineral oil (petroleum):

Genotoxicity in vitro Test Type: Ames test

Method: Mutagenicity (Salmonella typhimurium - reverse

mutation assay) Result: negative GLP: yes

Germ cell mutagenicity-

Assessment

Tests on bacterial or mammalian cell cultures did not show

mutagenic effects.

zinc sulphide:

Genotoxicity in vitro Test Type: Ames test

Test system: Salmonella typhimurium

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative GLP: yes

Test Type: In vitro mammalian cell gene mutation test

Test system: Chinese hamster fibroblasts

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 476

Result: negative

GLP: yes

Germ cell mutagenicity-

Assessment

Tests on bacterial or mammalian cell cultures did not show

mutagenic effects.

Carcinogenicity

Based on available data, the classification criteria are not met.

Product:

Remarks No data available

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - DE



OKS 476

Version Revision Date: Date of last issue: 21.11.2022 Print Date: 1.5 20.10.2025 Date of first issue: 09.07.2016 20.10.2025

Components:

White mineral oil (petroleum):

Carcinogenicity -

No evidence of carcinogenicity in animal studies.

Assessment

White mineral oil (petroleum):

Carcinogenicity -

No evidence of carcinogenicity in animal studies.

Assessment

zinc sulphide:

Carcinogenicity - : Weight of evidence does not support classification as a

Assessment carcinogen

Reproductive toxicity

Based on available data, the classification criteria are not met.

Product:

Effects on fertility : Remarks: No data available

Effects on foetal development

: Remarks: No data available

•

Components:

disodium sebacate:

Reproductive toxicity -

: - Fertility -

Assessment

No toxicity to reproduction

- Teratogenicity -

No effects on or via lactation

White mineral oil (petroleum):

Reproductive toxicity -

- Fertility -

Assessment

No toxicity to reproduction

- Teratogenicity -

No effects on or via lactation

Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:

Reproductive toxicity - : - Fertility -

Assessment

Some evidence of adverse effects on sexual function and

fertility, based on animal experiments.

White mineral oil (petroleum):

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - DE



OKS 476

Version Revision Date: Date of last issue: 21.11.2022 Print Date: 1.5 20.10.2025 Date of first issue: 09.07.2016 20.10.2025

Reproductive toxicity -

Assessment

: - Fertility -

No toxicity to reproduction

- Teratogenicity -

No effects on or via lactation

zinc sulphide:

Reproductive toxicity -

Fertility -

Assessment

Weight of evidence does not support classification for

reproductive toxicity

STOT - single exposure

Based on available data, the classification criteria are not met.

Product:

Remarks : No data available

Components:

White mineral oil (petroleum):

Assessment : The substance or mixture is not classified as specific target

organ toxicant, single exposure.

White mineral oil (petroleum):

Assessment : The substance or mixture is not classified as specific target

organ toxicant, single exposure.

STOT - repeated exposure

Based on available data, the classification criteria are not met.

Product:

Remarks : No data available

Components:

White mineral oil (petroleum):

Assessment : The substance or mixture is not classified as specific target

organ toxicant, repeated exposure.

White mineral oil (petroleum):

Assessment : The substance or mixture is not classified as specific target

organ toxicant, repeated exposure.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - DE



OKS 476

Version Revision Date: Date of last issue: 21.11.2022 Print Date: 1.5 20.10.2025 Date of first issue: 09.07.2016 20.10.2025

Repeated dose toxicity

Product:

Remarks : This information is not available.

Components:

White mineral oil (petroleum):

NOAEL : 1.800 mg/kg

Exposure time : 90 d

Aspiration toxicity

Based on available data, the classification criteria are not met.

Product:

This information is not available.

Components:

disodium sebacate:

No aspiration toxicity classification

White mineral oil (petroleum):

May be fatal if swallowed and enters airways.

White mineral oil (petroleum):

No aspiration toxicity classification

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components

considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

Further information

Product:

Remarks : Information given is based on data on the components and

the toxicology of similar products.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - DE



OKS 476

Version Revision Date: Date of last issue: 21.11.2022 Print Date: 1.5 20.10.2025 Date of first issue: 09.07.2016 20.10.2025

Components:

zinc sulphide:

Remarks : Information given is based on data on the components and

the toxicology of similar products.

SECTION 12: Ecological information

12.1 Toxicity

Product:

Toxicity to fish : Remarks: No data available

Toxicity to daphnia and other :

aquatic invertebrates

Remarks: No data available

Toxicity to algae/aquatic

plants

Remarks: No data available

Toxicity to microorganisms

Remarks: No data available

Components:

disodium sebacate:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 100 mg/l

Exposure time: 96 h
Test Type: semi-static test

Method: OECD Test Guideline 203

GLP: yes

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 100 mg/l

Exposure time: 48 h Test Type: semi-static test

Method: OECD Test Guideline 202

GLP: yes

Toxicity to algae/aquatic

plants

EL50 (Skeletonema costatum (marine diatom)): 38,7 mg/l

Exposure time: 72 h Test Type: static test Method: ISO 10253

GLP: yes

White mineral oil (petroleum):

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l

Exposure time: 96 h Test Type: semi-static test

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - DE



OKS 476

 Version
 Revision Date:
 Date of last issue: 21.11.2022
 Print Date:

 1.5
 20.10.2025
 Date of first issue: 09.07.2016
 20.10.2025

Method: OECD Test Guideline 203

Toxicity to daphnia and other :

aquatic invertebrates

LC50 (Daphnia magna (Water flea)): > 100 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

NOEC (Pseudokirchneriella subcapitata (green algae)): > 100

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Toxicity to microorganisms : LC50 (Bacteria): > 1.000 mg/l

Exposure time: 40 h

Test Type: Growth inhibition

Toxicity to fish (Chronic

toxicity)

NOEC: > 100 mg/l Exposure time: 28 d

Species: Oncorhynchus mykiss (rainbow trout)

Remarks: The value is given based on a SAR/AAR approach

using OECD Toolbox, DEREK, VEGA QSAR models

(CAESAR models), etc.

Toxicity to daphnia and other :

aquatic invertebrates (Chronic toxicity)

NOEC: >= 1.000 mg/l Exposure time: 21 d

Species: Daphnia magna (Water flea)

Remarks: The value is given based on a SAR/AAR approach

using OECD Toolbox, DEREK, VEGA QSAR models

(CAESAR models), etc.

Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 100 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 51 mg/l

Exposure time: 48 h Test Type: static test

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

EC50 (Desmodesmus subspicatus (green algae)): > 100 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Toxicity to microorganisms : EC50 (activated sludge): > 100 mg/l

Exposure time: 3 h

Test Type: Respiration inhibition Method: OECD Test Guideline 209

Toxicity to daphnia and other :

aquatic invertebrates

EL10: 1,69 mg/l Exposure time: 21 d



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - DE



OKS 476

Version Revision Date: Date of last issue: 21.11.2022 Print Date: 1.5 20.10.2025 Date of first issue: 09.07.2016 20.10.2025

(Chronic toxicity) Species: Daphnia magna (Water flea)

White mineral oil (petroleum):

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l

Exposure time: 96 h Test Type: static test

Method: OECD Test Guideline 203

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia (water flea)): > 100 mg/l

Exposure time: 48 h Test Type: Immobilization

Method: OECD Test Guideline 202

Toxicity to daphnia and other :

aquatic invertebrates (Chronic toxicity)

NOEC: >= 1.000 mg/l Exposure time: 21 d

Species: Daphnia magna (Water flea)

zinc sulphide:

Toxicity to fish : LC50 (Brachydanio rerio (zebrafish)): > 100 mg/l

End point: mortality Exposure time: 96 h Test Type: static test Analytical monitoring: yes

Method: OECD Test Guideline 203

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 100 mg/l

End point: Immobilization Exposure time: 48 h Test Type: static test Analytical monitoring: yes

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

EC50 (algae): > 100 mg/l End point: Growth inhibition

Exposure time: 72 h
Test Type: static test
Analytical monitoring: yes

Method: OECD Test Guideline 202

12.2 Persistence and degradability

Product:

Biodegradability : Remarks: No data available

Physico-chemical

removability

Remarks: No data available

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - DE



OKS 476

Version Revision Date: Date of last issue: 21.11.2022 Print Date: 1.5 20.10.2025 Date of first issue: 09.07.2016 20.10.2025

Components:

disodium sebacate:

Biodegradability : Result: Biodegradable

Biodegradation: 89 % Exposure time: 28 d

White mineral oil (petroleum):

Biodegradability : Biodegradation: 31 %

Exposure time: 28 d

Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:

Biodegradability : Test Type: aerobic

Inoculum: activated sludge Result: Not rapidly biodegradable

Biodegradation: 1 % Exposure time: 28 d

Method: OECD Test Guideline 301B

GLP: yes

White mineral oil (petroleum):

Biodegradability : Test Type: Primary biodegradation

Inoculum: activated sludge Result: Not rapidly biodegradable

Biodegradation: 31 % Exposure time: 28 d

Method: OECD Test Guideline 301B

12.3 Bioaccumulative potential

Product:

Bioaccumulation : Remarks: No data available

Components:

disodium sebacate:

Partition coefficient: n- : log Pow: -4,9 (20 °C)

octanol/water pH: 7,8

White mineral oil (petroleum):

Partition coefficient: n- : log Pow: > 6

octanol/water

Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:

Bioaccumulation : Species: Cyprinus carpio (Carp)

Exposure time: 42 d

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - DE



OKS 476

Version Revision Date: Date of last issue: 21.11.2022 Print Date: 1.5 20.10.2025 Date of first issue: 09.07.2016 20.10.2025

Bioconcentration factor (BCF): 1.730

Remarks: Due to the distribution coefficient n-octanol/water,

accumulation in organisms is possible.

Partition coefficient: n-

octanol/water

log Pow: 5,2 - 10,82

White mineral oil (petroleum):

Partition coefficient: n-

octanol/water

: Pow: > 6

12.4 Mobility in soil

Product:

Mobility : Remarks: No data available

Distribution among

environmental compartments

Remarks: No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher.

Components:

White mineral oil (petroleum):

Assessment : Substance is not persistent, bioaccumulative, and toxic (PBT).

Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:

Assessment : Non-classified PBT substance. Non-classified vPvB substance

White mineral oil (petroleum):

Assessment : Non-classified PBT substance. Non-classified vPvB substance

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components

considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - DE



OKS 476

Version Revision Date: Date of last issue: 21.11.2022 Print Date: 1.5 20.10.2025 Date of first issue: 09.07.2016 20.10.2025

12.7 Other adverse effects

Product:

Additional ecological

information

No information on ecology is available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : The product should not be allowed to enter drains, water

courses or the soil.

Do not dispose of with domestic refuse.

Dispose of as hazardous waste in compliance with local and

national regulations.

Waste codes should be assigned by the user based on the

application for which the product was used.

Contaminated packaging : Packaging that is not properly emptied must be disposed of as

the unused product.

Dispose of waste product or used containers according to

local regulations.

The following Waste Codes are only suggestions:

Waste Code : used product, unused product

12 01 12*, spent waxes and fats

uncleaned packagings

15 01 10*, packaging containing residues of or contaminated

by hazardous substances

SECTION 14: Transport information

14.1 UN number or ID number

ADN : Not regulated as a dangerous good
ADR : Not regulated as a dangerous good
RID : Not regulated as a dangerous good
IMDG : Not regulated as a dangerous good
IATA : Not regulated as a dangerous good

14.2 UN proper shipping name



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - DE



0	KS	: 4	7	6
•		, -		u

Version	Revision Date:	Date of last issue: 21.11.2022	Print Date:
1.5	20.10.2025	Date of first issue: 09.07.2016	20.10.2025

ADN : Not regulated as a dangerous good
ADR : Not regulated as a dangerous good
RID : Not regulated as a dangerous good
IMDG : Not regulated as a dangerous good
IATA : Not regulated as a dangerous good

14.3 Transport hazard class(es)

ADN : Not regulated as a dangerous good
ADR : Not regulated as a dangerous good
RID : Not regulated as a dangerous good
IMDG : Not regulated as a dangerous good
IATA : Not regulated as a dangerous good

14.4 Packing group

ADN : Not regulated as a dangerous good
ADR : Not regulated as a dangerous good
RID : Not regulated as a dangerous good
IMDG : Not regulated as a dangerous good
IATA (Cargo) : Not regulated as a dangerous good
IATA (Passenger) : Not regulated as a dangerous good

14.5 Environmental hazards

ADN : Not regulated as a dangerous good
ADR : Not regulated as a dangerous good
RID : Not regulated as a dangerous good
IMDG : Not regulated as a dangerous good

14.6 Special precautions for user

Not applicable

14.7 Maritime transport in bulk according to IMO instruments

Remarks : Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - DE



OKS 476

Version Revision Date: Date of last issue: 21.11.2022 Print Date: 1.5 20.10.2025 Date of first issue: 09.07.2016 20.10.2025

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances,

mixtures and articles (Annex XVII)

Not applicable

REACH - Candidate List of Substances of Very High

Concern for Authorisation (Article 59).

(EU SVHC)

This product does not contain substances of very high concern

(Regulation (EC) No

1907/2006 (REACH), Article 57).

Regulation (EU) No 2024/590 on substances that

deplete the ozone layer

(EC 2024/590)

: Not applicable

Regulation (EU) 2019/1021 on persistent organic

pollutants (recast)

(EU POP)

Not applicable

Regulation (EU) No 649/2012 of the European

Parliament and the Council concerning the export and

import of dangerous chemicals

(EU PIC)

Not applicable

REACH - List of substances subject to authorisation

(Annex XIV)

(EU. REACH-Annex XIV)

Not applicable

Regulation (EU) 2019/1148 on the marketing and use of

explosives precursors

Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous

substances.

Not applicable

Water hazard class

WGK 1 slightly hazardous to water

(Germany)

Classification according to AwSV, Annex 1 (5.2)

TA Luft List (Germany) : 5.2.1: Total dust:

others: 9,76 %

5.2.5: Organic Substances:

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - DE



OKS 476

VersionRevision Date:Date of last issue: 21.11.2022Print Date:1.520.10.2025Date of first issue: 09.07.201620.10.2025

Class 1: 85,25 %

Volatile organic compounds : Directive 2010/75/EU of 24 November 2010 on industrial and

livestock rearing emissions (integrated pollution prevention and

control)

Not applicable

15.2 Chemical safety assessment

This information is not available.

SECTION 16: Other information

Full text of H-Statements

H304 : May be fatal if swallowed and enters airways.

H319 : Causes serious eye irritation. H361f : Suspected of damaging fertility.

Full text of other abbreviations

Asp. Tox. : Aspiration hazard Eye Irrit. : Eye irritation

Repr. : Reproductive toxicity

DE DFG MAK : Germany. MAK BAT Annex IIa

DE TRGS 900 : Germany. TRGS 900 - Occupational exposure limit values.

DE DFG MAK / MAK : MAK value

DE TRGS 900 / AGW : Time Weighted Average

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways: ADR - Agreement concerning the International Carriage of Dangerous Goods by Road: AIIC - Australian Inventory of Industrial Chemicals: ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN -Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx -Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA -International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO -International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - DE



OKS 476

Version Revision Date: Date of last issue: 21.11.2022 Print Date: 1.5 20.10.2025 Date of first issue: 09.07.2016 20.10.2025

population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

|| Relevant changes compared to the last edition are highlighted at the left margin. This version replaces all previous editions.

This safety data sheet applies only to products as originally packed and labelled. The information contained therein may not be reproduced or modified without our express written permission. Any forwarding of this document is only permitted to the extent required by law. Any further, in particular public, dissemination of the safety data sheet (e.g. as a document for download from the Internet) is not permitted without our express written consent. We provide our customers with amended safety data sheets as prescribed by law. The customer is responsible for passing on safety data sheets and any amendments contained therein to its own customers, employees and other users of the product. We provide no guarantee that safety data sheets received by users from third parties are up-to-date. All information and instructions in this safety data sheet have been compiled to the best of our knowledge and are based on the information available to us on the day of publication. The information provided is intended to describe the product in relation to the required safety measures; it is neither an assurance of characteristics nor a guarantee of the product's suitability for particular applications and does not justify any contractual legal relationship. The existence of a safety data sheet for a particular jurisdiction does not necessarily mean that import or use within that jurisdiction is legally permitted. If you have any questions, please contact your responsible sales contact or authorized trading partner.

