

Version	Revision Date:	Date of last issue: 20.06.2022	Print Date:
3.2	31.10.2024	Date of first issue: 23.06.2016	31.10.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product id Product na		:	OKS 250			
1.2 Relevant identified uses of the substance or mixture and uses advised agair						
Use of the Substance	•	:	Lubricant			
Recomme on use	ended restrictions	:	Restricted to professional users.			
1.3 Details of	the supplier of the	saf	ety data sheet			
Company		:				
	dress of person le for the SDS	:	mcm@oks-germany.com			
National c	ontact	:				
1.4 Emergenc	y telephone numbe	er				

Emergency telephone	:	+49 8142 3051 517
number		

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)						
Skin irritation, Category 2	H315: Causes skin irritation.					
Serious eye damage, Category 1	H318: Causes serious eye damage.					
Short-term (acute) aquatic hazard, Category 1	H400: Very toxic to aquatic life.					
Long-term (chronic) aquatic hazard,	H412: Harmful to aquatic life with long lasting					
	a brand of					



SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - DE



OKS 2	50				
Version 3.2	Revision Date: 31.10.2024		Date of last issue: 20.06.2022 Date of first issue: 23.06.2016		Print Date: 31.10.2024
Category 3		effects.			
2.2 Lab	el elements				
	belling (REGULATION (zard pictograms	EC)	No 1272/2008)	27 <u>7</u> 2	
Sig	nal word	:	Danger		
Hazard statements		:	H315 H318 H410	Causes skin irritation. Causes serious eye da Very toxic to aquatic lif effects.	
Pre	cautionary statements	:	Prevention: P264 P273 P280	Wash skin thoroughly Avoid release to the er Wear protective gloves protection.	nvironment.
			Response:		
			P305 + P351 + P3	with water for several i contact lenses, if prese Continue rinsing. Imme POISON CENTER/ do	ent and easy to do. ediately call a ctor.
			P332 + P313	If skin irritation occurs: attention.	Get medical advice/
			P391	Collect spillage.	

Hazardous components which must be listed on the label:

calcium dihydroxide

Additional Labelling

- EUH208 Contains Molybdenum trioxide, reaction products with bis[O,O-bis(2-ethylhexyl)] hydrogen dithiophosphate. May produce an allergic reaction.
- EUH212 Warning! Hazardous respirable dust may be formed when used. Do not breathe dust.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.





Version	Revision Date: 31.10.2024	Date of last issue: 20.06.2022	Print Date:
3.2		Date of first issue: 23.06.2016	31.10.2024
0.2	51.10.2024	Date of mist issue. 25.00.2010	51.10.2024

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature

: Synthetic hydrocarbon oil solid lubricant polyurea

Components				
Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	specific concentration limit M-Factor Notes Acute toxicity estimate	Concentration (% w/w)
calcium dihydroxide	1305-62-0 215-137-3 01-2119475151-45- XXXX	Skin Irrit.2; H315 Eye Dam.1; H318 STOT SE3; H335		>= 10 - < 20
Amines, N-C16-C18- alkyl-(evennumbered, C18 unsaturated) propane-1,3- diaminium di[(9Z)- octadec-9-enoate]	800-362-7 01-2119974117-33- XXXX	Skin Irrit.2; H315 Eye Irrit.2; H319 STOT RE2; H373 Aquatic Acute1; H400 Aquatic Chronic2; H411	M-Factor: 10/1	>= 2,5 - < 10
Distillates (petroleum), solvent-refined heavy paraffinic; Baseoil — unspecified	64741-88-4 265-090-8 649-454-00-7	Asp. Tox.1; H304	Note L	>= 1 - < 10
Molybdenum trioxide, reaction products with bis[O,O-bis(2- ethylhexyl)] hydrogen	947-946-9	Skin Irrit.2; H315 Skin Sens.1B; H317 Aquatic Chronic4;		>= 0,25 - < 1



SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - DE



OKS 250

Version 3.2	Revision Da 31.10.2024		ssue: 20.06.2022 ssue: 23.06.2016	Print Date: 31.10.2024
dithiophos	sphate	01-2120772600-59- XXXX	H413	
Substance	es with a work	place exposure limit :		
powder fo containing particles v	g <1 % of	13463-67-7 236-675-5 01-2119489379-17- XXXX	Not classified	>= 20 - < 30
Dec-1-ene homopoly hydrogena	mer,	68037-01-4 500-183-1 01-2119486452-34- XXXX	Not classified	>= 1 - < 10

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

If inhaled	:	Remove person to fresh air. If signs/symptoms continue, get medical attention. Keep patient warm and at rest. If unconscious, place in recovery position and seek medical advice. Keep respiratory tract clear. If breathing is irregular or stopped, administer artificial respiration.
In case of skin contact	:	Take off all contaminated clothing immediately. Wash off immediately with soap and plenty of water. Get medical attention immediately if irritation develops and persists. Wash clothing before reuse. Thoroughly clean shoes before reuse.
In case of eye contact	:	Rinse immediately with plenty of water, also under the eyelids, for at least 10 minutes. Get medical attention immediately.
If swallowed	:	Move the victim to fresh air. If unconscious, place in recovery position and seek medical advice. Keep respiratory tract clear. Do not induce vomiting without medical advice. Obtain medical attention. Never give anything by mouth to an unconscious person.





J.Z JI.10.2024 Date 01 113t 1330E. 23.00.2010 JI.10.2024	Version 3.2	Revision Date: 31.10.2024	Date of last issue: 20.06.2022 Date of first issue: 23.06.2016	Print Date: 31.10.2024
--	----------------	---------------------------	---	------------------------

4.2 Most important symptoms and effects, both acute and delayed

Symptoms	:	Skin contact may provoke the following symptoms: Erythema
Risks	:	Causes skin irritation. May cause an allergic skin reaction.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment	:	Treat symptomatically.
riodanioni	•	i i oai oyinipionnailoanyi

SECTION 5: Firefighting measures

5.1 Extinguishing media		
Suitable extinguishing media	:	Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
Unsuitable extinguishing media	:	High volume water jet
5.2 Special hazards arising from	the	e substance or mixture
Hazardous combustion products	:	Carbon oxides Nitrogen oxides (NOx) Oxides of phosphorus Metal oxides
5.3 Advice for firefighters		
Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment. Exposure to decomposition products may be a hazard to health.
Further information	:	Standard procedure for chemical fires. Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	: Evacuate personnel to safe areas.
	Ensure adequate ventilation.
	Do not breathe vapours, aerosols.
	Refer to protective measures listed in sections 7 and 8.





Version	Revision Date:	Date of last issue: 20.06.2022	Print Date:
3.2	31.10.2024	Date of first issue: 23.06.2016	31.10.2024

6.2 Environmental precautions

allow contact with soil, surface or ground water. broduct contaminates rivers and lakes or drains inform tive authorities.
2

6.3 Methods and material for containment and cleaning up

Methods for cleaning up	: Pick up and transfer to properly labelled	containers.
-------------------------	---	-------------

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling :	Do not use in areas without adequate ventilation. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Wash hands and face before breaks and immediately after handling the product. Do not get in eyes or mouth or on skin. Do not get on skin or clothing. Do not get on skin or clothing. Do not repack. These safety instructions also apply to empty packaging which may still contain product residues. Keep container closed when not in use.
Hygiene measures :	Wash face, hands and any exposed skin thoroughly after handling.
7.2 Conditions for safe storage, inc	luding any incompatibilities
Requirements for storage : areas and containers	Store in original container. Keep container closed when not in use. Keep in a dry, cool and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store in accordance with the particular national regulations. Keep in properly labelled containers.
Storage class (TRGS 510) :	11, Combustible Solids
7.3 Specific end use(s)	

Specific use(s) : Specific instructions for handling, not required.





Version	Revision Date:	Date of last issue: 20.06.2022	Print Date:
3.2	31.10.2024	Date of first issue: 23.06.2016	31.10.2024
0.2	31.10.2024	Date of first 1350c. 25.00.2010	51.10.2024

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form	Control parameters	Basis
		of exposure)		
titanium dioxide; [in	13463-67-7	MAK (measured	0,3 mg/m3	DE DFG MAK
powder form		as the alveolate		(2023-07-01)
containing <1 % of		fraction)		
particles with				
aerodynamic				
diameter ≤ 10 µm]				
			nat cause cancer in humans	
			enic for humans and for wh	
			mbryo or foetus is unlikely w	hen the MAK
	value or the B	AT value is observe		
		AGW (Inhalable	10 mg/m3	DE TRGS
		fraction)	(Titanium dioxide)	900
				(2014-04-02)
	Peak-limit: ex	cursion factor (categ	ory): 2;(II)	
	Further inform	nation: When there is	compliance with the OEL a	ind biological
	tolerance valu	ies, there is no risk o	of harming the unborn child	0
		AGW (Alveolate	1,25 mg/m3	DE TRGS
		fraction)	(Titanium dioxide)	900
		,	· · · · · · · · · · · · · · · · · · ·	(2014-04-02)
	Peak-limit: ex	cursion factor (categ	ory): 2;(II)	1 ()
	Further inform	nation: When there is	compliance with the OEL a	ind biological
			of harming the unborn child	0
		BM (Alveolar	0,5 mg/m3	DE TRGS
		dust fraction)		527
		,		(2020-02-19)
calcium	1305-62-0	TWA (Respirable	1 mg/m3	2017/164/EÚ
dihydroxide		fraction)	3	(2017-02-01)
,	Further inform	ation: Indicative		
		STEL	4 mg/m3	2017/164/EU
		(Respirable	1	(2017-02-01)
		fraction)		(2011 02 01)
	Further inform	nation: Indicative	1	
		MAK (inhalable	1 mg/m3	DE DFG MAK
		fraction)		(2023-07-01)
	Further inform		L A ambrivo or foatus is unliko	
	Further information: Damage to the embryo or foetus is unlikely when the MAK value or the BAT value is observed			
		AGW (Inhalable	1 mg/m3	DE TRGS
		fraction)		900
				(2014-12-08)
	Doold limite	l		(2014-12-06)
	Peak-limit: ex	cursion factor (categ	∪ry). ∠;(I)	



SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - DE



OKS 250

Version	Revision Date:	Date of last issue: 20.06.2022	Print Date:
3.2	31.10.2024	Date of first issue: 23.06.2016	31.10.2024
I			

			compliance with the OEL a of harming the unborn child	nd biological
Dec-1-ene, homopolymer, hydrogenated	68037-01-4	AGW (Alveolate fraction)	5 mg/m3	DE TRGS 900 (2012-01-12)
	Peak-limit: ex	cursion factor (categ	ory): 4;(II)	
			compliance with the OEL and for the original sector of the unborn child sec	nd biological
		MAK (measured as the alveolate fraction)	5 mg/m3	DE DFG MAK (2023-07-01)
		nation: Damage to th the BAT value is ob	e embryo or foetus is unlikel served	y when the
Distillates (petroleum), solvent-refined heavy paraffinic; Baseoil — unspecified	64741-88-4	AGW (Vapour and aerosols)	5 mg/m3	DE TRGS 900 (2018-06-07)
·	Peak-limit: excursion factor (category): 4;(II)			
			compliance with the OEL and for the open and for the unborn child	nd biological

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
Benzene, mono-C10- 13-alkyl derivs., distn. residues	Workers	Inhalation	Long-term systemic effects	2,2 mg/m3
	Workers	Skin contact	Long-term systemic effects	3,15 mg/kg bw/day
calcium dihydroxide	Workers	Inhalation	Long-term local effects	1 mg/m3
	Workers	Inhalation	Acute local effects	4 mg/m3
Amines, N-C16-C18- alkyl-(evennumbered, C18 unsaturated) propane-1,3- diaminium di[(9Z)- octadec-9-enoate]	Workers	Skin contact	Long-term systemic effects	0,04 mg/kg
	Workers	Inhalation	Long-term systemic effects	0,29 mg/m3
Molybdenum trioxide, reaction products with bis[O,O-bis(2- ethylhexyl)] hydrogen dithiophosphate	Workers	Inhalation	Long-term systemic effects	4,93 mg/m3
<u> </u>	Workers	Dermal	Long-term systemic effects	1,4 mg/kg bw/day

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:



SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - DE



OKS 250

3.2 31.10.2024 Date of hist issue. 23.06.2016 31.10.2024	Version 3.2	Revision Date: 31.10.2024	Date of last issue: 20.06.2022 Date of first issue: 23.06.2016	Print Date: 31.10.2024
--	----------------	---------------------------	---	------------------------

Substance name	Environmental Compartment	Value
Benzene, mono-C10-13-alkyl derivs., distn. residues	Fresh water	0,001 mg/l
	Intermittent use/release	0,001 mg/l
	Marine water	0 mg/l
	Microbiological Activity in Sewage Treatment Systems	2 mg/l
	Fresh water sediment	16,5 mg/kg
	Marine sediment	1,65 mg/kg
	Soil	3,7 mg/kg
calcium dihydroxide	Fresh water	0,49 mg/l
	Marine water	0,32 mg/l
	Intermittent use/release	0,49 mg/l
	Microbiological Activity in Sewage Treatment Systems	3 mg/l
	Soil	1080 mg/kg
Amines, N-C16-C18-alkyl- (evennumbered, C18 unsaturated) propane-1,3- diaminium di[(9Z)-octadec-9- enoate]	Fresh water	0,00638 mg/l
	Marine water	0,000638 mg/l
	Intermittent use/release	0,00509 mg/l
	Microbiological Activity in Sewage Treatment Systems	98,6 mg/l
	Fresh water sediment	204 mg/kg
	Marine sediment	20,4 mg/kg
	Soil	9,93 mg/kg

8.2 Exposure controls

Engineering measures none		
Personal protective equipn	nent	
Eye/face protection	:	Tightly fitting safety goggles
Hand protection Material Break through time Protective index		butyl-rubber > 10 min Class 1
Remarks	:	Wear protective gloves. The break through time depends amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each case. The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it.





OKS 25	0						
			Date of last issue: 20.06.2022Print Date:Date of first issue: 23.06.201631.10.2024				
Skin and body protection		:	: Choose body protection in relation to its type, to the concentration and amount of dangerous substances, the specific work-place.				
Resp	iratory protection	:	Not required; except in case of aerosol formation.				
Fil	ter type	:	Filter type A-P				
Protective measures		:	The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.				
Envir Air	onmental exposure o	contro :	Is Should not be released into the environn	nent.			
Soil		:					
			Do not allow contact with soil, surface or The product should not be allowed to en courses or the soil.				
Wate	r	:					
			Do not allow contact with soil, surface or The product should not be allowed to en courses or the soil.				

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	:	paste
Colour	:	white
Odour	:	characteristic
Odour Threshold	:	No data available
Melting point/range	:	No data available
Boiling point/boiling range	:	No data available
Flammability (solid, gas)	:	Combustible Solids



SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - DE



OKS 250

/ersion 8.2	Revision Date: 31.10.2024		of last issue: 20.06.2022 of first issue: 23.06.2016	Print Date: 31.10.2024
	explosion limit / Upper ability limit	:	No data available	
	explosion limit / Lower ability limit	:	No data available	
Flash	point	:	Not applicable	
Auto-i	gnition temperature	:	No data available	
Decon	nposition temperature	:	No data available	
рН		:	Not applicable substance/mixture is non-soluble	e (in water)
Viscos Vis	sity scosity, dynamic	:	No data available	
Vis	cosity, kinematic	:	Not applicable	
	ility(ies) ater solubility	:	insoluble	
So	lubility in other solvents	:	No data available	
	on coefficient: n- bl/water	:	No data available	
Vapou	ır pressure	:	< 0,001 hPa (20 °C)	
Relativ	ve density	:	1,29 (20 °C) Reference substance: Water The value is calculated	
Densit	ty	:	1,29 g/cm3 (20 °C)	
Bulk d	lensity	:	No data available	
Relativ	ve vapour density	:	No data available	
	le characteristics rticle size	:	Not applicable	
Pa	rticle Size Distribution	:	Not applicable	

9.2 Other information





Ve 3.2	rsion	Revision Date: 31.10.2024		e of last issue: 20.06.2022 e of first issue: 23.06.2016	Print Date: 31.10.2024
	Explos	sives	:	Not explosive	
	Oxidiz	ing properties	:	No data available	
	Self-ig	nition	:	not auto-flammable	
	Metal	corrosion rate	:	Not corrosive to metals	
	Evapo	ration rate	:	No data available	
	Sublim	nation point	:	No data available	

SECTION 10: Stability and reactivity

10.1 Reactivity

No hazards to be specially mentioned.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions : No dangerous reaction known under conditions of normal use.

10.4 Conditions to avoid

Conditions to avoid : No conditions to be specially mentioned.

10.5 Incompatible materials

Materials to avoid : No materials to be especially mentioned.

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity		
Product:		
Acute oral toxicity	:	Remarks: This information is not available.
Acute dermal toxicity	:	Symptoms: Redness, Local irritation





KS 25	0			
ersion 2	Revision Date: 31.10.2024		e of last issue: 20.06.2022 e of first issue: 23.06.2016	Print Date: 31.10.2024
Com	ponents:			
calci	um dihydroxide:			
Acute	e oral toxicity	:	LD50 (Rat, female): > 2.000 mg/kg Method: OECD Test Guideline 429 GLP: yes Assessment: The substance or mit toxicity	5
Acute	e inhalation toxicity	:	LC50 (Rat, male and female): > 6, Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 430 GLP: yes	-
Acute	e dermal toxicity	:	LD50 (Rabbit, male and female): Method: OECD Test Guideline 40 Assessment: The substance or mit toxicity	2
	ies, N-C16-C18-alkyl dec-9-enoate]:	-(even	numbered, C18 unsaturated) pro	pane-1,3-diaminium di[(92
Acute	e oral toxicity	:	LD50 (Rat): > 5.000 mg/kg	
Acute	e dermal toxicity	:	LD50 (Rabbit): > 2.000 mg/kg Assessment: The substance or mi toxicity	xture has no acute dermal
Distil	llates (petroleum), se	olvent	-refined heavy paraffinic; Baseoil	— unspecified:
Acute	e oral toxicity	:	LD50 (Rat): > 5.000 mg/kg Method: OECD Test Guideline 40	1
Acute	e dermal toxicity	:	LD50 (Rabbit): > 5.000 mg/kg Method: OECD Test Guideline 40	2
	bdenum trioxide, rea ophosphate:	action	products with bis[O,O-bis(2-ethy	lhexyl)] hydrogen
Acute	e dermal toxicity	:	Symptoms: Redness, Local irritation	on
titani ≤ 10		der fo	rm containing <1 % of particles w	rith aerodynamic diameter
	oral toxicity	:	LD50 (Rat): > 5.000 mg/kg Method: OECD Test Guideline 40 GLP: yes	1
Acute	inhalation toxicity	:	(Rat): > 5,09 mg/l Method: OECD Test Guideline 403 GLP: no	3
				a brand of





Version	Revision Date:	Date of last issue: 20.06.2022	Print Date:
3.2	31.10.2024	Date of first issue: 23.06.2016	31.10.2024

Dec-1-ene, homopolymer, hydrogenated:

	Acute oral toxicity	:	-
	Acute inhalation toxicity	:	LC50 (Rat, male and female): 5,2 mg/l Exposure time: 4 h Test atmosphere: vapour Assessment: The substance or mixture has no acute inhalation toxicity
,	Acute dermal toxicity	:	LD50 (Rabbit): > 2.000 mg/kg Method: OECD Test Guideline 402 GLP: yes Assessment: The substance or mixture has no acute dermal toxicity
	Skin corrosion/irritation		
ļ	Product:		
I	Remarks	:	Irritating to skin.
<u>(</u>	Components:		
(calcium dihydroxide:		
	Species	:	human skin
	Assessment	:	Irritating to skin.
	Method	÷	OECD Test Guideline 431
I	Method Result GLP	:	OECD Test Guideline 431 Irritating to skin. yes
 	Result		Irritating to skin.
	Result GLP Species Assessment Method Result GLP		Irritating to skin. yes Rabbit Irritating to skin. OECD Test Guideline 404 Irritating to skin.

Species	:	Rabbit
Assessment	:	Irritating to skin.
Result	:	Irritating to skin.

Distillates (petroleum), solvent-refined heavy paraffinic; Baseoil — unspecified:

Species		Rabbit
Assessment	:	No skin irritation
Method	:	OECD Test Guideline 404
Result	:	No skin irritation





Version	Revision Date:	Date of last issue: 20.06.2022	Print Date:
3.2	31.10.2024	Date of first issue: 23.06.2016	31.10.2024

Molybdenum trioxide, reaction products with bis[0,0-bis(2-ethylhexyl)] hydrogen dithiophosphate:

Assessment Result		Irritating to skin. Irritating to skin.
Remarks	:	Irritating to skin.

titanium dioxide; [in powder form containing <1 % of particles with aerodynamic diameter \leq 10 µm]:

Species	:	Rabbit
Assessment	:	No skin irritation
Method	:	OECD Test Guideline 404
Result	:	No skin irritation
GLP	:	no

Dec-1-ene, homopolymer, hydrogenated:

Species	:	Rabbit
Assessment	:	No skin irritation
Method	:	OECD Test Guideline 404
Result	:	No skin irritation
GLP	:	yes

Serious eye damage/eye irritation

Product:

Remarks

: Risk of serious damage to eyes.

Components:

calcium dihydroxide:

Species	:	Rabbit
Assessment	:	Risk of serious damage to eyes.
Method	:	OECD Test Guideline 405
Result	:	Risk of serious damage to eyes.
GLP	:	yes

Amines, N-C16-C18-alkyl-(evennumbered, C18 unsaturated) propane-1,3-diaminium di[(9Z)-octadec-9-enoate]:

Species	:	Rabbit
Assessment	:	Irritating to eyes.
Method	:	OECD Test Guideline 405
Result	:	Irritating to eyes.

Distillates (petroleum), solvent-refined heavy paraffinic; Baseoil — unspecified:

Species

: Rabbit



SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - DE



OKS 250

13 230				
rsion	Revision Date: 31.10.2024		e of last issue: 20.06.2022 e of first issue: 23.06.2016	Print Date: 31.10.2024
Asses	ssment	:	No eye irritation	
Method Result			OECD Test Guideline 405	
		:	No eye irritation	
	bdenum trioxide, re ophosphate:	action	products with bis[O,O-bis(2-ethy	/lhexyl)] hydrogen
	ssment	:	No eye irritation	
Resu	lt	:	No eye irritation	
titani ≤ 10 ∣		vder fo	rm containing <1 % of particles w	vith aerodynamic diamet
Speci	-	:	Rabbit	
Asses	ssment	:	No eye irritation	
Metho	bd	:	OECD Test Guideline 405	
Resu	lt	:	No eye irritation	
Dec-1	1-ene, homopolyme	er, hydr	ogenated:	
Speci	ies	-	Rabbit	
Asses	ssment	:	No eye irritation	
Metho	bd	:	OECD Test Guideline 405	
Resu	lt	:	No eye irritation	
GLP		:	yes	
Resp	iratory or skin sens	sitisatio	on	
Prod	uct:			
Rema	arks	:	This information is not available.	
Com	ponents:			
calci	um dihydroxide:			
Test ⁻	Туре	:	Local lymph node assay (LLNA)	
Speci		:	Mouse	
	ssment	:	Does not cause skin sensitisation	
Metho	bd	:	OECD Test Guideline 429	
Resu	lt	:	Does not cause skin sensitisation	
GLP		:	yes	
	es, N-C16-C18-alky lec-9-enoate]:	d-(even	numbered, C18 unsaturated) pro	pane-1,3-diaminium di[(
	-		Doop not course akin consitiention	
Asses Resu	ssment	:	Does not cause skin sensitisation. Does not cause skin sensitisation.	
Resu	ii.	-	Dues not cause skin sensitisation.	

Distillates (petroleum), solvent-refined heavy paraffinic; Baseoil — unspecified: Test Type : Buehler Test





OKS 25	0	
Version 3.2	Revision Date: 31.10.2024	Date of last issue: 20.06.2022Print Date:Date of first issue: 23.06.201631.10.2024
Spec Asse Meth Resu GLP	ssment od	 Guinea pig Does not cause skin sensitisation. OECD Test Guideline 406 Does not cause skin sensitisation. yes
	bdenum trioxide, re ophosphate:	eaction products with bis[O,O-bis(2-ethylhexyl)] hydrogen
Asse Resu	ssment It	 The product is a skin sensitiser, sub-category 1B. The product is a skin sensitiser, sub-category 1B.
titani ≤ 10		wder form containing <1 % of particles with aerodynamic diamete
Spec	ies ssment od	 Mouse Does not cause skin sensitisation. OECD Test Guideline 429 Does not cause skin sensitisation.
Dec-	1-ene, homopolym	er, hydrogenated:
Test Spec Asse Meth Resu GLP	ies ssment od	 Maximisation Test Guinea pig Did not cause sensitisation on laboratory animals. OECD Test Guideline 406 Did not cause sensitisation on laboratory animals. yes
Germ	n cell mutagenicity	
<u>Prod</u>		
Geno	otoxicity in vitro	: Remarks: No data available
Geno	otoxicity in vivo	: Remarks: No data available
Com	ponents:	
calci	um dihydroxide:	
Genc	otoxicity in vitro	: Test Type: Ames test Method: OECD Test Guideline 471 Result: negative GLP: yes
		Test Type: Chromosome aberration test in vitro Method: OECD Test Guideline 473 Result: negative GLP: yes
		a brand of





OKS 250)			
/ersion 3.2	Revision Date: 31.10.2024		e of last issue: 20.06.2022 e of first issue: 23.06.2016	Print Date: 31.10.2024
			Test Type: In vitro mammalian ce Method: OECD Test Guideline 4 Result: negative GLP: yes	
	es, N-C16-C18-alkyl lec-9-enoate]:	-(ever	numbered, C18 unsaturated) pr	opane-1,3-diaminium di[(9Z)-
	toxicity in vitro	:	Test Type: Ames test Result: negative	
	cell mutagenicity- ssment	:	Tests on bacterial or mammalian mutagenic effects.	cell cultures did not show
Distil	lates (petroleum), se	olvent	-refined heavy paraffinic; Baseo	il — unspecified:
Genot	toxicity in vitro	:	Test Type: Ames test Method: OECD Test Guideline 4 Result: negative GLP: yes	71
	cell mutagenicity- ssment	:	Animal testing did not show any	mutagenic effects.
titaniı ≤ 10 µ		der fo	rm containing <1 % of particles	with aerodynamic diameter
Germ	cell mutagenicity- ssment	:	Tests on bacterial or mammalian mutagenic effects.	cell cultures did not show
Dec-1	-ene, homopolyme	r, hydr	ogenated:	
	cell mutagenicity- ssment	:	Animal testing did not show any	mutagenic effects.
Carci	nogenicity			
<u>Produ</u> Rema		:	No data available	
<u>Com</u> r	oonents:			
calciı	ım dihydroxide:			
	nogenicity - ssment	:	No evidence of carcinogenicity in	n animal studies.
		-(ever	numbered, C18 unsaturated) pr	opane-1,3-diaminium di[(9Z)-
	lec-9-enoate]: nogenicity -	:	No evidence of carcinogenicity in	n animal studies.





KS 25 0	0		
rsion	Revision Date: 31.10.2024	Date of last issue: 20.06.2022 Date of first issue: 23.06.2016	Print Date: 31.10.2024
Asses	ssment		
Distil	lates (petroleum), s	olvent-refined heavy paraffinic; Base	oil — unspecified:
	nogenicity - ssment	: Animal testing did not show any	carcinogenic effects.
titani ≤ 10 ∣		vder form containing <1 % of particles	with aerodynamic diameter
	nogenicity - ssment	: No evidence of carcinogenicity i	in animal studies.
Dec-1	I-ene, homopolyme	r, hydrogenated:	
Carci	nogenicity - ssment	: Not classifiable as a human care	cinogen.
Repr	oductive toxicity		
Prod	uct:		
Effect	ts on fertility	: Remarks: No data available	
	ts on foetal opment	: Remarks: No data available	
Com	ponents:		
calci	um dihydroxide:		
•	oductive toxicity -	: - Fertility -	
Asse	ssment	No toxicity to reproduction - Teratogenicity -	
		No effects on or via lactation	
	es, N-C16-C18-alky lec-9-enoate]:	l-(evennumbered, C18 unsaturated) p	ropane-1,3-diaminium di[(9Z)
Repro	oductive toxicity -	: - Fertility -	
Assessment	No toxicity to reproduction - Teratogenicity -		
		No toxicity to reproduction	
titani ≤ 10 j		vder form containing <1 % of particles	with aerodynamic diameter
-	oductive toxicity -	: - Fertility -	
Assessment		No toxicity to reproduction - Teratogenicity -	
		-	a brand of





OKS 250)						
/ersion 3.2	Revision Date: 31.10.2024		e of last issue: 20.06.2022 e of first issue: 23.06.2016	Print Date: 31.10.2024			
			No effects on or via lactation				
Dec-1	I-ene, homopolymei	r, hydr	ogenated:				
Effect	ts on fertility	:	Species: Rat Application Route: Oral Dose: 1000 milligram per kilogram Fertility: NOAEL Parent: 1.000 mg Method: OECD Test Guideline 41	g/kg body weight			
Repro	oductive toxicity -	:	- Fertility -				
Asses	ssment		No toxicity to reproduction				
STOT	- single exposure						
<u>Produ</u> Rema		:	No data available				
<u>Com</u>	oonents:						
calciu	um dihydroxide:						
Asses	ssment	:	May cause respiratory irritation.				
	es, N-C16-C18-alkyl lec-9-enoate]:	-(even	numbered, C18 unsaturated) pro	ppane-1,3-diaminium di[(9Z)-			
Asses	ssment	:	The substance or mixture is not c organ toxicant, single exposure.	lassified as specific target			
titani ≤ 10 j		der fo	rm containing <1 % of particles v	vith aerodynamic diameter			
Asses	ssment	:	The substance or mixture is not c organ toxicant, single exposure.	lassified as specific target			
STOT	- repeated exposur	e					
Prod	uct:						
Rema	arks	:	No data available				
<u>Com</u>	oonents:						
	es, N-C16-C18-alkyl lec-9-enoate]:	-(even	numbered, C18 unsaturated) pro	ppane-1,3-diaminium di[(9Z)-			
	sure routes ssment	:	Ingestion May cause damage to organs three exposure.	ough prolonged or repeated			



2



OKS 250

Version	Revision Date:	Date of last issue: 20.06.2022	Print Date:
3.2	31.10.2024	Date of first issue: 23.06.2016	31.10.2024

titanium dioxide; [in powder form containing <1 % of particles with aerodynamic diameter \leq 10 μm]:

Assessment

The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Repeated dose toxicity

Product:

Remarks

: This information is not available.

Aspiration toxicity

<u>Product:</u> This information is not available.

Components:

Distillates (petroleum), solvent-refined heavy paraffinic; Baseoil — unspecified: May be fatal if swallowed and enters airways.

titanium dioxide; [in powder form containing <1 % of particles with aerodynamic diameter \leq 10 µm]:

No aspiration toxicity classification

Dec-1-ene, homopolymer, hydrogenated:

No aspiration toxicity classification

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Further information

Product:

Remarks

: Ingestion causes irritation of upper respiratory system and gastrointestinal disturbance.





Version	Revision Date:	Date of last issue: 20.06.2022	Print Date: 31.10.2024
3.2	31.10.2024	Date of first issue: 23.06.2016	

Components:

Molybdenum trioxide, reaction products with bis[O,O-bis(2-ethylhexyl)] hydrogen dithiophosphate: Remarks : Ingestion causes irritation of upper respiratory system and

gastrointestinal disturbance.

SECTION 12: Ecological information

12.1 Toxicity

<u>Product:</u> Toxicity to fish	:	Remarks: Very toxic to aquatic organisms.
Toxicity to daphnia and other aquatic invertebrates	:	Remarks: No data available
Toxicity to algae/aquatic plants	:	Remarks: No data available
Toxicity to microorganisms	:	Remarks: No data available
Components:		
calcium dihydroxide:		
Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): 50,6 mg/l Exposure time: 96 h Test Type: static test Method: OECD Test Guideline 203 GLP: yes
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 49,1 mg/l Exposure time: 48 h Test Type: static test Method: OECD Test Guideline 202 GLP: yes
Toxicity to algae/aquatic plants	:	EC50 (Pseudokirchneriella subcapitata (green algae)): 184,57 mg/l Exposure time: 72 h Test Type: static test Method: OECD Test Guideline 201 GLP: yes
Ecotoxicology Assessment		

Ecotoxicology Assessment

Acute aquatic toxicity : This product has no known ecotoxicological	effects.
---	----------





DKS 250)			
ersion .2			e of last issue: 20.06.2022 e of first issue: 23.06.2016	Print Date: 31.10.2024
Chror	nic aquatic toxicity	:	This product has no known ecotoxico	logical effects.
	es, N-C16-C18-alkyl-(e lec-9-enoate]:	even	numbered, C18 unsaturated) propar	ne-1,3-diaminium di[(9Z)-
Toxic	ity to fish	:	LC50 (Danio rerio (zebra fish)): > 0,1 Exposure time: 96 h Method: OECD Test Guideline 203	- 1 mg/l
	ity to daphnia and other ic invertebrates	:	EC50 (Daphnia magna (Water flea)): Exposure time: 48 h	> 0,1 - 1 mg/l
Toxic plants	ity to algae/aquatic	:	EC50 (Pseudokirchneriella subcapita - 0,1 mg/l Exposure time: 72 h Method: OECD Test Guideline 201	ta (green algae)): > 0,01
M-Fa toxicit	ctor (Acute aquatic y)	:	10	
aquat	ity to daphnia and other ic invertebrates nic toxicity)	:	EC50: 1,41 mg/l Exposure time: 21 d Species: Daphnia magna (Water flea Test Type: semi-static test Method: OECD Test Guideline 211)
M-Factoric	ctor (Chronic aquatic y)	:	1	
Ecoto	oxicology Assessment	t		
Acute	aquatic toxicity	:	Very toxic to aquatic life.	
Chror	nic aquatic toxicity	:	Toxic to aquatic life with long lasting e	effects.
Distil	lates (petroleum), solv	/ent·	-refined heavy paraffinic; Baseoil —	unspecified:
	ity to fish		LC50 (Pimephales promelas (fathead Exposure time: 96 h Test Type: static test Method: OECD Test Guideline 203	•
Ecoto	oxicology Assessment	t		
	nic aquatic toxicity	:	This product has no known ecotoxico	logical effects.
	odenum trioxide, react ophosphate:	tion	products with bis[O,O-bis(2-ethylhe	exyl)] hydrogen
	ity to fish	:	LC50 (Oncorhynchus mykiss (rainbov Exposure time: 96 h	w trout)): > 100 mg/l





OKS 25	50			
Version 3.2	Revision Date: 31.10.2024		e of last issue: 20.06.2022 e of first issue: 23.06.2016	Print Date: 31.10.2024
			Test Type: semi-static test Method: OECD Test Guideline 203 GLP: yes	
			Remarks: May cause long-term adverse environment.	effects in the aquatic
	city to daphnia and other atic invertebrates	:	EC50 (Daphnia magna (Water flea)): > Exposure time: 48 h Test Type: static test Method: OECD Test Guideline 202 GLP: yes	100 mg/l
Toxi plan	city to algae/aquatic ts	:	EC50 (Pseudokirchneriella subcapitata mg/l Exposure time: 72 h Test Type: static test Method: OECD Test Guideline 201 GLP: yes	(green algae)): > 100
	nium dioxide; [in powde ⊨µm]:	r foi	rm containing <1 % of particles with a	erodynamic diameter
Toxi	city to fish	:	LC50 (Oncorhynchus mykiss (rainbow t Exposure time: 96 h Test Type: static test Method: OECD Test Guideline 203	rout)): > 100 mg/l
	city to daphnia and other atic invertebrates	:	LC50 (Daphnia magna (Water flea)): > Exposure time: 48 h Test Type: static test Method: OECD Test Guideline 202	100 mg/l
Dec	-1-ene, homopolymer, h	nydr	ogenated:	
Toxi	city to fish	:	LL50 (Oncorhynchus mykiss (rainbow t Exposure time: 96 h Test Type: semi-static test	rout)): > 1.000 mg/l
	city to daphnia and other atic invertebrates	:	EL50 (Daphnia magna (Water flea)): > Exposure time: 48 h Test Type: static test Method: OECD Test Guideline 202 GLP: yes	1.000 mg/l
Toxi plan	city to algae/aquatic ts	:	EL50 (Selenastrum capricornutum (gree mg/l Exposure time: 72 h Test Type: static test Method: OECD Test Guideline 201 GLP: yes	ən algae)): > 1.000





Version 3.2	Revision Date: 31.10.2024		te of last issue: 20.06.2022 te of first issue: 23.06.2016	Print Date: 31.10.2024
aqua	city to daphnia and othe ttic invertebrates onic toxicity)	r :	NOELR: 125 mg/l Exposure time: 21 d Species: Daphnia magna (Water flea) Test Type: semi-static test Method: OECD Test Guideline 211 GLP: yes	
12.2 Pers	sistence and degradab	ility		
Proc	luct:			
Biod	egradability	:	Remarks: No data available	
	ico-chemical ovability	:	Remarks: No data available	
Com	ponents:			
calci	ium dihydroxide:			
Biod	egradability	:	Remarks: The methods for determining degradability are not applicable to inorg	
	nes, N-C16-C18-alkyl-(dec-9-enoate]:	ever	nnumbered, C18 unsaturated) propane	-1,3-diaminium di[(9Z)-
Biod	egradability	:	Test Type: aerobic Inoculum: activated sludge Result: rapidly biodegradable Biodegradation: 65 % Exposure time: 28 d Method: OECD Test Guideline 301D GLP: yes	
	/bdenum trioxide, reac ophosphate:	tion	products with bis[0,0-bis(2-ethylhex	yl)] hydrogen
	egradability	:	Result: Not rapidly biodegradable Biodegradation: 11 % Exposure time: 28 d Method: OECD Test Guideline 301B	
Dec-	1-ene, homopolymer,	hydı	rogenated:	
Biod	egradability	:	Result: Not readily biodegradable.	
12.3 Bioa	accumulative potential			
Prod	luct:			
	ccumulation	:	Remarks: No data available	





OKS 25	0		
Version 3.2	Revision Date: 31.10.2024	ate of last issue: 20.06.2022 ate of first issue: 23.06.2016	Print Date: 31.10.2024
Com	ponents:		
Parti	ium dihydroxide: tion coefficient: n- nol/water	: log Pow: 0,05	
	nes, N-C16-C18-alkyl-(dec-9-enoate]:	ennumbered, C18 unsaturated) pro	ppane-1,3-diaminium di[(9Z)-
	ccumulation	: Remarks: Bioaccumulation is unlil	kely.
Disti	llates (petroleum), so	nt-refined heavy paraffinic; Baseoi	I — unspecified:
	tion coefficient: n- nol/water	: log Pow: > 4 (20 °C)	
	/bdenum trioxide, read ophosphate:	on products with bis[O,O-bis(2-ethy	/lhexyl)] hydrogen
	tion coefficient: n- nol/water	: log Pow: > 4	
Dec-	1-ene, homopolymer,	drogenated:	
	tion coefficient: n- nol/water	: log Pow: 4,82 - 6,5	
12.4 Mob	ility in soil		
Proc			
Mobi	lity	: Remarks: No data available	
	ibution among onmental compartment	: Remarks: No data available	
12.5 Res	ults of PBT and vPvB	sessment	
Prod	luct:		
	essment	: This substance/mixture contains r to be either persistent, bioaccumu very persistent and very bioaccum 0.1% or higher.	lative and toxic (PBT), or
Com	ponents:		
	ium dioxide; [in powd μm]:	form containing <1 % of particles w	vith aerodynamic diameter
	essment	: Non-classified vPvB substance. N	Ion-classified PBT substance
Dec	1-ene homonolymer	drogenated	

Dec-1-ene, homopolymer, hydrogenated:





OKS 25	0		
Version 3.2	Revision Date: 31.10.2024	Date of last issue: 20.06.2022 Date of first issue: 23.06.2016	Print Date: 31.10.2024
Asse	ssment	: Non-classified PBT substance.	Non-classified vPvB substance
12.6 Endo	ocrine disrupting pr	operties	
Prod	uct:		
Asse	ssment	: The substance/mixture does not considered to have endocrine di to REACH Article 57(f) or Comm (EU) 2017/2100 or Commission levels of 0.1% or higher.	srupting properties according hission Delegated regulation
12.7 Othe	er adverse effects		
Prod	uct:		
	ional ecological nation	: Very toxic to aquatic organisms, effects in the aquatic environme	, .
<u>Com</u>	ponents:		
	bdenum trioxide, re ophosphate:	action products with bis[O,O-bis(2-etl	nylhexyl)] hydrogen
	ional ecological nation	: May cause long lasting harmful	effects to aquatic life.

SECTION 13: Disposal considerations

13.1 Waste t	reatment methods	
Product	:	The product should not be allowed to enter drains, water courses or the soil. Do not dispose of with domestic refuse. Dispose of as hazardous waste in compliance with local and national regulations.
		Waste codes should be assigned by the user based on the application for which the product was used.
Contam	inated packaging :	Packaging that is not properly emptied must be disposed of as the unused product. Dispose of waste product or used containers according to local regulations.
		The following Waste Codes are only suggestions:
Waste C	Code :	used product, unused product 12 01 12**, spent waxes and fats





OKS 25	0	
Version 3.2	Revision Date: 31.10.2024	Date of last issue: 20.06.2022Print Date:Date of first issue: 23.06.201631.10.2024
		uncleaned packagings 15 01 10*, packaging containing residues of or contaminate by hazardous substances
SECTIO	N 14: Transport in	formation
14.1 UN n	number or ID numbe	ır
ADN		: UN 3077
ADR		: UN 3077
RID		: UN 3077
IMDO	3	: UN 3077
ΙΑΤΑ	L .	: UN 3077
14.2 UN p	proper shipping nam	ne la
ADN		 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLIE N.O.S. (fatty amine derivative)
ADR		: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLIE N.O.S. (fatty amine derivative)
RID		: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLIE N.O.S. (fatty amine derivative)
IMDO	3	 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLIE N.O.S. (fatty amine derivative)
ΙΑΤΑ	L.	: Environmentally hazardous substance, solid, n.o.s. (fatty amine derivative)
14.3 Tran	sport hazard class(es)
ADN		: 9
ADR		: 9
RID		: 9
IMDO	3	: 9
ΙΑΤΑ		: 9
14.4 Pack	king group	
ADN		
Pack	ing group sification Code	: III : M7



SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - DE



OKS 250

Version 3.2	Revision Date: 31.10.2024		e of last issue: 20.06.2022 e of first issue: 23.06.2016	Print Date: 31.10.2024
Hazaro Labels	Identification Number	r : :	90 9	
Classif Hazaro Labels	g group ication Code I Identification Number restriction code	: r : :	III M7 90 9 (-)	
Classif	g group ication Code I Identification Number	: : r : :	III M7 90 9	
IMDG Packin Labels EmS C		:	III 9 F-A, S-F	
Packin aircraft Packin	g instruction (LQ) g group	:	956 Y956 III Miscellaneous Dangerous Goods	
Packin (passe Packin	Passenger) g instruction nger aircraft) g instruction (LQ) g group	:	956 Y956 III Miscellaneous Dangerous Goods	
14.5 Enviro	onmental hazards		-	
ADN Enviror	nmentally hazardous	:	yes	
ADR Enviror	nmentally hazardous	:	yes	
RID Enviroi	nmentally hazardous	:	yes	
IMDG Marine	pollutant	:	yes	
	Passenger) nmentally hazardous	:	yes	
IATA (Cargo) nmentally hazardous	:	yes	





Version	Revision Date:	Date of last issue: 20.06.2022	Print Date:
3.2	31.10.2024	Date of first issue: 23.06.2016	31.10.2024

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Remarks

: Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing the market and use of certain dangerous substance mixtures and articles (Annex XVII)	
REACH - Candidate List of Substances of Very Hig Concern for Authorisation (Article 59). (EU SVHC)	h : This product does not contain substances of very high concern (Regulation (EC) No 1907/2006 (REACH), Article 57).
Regulation (EC) No 1005/2009 on substances that deplete the ozone layer (EC 1005/2009)	: Not applicable
Regulation (EU) 2019/1021 on persistent organic pollutants (recast) (EU POP)	: Not applicable
Regulation (EU) No 649/2012 of the European Parliament and the Council concerning the export a import of dangerous chemicals (EU PIC)	: Not applicable nd
REACH - List of substances subject to authorisation (Annex XIV) (EU. REACH-Annex XIV)	n : Not applicable
Regulation (EU) 2019/1148 on the marketing and u	se of : Not applicable





OKS 250					
Version 3.2	Revision Date: 31.10.2024	Date of last issue: 20.06.2022Print Date:Date of first issue: 23.06.201631.10.2024			
exp	explosives precursors				
Parl maj	eso III: Directive 2012, iament and of the Cou or-accident hazards in stances.	cil on the control of)S		
		: WGK 3 highly hazardous to water Classification according to AwSV, Annex 1 (5.2)			
 (Germany) TA Luft List (Germany) S.2.1: Total dust: others: 52,07 % S.2.2: Inorganic substan Not applicable S.2.4: Inorganic substan Not applicable S.2.5: Organic Substanc Class 1: 10,29 % S.2.7.1.1: Carcinogenic si Not applicable S.2.7.1.1: Quartz fine du Not applicable S.2.7.1.1: Formaldehyde Not applicable S.2.7.1.1: fibres: Not applicable S.2.7.1.2: Germ cell mut Not applicable S.2.7.1.3: Substances to Not applicable 		others: 52,07 % 5.2.2: Inorganic substances in powdered form: Not applicable 5.2.4: Inorganic substances in gaseous form: Not applicable 5.2.5: Organic Substances: Class 1: 10,29 % 5.2.7.1.1: Carcinogenic substance: Not applicable 5.2.7.1.1: Quartz fine dust PM4: Not applicable 5.2.7.1.1: Formaldehyde: Not applicable 5.2.7.1.1: fibres: Not applicable 5.2.7.1.2: Germ cell mutagens: Not applicable 5.2.7.1.3: Substances toxic to reproduction: Not applicable 5.2.7.2: Poorly degradable, easily enrichable and highly organic substances:	toxic		
Vola	atile organic compound	 Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control) Volatile organic compounds (VOC) content: < 0,01 % 	I		

15.2 Chemical safety assessment

This information is not available.





Version	Revision Date:	Date of last issue: 20.06.2022	Print Date:
3.2	31.10.2024	Date of first issue: 23.06.2016	31.10.2024

SECTION 16: Other information

Full text of H-Statements

H304	:	May be fatal if swallowed and enters airways.
H315	:	Causes skin irritation.
H317	:	May cause an allergic skin reaction.
H318	:	Causes serious eye damage.
H319	:	Causes serious eye irritation.
H335	:	May cause respiratory irritation.
H373	:	May cause damage to organs through prolonged or repeated exposure if swallowed.
H400	:	Very toxic to aquatic life.
H411	:	Toxic to aquatic life with long lasting effects.
H413	:	May cause long lasting harmful effects to aquatic life.

Full text of other abbreviations

Note L	:	The harmonised classification as a carcinogen applies unless it can be shown that the substance contains less than 3 % of dimethyl sulphoxide extract as measured by IP 346 ("Determination of polycyclic aromatics in unused lubricating base oils and asphaltene free petroleum fractions - Dimethyl sulphoxide extraction refractive index method"Institute of Petroleum, London), in which case a classification in accordance with Title II of this Regulation shall be performed also for that hazard class.
2017/164/EU	:	Europe. Commission Directive 2017/164/EU establishing a fourth list of indicative occupational exposure limit values
DE DFG MAK	:	Germany. MAK BAT Annex IIa
DE TRGS 527	:	Germany. TRGS 527 - Activities with nanomaterials
DE TRGS 900	:	Germany. TRGS 900 - Occupational exposure limit values.
2017/164/EU / STEL	:	Short term exposure limit
2017/164/EU / TWA	:	Limit Value - eight hours
	:	MAK value
	:	Assessment scale
DE TRGS 900 / AGW	:	Time Weighted Average

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx -



SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - DE



OKS 250

Version	Revision Date:	Date of last issue: 20.06.2022	Print Date:
3.2	31.10.2024	Date of first issue: 23.06.2016	31.10.2024

Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA -International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO -International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Classification of th	Classification procedure:	
Skin Irrit. 2	H315	Calculation method
Eye Dam. 1	H318	Calculation method
Aquatic Acute 1	H400	Calculation method
Aquatic Chronic 3	H412	Calculation method

Relevant changes compared to the last edition are highlighted at the left margin. This version replaces all previous editions.

This safety data sheet applies only to products as originally packed and labelled. The information contained therein may not be reproduced or modified without our express written permission. Any forwarding of this document is only permitted to the extent required by law. Any further, in particular public, dissemination of the safety data sheet (e.g. as a document for download from the Internet) is not permitted without our express written consent. We provide our customers with amended safety data sheets as prescribed by law. The customer is responsible for passing on safety data sheets and any amendments contained therein to its own customers, employees and other users of the product. We provide no guarantee that safety data sheets received by users from third parties are up-to-date. All information and instructions in this safety data sheet have been compiled to the best of our knowledge and are based on the information available to us on the day of publication. The information provided is intended to describe the product in relation to the required safety measures; it is neither an assurance of characteristics nor a guarantee of the





Version	Revision Date:	Date of last issue: 20.06.2022	Print Date:
3.2	31.10.2024	Date of first issue: 23.06.2016	31.10.2024

product's suitability for particular applications and does not justify any contractual legal relationship. The existence of a safety data sheet for a particular jurisdiction does not necessarily mean that import or use within that jurisdiction is legally permitted. If you have any questions, please contact your responsible sales contact or authorized trading partner.

