

Version	Revision Date:	Date of last issue: 21.03.2024	Print Date:
2.5	06.02.2025	Date of first issue: 06.06.2016	06.02.2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1	Product identifier		
	Product name	:	OKS 601
1.2	Relevant identified uses of th	ne s	substance or mixture and uses advised against
	Use of the	:	Lubricant spray
	Substance/Mixture		
	Recommended restrictions	:	Restricted to professional users.
	on use		
1.3	Details of the supplier of the	saf	ety data sheet
	Company	:	
			Ganghoferstr. 47
			82216 Maisach-Gernlinden Deutschland
			Tel.: +49 8142 3051 500
			Fax: +49 8142 3051 599
			info@oks-germany.com
	E-mail address of person	:	mcm@oks-germany.com
	responsible for the SDS	•	
	National contact	:	
4 /	Emorgonov tolonhono numb	>r	

1.4 Emergency telephone number

Emergency telephone	:	+49 8142 3051 517
number		

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)			
Aerosols, Category 1	H222: Extremely flammable aerosol. H229: Pressurised container: May burst if heated.		
Aspiration hazard, Category 1	H304: May be fatal if swallowed and enters airways.		



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - DE



OKS 601

Version	Revision Date:	Date of last issue: 21.03.2024	Print Date:
2.5	06.02.2025	Date of first issue: 06.06.2016	06.02.2025

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Labelling (REGULATION (EC) NO 12/2/2008)					
Hazard pictograms	:				
Signal word	:	Danger			
Hazard statements	:	H222 H229 H304	Extremely flammable aerosol. Pressurised container: May burst if heated. May be fatal if swallowed and enters airways.		
Supplemental Hazard Statements	:	EUH066	Repeated exposure may cause skin dryness or cracking.		
Precautionary statements	:	Prevention:			
Precautionary statements	:	Prevention: P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.		
Precautionary statements	:		open flames and other ignition sources. No smoking. Do not spray on an open flame or other		
Precautionary statements	:	P210	open flames and other ignition sources. No smoking.		
Precautionary statements	:	P210 P211	open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source.		
Precautionary statements	:	P210 P211 P251	open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source.		
Precautionary statements	:	P210 P211 P251 Response:	open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. IF SWALLOWED: Immediately call a		
Precautionary statements	:	P210 P211 P251 Response: P301 + P310	open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. IF SWALLOWED: Immediately call a POISON CENTER/ doctor.		

Hazardous components which must be listed on the label:

Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics

Additional Labelling

EUH208 Contains Sulfonic acids, petroleum, calcium salts. May produce an allergic reaction.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.





Version	Revision Date:	Date of last issue: 21.03.2024	Print Date:
2.5	06.02.2025	Date of first issue: 06.06.2016	06.02.2025

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature

Active substance with propellant : Mineral oil.

Components				
Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	specific concentration limit M-Factor Notes Acute toxicity estimate	Concentration (% w/w)
Hydrocarbons, C10- C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics	918-481-9 01-2119457273-39- XXXX	Asp. Tox.1; H304; EUH066 ; EUH066	Note PNote P	>= 50 - < 70
Sulfonic acids, petroleum, calcium salts	61789-86-4 263-093-9 01-2119488992-18- 0000	Skin Sens.1B; H317	>= 10 % Skin Sens.1B,	>= 1 - < 10
Substances with a wor	kplace exposure limit :		1	
butane	106-97-8 203-448-7 601-004-00-0 01-2119474691-32-	Flam. Gas1; H220 Press. GasCompr. Gas; H280	Note U (table 3.1), Note C	>= 10 - < 20

Componente



SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by

Commission Regulation (EU) 2020/878 - DE



OKS 601

Version Revision Da 2.5 06.02.2025		sue: 21.03.2024 sue: 06.06.2016	Print I 06.02	
	XXXX			
propane	74-98-6 200-827-9 601-003-00-5 01-2119486944-21- XXXX	Flam. Gas1A; H220 Press. GasCompr. Gas; H280	Note U (table 3.1)	>= 1 - < 10
Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil — unspecified	64742-54-7 265-157-1 649-467-00-8 01-2119484627-25- XXXX	Not classified	Note L	>= 1 - < 10
Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil — unspecified	265-169-7	Not classified	Note L	>= 1 - < 10

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

If inhaled	 Remove person to fresh air. If signs/symptoms continue, get medical attention. Keep patient warm and at rest. If unconscious, place in recovery position and seek medical advice. Keep respiratory tract clear. If breathing is irregular or stopped, administer artificial respiration.
In case of skin contact	 Take off all contaminated clothing immediately. Get medical attention immediately if irritation develops and persists. Wash clothing before reuse. Thoroughly clean shoes before reuse. Wash skin thoroughly with soap and water or use recognized skin cleanser.
In case of eye contact	: Rinse immediately with plenty of water, also under the eyelids, for at least 10 minutes. Seek medical advice.





OKS 601			
Version 2.5	Revision Date: 06.02.2025	Date of last issue: 21.03.2024 Date of first issue: 06.06.2016	Print Date: 06.02.2025
lf swa	allowed	: Move the victim to fresh air. Keep respiratory tract clear. Do NOT induce vomiting. Obtain medical attention. Rinse mouth with water. Aspiration hazard if swallowed - ca damage.	an enter lungs and cause
4.2 Most important symptoms a Symptoms		s and effects, both acute and delayed : Inhalation may provoke the followin Unconsciousness Dizziness Drowsiness Headache Nausea Tiredness Skin contact may provoke the follo Erythema	
Risks		 Aspiration may cause pulmonary of Can be absorbed through skin. Risk of product entering the lungs Health injuries may be delayed. 	
4.3 Indica Treat	•	ate medical attention and special treatme : Treat symptomatically.	ent needed

SECTION 5: Firefighting measures

5.1	Extinguishing media Suitable extinguishing media	:	ABC powder
	Unsuitable extinguishing media	:	High volume water jet
5.2	Special hazards arising from	the	e substance or mixture
	Specific hazards during firefighting	:	Fire Hazard Do not let product enter drains. Contains gas under pressure; may explode if heated. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.
	Hazardous combustion products	:	Carbon oxides Nitrogen oxides (NOx)





OKS 601	KS 601					
Version 2.5	Revision Date: 06.02.2025		te of last issue: 21.03.2024 te of first issue: 06.06.2016	Print Date: 06.02.2025		
			Sulphur oxides			
5.3 Advice	for firefighters					
Special protective equipment : for firefighters		t:	In the event of fire, wear self-contained b Use personal protective equipment. Exp decomposition products may be a hazar	osure to		
Further information		:	Standard procedure for chemical fires. Collect contaminated fire extinguishing water separatel must not be discharged into drains. Cool containers/tanks with water spray.			

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	:	Evacuate personnel to safe areas. Ensure adequate ventilation. Remove all sources of ignition. Do not breathe vapours or spray mist. Refer to protective measures listed in sections 7 and 8. Only qualified personnel equipped with suitable protective equipment may intervene.
6.2 Environmental precautions		
Environmental precautions	:	Try to prevent the material from entering drains or water courses. Prevent further leakage or spillage if safe to do so. Local authorities should be advised if significant spillages

cannot be contained.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up	:	Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Keep in suitable, closed containers for disposal. Non-sparking tools should be used.
-------------------------	---	---

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling



SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - DE



OKS 601

Version 2.5	Revision Date: 06.02.2025	Date of last issue Date of first issu		Print Date: 06.02.2025
Advice on safe handling		Do not brea In case of in equipment. Avoid conta For persona Keep away Smoking, e application Wash hand handling the Do not get in Do not get in Do not use These safe may still con Pressurized expose to the	ntact with skin and eyes. onal protection see section 8. vay from fire, sparks and heated surfaces. g, eating and drinking should be prohibited in the on area. ands and face before breaks and immediately after the product. et in eyes or mouth or on skin. et on skin or clothing.	
Hygi	ene measures	: Wash face, handling.	hands and any exposed	d skin thoroughly after
7.2 Cond	itions for safe storage	ncluding any i	ncompatibilities	
Requirements for storage areas and containers		: BEWARE: exposure a or throw int	Aerosol is pressurized. I nd temperatures over 50 o fire even after use. Do ects. Store in accordance	
Stora	age class (TRGS 510)	: 2B, Aeroso	l cans and lighters	
-	fic end use(s)			
Spec	tific use(s)	: Specific ins	tructions for handling, n	ot required.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Hydrocarbons, C10-C13, n- alkanes, isoalkanes, cyclics,	Not Assigned	МАК	50 ppm 300 mg/m3	DE DFG MAK (2009-07-01)



SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - DE



OKS 601 Version Date of last issue: 21.03.2024 Print Date: **Revision Date:** 06.02.2025 Date of first issue: 06.06.2016 06.02.2025 2.5 < 2% aromatics Further information: Either there are no data for an assessment of damage to the embryo or foetus, including developmental neurotoxicity, or the currently available data are not sufficient for classification in one of the groups A - C AGW 300 mg/m3 DE TRGS 900 (2017 - 11 - 30)Peak-limit: excursion factor (category): 2;(II) Further information: Group exposure limit for hydrocarbon solvent mixtures 106-97-8 1.000 ppm AGW DE TRGS butane 2.400 mg/m3 900 (2006-01-01)Peak-limit: excursion factor (category): 4;(II) MAK 1.000 ppm DE DFG MAK 2.400 mg/m3 (2008-07-01) Further information: Either there are no data for an assessment of damage to the embryo or foetus, including developmental neurotoxicity, or the currently available data are not sufficient for classification in one of the groups A - C 74-98-6 1.000 ppm DE DFG MAK MAK propane 1.800 mg/m3 (2006-07-01)Further information: Either there are no data for an assessment of damage to the embryo or foetus, including developmental neurotoxicity, or the currently available data are not sufficient for classification in one of the groups A - C AGW 1.000 ppm DE TRGS 1.800 mg/m3 900 (2006-01-01)Peak-limit: excursion factor (category): 4;(II) Distillates 64742-54-7 AGW (Vapour DE TRGS 5 mg/m3 (petroleum), and aerosols) 900 hydrotreated heavy (2018-06-07)paraffinic; Baseoil unspecified Peak-limit: excursion factor (category): 4;(II) Further information: When there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child AGW (Vapour Distillates 64742-65-0 5 mg/m3 DE TRGS (petroleum). and aerosols) 900 solvent-dewaxed (2018-06-07)heavy paraffinic; Baseoil unspecified Peak-limit: excursion factor (category): 4;(II) Further information: When there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child DE DFG MAK Sulfonic acids, 61789-86-4 MAK (measured 5 mg/m3 petroleum, calcium as the alveolate (2023-07-01)salts fraction) Further information: Either there are no data for an assessment of damage to the embryo or foetus, including developmental neurotoxicity, or the currently available data are not sufficient for classification in one of the groups A - C



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - DE



KS 60 ⁻	1				
ersion 5	Revision Date: 06.02.2025	Date of las Date of firs		Print Date: 06.02.2025	
		fra	ction)	5 mg/m3	DE TRGS 900 (2015-11-06)
	P	eak-limit: excurs	ion factor (categor	y): 4;(II)	
Deriv	ved No Effect Lev	el (DNEL) accor	ding to Regulation	on (EC) No. 1907/2006:	
Subst	tance name	End Use	Exposure routes	s Potential health effects	Value
hydro paraf	lates bleum), btreated heavy finic; Baseoil — ecified	Workers	Inhalation	Long-term local effects	5,58 mg/m3
		Workers	Inhalation	Long-term systemic effects	2,73 mg/m3
		Workers	Skin contact	Long-term systemic effects	0,97 mg/kg
dewa paraf	lates bleum), solvent- ixed heavy finic; Baseoil — ecified	Workers	Inhalation	Long-term systemic effects	2,73 mg/m3
		Workers	Skin contact	Long-term systemic effects	0,97 mg/kg

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value	
Distillates (petroleum),	Oral	9,33 mg/kg	
hydrotreated heavy paraffinic;			
Baseoil — unspecified			
Distillates (petroleum), solvent-	Oral	9,33 mg/kg	
dewaxed heavy paraffinic;			
Baseoil — unspecified			

8.2 Exposure controls

Engineering measures

Use only in an area equipped with explosion proof exhaust ventilation. Handle only in a place equipped with local exhaust (or other appropriate exhaust).

Personal protective equipment

Eye/face protection	:	Safety glasses with side-shields
Hand protection Material Break through time Protective index	:	Nitrile rubber > 10 min Class 1

Remarks

: Wear protective gloves. The break through time depends amongst other things on the material, the thickness and the





OKS 6	01			
Version 2.5	Revision Date: 06.02.2025	ate of last issue: 21.03.2024Print Date:ate of first issue: 06.06.201606.02.2025		
		type of glove and therefore has to be measured for eac case. The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the sta EN 374 derived from it.		
Ski	n and body protection	: Choose body protection in relation to its type, to the concentration and amount of dangerous substances, at the specific work-place.	nd to	
Res	spiratory protection	: Use respiratory protection unless adequate local exhau- ventilation is provided or exposure assessment demon- that exposures are within recommended exposure guid Short term only	strates	
Filter type :		: Filter type A-P		
Pro	tective measures	: The type of protective equipment must be selected acc to the concentration and amount of the dangerous subs at the specific workplace.		
Env	/ironmental exposure	ontrols		
Air		: No special environmental precautions required.		
Soi	l	:		
		The product should not be allowed to enter drains, wate courses or the soil.	er	
Wa	ter	:		
		The product should not be allowed to enter drains, wate courses or the soil.	er	

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	:	aerosol
Colour	:	brown
Odour	:	characteristic
Odour Threshold	:	No data available



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - DE



OKS 601

Version	Revision Date:	Date of last issue: 21.03.2024	Print Date: 06.02.2025
2.5	06.02.2025	Date of first issue: 06.06.2016	

Melting point/range	:	No data available	
Boiling point/boiling range	:	< -20 °C (1.013 hPa)	
Flammability (solid, gas)	:	Extremely flammable aerosol.	
Upper explosion limit / Upper flammability limit	:	9,4 %(V)	
Lower explosion limit / Lower flammability limit	:	0,7 %(V)	
Flash point	:	-20 °C Method: Abel-Pensky, closed cup	
Auto-ignition temperature	:	No data available	
Decomposition temperature	:	No data available	
рН	:	Not applicable substance/mixture is non-soluble (in water	r)
Viscosity Viscosity, dynamic	:	No data available	
Viscosity, kinematic	:	< 20,5 mm2/s (40 °C)	
Solubility(ies) Water solubility	:	insoluble	
Solubility in other solvents	:	No data available	
Partition coefficient: n- octanol/water	:	No data available	
Vapour pressure	:	2.800 hPa (20 °C)	
Relative density	:	0,741 (20 °C) Reference substance: Water The value is calculated	
Density	:	0,74 g/cm3 (20 °C)	
Bulk density	:	No data available	
Relative vapour density	:	No data available	
		11/00	a brand c



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - DE



OKS 601

Version 2.5	Revision Date: 06.02.2025	Date of last issue: 21.03.2024 Date of first issue: 06.06.2016	Print Date: 06.02.2025
2.5	00.02.2025	Date of first issue. 00.00.2010	00.02.2025

9.2 Other information

Explosives	: Not explosive
Oxidizing properties	: No data available
Self-ignition	: No data available
Metal corrosion rate	: Not corrosive to metals
Evaporation rate	: No data available
Sublimation point	: No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No hazards to be specially mentioned.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions Hazardous reactions : No dangerous reaction known under conditions of normal use. 10.4 Conditions to avoid : Heat, flames and sparks. Strong sunlight for prolonged periods. Risk of receptacle bursting.

10.5 Incompatible materials

Materials to avoid : Oxidizing agents

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Product:

Acute oral toxicity

: Remarks: This information is not available.





OKS 60	1				
Version 2.5	Revision Date: 06.02.2025	Date of last issue: 21.03.2 Date of first issue: 06.06.2			
Acute	e inhalation toxicity	: Remarks: Harmful by Irritating to respirator			
			on may provoke the following symptoms:, , Local irritation, Respiratory disorders		
Acute	e dermal toxicity		: Remarks: Prolonged or repeated skin contact with liquid may cause defatting resulting in drying, redness and possible blistering.		
		Symptoms: Redness	s, Local irritation, Skin disorders		
Com	ponents:				
Hydr	ocarbons, C10-C13,	n-alkanes, isoalkanes, cyc	clics, < 2% aromatics:		
Acute	e oral toxicity	: LD50 (Rat): > 5.000 r Method: OECD Test			
Acute	e dermal toxicity	: LD50 (Rabbit): > 5.00 Method: OECD Test			
buta	ne:				
Acute	e inhalation toxicity	: LC50 (Rat): 658 mg/l Exposure time: 4 h Test atmosphere: ga			
Disti	llates (petroleum), h	drotreated heavy paraffini	ic; Baseoil — unspecified:		
Acute	e oral toxicity	: LD50 (Rat): > 5.000 (Method: OECD Test GLP: yes			
Acute	e inhalation toxicity	: LC50 (Rat): > 5,53 m Exposure time: 4 h Test atmosphere: du Method: OECD Test Assessment: The su inhalation toxicity	ust/mist		
Acute	e dermal toxicity	: LD50 (Rabbit): > 5.00 Method: OECD Test			
Disti	llates (petroleum), s	lvent-dewaxed heavy para	affinic; Baseoil — unspecified:		
	e oral toxicity	: LD50 (Rat): > 5.000 Method: OECD Test	mg/kg		
Acute	e dermal toxicity	: LD50 (Rabbit): > 5.00 Method: OECD Test			
			a brand of		



Version	Revision Date:	Date of last issue: 21.03.2024	Print Date:
2.5	06.02.2025	Date of first issue: 06.06.2016	06.02.2025

Skin corrosion/irritation

Product:

Remarks

: Irritating to skin.

Components:

Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics:

Species Assessment Method Result	 Rabbit No skin irritation OECD Test Guideline 404 Mild skin irritation
Result	: Repeated exposure may cause skin dryness or cracking.

Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil — unspecified:				
Species	:	Rabbit		
Assessment	:	No skin irritation		
Method	:	OECD Test Guideline 404		
Result	:	No skin irritation		

: yes

Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil — unspecified:

Species	:	Rabbit
Assessment	:	No skin irritation
Method	:	OECD Test Guideline 404
Result	:	No skin irritation
GLP	:	yes

Serious eye damage/eye irritation

Product:

GLP

Remarks : Contact with eyes may cause irritation.

Components:

Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics:

Species	:	Rabbit
Assessment	:	No eye irritation
Method	:	OECD Test Guideline 405
Result	:	No eye irritation

Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - unspecified:

Species	:	Rabbit
Assessment	:	No eye irritation



SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - DE



OKS 60'	1		
Version 2.5	Revision Date: 06.02.2025	Date of last issue: 21.03.2024 Date of first issue: 06.06.2016	Print Date: 06.02.2025
Metho Resu GLP		 : OECD Test Guideline 405 : No eye irritation : yes 	
Distil	llates (petroleum), s	olvent-dewaxed heavy paraffinic; Base	oil — unspecified:
Spec	ies	: Rabbit	
•	ssment	: No eye irritation	
Meth	od	: OECD Test Guideline 405	
Resu	lt	: No eye irritation	
GLP		: yes	
Resp	iratory or skin sens	itisation	
Prod	uct:		
Rema	arks	: This information is not available.	
Com	ponents:		
Hydr	ocarbons, C10-C13,	n-alkanes, isoalkanes, cyclics, < 2% a	romatics:
Spec	ies	: Guinea pig	
Asse	ssment	: Does not cause skin sensitisation	l.
Meth		: OECD Test Guideline 406	
Resu	lt	: Does not cause skin sensitisation	l.
Sulfo	onic acids, petroleur	n, calcium salts:	
Asse	ssment	: The product is a skin sensitiser, s	sub-category 1B.
Distil	llates (petroleum), h	ydrotreated heavy paraffinic; Baseoil -	– unspecified:
Spec	ies	: Guinea pig	-
	ssment	: Does not cause skin sensitisation	I.
Meth	od	: OECD Test Guideline 406	
Resu	lt	: Does not cause skin sensitisation	l.
GLP		: yes	
		olvent-dewaxed heavy paraffinic; Base	oii — unspecified:
Spec		: Guinea pig	
	ssment od	: Does not cause skin sensitisation : OECD Test Guideline 406	I.
Meth Resu		: DecD Test Guideline 406 : Does not cause skin sensitisation	
GLP	n.	: yes	
ULI		. yos	





OKS 601						
Vers 2.5	sion	Revision Date: 06.02.2025		e of last issue: 21.03.2024 e of first issue: 06.06.2016	Print Date: 06.02.2025	
	Germ	cell mutagenicity				
	<u>Produ</u>	<u>ict:</u>				
	Genot	oxicity in vitro	:	Remarks: No data available		
	Genot	oxicity in vivo	:	Remarks: No data available		
	<u>Comp</u>	onents:				
	Hydro	ocarbons, C10-C13,	n-alka	ines, isoalkanes, cyclics, < 2% a	romatics:	
		cell mutagenicity- sment	:	Tests on bacterial or mammalian cell cultures did not show mutagenic effects.		
	Distill	ates (petroleum), so	olvent	-dewaxed heavy paraffinic; Base	oil — unspecified:	
Genotoxicity in vitro		:	Test system: Salmonella typhimu Metabolic activation: with and with Method: OECD Test Guideline 47 Result: negative	hout metabolic activation		
	Genot	oxicity in vivo	:	Species: Mouse Application Route: Oral Method: OECD Test Guideline 47 Result: negative	74	
	Carcinogenicity					
	Produ	ict:				
	Rema	rks	:	No data available		
	Comp	onents:				
	Hydro	ocarbons, C10-C13,	n-alka	ines, isoalkanes, cyclics, < 2% a	romatics:	
		nogenicity - sment	:	Not classifiable as a human carci	nogen.	
	Distillates (petroleum), hyc		ydrotr	eated heavy paraffinic; Baseoil -	– unspecified:	
		nogenicity - sment	:	Not classifiable as a human carci	nogen.	
	Distillates (petroleum), solve		olvent	-dewaxed heavy paraffinic; Base	oil — unspecified:	
	Specie		:	Mouse		
	Applic	ation Route d	:	Dermal OECD Test Guideline 451		
	Result		:	negative		





	5 001				
Vers 2.5	ion	Revision Date: 06.02.2025		e of last issue: 21.03.2024 e of first issue: 06.06.2016	Print Date: 06.02.2025
	Repro	ductive toxicity			
	Produ	ct:			
		s on fertility	:	Remarks: No data available	
	Effects develo	s on foetal pment	:	Remarks: No data available	
	Components:				
	Hydro	carbons, C10-C13,	, n-alka	nes, isoalkanes, cyclics, < 2% a	romatics:
	Repro	ductive toxicity -	:	- Fertility -	
	Assess	sment		No toxicity to reproduction - Teratogenicity -	
				No toxicity to reproduction	
	Distillates (petroleum), h		ydrotre	eated heavy paraffinic; Baseoil -	– unspecified:
	Reproductive toxicity - Assessment Distillates (petroleum), so		:	- Fertility -	
				No toxicity to reproduction	
			olvent-	dewaxed heavy paraffinic; Base	eoil — unspecified:
	Effects develo	s on foetal pment	:	Species: Rat Application Route: Dermal General Toxicity Maternal: NOAE Developmental Toxicity: NOAEL: Method: OECD Test Guideline 47	30 mg/kg body weight
	стот	- single exposure			
	Produ	<u>ct:</u>			
	Remar		:	No data available	
	<u>Comp</u>	onents:			
Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromati		romatics:			
	Assess		:	The substance or mixture is not c organ toxicant, single exposure.	
	sтот	- repeated exposu	re		
	<u>Produ</u>	<u>ct:</u>			
	Remar	ks	:	No data available	





OKS 60	1				
Version 2.5	Revision Date: 06.02.2025	Date of last issue: 21.03.2 Date of first issue: 06.06.2			
<u>Com</u>	ponents:				
Hydr	ocarbons, C10-C13,	n-alkanes, isoalkanes, cyc	lics, < 2% aromatics:		
Asse	ssment	: The substance or mix organ toxicant, single	xture is not classified as specific target e exposure.		
Repe	eated dose toxicity				
Prod	uct:				
Rema	arks	: This information is no	ot available.		
Aspi	ration toxicity				
<u>Prod</u> May I	<u>uct:</u> be fatal if swallowed a	nd enters airways.			
Mayl	be fatal if swallowed a	nd enters airways.			
Com	ponents:				
-	Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics: May be fatal if swallowed and enters airways.				
	Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil — unspecified: No aspiration toxicity classification				
	llates (petroleum), s spiration toxicity class		affinic; Baseoil — unspecified:		
11.2 Infor	mation on other haz	ards			
Endo	ocrine disrupting pro	perties			
Prod	uct:				
Asse	ssment	considered to have e to REACH Article 57(re does not contain components endocrine disrupting properties according (f) or Commission Delegated regulation ommission Regulation (EU) 2018/605 at her.		
Furth	ner information				
Prod	uct:				
Rema	arks	: Ingestion causes irrita gastrointestinal distu	ation of upper respiratory system and rbance.		
		10 (20	a brand of		





Version	Revision Date:	Date of last issue: 21.03.2024	Print Date:
2.5	06.02.2025	Date of first issue: 06.06.2016	06.02.2025

SECTION 12: Ecological information

12.1 Toxicity

)ra	du	ct:
 10	սս	ωι.

Toxicity to fish	:	Remarks: No data available
Toxicity to daphnia and other aquatic invertebrates	:	Remarks: No data available
Toxicity to algae/aquatic plants	:	Remarks: No data available
Toxicity to microorganisms	:	Remarks: No data available
Components:		
Hydrocarbons, C10-C13, n-al	ka	nes, isoalkanes, cyclics, < 2% aromatics:
Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	EC50 (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l Exposure time: 72 h
Distillates (petroleum) hydro	htr	eated heavy paraffinic; Baseoil — unspecified:
Toxicity to fish	:	LC50 (Pimephales promelas (fathead minnow)): > 100 mg/l Exposure time: 96 h Test Type: static test Method: OECD Test Guideline 203 GLP: yes
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 10.000 mg/l Exposure time: 48 h Test Type: Immobilization Method: OECD Test Guideline 202 GLP: yes
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC: 10 mg/l Exposure time: 21 d Species: Daphnia magna (Water flea) Test Type: semi-static test Method: OECD Test Guideline 211 GLP: yes





	•			
OKS 60 ²				
Version 2.5	Revision Date: 06.02.2025		e of last issue: 21.03.2024 e of first issue: 06.06.2016	Print Date: 06.02.2025
	u /·	vent-	dewaxed heavy paraffinic; Base LC50 (Pimephales promelas (fat	•
TOXIC	Toxicity to fish		Exposure time: 96 h Test Type: static test Method: OECD Test Guideline 20 GLP: yes	
	ity to daphnia and othe tic invertebrates	r :	EC50 (Daphnia magna (Water fle Exposure time: 48 h Test Type: static test Method: OECD Test Guideline 24	
Toxic plants	ity to algae/aquatic	:	NOEC (Pseudokirchneriella subo mg/l Exposure time: 72 h Test Type: static test Method: OECD Test Guideline 20	
aquat	ity to daphnia and othe tic invertebrates nic toxicity)	r:	NOEC: 10 mg/l Exposure time: 21 d Species: Daphnia magna (Water	flea)
12.2 Persi	istence and degradab	ility		
Prod	uct:			
Biode	egradability	:	Remarks: No data available	
	co-chemical vability	:	Remarks: No data available	
<u>Com</u>	ponents:			
Distil	lates (petroleum), hyd	drotre	eated heavy paraffinic; Baseoil -	— unspecified:
Biode	gradability	:	Test Type: aerobic Inoculum: activated sludge Result: Not rapidly biodegradable Biodegradation: 3 % Exposure time: 28 d Method: OECD Test Guideline 3 GLP: yes	
Distil	lates (petroleum), sol	vent·	dewaxed heavy paraffinic; Base	eoil — unspecified:
Biode	gradability	:	Test Type: aerobic Inoculum: activated sludge Result: Not rapidly biodegradable Biodegradation: 31 % Exposure time: 28 d Method: OECD Test Guideline 3 GLP: yes	





Version	Revision Date:	Date of last issue: 21.03.2024	Print Date:
2.5	06.02.2025	Date of first issue: 06.06.2016	06.02.2025

12.3 Bioaccumulative potential

Product: Bioaccumulation	:	Remarks: No data available
Components:		
butane: Partition coefficient: n- octanol/water	:	log Pow: 2,89 Method: OECD Test Guideline 107
propane: Partition coefficient: n-	:	log Pow: 2,36

Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil — unspecified:

Partition coefficient: n-	:	log Pow: 10,16 - 24,9
octanol/water		

12.4 Mobility in soil

_

octanol/water

Product:		
Mobility	:	Remarks: No data available
Distribution among environmental compartments	:	Remarks: No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment	:	This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or
		very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Components:

Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics:			
Assessment	:	Non-classified PBT substance. Non-classified vPvB substance	

Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil — unspecified:

Assessment :	Non-classified vPvB substance. Non-classified PBT substance
--------------	---





Version	Revision Date:	Date of last issue: 21.03.2024	Print Date:
2.5	06.02.2025	Date of first issue: 06.06.2016	06.02.2025

12.6 Endocrine disrupting properties

Product:

Assessment	 The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
------------	---

12.7 Other adverse effects

Product:	

Additional ecological	:	No information on ecology is available.
information		

SECTION 13: Disposal considerations

13.1 Waste treatment methods	
Product :	Do not dispose of with domestic refuse. Dispose of as hazardous waste in compliance with local and national regulations.
	Waste codes should be assigned by the user based on the application for which the product was used.
Contaminated packaging :	Packaging that is not properly emptied must be disposed of as the unused product. Offer empty spray cans to an established disposal company. Pressurized container: Do not pierce or burn, even after use.
	The following Waste Codes are only suggestions:
Waste Code :	unused product, packagings not completely emptied 16 05 04**, gases in pressure containers (including halons) containing hazardous substances

SECTION 14: Transport information

14.1 UN number or ID number

ADN	:	UN 1950
ADR	:	UN 1950
RID	:	UN 1950
IMDG	:	UN 1950



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - DE



OKS 60	1		
Version 2.5	Revision Date: 06.02.2025	Date of last issue: 21.03.2024 Date of first issue: 06.06.2016	Print Date: 06.02.2025
ΙΑΤΑ		: UN 1950	
14.2 UN p	proper shipping name		
ADN		: AEROSOLS	
ADR		: AEROSOLS	
RID		: AEROSOLS	
IMDO	3	: AEROSOLS	
ΙΑΤΑ	L .	: Aerosols, flammable	
14.3 Tran	sport hazard class(es)		
ADN		: 2	
ADR		: 2	
RID		: 2	
IMDO	3	: 2.1	
ΙΑΤΑ	L Contraction of the second seco	: 2.1	
14.4 Pack	king group		
	ing group sification Code	 Not assigned by regulation 5F 2.1 	
ADR Pack Class Labe	ing group sification Code	 Not assigned by regulation 5F 2.1 (D) 	
Class	ing group sification Code ırd Identification Numbe Is	: Not assigned by regulation : 5F r : 23 : 2.1	
Labe	ing group	 Not assigned by regulation 2.1 F-D, S-U 	
Pack aircra Pack	ing instruction (LQ) ing group	 203 Y203 Not assigned by regulation Flammable Gas 	
	(Passenger) ing instruction	: 203	



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - DE



OKS 601

Version 2.5	Revision Date: 06.02.2025	Date of last issue: 21.03.2024 Date of first issue: 06.06.2016	Print Date: 06.02.2025
Pack Pack Labe	senger aircraft) king instruction (LQ) king group els ironmental hazards	 Y203 Not assigned by regulation Flammable Gas 	
ADN Envi	ronmentally hazardous	: no	
ADR Envi	ronmentally hazardous	: no	
RID Envi	ronmentally hazardous	: no	
IMD Mari	G ne pollutant	: no	

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Remarks

: Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)	:	Conditions of restriction for the following entries should be considered: Number on list 75 If you intend to use this product as tattoo ink, please contact your vendor.
REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59). (EU SVHC)	:	This product does not contain substances of very high concern (Regulation (EC) No 1907/2006 (REACH), Article 57).
Regulation (EC) No 1005/2009 on substances that deplete the ozone layer (EC 1005/2009)	:	Not applicable
Regulation (EU) 2019/1021 on persistent organic	:	Not applicable
		a brand of





OKS 60 ⁻	1			
Version 2.5	Revision Date: 06.02.2025	Date of last issue: 21. Date of first issue: 06		Print Date: 06.02.2025
	ants (recast) POP)			
Parlia	t of dangerous chem	il concerning the export a	: Ind	Not applicable
(Anne	CH - List of substance ex XIV) REACH-Annex XIV)	es subject to authorisation	n :	Not applicable
	lation (EU) 2019/114 sives precursors	8 on the marketing and u	se of :	Not applicable
			P2	
Parlia major	so III: Directive 2012/ ament and of the Cou -accident hazards inv ances.		P3a	FLAMMABLE AEROSOLS
			34	Petroleum products: (a) gasolines and naphthas, (b) kerosenes (including jet fuels), (c) gas oils (including diesel fuels, home heating oils and gas oil blending streams),(d) heavy fuel oils (e) alternative fuels serving the same purposes and with similar properties as regards flammability and environmental hazards as the products referred to in points (a) to (d)
			18	Liquefied flammable gases (including LPG) and natural gas
Wate (Gern	r hazard class nany)	: WGK 1 slightly h Classification ac		to water AwSV, Annex 1 (5.2)
TA Lu	uft List (Germany)	: 5.2.1: Total dust	:	
				a brand of



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - DE



OKS	601				
Versi 2.5	on	Revision Date: 06.02.2025		e of last issue: 21.03.2024 e of first issue: 06.06.2016	Print Date: 06.02.2025
				Not applicable 5.2.2: Inorganic substances in powdered Not applicable 5.2.4: Inorganic substances in gaseous f Not applicable 5.2.5: Organic Substances: Class 1: 11,18 % others: 3,24 % 5.2.7.1.1: Carcinogenic substance: Not applicable 5.2.7.1.1: Quartz fine dust PM4: Not applicable 5.2.7.1.1: Formaldehyde: Not applicable 5.2.7.1.1: fibres: Not applicable 5.2.7.1.2: Germ cell mutagens: Not applicable 5.2.7.1.3: Substances toxic to reproduction Not applicable 5.2.7.2: Poorly degradable, easily enriched organic substances: Not applicable	orm: on:
N	Volatile	e organic compounds	:	Directive 2010/75/EU of 24 November 20 emissions (integrated pollution preventio Volatile organic compounds (VOC) conte	n and control)

Other regulations:

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

15.2 Chemical safety assessment

This information is not available.

SECTION 16: Other information

Full text of H-Statements

	Extremely flammable gas.
H280 :	Contains gas under pressure; may explode if heated.
H304 :	May be fatal if swallowed and enters airways.
H317 :	May cause an allergic skin reaction.
EUH066 :	Repeated exposure may cause skin dryness or cracking.





Version	Revision Date:	Date of last issue: 21.03.2024	Print Date:
2.5	06.02.2025	Date of first issue: 06.06.2016	06.02.2025

Full text of other abbreviations

Note C	:	Some organic substances may be marketed either in a specific isomeric form or as a mixture of several isomers. In this case the supplier must state on the label whether the
Note L	:	substance is a specific isomer or a mixture of isomers. The harmonised classification as a carcinogen applies unless it can be shown that the substance contains less than 3 % of dimethyl sulphoxide extract as measured by IP 346 ("Determination of polycyclic aromatics in unused lubricating base oils and asphaltene free petroleum fractions - Dimethyl sulphoxide extraction refractive index method"Institute of Petroleum, London), in which case a classification in accordance with Title II of this Regulation shall be performed also for that hazard class.
Note P	:	The harmonised classification as a carcinogen or mutagen applies unless it can be shown that the substance contains less than 0,1 % w/w benzene (Einecs No 200-753-7), in which case a classification in accordance with Title II of this Regulation shall be performed also for those hazard classes. Where the substance is not classified as a carcinogen or mutagen, at least the precautionary statements (P102-)P260- P262-P301 + P310-P331 shall apply.
Note U (table 3.1)	:	When put on the market gases have to be classified as "Gases under pressure", in one of the groups compressed gas, liquefied gas, refrigerated liquefied gas or dissolved gas. The group depends on the physical state in which the gas is packaged and therefore has to be assigned case by case. The following codes are assigned: Press. Gas (Comp.) Press. Gas (Liq.) Press. Gas (Ref. Liq.) Press. Gas (Diss.) Aerosols shall not be classified as gases under pressure (See Annex I, Part
DE DFG MAK DE TRGS 900 DE DFG MAK / MAK DE TRGS 900 / AGW	:	2, Section 2.3.2.1, Note 2). Germany. MAK BAT Annex IIa Germany. TRGS 900 - Occupational exposure limit values. MAK value Time Weighted Average

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx -



SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - DE



OKS 601

Version	Revision Date:	Date of last issue: 21.03.2024	Print Date:
2.5	06.02.2025	Date of first issue: 06.06.2016	06.02.2025

Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA -International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO -International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Classification of the mixtur	e:	Classification procedure:	
Aerosol 1	H222, H229	Based on product data or assessment	
Asp. Tox. 1	H304	Based on product data or assessment	

Relevant changes compared to the last edition are highlighted at the left margin. This version replaces all previous editions.

This safety data sheet applies only to products as originally packed and labelled. The information contained therein may not be reproduced or modified without our express written permission. Any forwarding of this document is only permitted to the extent required by law. Any further, in particular public, dissemination of the safety data sheet (e.g. as a document for download from the Internet) is not permitted without our express written consent. We provide our customers with amended safety data sheets as prescribed by law. The customer is responsible for passing on safety data sheets and any amendments contained therein to its own customers, employees and other users of the product. We provide no guarantee that safety data sheets received by users from third parties are up-to-date. All information and instructions in this safety data sheet have been compiled to the best of our knowledge and are based on the information available to us on the day of publication. The information provided is intended to describe the product in relation to the required safety measures; it is neither an assurance of characteristics nor a guarantee of the product's suitability for particular applications and does not justify any contractual legal relationship. The existence of a safety data sheet for a particular jurisdiction does not necessarily





Version	Revision Date:	Date of last issue: 21.03.2024	Print Date:
2.5	06.02.2025	Date of first issue: 06.06.2016	06.02.2025

mean that import or use within that jurisdiction is legally permitted. If you have any questions, please contact your responsible sales contact or authorized trading partner.

