

Version	Revision Date:	Date of last issue: 07.12.2021	Print Date:
2.3	24.04.2025	Date of first issue: 10.06.2016	24.04.2025

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier		
Product name	:	OKS 1111
1.2 Relevant identified uses of t	the s	substance or mixture and uses advised against
Use of the Substance/Mixture	:	Lubricant
Recommended restrictions on use	:	Restricted to professional users.
1.3 Details of the supplier of the	e saf	ety data sheet
Company	:	OKS Spezialschmierstoffe GmbH Ganghoferstr. 47 82216 Maisach-Gernlinden Deutschland Tel.: +49 8142 3051 500 Fax: +49 8142 3051 599 info@oks-germany.com
E-mail address of person responsible for the SDS	:	mcm@oks-germany.com
National contact	:	
1.4 Emergency telephone numb	oer	

## 1.4 Emergency telephone number

Emergency telephone	: +34 91 562 04 20
number	

## **SECTION 2: Hazards identification**

## 2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)				
Aerosols, Category 1	H222: Extremely flammable aerosol. H229: Pressurised container: May burst if heated	J.		
Specific target organ toxicity - single exposure, Category 3, Central nervous system	H336: May cause drowsiness or dizziness.			
Aspiration hazard, Category 1	H304: May be fatal if swallowed and enters			
	a brand of			

## **SAFETY DATA SHEET** according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - ES

**OKS 1111** 



Vers 2.3	ion	Revision Date: 24.04.2025		ate of last iss ate of first iss		-	Print Date: 24.04.2025
					airway	S.	
	Long-term (chronic) aquatic hazard, Category 3				H412: effects	Harmful to aquatic life w	ith long lasting
2.2 L	2.2 Label elements						
	Labell	ing (REGULATION (	EC)	No 1272/20	08)		
		d pictograms	:				
	Signal	word	:	Danger			
	Hazaro	d statements	:	H222 H229 H304 H336 H412		Extremely flammable a Pressurised container: May be fatal if swallow airways. May cause drowsiness Harmful to aquatic life effects.	May burst if heated. ed and enters or dizziness.
	Precau	itionary statements		Preventio	n:		
	- Toolat		•	P210		Keep away from heat, open flames and other smoking.	
				P211		Do not spray on an ope ignition source.	en flame or other
				P251		Do not pierce or burn,	even after use.
				Response			
				P301 + P3	310	IF SWALLOWED: Imm POISON CENTER/ do	
				P331		Do NOT induce vomitir	
				Storage:			
				P410 + P4	12	Protect from sunlight. I temperatures exceeding	

## Hazardous components which must be listed on the label:

Hydrocarbons, C7-C9, n-alkanes, isoalkanes, cyclics

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.





Version	Revision Date:	Date of last issue: 07.12.2021	Print Date:
2.3	24.04.2025	Date of first issue: 10.06.2016	24.04.2025

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

Chemical nature

: Active agent with propellant and solvent.

## Components

Components				
Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	specific concentration limit M-Factor Notes Acute toxicity estimate	Concentration (% w/w)
Hydrocarbons, C7-C9, n-alkanes, isoalkanes, cyclics	920-750-0 01-2119473851-33- xxxx	Flam. Liq.2; H225 STOT SE3; H336 Asp. Tox.1; H304 Aquatic Chronic2; H411; EUH066		>= 10 - < 20
Substances with a work	place exposure limit :			
butane	106-97-8 203-448-7 601-004-00-0 01-2119474691-32- XXXX	Flam. Gas1; H220 Press. GasCompr. Gas; H280	Note U (Table 3), Note C	>= 50 - < 70
propane	74-98-6 200-827-9 601-003-00-5 01-2119486944-21- XXXX	Flam. Gas1A; H220 Press. GasCompr. Gas; H280	Note U (Table 3)	>= 20 - < 30
isobutane	75-28-5 200-857-2	Flam. Gas1A; H220 Press. GasCompr.	Note U (Table	>= 1 - < 10





Version 2.3	Revision Date: 24.04.2025		ssue: 07.12.2021 ssue: 10.06.2016		t Date: )4.2025
		)4-00-0  9485395-27-	Gas; H280	3), Note C	

For explanation of abbreviations see section 16.

## **SECTION 4: First aid measures**

## 4.1 Description of first aid measures

lf inhaled	<ul> <li>Call a physician or poison control centre immediately. Remove person to fresh air. If signs/symptoms continue, get medical attention.</li> <li>Keep patient warm and at rest. If unconscious, place in recovery position and seek medical advice.</li> <li>Keep respiratory tract clear. If breathing is irregular or stopped, administer artificial respiration.</li> </ul>
In case of skin contact	<ul> <li>Take off all contaminated clothing immediately.</li> <li>Wash off immediately with soap and plenty of water.</li> <li>Get medical attention immediately if irritation develops and persists.</li> <li>Wash clothing before reuse.</li> <li>Thoroughly clean shoes before reuse.</li> </ul>
In case of eye contact	<ul> <li>Rinse immediately with plenty of water, also under the eyelids, for at least 10 minutes.</li> <li>If eye irritation persists, consult a specialist.</li> </ul>
If swallowed	<ul> <li>Move the victim to fresh air. If accidentally swallowed obtain immediate medical attention. Keep respiratory tract clear. Do NOT induce vomiting. Rinse mouth with water. Aspiration hazard if swallowed - can enter lungs and cause damage.</li> </ul>
4.2 Most important symptoms	and effects, both acute and delayed
Symptoms	: Inhalation may provoke the following symptoms: Unconsciousness Dizziness Drowsiness



Headache Nausea Tiredness



Version 2.3	Revision Date: 24.04.2025	Date of last issue: 07.12.2021 Date of first issue: 10.06.2016	Print Date: 24.04.2025
		Aspiration may cause pulmonary of	bedema and pneumonitis.
Risks		: May be fatal if swallowed and enter May cause drowsiness or dizzines	
		Central nervous system depressio Risk of product entering the lungs Health injuries may be delayed.	

## 4.3 Indication of any immediate medical attention and special treatment needed

Treatment	
-----------	--

: Treat symptomatically.

## **SECTION 5: Firefighting measures**

5.1 Extinguishing modia		
5.1 Extinguishing media Suitable extinguishing media	:	ABC powder
Unsuitable extinguishing media	:	High volume water jet
5.2 Special hazards arising from	the	e substance or mixture
Specific hazards during firefighting	:	Fire Hazard Do not let product enter drains. Contains gas under pressure; may explode if heated. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.
Hazardous combustion products	:	Carbon oxides Metal oxides
5.3 Advice for firefighters		
Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment. Exposure to decomposition products may be a hazard to health.
Further information	:	Standard procedure for chemical fires. Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Cool containers/tanks with water spray.





Version	Revision Date:	Date of last issue: 07.12.2021	Print Date:
2.3	24.04.2025	Date of first issue: 10.06.2016	24.04.2025

## **SECTION 6: Accidental release measures**

## 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	: Evacuate personnel to safe areas.
	Ensure adequate ventilation.
	Remove all sources of ignition.
	Do not breathe vapours or spray mist.
	Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.
	Refer to protective measures listed in sections 7 and 8.
	Only qualified personnel equipped with suitable protective
	equipment may intervene.

## 6.2 Environmental precautions

Environmental precautions	:	Do not allow contact with soil, surface or ground water. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.
---------------------------	---	---

## 6.3 Methods and material for containment and cleaning up

Methods for cleaning up	:	Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Keep in suitable, closed containers for disposal. Non-sparking tools should be used.
-------------------------	---	---

## 6.4 Reference to other sections

For personal protection see section 8.

## **SECTION 7: Handling and storage**

## 7.1 Precautions for safe handling

Wash hands and face before breaks and immediately after handling the product. Do not get in eyes or mouth or on skin. Do not get on skin or clothing. Do not ingest.	Advice on safe handling	handling the product. Do not get in eyes or mouth or on skin. Do not get on skin or clothing.
--	-------------------------	---





<b>OKS 11</b> 1	11			
Version 2.3	Revision Date: 24.04.2025	Date of last issue: 07.12.2021Print Date:Date of first issue: 10.06.201624.04.2025		
		may still contain p Pressurized conta	uctions also apply to e roduct residues. iner: protect from sun atures exceeding 50 °	
Hygiene measures		: Wash face, hands handling.	and any exposed ski	n thoroughly after
7.2 Condi	tions for safe storage	cluding any incomp	oatibilities	
Requirements for storage areas and containers		BEWARE: Aerosol is pressurized. Keep away from direct sur exposure and temperatures over 50 °C. Do not open by force or throw into fire even after use. Do not spray on flames or red-hot objects. Store in accordance with the particular national regulations.		Do not open by force spray on flames or
7.3 Specif	ic end use(s)			
Speci	fic use(s)	: Specific instruction	ns for handling, not re	quired.

## **SECTION 8: Exposure controls/personal protection**

## 8.1 Control parameters

## Occupational Exposure Limits

-	-			
Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
butane	106-97-8	VLA-ED (gas)	1.000 ppm	ES VLA (2013-02-22)
propane	74-98-6	VLA-ED (gas)	1.000 ppm	ES VLA (2024-01-15)
isobutane	75-28-5	VLA-ED (gas)	1.000 ppm	ES VLA (2013-02-22)

## Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

	• •			
Substance name	End Use	Exposure routes	Potential health effects	Value
Hydrocarbons, C7- C9, n-alkanes, isoalkanes, cyclics	Workers	Inhalation	Acute systemic effects	1286,4 mg/m3
	Workers	Inhalation	Long-term local effects	837,5 mg/m3

#### 8.2 Exposure controls

## Engineering measures

Use only in an area equipped with explosion proof exhaust ventilation.





Version	Revision Date:	Date of last issue: 07.12.2021	Print Date:
2.3	24.04.2025	Date of first issue: 10.06.2016	24.04.2025

Handle only in a place equipped with local exhaust (or other appropriate exhaust).

Personal protective equipme					
Eye/face protection	:	Safety glasses with side-shields			
Hand protection Material Break through time Protective index	:	butyl-rubber > 10 min Class 1			
Remarks	:	Wear protective gloves. The break through time depends amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each case. The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it.			
Skin and body protection	:	Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.			
Respiratory protection	:	Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines. Short term only			
Filter type	:	Filter type A-P			
Protective measures	:	The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.			
Environmental exposure cor	ntre	ols			
Air		Should not be released into the environment.			
Soil	:				
		Do not allow contact with soil, surface or ground water. The product should not be allowed to enter drains, water courses or the soil.			

Water

Do not allow contact with soil, surface or ground water. The product should not be allowed to enter drains, water



2



Version	Revision Date:	Date of last issue: 07.12.2021	Print Date:
2.3	24.04.2025	Date of first issue: 10.06.2016	24.04.2025

courses or the soil.

## **SECTION 9: Physical and chemical properties**

9.1 Information on basic physical and chemical properties Physical state : aerosol					
Colour	:	colourless			
Odour	:	hydrocarbon-like			
Odour Threshold	:	No data available			
Melting point/ range	:	No data available			
Initial boiling point and boiling range	:	< -20 °C (1.013 hPa)			
Flammability (solid, gas)	:	Extremely flammable aerosol.			
Upper explosion limit / Upper flammability limit	:	15 %(V)			
Lower explosion limit / Lower flammability limit	:	0,6 %(V)			
Flash point	:	< -20 °C Method: Abel-Pensky			
Auto-ignition temperature	:	> 200 °C			
Decomposition temperature	:	No data available			
рН	:	Not applicable substance/mixture is non-soluble (in water)			
Viscosity Viscosity, dynamic	-	No data available			
Viscosity, kinematic	:	< 20,5 mm2/s (40 °C)			
Solubility(ies) Water solubility	:	insoluble			
Solubility in other solvents	:	No data available			



## SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - ES



## **OKS 1111**

Version 2.3	Revision Date: 24.04.2025	Date of last issue: 07.12.2021 Date of first issue: 10.06.2016	Print Date: 24.04.2025
	tition coefficient: n- anol/water	: No data available	
Vap	oour pressure	: 4.920 hPa (20 °C)	
Relative density		: 0,6 (20 °C) Reference substance: Water The value is calculated	
Der	nsity	: 0,60 g/cm3 (20 °C)	
Bull	< density	: No data available	
Rela	ative vapour density	: No data available	
	er information		
Exp	losives	: Not explosive	
Oxi	dizing properties	: No data available	
Self	-ignition	: not auto-flammable	
Met	al corrosion rate	: Not corrosive to metals	
Eva	poration rate	: No data available	
Sub	limation point	: No data available	

## **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

No hazards to be specially mentioned.

#### **10.2 Chemical stability**

Stable under normal conditions.

#### 10.3 Possibility of hazardous reactions

- Hazardous reactions
- : No dangerous reaction known under conditions of normal use.

## 10.4 Conditions to avoid

Conditions to avoid : Heat, flames and sparks. Strong sunlight for prolonged periods. Risk of receptacle bursting.





Version	Revision Date:	Date of last issue: 07.12.2021	Print Date:
2.3	24.04.2025	Date of first issue: 10.06.2016	24.04.2025

## 10.5 Incompatible materials

Materials to avoid

: Oxidizing agents

## **10.6 Hazardous decomposition products**

>150 °C small quantities of formaldehyde may be formed.

## **SECTION 11: Toxicological information**

## 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

## Acute toxicity

Based on available data, the classification criteria are not met.

Б		duc	4.
	100	JUC	τ.

Product.		
Acute oral toxicity	:	Remarks: Effects due to ingestion may include:
		Symptoms: Central nervous system depression
Acute inhalation toxicity	:	Remarks: Respiration of solvent vapour may cause dizziness.
		Symptoms: Inhalation may provoke the following symptoms:, Respiratory disorder, Dizziness, Drowsiness, Vomiting, Fatigue, Vertigo, Central nervous system depression
Acute dermal toxicity	:	Remarks: This information is not available.
Components:		
Hydrocarbons, C7-C9, n-al	kand	es, isoalkanes, cvclics:
Acute oral toxicity	:	
Acute oral toxicity	•	
butane:		
Acute inhalation toxicity	:	LC50 (Rat): 658 mg/l
		Exposure time: 4 h
		Test atmosphere: gas
isobutane:		
Acute inhalation toxicity		LC50 (Rat): 658 mg/l
	•	
	•	Exposure time: 4 h Test atmosphere: gas
		Exposure time: 4 h
Skin corrosion/irritation	·	Exposure time: 4 h
		Exposure time: 4 h
		Exposure time: 4 h Test atmosphere: gas
Based on available data, the		Exposure time: 4 h Test atmosphere: gas





Version	Revision Date:	Date of last issue: 07.12.2021	Print Date:
2.3	24.04.2025	Date of first issue: 10.06.2016	24.04.2025

## **Components:**

<b>Hydrocarbons, C7-C9, n-al</b> Result	anes, isoalkanes, cyclics: : Repeated exposure may cause skin dryness or cracking.	
Serious eye damage/eye ir		
	lassification criteria are not met.	
<u>Product:</u> Remarks	: Contact with eyes may cause irritation.	
Respiratory or skin sensiti	ation	
Skin sensitisation		
Based on available data, the	lassification criteria are not met.	
Respiratory sensitisation		
Based on available data, the	lassification criteria are not met.	
Product:		
Remarks	: This information is not available.	
Germ cell mutagenicity		
Based on available data, the	lassification criteria are not met.	
Product:		
Genotoxicity in vitro	: Remarks: No data available	
Genotoxicity in vivo	: Remarks: No data available	
Carcinogenicity		
Based on available data, the	lassification criteria are not met.	
Product:		
Remarks	: No data available	
Reproductive toxicity		
Based on available data, the	lassification criteria are not met.	
Product:		
Effects on fertility	: Remarks: No data available	
Effects on foetal development	: Remarks: No data available	



## **SAFETY DATA SHEET** according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - ES



## **OKS 1111**

Version 2.3	Revision Date: 24.04.2025		e of last issue: 07.12.2021 e of first issue: 10.06.2016	Print Date: 24.04.2025
	T - single exposure			
May	cause drowsiness or	dizzines	SS.	
Prod	uct:			
	sure routes ssment	:	Inhalation The substance or mixture is classif toxicant, single exposure, category	
<u>Com</u>	ponents:			
Hydr	ocarbons, C7-C9, n	-alkane	s, isoalkanes, cyclics:	
Asse	ssment	:	May cause drowsiness or dizziness	5.
STO	T - repeated exposu	ire		
Base	d on available data, t	the class	sification criteria are not met.	
Prod				
Rema	arks	:	No data available	
Repe	eated dose toxicity			
Prod	uct:			
Rema	arks	:	This information is not available.	
Aspi	ration toxicity			
May	be fatal if swallowed	and ent	ers airways.	
Prod				
This	information is not ava	ailable.		
<u>Com</u>	ponents:			
	ocarbons, C7-C9, n be fatal if swallowed		<b>s, isoalkanes, cyclics:</b> ers airways.	
1.2 Infor	mation on other ha	zards		
Endo	ocrine disrupting pr	operties	5	
Prod	uct:			
Asse	ssment	:	The substance/mixture does not co considered to have endocrine disru to REACH Article 57(f) or Commission (EU) 2017/2100 or Commission Re-	pting properties according sion Delegated regulation



levels of 0.1% or higher.



VersionRevision Date:2.324.04.2025		Date of last issue: 07.12.2021 Date of first issue: 10.06.2016	Print Date: 24.04.2025
Furth <u>Prod</u> Rema		: Information given is based on data	
		the toxicology of similar products.	

## **SECTION 12: Ecological information**

## 12.1 Toxicity

Product:		
Toxicity to fish	:	Remarks: Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
Toxicity to daphnia and other aquatic invertebrates	:	Remarks: No data available
Toxicity to algae/aquatic plants	:	Remarks: No data available
Toxicity to microorganisms	:	Remarks: No data available
Components:		

## Hydrocarbons, C7-C9, n-alkanes, isoalkanes, cyclics:

## Ecotoxicology Assessment

Chronic aquatic toxicity	:	Toxic to aquatic life with long lasting effects.
--------------------------	---	--

## 12.2 Persistence and degradability

Product:	
Biodegradability	: Remarks: No data available
Physico-chemical removability	: Remarks: No data available

## Components:

Hydrocarbons, C7-C9, n-alk	ane	s, isoalkanes, cyclics:
Biodegradability	:	Result: Readily biodegradable.



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - ES



## **OKS 1111**

Version	Revision Date:	Dat	e of last issue: 07.12.2021	Print Date:
2.3	24.04.2025	Dat	e of first issue: 10.06.2016	24.04.2025
12.3 Bioa	ccumulative potenti	al		
Prod	uct:			
Bioad	ccumulation	:	Remarks: No data available	
Com	ponents:			
Hydr	ocarbons, C7-C9, n-	alkane	s, isoalkanes, cyclics:	
Bioad	ccumulation	:	Remarks: Not applicable	
	tion coefficient: n- nol/water	:	Remarks: No data available	
buta	ne:			
	tion coefficient: n- nol/water	:	log Pow: 2,89 Method: OECD Test Guideline 107	
prop	ane:			
	tion coefficient: n- nol/water	:	log Pow: 2,36	
isob	utane:			
	tion coefficient: n- nol/water	:	log Pow: 2,88 Method: OECD Test Guideline 107	
12.4 Mob	ility in soil			
Prod	uct:			
Mobi	lity	:	Remarks: No data available	
	bution among onmental compartme	: nts	Remarks: No data available	
12.5 Resı	ults of PBT and vPvB	3 asse	ssment	
Prod	uct:			

Assessment	: This substance/mixture contains no components considered
	to be either persistent, bioaccumulative and toxic (PBT), or
	very persistent and very bioaccumulative (vPvB) at levels of
	0.1% or higher.

## 12.6 Endocrine disrupting properties

## Product:

Assessment	:	The substance/mixture does not contain components	
		considered to have endocrine disrupting properties according	





Version 2.3	Revision Date: 24.04.2025	Date of last issue: 07.12.2021 Date of first issue: 10.06.2016	Print Date: 24.04.2025
----------------	---------------------------	---	------------------------

to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

#### 12.7 Other adverse effects

## Product:

Additional ecological : Harmful to aquatic life with long lasting effects. information

## **Global warming potential**

Assessment Report of the Intergovernmental Panel on Climate Change (IPCC) of the United Nations Framework Convention on Climate Change (UNFCCC)

#### **Components:**

#### propane:

20-year global warming potential: 0,072 100-year global warming potential: 0,02 500-year global warming potential: 0,006 Atmospheric lifetime: 0,036 yr Radiative efficiency: 0 Wm2ppb Further information: Miscellaneous compounds

#### octamethylcyclotetrasiloxane [D4]:

20-year global warming potential: 2,66 100-year global warming potential: 0,739 500-year global warming potential: 0,211 Atmospheric lifetime: 0,027 yr Radiative efficiency: 0,12 Wm2ppb Further information: Miscellaneous compounds

## **SECTION 13: Disposal considerations**

# **13.1 Waste treatment methods** Product : Do not dispose of with domestic refuse. Dispose of as hazardous waste in compliance with local and national regulations. Waste codes should be assigned by the user based on the application for which the product was used. Contaminated packaging : Packaging that is not properly emptied must be disposed of as the unused product. Offer empty spray cans to an established disposal company. Pressurized container: Do not pierce or burn, even after use.

The following Waste Codes are only suggestions:





<b>OKS 11</b>	11			
Version 2.3	Revision Date: 24.04.2025		e of last issue: 07.12.2021 e of first issue: 10.06.2016	Print Date: 24.04.2025
Was	te Code	:	unused product, packagings not comp 16 05 04*, gases in pressure container containing hazardous substances	
SECTIO	N 14: Transport infor	rmat	tion	
14.1 UN ı	number or ID number			
ADR RID IMD( IAT <i>A</i>	G	::	UN 1950 UN 1950 UN 1950 UN 1950	
14.2 UN J	proper shipping name			
ADR RID IMD( IATA	G	::	AEROSOLS AEROSOLS AEROSOLS Aerosols, flammable	
	14.3 Transport hazard class(es)			
ADR RID IMD( IATA	G	:	2 2 2.1	
	king group	•	2.1	
<b>ADR</b> Pack Clas Labe	king group sification Code	:	Not assigned by regulation 5F 2.1 (D)	
Clas	king group sification Code ard Identification Numbe als	: : r : :	Not assigned by regulation 5F 23 2.1	
Labe	king group	:	Not assigned by regulation 2.1 F-D, S-U	



## SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - ES



## **OKS 1111**

Version 2.3	Revision Date: 24.04.2025	Date of last issue: 07.12.2021 Date of first issue: 10.06.2016	Print Date: 24.04.2025
Pack aircr Pack	king instruction (LQ)	<ul> <li>203</li> <li>Y203</li> <li>Not assigned by regulation</li> <li>Flammable Gas</li> </ul>	
Pack (pas Pack	A (Passenger) king instruction senger aircraft) king instruction (LQ) king group els	<ul> <li>203</li> <li>Y203</li> <li>Not assigned by regulation</li> <li>Flammable Gas</li> </ul>	
14.5 Env	ironmental hazards		
	ronmentally hazardous	: no	
<b>RID</b> Envi	ronmentally hazardous	: no	

#### IMDG

Marine pollutant : no

## 14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

## 14.7 Maritime transport in bulk according to IMO instruments

Remarks

: Not applicable for product as supplied.

## **SECTION 15: Regulatory information**

## 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)	<ul> <li>Conditions of restriction for the following entries should be considered: Number on list 75 If you intend to use this product as tattoo ink, please contact your vendor.</li> </ul>
REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59). (EU SVHC)	: This product does not contain substances of very high concern (Regulation (EC) No 1907/2006 (REACH), Article 57).





<b>OKS 111</b>	1			
Version 2.3	Revision Date: 24.04.2025	Date of last issue: 07. Date of first issue: 10.		Print Date: 24.04.2025
deplet	ation (EU) No 2024/59 te the ozone layer 2024/590)	90 on substances that	:	Not applicable
	ants (recast)	on persistent organic	:	Not applicable
Parlia	t of dangerous chemic	concerning the export a	: Ind	Not applicable
(Anne	CH - List of substances ex XIV) REACH-Annex XIV)	s subject to authorisation	ו : ו	Not applicable
	ation (EU) 2019/1148 sives precursors	on the marketing and u	se of :	Not applicable
			P2	
Parlia major	so III: Directive 2012/1 ment and of the Coun -accident hazards invo ances.		P3a	FLAMMABLE AEROSOLS
			18	Liquefied flammable gases (including LPG) and natural gas
			34	Petroleum products: (a) gasolines and naphthas, (b) kerosenes (including jet fuels), (c) gas oils (including diesel fuels, home heating oils and gas oil blending streams),(d) heavy fuel oils (e) alternative fuels serving the same purposes and with similar properties as regards flammability and environmental hazards as the products referred to in points (a) to





OKS 1111					
Version Revision Date: 2.3 24.04.2025		Date of last issue: 07.12.2021 Date of first issue: 10.06.2016	Print Date: 24.04.2025		
		(d)			
Volatile organic compounds		: Directive 2010/75/EU of 24 Nover livestock rearing emissions (integ and control) Volatile organic compounds (VOC	rated pollution prevention		

#### Other regulations:

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

## 15.2 Chemical safety assessment

This information is not available.

## **SECTION 16: Other information**

#### Full text of H-Statements

H220 :	Extremely flammable gas.
H225 :	Highly flammable liquid and vapour.
H280 :	Contains gas under pressure; may explode if heated.
H304 :	May be fatal if swallowed and enters airways.
H336 :	May cause drowsiness or dizziness.
H411 :	Toxic to aquatic life with long lasting effects.
EUH066 :	Repeated exposure may cause skin dryness or cracking.

#### Full text of other abbreviations

Note C	:	Some organic substances may be marketed either in a specific isomeric form or as a mixture of several isomers. In this case the supplier must state on the label whether the substance is a specific isomer or a mixture of isomers.
Note U (Table 3)	:	When put on the market gases have to be classified as "Gases under pressure", in one of the groups compressed gas, liquefied gas, refrigerated liquefied gas or dissolved gas. The group depends on the physical state in which the gas is packaged and therefore has to be assigned case by case. The following codes are assigned: Press. Gas (Comp.) Press. Gas (Liq.) Press. Gas (Ref. Liq.) Press. Gas (Diss.) Aerosols shall not be classified as gases under pressure (See Annex I, Part 2, Section 2.3.2.1, Note 2).
ES VLA	:	Spain. Environmental Limits for exposure to Chemical agents - Table 1: Occupational Exposure Values





Version	Revision Date:	Date of last issue: 07.12.2021	Print Date:
2.3	24.04.2025	Date of first issue: 10.06.2016	24.04.2025

ES VLA / VLA-ED

: Environmental Daily Limit Value

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways: ADR - Agreement concerning the International Carriage of Dangerous Goods by Road: AIIC - Australian Inventory of Industrial Chemicals: ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN -Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx -Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA -International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development: OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID -Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

## Further information

Classification of the mixture:		Classification procedure:
Aerosol 1	H222, H229	Based on product data or assessment
STOT SE 3	H336	Based on product data or assessment
Asp. Tox. 1	H304	Calculation method
Aquatic Chronic 3	H412	Calculation method

|| Relevant changes compared to the last edition are highlighted at the left margin. This version replaces all previous editions.

This safety data sheet applies only to products as originally packed and labelled. The information contained therein may not be reproduced or modified without our express written permission. Any



## SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - ES



## **OKS 1111**

Version	Revision Date:	Date of last issue: 07.12.2021	Print Date:
2.3	24.04.2025	Date of first issue: 10.06.2016	24.04.2025

forwarding of this document is only permitted to the extent required by law. Any further, in particular public, dissemination of the safety data sheet (e.g. as a document for download from the Internet) is not permitted without our express written consent. We provide our customers with amended safety data sheets as prescribed by law. The customer is responsible for passing on safety data sheets and any amendments contained therein to its own customers, employees and other users of the product. We provide no guarantee that safety data sheets received by users from third parties are up-to-date. All information and instructions in this safety data sheet have been compiled to the best of our knowledge and are based on the information available to us on the day of publication. The information provided is intended to describe the product in relation to the required safety measures; it is neither an assurance of characteristics nor a guarantee of the product's suitability for particular applications and does not justify any contractual legal relationship. The existence of a safety data sheet for a particular jurisdiction does not necessarily mean that import or use within that jurisdiction is legally permitted. If you have any questions, please contact your responsible sales contact or authorized trading partner.

