

Version	Revision Date:	Date of last issue: 19.05.2022	Print Date:
2.5	19.05.2025	Date of first issue: 23.06.2016	19.05.2025

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier		
Product name		OKS 2661
1.2 Relevant identified uses of t	the s	substance or mixture and uses advised against
Use of the Substance/Mixture	:	cleaning spray
Recommended restrictions on use	:	Restricted to professional users.
1.3 Details of the supplier of the	e saf	ety data sheet
Company	:	OKS Spezialschmierstoffe GmbH Ganghoferstr. 47 82216 Maisach-Gernlinden Deutschland Tel.: +49 8142 3051 500 Fax: +49 8142 3051 599 info@oks-germany.com
E-mail address of person responsible for the SDS	:	mcm@oks-germany.com
National contact	:	

## 1.4 Emergency telephone number

Emergency telephone	:	+34 91 562 04 20
number		

# **SECTION 2: Hazards identification**

# 2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 12	272/2008)	
Aerosols, Category 1	H222: Extremely flamm H229: Pressurised cont	able aerosol. ainer: May burst if heated.
Skin irritation, Category 2	H315: Causes skin irrita	tion.
Eye irritation, Category 2	H319: Causes serious e	eye irritation.
Specific target organ toxicity - single	H336: May cause drows	siness or dizziness.
	1 / 25	a brand of FREUDENBERG



0.10 -00.	OKS	2661
-----------	-----	------

Version       Revision Date:       Date of first issue: 19.05.2022       Print Date:         2.5       19.05.2025       Date of first issue: 23.06.2016       19.05.2025         exposure, Category 3, Central nervous system       Aspiration hazard, Category 1       H304: May be fatal if swallowed and enters airways.         Long-term (chronic) aquatic hazard, Category 2       H411: Toxic to aquatic life with long lasting effect Category 2 <b>2.2 Label elements</b> Labelling (REGULATION (EC) No 1272/2008)         Hazard pictograms       :         Ways       Ways         Signal word       :         Hazard statements       :         H229       Pressurised container: May burst if heater airways.         H315       Causes skin irritation.         H316       Causes skin irritation.         H317       Causes skin irritation.         H318       Causes skin irritation.         H319       Causes skin irritation.         H319       Causes skin irritation.         H319       Causes serious eye irritation.         H321       Do not spray on an open flame or other ignition sources. N smoking.         P211       Do not spray on an open flame or other ignition sources. N smoking.         P211       Do not pierce or burn, even after use.	OKS 260				
system       Aspiration hazard, Category 1       H304: May be fatal if swallowed and enters airways.         Long-term (chronic) aquatic hazard, Category 2       H411: Toxic to aquatic life with long lasting effect Category 2         22 Label elements       Labelling (REGULATION (EC) No 1272/2008)         Hazard pictograms       :         Way be fatal if swallowed and enters airways.         Signal word       :         Danger         Hazard statements       :         H229       Pressurised container: May burst if heater H304         May be fatal if swallowed and enters airways.         H315       Causes skin irritation.         H319       Causes skin irritation.         H319       Causes sterious eye irritation.         H336       May cause drowsiness or dizziness.         H411       Toxic to aquatic life with long lasting effect cause skin irritation.         Precautionary statements       :         P210       Keep away from heat, hot surfaces, spark open flames and other ignition sources. N smoking.         P211       Do not spray on an open flame or other ignition sources. N smoking.         P211       Do not pierce or burn, even after use.         P273       Avoid release to the environment.         Response:       P331       Do NOT induce vomiting.         P331 <th></th> <th></th> <th></th> <th></th> <th></th>					
airways. Long-term (chronic) aquatic hazard, Category 2 2.2 Label elements Labelling (REGULATION (EC) No 1272/2008) Hazard pictograms : Danger Hazard statements : Hazard statements : Hazard statements : Hazard statements : H222 H229 Pressurised container: May burst if heate H304 May be fatal if swallowed and enters airways. H315 Causes skin irritation. H319 Causes serious eye irritation. H319 Causes serious eye irritation. H319 Causes serious eye irritation. H319 Precautionary statements : Prevention: P210 Keep away from heat, hot surfaces, spark open flames and other ignition sources. N smoking. P211 Do not spray on an open flame or other ignition source. P251 Do not pierce or burn, even after use. P251 Do not pierce or burn, even after use. P331 Do NOT induce vomiting. Storage: P410 + P412 Protect from sunlight. Do not expose to	•		tral nervous		
Category 2         2.2 Label elements         Labelling (REGULATION (EC) No 1272/2008)         Hazard pictograms         Image: Signal word         Hazard statements         Precention:         Precention:         P210         Keep away from heat, hot surfaces, spark open flames and other ignition sources. N smoking.         P211       Do not spray on an open flame or other ignition sources. N smoking.         P211       Do not spray on an open flame or other	Aspira	ation hazard, Category	y 1	•	wallowed and enters
Labelling (REGULATION (EC) No 1272/2008)         Hazard pictograms       :         With the second			hazard,	H411: Toxic to aquatic	life with long lasting effects.
Hazard pictograms       :       image       image       image         Signal word       :       Danger         Hazard statements       :       H222       Extremely flammable aerosol.         H229       Pressurised container: May burst if heatername         H304       May be fatal if swallowed and enters airways.         H315       Causes skin irritation.         H319       Causes serious eye irritation.         H336       May cause drowsiness or dizziness.         H411       Toxic to aquatic life with long lasting effect         Precautionary statements       :         P210       Keep away from heat, hot surfaces, spark open flames and other ignition sources. N smoking.         P211       Do not spray on an open flame or other ignition source.         P251       Do not pierce or burn, even after use.         P273       Avoid release to the environment.         Response:       P301 + P310       IF SWALLOWED: Immediately call a POISON CENTER/ doctor.         P331       Do NOT induce vomiting.       Storage:         P410 + P412       Protect from sunlight. Do not expose to	2.2 Label	elements			
Visco       Visco       Visco       Visco         Signal word       :       Danger         Hazard statements       :       H222       Extremely flammable aerosol.         H229       Pressurised container: May burst if heater         H304       May be fatal if swallowed and enters airways.         H315       Causes skin irritation.         H319       Causes skin irritation.         H319       Causes skin irritation.         H311       Toxic to aquatic life with long lasting effect         Precautionary statements       :         P210       Keep away from heat, hot surfaces, spark open flames and other ignition sources. N smoking.         P211       Do not spray on an open flame or other ignition source.         P251       Do not pierce or burn, even after use.         P273       Avoid release to the environment.         Response:       P301 + P310       IF SWALLOWED: Immediately call a POISON CENTER/ doctor.         P331       Do NOT induce vomiting.       Storage:         P410 + P412       Protect from sunlight. Do not expose to	Labe	lling (REGULATION (	(EC) No 127	2/2008)	
Hazard statements       :       H222 H229 H304       Extremely flammable aerosol. Pressurised container: May burst if heater H304         H315       Causes skin irritation. H319       Causes skin irritation. H319       Causes serious eye irritation. H336         Precautionary statements       : <b>Prevention:</b> P210       Keep away from heat, hot surfaces, spark open flames and other ignition sources. N smoking.         P211       Do not spray on an open flame or other ignition source.       P251       Do not pierce or burn, even after use. P273         P201 <b>Response:</b> P301 + P310       IF SWALLOWED: Immediately call a POISON CENTER/ doctor. P331       Do NOT induce vomiting.         Storage: P410 + P412       Protect from sunlight. Do not expose to	Haza	rd pictograms	:	$\land \land \land$	AV.
Hazard statements       :       H222 H229 H304       Extremely flammable aerosol. Pressurised container: May burst if heater May be fatal if swallowed and enters airways.         H315       Causes skin irritation. H319       Causes skin irritation. H336         H411       Toxic to aquatic life with long lasting effect         Precautionary statements       :       Prevention: P210         Precautionary statements       :       Prevention: P210         P211       Do not spray on an open flame or other ignition source.       smoking.         P211       Do not pierce or burn, even after use. P273       Avoid release to the environment.         Response:       P301 + P310       IF SWALLOWED: Immediately call a POISON CENTER/ doctor. P331       Do NOT induce vomiting.         Storage:       P410 + P412       Protect from sunlight. Do not expose to					
Hazard statements       :       H222 H229 H304       Extremely flammable aerosol. Pressurised container: May burst if heater May be fatal if swallowed and enters airways.         H315       Causes skin irritation. H319       Causes skin irritation. H336         H411       Toxic to aquatic life with long lasting effect         Precautionary statements       : <b>Prevention:</b> P210         Keep away from heat, hot surfaces, spark open flames and other ignition sources. N smoking.       No not spray on an open flame or other ignition source.         P251       Do not pierce or burn, even after use. P273       Avoid release to the environment.         Response:       P301 + P310       IF SWALLOWED: Immediately call a POISON CENTER/ doctor.         P331       Do NOT induce vomiting.         Storage:       P410 + P412       Protect from sunlight. Do not expose to			$\mathbf{v}$		$\mathbf{V}$
H229Pressurised container: May burst if heaterH304May be fatal if swallowed and enters airways.H315Causes skin irritation.H319Causes serious eye irritation.H336May cause drowsiness or dizziness.H411Toxic to aquatic life with long lasting effectPrecautionary statements:P210Keep away from heat, hot surfaces, spark open flames and other ignition sources. N smoking.P211Do not spray on an open flame or other ignition source.P251Do not pierce or burn, even after use. P273P273Avoid release to the environment.Response: P301 + P310IF SWALLOWED: Immediately call a POISON CENTER/ doctor. P331Do NOT induce vomiting.Storage: P410 + P412Protect from sunlight. Do not expose to	Signa	ll word	: Dange	r	
H304May be fatal if swallowed and enters airways.H315Causes skin irritation.H316Causes serious eye irritation.H336May cause drowsiness or dizziness.H411Toxic to aquatic life with long lasting effectPrecautionary statements:P210Keep away from heat, hot surfaces, spark open flames and other ignition sources. N smoking.P211Do not spray on an open flame or other ignition source.P251Do not pierce or burn, even after use. P273P273Avoid release to the environment.Response:P301 + P310P331Do NOT induce vomiting.Storage: P410 + P412Protect from sunlight. Do not expose to	Haza	rd statements			
H315Causes skin irritation.H319Causes serious eye irritation.H336May cause drowsiness or dizziness.H411Toxic to aquatic life with long lasting effectPrecautionary statements:P210Keep away from heat, hot surfaces, spark open flames and other ignition sources. N smoking.P211Do not spray on an open flame or other ignition source.P251Do not pierce or burn, even after use. P273P273Avoid release to the environment.Response:P301 + P310P311Do NOT induce vomiting.Storage: P410 + P412Protect from sunlight. Do not expose to				May be fatal if	
H319 H336 H411Causes serious eye irritation. May cause drowsiness or dizziness. Toxic to aquatic life with long lasting effectPrecautionary statements: <b>Prevention:</b> P210P210Keep away from heat, hot surfaces, spark open flames and other ignition sources. N smoking. P211Do not spray on an open flame or other ignition source. P251P251Do not pierce or burn, even after use. P273Avoid release to the environment. <b>Response:</b> P301 + P310IF SWALLOWED: Immediately call a POISON CENTER/ doctor. P331Do NOT induce vomiting. <b>Storage:</b> P410 + P412P410 + P412Protect from sunlight. Do not expose to			H315		itation.
H411       Toxic to aquatic life with long lasting effect         Precautionary statements       :       Prevention:         P210       Keep away from heat, hot surfaces, spark open flames and other ignition sources. N smoking.         P211       Do not spray on an open flame or other ignition source.         P251       Do not pierce or burn, even after use.         P273       Avoid release to the environment.         Response:       P301 + P310       IF SWALLOWED: Immediately call a POISON CENTER/ doctor.         P331       Do NOT induce vomiting.         Storage:       P410 + P412       Protect from sunlight. Do not expose to			H319	Causes serious	s eye irritation.
Precautionary statements       Prevention:         P210       Keep away from heat, hot surfaces, spark open flames and other ignition sources. N smoking.         P211       Do not spray on an open flame or other ignition source.         P251       Do not pierce or burn, even after use.         P273       Avoid release to the environment.         Response:       P301 + P310         P311       Do NOT induce vomiting.         Storage:       P410 + P412         Protect from sunlight. Do not expose to					
P210       Keep away from heat, hot surfaces, spark open flames and other ignition sources. N smoking.         P211       Do not spray on an open flame or other ignition source.         P251       Do not pierce or burn, even after use.         P273       Avoid release to the environment.         Response:       P301 + P310         P331       Do NOT induce vomiting.         Storage:       P410 + P412         P410 + P412       Protect from sunlight. Do not expose to			□411		c life with long lasting effects
open flames and other ignition sources. N smoking. P211 Do not spray on an open flame or other ignition source. P251 Do not pierce or burn, even after use. P273 Avoid release to the environment. <b>Response:</b> P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor. P331 Do NOT induce vomiting. <b>Storage:</b> P410 + P412 Protect from sunlight. Do not expose to	Preca	autionary statements	: Preve	ntion:	
P211Do not spray on an open flame or other ignition source.P251Do not pierce or burn, even after use. P273P273Avoid release to the environment.Response:P301 + P310IF SWALLOWED: Immediately call a POISON CENTER/ doctor.P331Do NOT induce vomiting.Storage:P410 + P412Protect from sunlight. Do not expose to			P210	open flames ar	
P251Do not pierce or burn, even after use.P273Avoid release to the environment.Response:P301 + P310IF SWALLOWED: Immediately call a POISON CENTER/ doctor.P331Do NOT induce vomiting.Storage:P410 + P412Protect from sunlight. Do not expose to			P211	Do not spray o	
P273Avoid release to the environment.Response:P301 + P310IF SWALLOWED: Immediately call a POISON CENTER/ doctor.P331Do NOT induce vomiting.Storage:P410 + P412Protect from sunlight. Do not expose to			P251	-	
P301 + P310IF SWALLOWED: Immediately call a POISON CENTER/ doctor.P331Do NOT induce vomiting.Storage:P410 + P412P410 + P412Protect from sunlight. Do not expose to			-	•	
POISON CENTER/ doctor. P331 Do NOT induce vomiting. Storage: P410 + P412 Protect from sunlight. Do not expose to			Respo	nse:	
P331Do NOT induce vomiting.Storage:P410 + P412Protect from sunlight. Do not expose to			P301 ·		
P410 + P412 Protect from sunlight. Do not expose to			P331		
6 1			Storag	le:	
temperatures exceeding 50 °C/ 122 °F.			P410 ·		

## Hazardous components which must be listed on the label:

Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane





Version	Revision Date:	Date of last issue: 19.05.2022	Print Date:
2.5	19.05.2025	Date of first issue: 23.06.2016	19.05.2025

acetone

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

Chemical nature

: Active agent with propellant and solvent.

#### Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	specific concentration limit M-Factor Notes Acute toxicity estimate	Concentration (% w/w)
Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane	921-024-6 01-2119475514-35- XXXX	Flam. Liq.2; H225 Skin Irrit.2; H315 STOT SE3; H336 Asp. Tox.1; H304 Aquatic Chronic2; H411		>= 70 - < 90
acetone	67-64-1 200-662-2 606-001-00-8 01-2119471330-49- XXXX	Flam. Liq.2; H225 Eye Irrit.2; H319 STOT SE3; H336; EUH066		>= 10 - < 20
Substances with a work	place exposure limit :			
propane	74-98-6 200-827-9	Flam. Gas1A; H220		>= 1 - < 10





# **OKS 2661**

Version 2.5	Revision Da 19.05.2025		issue: 19.05.2022 issue: 23.06.2016	Print [ 19.05	
		601-003-00-5 01-2119486944-21- XXXX	Press. GasCompr. Gas; H280	Note U (Table 3)	
isobutane		75-28-5 200-857-2 601-004-00-0 01-2119485395-27- XXXX	Flam. Gas1A; H220 Press. GasCompr. Gas; H280	Note U (Table 3), Note C	>= 1 - < 10
carbon dio	xide	124-38-9 204-696-9	Press. GasCompr. Gas; H280		>= 1 - < 10

For explanation of abbreviations see section 16.

## **SECTION 4: First aid measures**

### 4.1 Description of first aid measures

If inhaled	Remo medio Keep If unc advic Keep If brea	a physician or poison control centre immediately. by person to fresh air. If signs/symptoms continue, get cal attention. patient warm and at rest. onscious, place in recovery position and seek medical e. respiratory tract clear. athing is irregular or stopped, administer artificial ration.
In case of skin contact	Wash Get m persis Wash	off all contaminated clothing immediately. off immediately with soap and plenty of water. nedical attention immediately if irritation develops and sts. o clothing before reuse. oughly clean shoes before reuse.
In case of eye contact	for at	e immediately with plenty of water, also under the eyelids, least 10 minutes. medical advice.
If swallowed	lf acc Keep Do No	the victim to fresh air. identally swallowed obtain immediate medical attention. respiratory tract clear. OT induce vomiting. mouth with water.





<b>OKS 266</b>	1			
Version 2.5	Revision Date: 19.05.2025		e of last issue: 19.05.2022 e of first issue: 23.06.2016	Print Date: 19.05.2025
			Aspiration hazard if swallowed - can ente damage.	r lungs and cause
4.2 Most ir	nportant symptoms	and e	ffects, both acute and delayed	
Sympt	oms	:	Inhalation may provoke the following sym Unconsciousness Dizziness Drowsiness Headache Nausea Tiredness	iptoms:
			Aspiration may cause pulmonary oedema	a and pneumonitis.
Risks		:	May be fatal if swallowed and enters airw Causes skin irritation. Causes serious eye irritation. May cause drowsiness or dizziness. Central nervous system depression Risk of product entering the lungs on von	
			Health injuries may be delayed.	

#### 4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatical
---------------------------------

## **SECTION 5: Firefighting measures**

## 5.1 Extinguishing media

Suitable extinguishing media	:	ABC powder
Unsuitable extinguishing media	:	High volume water jet

## 5.2 Special hazards arising from the substance or mixture

Specific hazards during firefighting	:	Fire Hazard Do not let product enter drains. Contains gas under pressure; may explode if heated. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.
Hazardous combustion products	:	Carbon oxides





Version 2.5	Revision Date: 19.05.2025		e of last issue: 19.05.2022 e of first issue: 23.06.2016	Print Date: 19.05.2025
5.3 Advice	ofor firefighters			
	al protective equipmen fighters	it :	In the event of fire, wear self-contain Use personal protective equipment. decomposition products may be a h	Exposure to
Furthe	er information	:	Standard procedure for chemical fire Collect contaminated fire extinguish must not be discharged into drains. Cool containers/tanks with water sp	ing water separately. This

## **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

	Personal precautions	:	Evacuate personnel to safe areas. Ensure adequate ventilation. Remove all sources of ignition. Do not breathe vapours or spray mist. Do not breathe dust/ fume/ gas/ mist/ vapours/ spray. Refer to protective measures listed in sections 7 and 8. Only qualified personnel equipped with suitable protective equipment may intervene.
6.2	Environmental precautions		

# 6.2 Environmental precautions

Environmental precautions	:	Do not allow contact with soil, surface or ground water. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.
---------------------------	---	---

#### 6.3 Methods and material for containment and cleaning up

:

Methods for cleaning up	:	Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).
		Keep in suitable, closed containers for disposal.
		Non-sparking tools should be used.

#### 6.4 Reference to other sections

For personal protection see section 8.

### **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

- Advice on safe handling
- Do not use in areas without adequate ventilation. Do not breathe vapours or spray mist.



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - ES



OKS	2661		
Versio 2.5	n Revision Date: 19.05.2025	Date of last issue: 19.05.2022 Date of first issue: 23.06.2016	Print Date: 19.05.2025
		In case of insufficient ventilation, equipment. Avoid contact with skin and eyes. For personal protection see section Keep away from fire, sparks and Smoking, eating and drinking sho application area. Wash hands and face before breat handling the product. Do not get in eyes or mouth or or Do not get on skin or clothing. Do not ingest. Do not use sparking tools. These safety instructions also app may still contain product residues Pressurized container: protect fro expose to temperatures exceeding burn, even after use.	on 8. heated surfaces. build be prohibited in the aks and immediately after a skin. ply to empty packaging which by sunlight and do not
Н	lygiene measures	: Wash face, hands and any expos handling.	ed skin thoroughly after
7.2 Cc	onditions for safe storage	e, including any incompatibilities	
	equirements for storage reas and containers	: BEWARE: Aerosol is pressurized exposure and temperatures over or throw into fire even after use. I red-hot objects. Store in accordar national regulations.	50 °C. Do not open by force Do not spray on flames or
7.3 Sp	pecific end use(s)		
c	pocific uso(s)	· Specific instructions for bandling	not required

Specific use(s) : Specific instructions for handling, not required.

# **SECTION 8: Exposure controls/personal protection**

## 8.1 Control parameters

### **Occupational Exposure Limits**

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis			
acetone	67-64-1	TWA	500 ppm 1.210 mg/m3	2000/39/EC (2000-06-16)			
	Further inform	Further information: Indicative					
		VLA-ED	500 ppm 1.210 mg/m3	ES VLA (2011-03-03)			
propane	74-98-6	VLA-ED (gas)	1.000 ppm	ES VLA (2024-01-15)			





# **OKS 2661**

Version Revision Date: 2.5 19.05.2025			Date of last issue: 19.05.2022 Date of first issue: 23.06.2016		
isobu	Itane 75-	28-5 VLA-ED (gas)	1 000 ppm	ES VI A	

isobutane	75-28-5	VLA-ED (gas)	1.000 ppm	ES VLA (2013-02-22)			
carbon dioxide	124-38-9	TWA	5.000 ppm 9.000 mg/m3	2006/15/EC (2006-02-09)			
	Further info	Further information: Indicative					
		VLA-ED	5.000 ppm 9.150 mg/m3	ES VLA (2007-01-01)			

#### **Biological occupational exposure limits**

Substance name	CAS-No.	Control parameters	Sampling time	Basis
acetone	67-64-1	Acetone: 50 mg/l (Urine)	End of workday	ES VLB (2011-03-
				03)

## Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
Hydrocarbons, C6- C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane	Workers	Skin contact	Long-term systemic effects	773 mg/kg bw/day
	Workers	Inhalation	Long-term systemic effects	2035 mg/m3
acetone	Workers	Inhalation	Long-term systemic effects	1210 mg/m3
	Workers	Skin contact	Long-term systemic effects	186 mg/kg

## Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
acetone	Fresh water	10,6 mg/l
	Marine water	1,06 mg/l
	Sewage treatment plant	100 mg/l
	Fresh water sediment	30,4 mg/kg
	Marine sediment	3,04 mg/kg
	Soil	29,5 mg/kg

#### 8.2 Exposure controls

#### Engineering measures

Use only in an area equipped with explosion proof exhaust ventilation. Handle only in a place equipped with local exhaust (or other appropriate exhaust).

#### Personal protective equipment

Eye/face protection	:	Safety glasses with side-shields
Hand protection		

Material	:	butyl-rubber
Break through time	:	> 10 min
Protective index	:	Class 1





<b>OKS 26</b>	61			
Version 2.5	Revision Date: 19.05.2025		last issue: 19.05.2022 first issue: 23.06.2016	Print Date: 19.05.2025
Re	emarks	ar ty ca Tł sp	ear protective gloves. The brea nongst other things on the mate be of glove and therefore has to use. The selected protective gloves ha becifications of Regulation (EU) N 374 derived from it.	erial, the thickness and the be measured for each ave to satisfy the
Skin a	and body protection	CC	noose body protection in relation incentration and amount of dang e specific work-place.	
Respiratory protection		VE	se respiratory protection unless ntilation is provided or exposure at exposures are within recomm	e assessment demonstrates
Fil	lter type	: R	ecommended Filter type:	
		0	rganic gas and low boiling vapo	ur type (AX)
Prote	ctive measures	to	the type of protective equipment the concentration and amount the specific workplace.	
Envir	onmental exposure	controls		
Air		: SI	nould not be released into the e	nvironment.
Soil		:		
		Tł	o not allow contact with soil, sur ne product should not be allowe purses or the soil.	
Wate	r	:		
		Tł	o not allow contact with soil, sur ne product should not be allowe purses or the soil.	

# **SECTION 9: Physical and chemical properties**

## 9.1 Information on basic physical and chemical properties

Physical state : aerosol



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - ES



# **OKS 2661**

Version 2.5	Revision Date: 19.05.2025		of last issue: 19.05.2022 of first issue: 23.06.2016	Print Date: 19.05.2025
Colou	r	:	colourless	
Odou	r	:	characteristic	
Odou	r Threshold	:	No data available	
Meltin	ng point/ range	:	No data available	
Boilin	g point/boiling range	:	< 0 °C (1.013 hPa)	
Flamr	nability (solid, gas)	:	Extremely flammable aerosol.	
	r explosion limit / Upper nability limit	:	8 %(V)	
	r explosion limit / Lower nability limit	:	1 %(V)	
Flash	point	:	0 °C Method: Abel-Pensky	
Auto-i	ignition temperature	:	> 200 °C	
Decor	mposition temperature	:	No data available	
рН		:	Not applicable substance/mixture is non-soluble	e (in water)
Visco: Vis	sity scosity, dynamic	:	No data available	
Vis	scosity, kinematic	:	< 20,5 mm2/s (40 °C)	
	ility(ies) ater solubility	:	insoluble	
So	lubility in other solvents	6 :	No data available	
	on coefficient: n- ol/water	:	No data available	
Vapor	ur pressure	:	233 hPa (20 °C)	
Relati	ve density	:	0,7060 (20 °C) Reference substance: Water The value is calculated	





Version 2.5	Revision Date: 19.05.2025	Date of last issue: 19.05.2022Print Date:Date of first issue: 23.06.201619.05.2025	
De	ensity	: 0,71 g/cm3 (20 °C)	
Bu	lk density	: No data available	
Re	elative vapour density	: No data available	
9.2 Oth	er information		
Ex	plosives	: Not explosive	
Ox	kidizing properties	: No data available	
Se	If-ignition	: not auto-flammable	
Me	etal corrosion rate	: Not corrosive to metals	
Ev	aporation rate	: No data available	
Su	blimation point	: No data available	

# **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

No hazards to be specially mentioned.

## 10.2 Chemical stability

Stable under normal conditions.

#### 10.3 Possibility of hazardous reactions

Hazardous reactions	:	No dangerous reaction known under conditions of normal use.
10.4 Conditions to avoid		
Conditions to avoid	:	Heat, flames and sparks. Strong sunlight for prolonged periods. Risk of receptacle bursting.
10.5 Incompatible materials		
Materials to avoid	:	Oxidizing agents
10.6 Hazardous decomposition p	rod	lucts

No decomposition if stored and applied as directed.





Version	Revision Date:	Date of last issue: 19.05.2022	Print Date:
2.5	19.05.2025	Date of first issue: 23.06.2016	19.05.2025
2.0	19.03.2023	Date of first issue. 23.00.2010	19.05.2025

## **SECTION 11: Toxicological information**

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

A cuto toxicity		
Acute toxicity		
	e clas	sification criteria are not met.
Product:		
Acute oral toxicity	:	Remarks: Effects due to ingestion may include:
		Symptoms: Central nervous system depression
Acute inhalation toxicity	:	Remarks: Respiration of solvent vapour may cause dizziness
		Symptoms: Inhalation may provoke the following symptoms:, Respiratory disorder, Dizziness, Drowsiness, Vomiting, Fatigue, Vertigo, Central nervous system depression
Acute dermal toxicity	:	Symptoms: Redness, Local irritation
Components:		
Hvdrocarbons, C6-C7, n-al	lkane	es, isoalkanes, cyclics, <5% n-hexane:
Acute oral toxicity	:	LD50 (Rat): $> 5.840 \text{ mg/kg}$
		Assessment: The substance or mixture has no acute oral toxicity
Acute inhalation toxicity	:	
		Exposure time: 4 h Test atmosphere: vapour
		Assessment: The substance or mixture has no acute inhalation toxicity
Acute dermal toxicity	:	LD50 (Rat): > 2,8 g/kg
		Assessment: The substance or mixture has no acute dermal toxicity
acetone:		
Acute oral toxicity	:	LD50 Oral (Rat): 5.800 mg/kg
isobutane:		
Acute inhalation toxicity	:	LC50 (Rat): 658 mg/l Exposure time: 4 h

# Skin corrosion/irritation

Causes skin irritation.





KS 266	61		
rsion 5	Revision Date: 19.05.2025	Date of last issue: 19.05.2022 Date of first issue: 23.06.2016	Print Date: 19.05.2025
Prod	uct:		
Rema		: This information is not availabl	e
Rome			6.
Com	ponents:		
Hydro	ocarbons C6-C7 n	-alkanes, isoalkanes, cyclics, <5% n-	hexane.
Speci		: Rabbit	
•	ssment	: Irritating to skin.	
Metho	bc	: OECD Test Guideline 404	
Resu	lt	: Irritating to skin.	
aceto	one:		
Resu	lt	: Repeated exposure may cause	e skin dryness or cracking.
			, ,
	us eye damage/eye		
Cause	es serious eye irritati	on.	
Prod	uct:		
Rema	arks	: This information is not availabl	е.
<u>Com</u>	ponents:		
Hydr	ocarbone C6-C7 n	-alkanes, isoalkanes, cyclics, <5% n-	hovano
-			liexalle.
Speci	ssment	: Rabbit : No eye irritation	
Resu		: No eye irritation	
Resu	it.		
aceto	one:		
Speci	ies	: Rabbit	
Resu		: Eye irritation	
Resp	iratory or skin sens	sitisation	
Skin	sensitisation		
•	conclucation	he classification criteria are not met.	
	iratory sensitisation		
-	-	he classification criteria are not met.	
Prod	uct:		
Rema	arks	: This information is not availabl	е.
<u>Com</u>	ponents:		
Hydro	ocarbons, C6-C7. n	-alkanes, isoalkanes, cyclics, <5% n-	hexane:
Test		: Maximisation Test	
	sure routes	: Dermal	
	-		a brand of
		40 / 05	a brand of





<b>(S 26</b> 6	61			
rsion	Revision Date: 19.05.2025		of last issue: 19.05.2022 of first issue: 23.06.2016	Print Date: 19.05.2025
Speci Asses Metho Resu	ssment od	: C : C	Guinea pig Does not cause skin sensitisation DECD Test Guideline 406 Did not cause sensitisation on lat	
Germ	cell mutagenicity			
Base	d on available data, t	ne classif	ication criteria are not met.	
Prod	uct:			
Geno	toxicity in vitro	: F	Remarks: No data available	
Geno	toxicity in vivo	: F	Remarks: No data available	
<u>Com</u>	ponents:			
Hydro	ocarbons, C6-C7, n-	alkanes,	isoalkanes, cyclics, <5% n-he	exane:
Geno	toxicity in vitro	T N	est Type: Chromosome aberrati est system: Rodent cell line Aethod: OECD Test Guideline 47 Result: negative	
	i <b>nogenicity</b> d on available data, tl	ne classif	ication criteria are not met.	
	d on available data, t	ne classif	ication criteria are not met.	
Base	d on available data, ti <u>uct:</u>		ication criteria are not met. Io data available	
Based <u>Prode</u> Rema	d on available data, ti <u>uct:</u> arks oductive toxicity	: N		
Based <u>Prode</u> Rema	d on available data, th <u>uct:</u> arks oductive toxicity d on available data, th	: N	lo data available	
Based Prode Rema Repre Based Prode	d on available data, th <u>uct:</u> arks oductive toxicity d on available data, th	: N ne classif	lo data available	
Based Produ Rema Based Produ Effect	d on available data, th <u>uct:</u> arks oductive toxicity d on available data, th <u>uct:</u>	: N ne classif : F	lo data available ication criteria are not met.	
Based Produ Rema Based Produ Effect devel	d on available data, th <u>uct:</u> arks oductive toxicity d on available data, th <u>uct:</u> ts on fertility ts on foetal	: N ne classif : F : F	lo data available ication criteria are not met. Remarks: No data available	
Based Produ Rema Repro Based Produ Effect devel Repro	d on available data, th <u>uct:</u> arks oductive toxicity d on available data, th <u>uct:</u> ts on fortility ts on foetal opment	: N ne classif : F : F	lo data available ication criteria are not met. Remarks: No data available Remarks: No data available	
Based Produ Rema Based Produ Effect devel Repro Asses	d on available data, th <u>uct:</u> arks oductive toxicity d on available data, th <u>uct:</u> ts on fortility ts on foetal opment oductive toxicity - ssment <b>r - single exposure</b>	: N ne classif : F : F : N	lo data available ication criteria are not met. Remarks: No data available Remarks: No data available Fertility - lo toxicity to reproduction	
Based Produ Rema Based Produ Effect devel Repro Asses	d on available data, th <u>uct:</u> arks oductive toxicity d on available data, th <u>uct:</u> ts on fertility ts on foetal opment oductive toxicity - ssment	: N ne classif : F : F : N	lo data available ication criteria are not met. Remarks: No data available Remarks: No data available Fertility - lo toxicity to reproduction	
Based Produ Rema Based Produ Effect devel Repro Asses	d on available data, th <u>uct:</u> arks oductive toxicity d on available data, th <u>uct:</u> ts on fortility ts on foetal opment oductive toxicity - ssment <b>r - single exposure</b> cause drowsiness or <u>uct:</u>	: N ne classif : F : F : - N dizziness	lo data available ication criteria are not met. Remarks: No data available Remarks: No data available Fertility - lo toxicity to reproduction	





OKS	5 266	1		
Versio 2.5	on	Revision Date: 19.05.2025	Date of last issue: 19.05.2022Print Date:Date of first issue: 23.06.201619.05.2025	
<u>c</u>	Comp	onents:		
ŀ	Hvdro	carbons. C6-C7. n-a	kanes, isoalkanes, cyclics, <5% n-hexane:	
	-	sment	: May cause drowsiness or dizziness.	
a	acetor	ne:		
		ure routes sment	: Inhalation : May cause drowsiness or dizziness.	
5	стот	- repeated exposure		
E	Based	on available data, the	e classification criteria are not met.	
	Produ			
F	Remar	ks	: No data available	
<u>c</u>	Comp	onents:		
ŀ	Hydro	carbons, C6-C7, n-a	kanes, isoalkanes, cyclics, <5% n-hexane:	
		ure routes sment	<ul> <li>inhalation (vapour)</li> <li>No significant health effects observed in animals at concentrations of 1 mg/l/6h/d or less.</li> </ul>	
F	Repea	ted dose toxicity		
F	Produ	ct:		
	Remar		: This information is not available.	
Þ	Aspira	ation toxicity		
Ν	May be	e fatal if swallowed a	d enters airways.	
<u>F</u>	Produ	<u>ct:</u>		
Ν	May be	e fatal if swallowed a	d enters airways.	
<u>c</u>	Comp	onents:		
	-	<b>carbons, C6-C7, n-a</b> e fatal if swallowed ar	l <b>kanes, isoalkanes, cyclics, &lt;5% n-hexane:</b> d enters airways.	
11 2	Inform	nation on other haza	rds	
		rine disrupting pro		
	Produ Assess		: The substance/mixture does not contain components	
,			considered to have endocrine disrupting properties acc to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/	ation



(EU) 2017/2100 or Commission Regulation (EU) 2018/605 at



OKS 2661						
Version 2.5	Revision Date: 19.05.2025	Date of last issue: 19.05.2022 Date of first issue: 23.06.2016	Print Date: 19.05.2025			
		levels of 0.1% or higher.				
Furth	her information					
<u>Prod</u>	luct:					
Remarks :		: Risks of irreversible effects after a Ingestion causes irritation of uppe gastrointestinal disturbance.				

# **SECTION 12: Ecological information**

## 12.1 Toxicity

Dreduct		
<u>Product:</u> Toxicity to fish	:	Remarks: Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
Toxicity to daphnia and other aquatic invertebrates	:	Remarks: No data available
Toxicity to algae/aquatic plants	:	Remarks: No data available
Toxicity to microorganisms	:	Remarks: No data available
Components:		
Hydrocarbons, C6-C7, n-alk	ane	es, isoalkanes, cyclics, <5% n-hexane:
Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): > 22 mg/l Exposure time: 96 h Method: OECD Test Guideline 203 GLP: yes
Toxicity to daphnia and other aquatic invertebrates	:	EL50 (Daphnia magna (Water flea)): 3 mg/l Exposure time: 48 h Method: OECD Test Guideline 202 GLP: yes
Toxicity to algae/aquatic plants	:	EbC50 (Pseudokirchneriella subcapitata (green algae)): 26 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
Ecotoxicology Assessment Acute aquatic toxicity	:	Toxic to aquatic life.





OKS 20	°C4		
<b>OKS 26</b>	001		
Version 2.5	Revision Date: 19.05.2025	Date of last issue: 19.05.2022Print EDate of first issue: 23.06.201619.05.	
Chro	onic aquatic toxicity	: Toxic to aquatic life with long lasting effects.	
12.2 Pers	sistence and degrada	bility	
Proc	duct:		
Biod	egradability	: Remarks: No data available	
	sico-chemical ovability	: Remarks: No data available	
	nponents:		
•		ilkanes, isoalkanes, cyclics, <5% n-hexane:	
Biod	egradability	: Result: Readily biodegradable.	
acet	one:		
Biod	egradability	: Result: rapidly biodegradable	
	<b>c</b>		
12.3 Bioa	accumulative potentia	l	
Proc	duct:		
Bioa	ccumulation	: Remarks: No data available	
<u>Con</u>	ponents:		
acet	one:		
Bioa	ccumulation	: Remarks: Does not bioaccumulate.	
	ition coefficient: n- nol/water	: log Pow: 0,2	
	bane:		
	ition coefficient: n- nol/water	: log Pow: 2,36	
isob	outane:		
	ition coefficient: n-	: log Pow: 2,88	
octa	nol/water	Method: OECD Test Guideline 107	
carb	on dioxide:		
	ition coefficient: n-	: log Pow: 0,83	
	nol/water		





Version	Revision Date:	Date of last issue: 19.05.2022	Print Date:
2.5	19.05.2025	Date of first issue: 23.06.2016	19.05.2025

#### 12.4 Mobility in soil

#### Product:

Mobility	:	Remarks: No data available
Distribution among environmental compartments	:	Remarks: No data available

#### 12.5 Results of PBT and vPvB assessment

Assessment	: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

#### 12.6 Endocrine disrupting properties

<u>Product:</u> Assessment	: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
12.7 Other adverse effects	

#### Product:

Additional ecological	:	Toxic to aquatic life with long lasting effects.
information		

#### **Global warming potential**

Assessment Report of the Intergovernmental Panel on Climate Change (IPCC) of the United Nations Framework Convention on Climate Change (UNFCCC)

#### **Components:**

#### carbon dioxide:

20-year global warming potential: 1 100-year global warming potential: 1 500-year global warming potential: 1 Radiative efficiency: 0,000013 Wm2ppb Further information: Major Greenhouse Gases

#### propane:

20-year global warming potential: 0,072 100-year global warming potential: 0,02 500-year global warming potential: 0,006





Version	Revision Date:	Date of last issue: 19.05.2022	Print Date:
2.5	19.05.2025	Date of first issue: 23.06.2016	19.05.2025

Atmospheric lifetime: 0,036 yr Radiative efficiency: 0 Wm2ppb Further information: Miscellaneous compounds

## **SECTION 13: Disposal considerations**

#### **13.1 Waste treatment methods** Product Do not dispose of with domestic refuse. : Dispose of as hazardous waste in compliance with local and national regulations. Waste codes should be assigned by the user based on the application for which the product was used. Contaminated packaging Packaging that is not properly emptied must be disposed of as : the unused product. Offer empty spray cans to an established disposal company. Pressurized container: Do not pierce or burn, even after use. The following Waste Codes are only suggestions: unused product, packagings not completely emptied Waste Code 2 16 05 04\*, gases in pressure containers (including halons) containing hazardous substances

# **SECTION 14: Transport information**

14.1 UN number or ID number		
ADR	:	UN 1950
RID	:	UN 1950
IMDG	:	UN 1950
ΙΑΤΑ	:	UN 1950
14.2 UN proper shipping name		
ADR	:	AEROSOLS
RID	:	AEROSOLS
IMDG	:	AEROSOLS (naphtha (petroleum), hydrotreated light)
ΙΑΤΑ	:	Aerosols, flammable
14.3 Transport hazard class(es)		
ADR	:	2



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - ES



# **OKS 2661**

Version 2.5	Revision Date: 19.05.2025		e of last issue: 19.05.2022 e of first issue: 23.06.2016	Print Date: 19.05.2025
RID IMD IAT <i>I</i>		: : :	2 2.1 2.1	
14.4 Pac	king group			
Clas Labe Tunr	king group sification Code	:	Not assigned by regulation 5F 2.1 (D)	
Clas	king group sification Code ard Identification Number els	: : r : :	Not assigned by regulation 5F 23 2.1	
Labe	king group	:	Not assigned by regulation 2.1 F-D, S-U	
Pack aircr Pack	king instruction (LQ) king group	:	203 Y203 Not assigned by regulation Flammable Gas	
Pacł (pas Pacł	A (Passenger) king instruction senger aircraft) king instruction (LQ) king group els	:	203 Y203 Not assigned by regulation Flammable Gas	
14.5 Env	ironmental hazards			
	<b>t</b> ronmentally hazardous	:	yes	
<b>RID</b> Envi	ronmentally hazardous	:	yes	
<b>IMD</b> Mari	<b>G</b> ne pollutant	:	yes	
14.6 Spe	cial precautions for use	er		

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.





Version	Revision Date:	Date of last issue: 19.05.2022	Print Date:
2.5	19.05.2025	Date of first issue: 23.06.2016	19.05.2025

#### 14.7 Maritime transport in bulk according to IMO instruments

Remarks

: Not applicable for product as supplied.

# **SECTION 15: Regulatory information**

1 Safety, health and environmental regulations/legislati	ion	specific for the substance or
REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)	:	Conditions of restriction for the following entries should be considered: Number on list 75 If you intend to use this product as tattoo ink, please contact your vendor.
REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59). (EU SVHC)	:	This product does not contain substances of very high concern (Regulation (EC) No 1907/2006 (REACH), Article 57).
Regulation (EU) No 2024/590 on substances that deplete the ozone layer (EC 2024/590)	:	Not applicable
Regulation (EU) 2019/1021 on persistent organic pollutants (recast) (EU POP)	:	Not applicable
Regulation (EU) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals (EU PIC)	:	Not applicable
REACH - List of substances subject to authorisation (Annex XIV) (EU. REACH-Annex XIV)	:	Not applicable
Regulation (EU) 2019/1148 on the marketing and use of explosives precursors	:	acetone (ANNEX II)
This product is regulated by Regulation (EU) 2019/1148: all suspicious transactions, and significant disappearances and thefts should be reported to the relevant national contact point.		
		- han a d - f





OKS 2	661			
Version 2.5	Revision Date: 19.05.2025		sue: 19.05.2022 sue: 23.06.2016	Print Date: 19.05.2025
			P5c	
			P2	
Seveso III: Directive 2012/18/EU of the European P3a FLAMMABLE AEROSOLS Parliament and of the Council on the control of major-accident hazards involving dangerous substances.				
			E2	ENVIRONMENTAL HAZARDS
			18	Liquefied flammable gases (including LPG) and natural gas
			34	Petroleum products: (a) gasolines and naphthas, (b) kerosenes (including jet fuels), (c) gas oils (including diesel fuels, home heating oils and gas oil blending streams),(d) heavy fuel oils (e) alternative fuels serving the same purposes and with similar properties as regards flammability and environmental hazards as the products referred to in points (a) to (d)
Vola	atile organic compounds	e organic compounds : Directive 2010/75/EU of 24 November 2010 on industrial and livestock rearing emissions (integrated pollution prevention and control) Volatile organic compounds (VOC) content: 96,63 %		
	gulation (EC) No. /2004, as amended	: Ingredien 30 % and	ts I more: Aliphatic I	hydrocarbons

### Other regulations:

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.





Version	Revision Date:	Date of last issue: 19.05.2022	Print Date:
2.5	19.05.2025	Date of first issue: 23.06.2016	19.05.2025

#### 15.2 Chemical safety assessment

This information is not available.

#### **SECTION 16: Other information**

#### Full text of H-Statements

H220 H225	:	Extremely flammable gas. Highly flammable liquid and vapour.
H280	:	Contains gas under pressure; may explode if heated.
H304	:	May be fatal if swallowed and enters airways.
H315	:	Causes skin irritation.
H319	:	Causes serious eye irritation.
H336	:	May cause drowsiness or dizziness.
H411	:	Toxic to aquatic life with long lasting effects.
EUH066	:	Repeated exposure may cause skin dryness or cracking.

#### Full text of other abbreviations

Note C	:	Some organic substances may be marketed either in a specific isomeric form or as a mixture of several isomers. In this case the supplier must state on the label whether the substance is a specific isomer or a mixture of isomers.
Note U (Table 3)	:	When put on the market gases have to be classified as "Gases under pressure", in one of the groups compressed gas, liquefied gas, refrigerated liquefied gas or dissolved gas. The group depends on the physical state in which the gas is packaged and therefore has to be assigned case by case. The following codes are assigned: Press. Gas (Comp.) Press. Gas (Liq.) Press. Gas (Ref. Liq.) Press. Gas (Diss.) Aerosols shall not be classified as gases under pressure (See Annex I, Part 2, Section 2.3.2.1, Note 2).
2000/39/EC	:	Europe. Commission Directive 2000/39/EC establishing a first list of indicative occupational exposure limit values
2006/15/EC	:	Europe. Indicative occupational exposure limit values
ES VLA	:	Spain. Environmental Limits for exposure to Chemical agents - Table 1: Occupational Exposure Values
ES VLB	:	Occupational Exposure Limits for Chemical Agents in Spain - Biological Exposure Values
2000/39/EC / TWA	:	Limit Value - eight hours
2006/15/EC / TWA	:	Limit Value - eight hours
ES VLA / VLA-ED	:	Environmental Daily Limit Value

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the





# **OKS 2661**

Version	Revision Date:	Date of last issue: 19.05.2022	Print Date:
2.5	19.05.2025	Date of first issue: 23.06.2016	19.05.2025

Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN -Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx -Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA -International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIOC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID -Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

#### **Further information**

Classification	of the	mixture:
----------------	--------	----------

Classification of the mixte	ıre:	Classification procedure:
Aerosol 1	H222, H229	Based on product data or assessment
Skin Irrit. 2	H315	Calculation method
Eye Irrit. 2	H319	Calculation method
STOT SE 3	H336	Calculation method
Asp. Tox. 1	H304	Based on product data or assessment
Aquatic Chronic 2	H411	Calculation method

Relevant changes compared to the last edition are highlighted at the left margin. This version Ш replaces all previous editions.

This safety data sheet applies only to products as originally packed and labelled. The information contained therein may not be reproduced or modified without our express written permission. Any forwarding of this document is only permitted to the extent required by law. Any further, in particular public, dissemination of the safety data sheet (e.g. as a document for download from the Internet) is not permitted without our express written consent. We provide our customers with





## **OKS 2661**

Version	Revision Date:	Date of last issue: 19.05.2022	Print Date:
2.5	19.05.2025	Date of first issue: 23.06.2016	19.05.2025

amended safety data sheets as prescribed by law. The customer is responsible for passing on safety data sheets and any amendments contained therein to its own customers, employees and other users of the product. We provide no guarantee that safety data sheets received by users from third parties are up-to-date. All information and instructions in this safety data sheet have been compiled to the best of our knowledge and are based on the information available to us on the day of publication. The information provided is intended to describe the product in relation to the required safety measures; it is neither an assurance of characteristics nor a guarantee of the product's suitability for particular applications and does not justify any contractual legal relationship. The existence of a safety data sheet for a particular jurisdiction does not necessarily mean that import or use within that jurisdiction is legally permitted. If you have any questions, please contact your responsible sales contact or authorized trading partner.

