

Version	Revision Date:	Date of last issue: 16.09.2022	Print Date:
2.2	26.05.2025	Date of first issue: 07.06.2016	26.05.2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1	Product identifier		
	Product name	:	OKS 481
1.2	Relevant identified uses of the	ne s	substance or mixture and uses advised against
	Use of the	:	Lubricant spray
	Substance/Mixture		
	Recommended restrictions	:	Restricted to professional users.
	on use		
1.3	Details of the supplier of the	saf	ety data sheet
	Company	:	
			Ganghoferstr. 47
			82216 Maisach-Gernlinden
			Deutschland Tel.: +49 8142 3051 500
			Fax: +49 8142 3051 599
			info@oks-germany.com
	E-mail address of person	:	mcm@oks-germany.com
	responsible for the SDS	•	nemeoks-gennary.com
	National contact	:	
4 4	Emergeney telephone numb	~ ~	

1.4 Emergency telephone number

Emergency telephone	:	+34 91 562 04 20
number		

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)						
Aerosols, Category 1	H222: Extremely flammable aerosol. H229: Pressurised container: May burst if heated.					
Specific target organ toxicity - single exposure, Category 3, Central nervous system	H336: May cause drowsiness or dizziness.					
Aspiration hazard, Category 1	H304: May be fatal if swallowed and enters					
	a brand of					





OKS 481	_	_			- · · -
/ersion 2.2	Revision Date: 26.05.2025		ite of last issue: 1 ite of first issue: 0		Print Date: 26.05.2025
			airw	/ays.	
Long-t Catego	erm (chronic) aquatic ory 2	haz	ard, H41	1: Toxic to aquatic	life with long lasting effects
2.2 Label e	lements				
	ing (REGULATION (d pictograms	(EC) :	No 1272/2008)	() 🔇	
Signal	word	:	Danger		
Hazaro	d statements	:	H222 H229 H304	Pressurised co	nmable aerosol. ontainer: May burst if heated swallowed and enters
			H336 H411		wsiness or dizziness. Ic life with long lasting effec
Supple Staten	emental Hazard nents	:	EUH066	Repeated dryness or crac	exposure may cause skin cking.
Precau	utionary statements	:	Prevention:		
			P210		m heat, hot surfaces, spark nd other ignition sources. N
			P211		n an open flame or other
			P251 P273	Do not pierce o	or burn, even after use. to the environment.
			Response:		
			P301 + P310	POISON CEN	
			P331	Do NOT induce	e vomlung.
			Storage:		

Hazardous components which must be listed on the label: pentane





Version	Revision Date:	Date of last issue: 16.09.2022	Print Date:
2.2	26.05.2025	Date of first issue: 07.06.2016	26.05.2025

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature

: Active agent with propellant and solvent.

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	specific concentration limit M-Factor Notes Acute toxicity estimate	Concentration (% w/w)				
pentane	109-66-0 203-692-4 601-006-00-1 01-2119459286-30- XXXX	Flam. Liq.2; H225 STOT SE3; H336 Asp. Tox.1; H304 Aquatic Chronic2; H411; EUH066	Note C	>= 50 - < 70				
zinc oxide	1314-13-2 215-222-5 030-013-00-7 01-2119463881-32- XXXX	Aquatic Acute1; H400 Aquatic Chronic1; H410	M-Factor: 1/1	>= 0,25 - < 1				
Substances with a work	Substances with a workplace exposure limit :							
butane	106-97-8 203-448-7 601-004-00-0 01-2119474691-32-	Flam. Gas1; H220 Press. GasCompr. Gas; H280	Note U (Table 3), Note C	>= 10 - < 20				



SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - ES



OKS 481

Version 2.2	Revision Dat 26.05.2025		sue: 16.09.2022 sue: 07.06.2016	Print Date: 26.05.2025		
		XXXX				
200 601 01-		74-98-6 200-827-9 601-003-00-5 01-2119486944-21- XXXX	Flam. Gas1A; H220 Press. GasCompr. Gas; H280	Note U (Table 3)	>= 1 - < 10	
isobutane		75-28-5 200-857-2 601-004-00-0 01-2119485395-27- XXXX	Flam. Gas1A; H220 Press. GasCompr. Gas; H280	Note U (Table 3), Note C	>= 1 - < 10	

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

If inhaled	 Call a physician or poison control centre immediately. Remove person to fresh air. If signs/symptoms continue, get medical attention. Keep patient warm and at rest. If unconscious, place in recovery position and seek medical advice. Keep respiratory tract clear. If breathing is irregular or stopped, administer artificial respiration.
In case of skin contact	 Take off all contaminated clothing immediately. Get medical attention immediately if irritation develops and persists. Wash clothing before reuse. Thoroughly clean shoes before reuse. Wash skin thoroughly with soap and water or use recognized skin cleanser.
In case of eye contact	: Rinse immediately with plenty of water, also under the eyelids for at least 10 minutes. Seek medical advice.
If swallowed	 Move the victim to fresh air. If accidentally swallowed obtain immediate medical attention. Keep respiratory tract clear. Do NOT induce vomiting. Rinse mouth with water.





OKS 481	OKS 481						
Version 2.2	Revision Date: 26.05.2025	Date of last issue: 16.09.2022 Date of first issue: 07.06.2016	Print Date: 26.05.2025				
		Aspiration hazard if swallowed - damage.	can enter lungs and cause				
4.2 Most in	nportant symptoms	and effects, both acute and delayed					
Sympt	oms	 Inhalation may provoke the follo Unconsciousness Dizziness Drowsiness Headache Nausea Tiredness Skin contact may provoke the for Erythema 					
		Aspiration may cause pulmonar	y oedema and pneumonitis.				
Risks		 Central nervous system depress Can be absorbed through skin. Risk of product entering the lung Health injuries may be delayed. May be fatal if swallowed and end 	gs on vomiting after ingestion.				
		May cause drowsiness or dizzin Repeated exposure may cause	ness. skin dryness or cracking.				

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media

products

0.1	Suitable extinguishing media	:	ABC powder
	Unsuitable extinguishing media	:	High volume water jet
5.2	Special hazards arising from	the	e substance or mixture
	Specific hazards during firefighting	:	Fire Hazard Do not let product enter drains. Contains gas under pressure; may explode if heated. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.
	Hazardous combustion	:	Carbon oxides





Version 2.2	Revision Date: 26.05.2025		te of last issue: 16.09.2022 te of first issue: 07.06.2016	Print Date: 26.05.2025
5.3 Advi	ice for firefighters			
Special protective equipment for firefighters		nt :	: In the event of fire, wear self-contained breathing apparatu Use personal protective equipment. Exposure to decomposition products may be a hazard to health.	
Fur	ther information	:	Standard procedure for chemical Collect contaminated fire extingui must not be discharged into drain Cool containers/tanks with water	shing water separately. This s.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	 Evacuate personnel to safe areas. Ensure adequate ventilation. Remove all sources of ignition. Do not breathe vapours or spray mist. Do not breathe dust/ fume/ gas/ mist/ vapours/ spray. Refer to protective measures listed in sections 7 and 8. Only qualified personnel equipped with suitable protective equipment may intervene. 	
6.2 Environmental precaution	S	

6.2 Environmental precautions

Environmental precautions	:	Do not allow contact with soil, surface or ground water. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.
---------------------------	---	---

6.3 Methods and material for containment and cleaning up

:

Methods for cleaning up	:	Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Keep in suitable, closed containers for disposal.
		Non-sparking tools should be used.

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Do not use in areas without adequate ventilation. Do not breathe vapours or spray mist.



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - ES



OKS 48	OKS 481						
Version 2.2	Revision Date: 26.05.2025	Date of last issue: 16.09.2022PrintDate of first issue: 07.06.201626.05					
		In case of insufficient ventilation, wear suitable respiratory equipment. Avoid contact with skin and eyes. For personal protection see section 8. Keep away from fire, sparks and heated surfaces. Smoking, eating and drinking should be prohibited in the application area. Wash hands and face before breaks and immediately afte handling the product. Do not get in eyes or mouth or on skin. Do not get on skin or clothing. Do not use sparking tools. These safety instructions also apply to empty packaging w may still contain product residues. Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50 °C. Do not pierce or burn, even after use.					
Hygiene measures :		Wash face, hands and any exposed skin thoroughly after handling.					
Requ	itions for safe storag uirements for storage s and containers	 including any incompatibilities BEWARE: Aerosol is pressurized. Keep away freexposure and temperatures over 50 °C. Do not of or throw into fire even after use. Do not spray or red-hot objects. Store in accordance with the parational regulations. 	ppen by force flames or				
-	i fic end use(s) cific use(s)	: Specific instructions for handling, not required.					

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis			
pentane	109-66-0	TWA	1.000 ppm 3.000 mg/m3	2006/15/EC (2006-02-09)			
	Further inform	Further information: Indicative					
		VLA-ED	1.000 ppm 3.000 mg/m3	ES VLA (2012-01-01)			
butane	106-97-8	VLA-ED (gas)	1.000 ppm	ES VLA (2013-02-22)			



SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - ES



OKS 481

			e of last issue: 16.09.2022 e of first issue: 07.06.2016		Print Date: 26.05.2025	
propa	ane	74-98-6	VLA-ED (gas)	1.000 ppm	ES VLA (2024-01-15)	
isobu	tane	75-28-5	VLA-ED (gas)	1.000 ppm	ES VLA (2013-02-22)	
zinc o	oxide	1314-13-2	VLA-ED (respirable fraction)	2 mg/m3	ES VLA (2016-01-01)	
			VLA-EC (respirable fraction)	10 mg/m3	ES VLA (2016-01-01)	

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
pentane	Workers	Inhalation	Long-term systemic effects	3000 mg/m3
	Workers	Dermal	Long-term systemic effects	432 mg/kg bw/day

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment Value			
pentane	Fresh water	0,230 mg/l		
	Marine water	0,230 mg/l		
	Microbiological Activity in Sewage Treatment Systems	3,6 mg/l		
	Fresh water sediment	1,2 mg/kg		
	Marine sediment	1,2 mg/kg		
zinc oxide	Fresh water	0,0179 mg/l		
	Marine water	0,009 mg/l		
	Sewage treatment plant	0,1245 mg/l		
	Fresh water sediment	182,8 mg/kg		
	Marine sediment	201,9 mg/kg		
	Soil	103,4 mg/kg		

8.2 Exposure controls

Engineering measures

Use only in an area equipped with explosion proof exhaust ventilation. Handle only in a place equipped with local exhaust (or other appropriate exhaust).

Personal protective equipment

Eye/face protection	:	Safety glasses with side-shields
Hand protection Material Break through time Protective index	:	Nitrile rubber > 10 min Class 1

Remarks

: Wear protective gloves. The break through time depends amongst other things on the material, the thickness and the





OKE 40	4					
OKS 48 ⁻						
Version 2.2	Revision Date: 26.05.2025		e of last issue: 16.09.2022 e of first issue: 07.06.2016	Print Date: 26.05.2025		
			type of glove and therefore has to be case. The selected protective gloves have specifications of Regulation (EU) 20 EN 374 derived from it.	e to satisfy the		
Skin	and body protection	:	Choose body protection in relation to concentration and amount of dange the specific work-place.			
Respiratory protection :		:	Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines. Short term only			
Fi	lter type	:	Filter type A-P			
Protective measures :		:	The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.			
Envir	ronmental exposure	contro	ls			
Air		:	Should not be released into the envi	ironment.		
Soil		:				
			Do not allow contact with soil, surface The product should not be allowed to courses or the soil.			
Wate	r	:				
			Do not allow contact with soil, surface The product should not be allowed to courses or the soil.			

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	:	aerosol
Colour	:	beige
Odour	:	characteristic



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - ES



OKS 481

••••					
Vers 2.2	ion	Revision Date: 26.05.2025		of last issue: 16.09.2022 of first issue: 07.06.2016	Print Date: 26.05.2025
	Odour [·]	Threshold	:	No data available	
	Melting	point/ range	:	No data available	
	Boiling	point/boiling range	:	-42 °C (1.013 hPa)	
	Flamm	ability (solid, gas)	:	Extremely flammable aerosol.	
		explosion limit / Upper ability limit	· :	10,9 %(V)	
		explosion limit / Lower ability limit	· :	1,4 %(V)	
	Flash p	point	:	-60 °C Method: Abel-Pensky	
	Auto-ig	nition temperature	:	No data available	
	Decom	position temperature	:	No data available	
	рН		:	Not applicable substance/mixture is non-solubl	e (in water)
	Viscosi	ty cosity, dynamic		No data available	
		cosity, kinematic	:	< 20,5 mm2/s (40 °C)	
	Solubili		:	insoluble	
	Solu	ubility in other solvents	6 :	No data available	
	Partitio octanol	n coefficient: n- I/water	:	No data available	
	Vapour	· pressure	:	2.000 hPa (20 °C)	
	Relativ	e density	:	0,65 (20 °C) Reference substance: Water The value is calculated	
	Density	/	:	0,65 g/cm3 (20 °C)	
	Bulk de	ensity	:	No data available	



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - ES



OKS 481

Version 2.2	Revision Date: 26.05.2025		e of last issue: 16.09.2022 e of first issue: 07.06.2016	Print Date: 26.05.2025
Rela	tive vapour density	:	No data available	
	information	:	Not explosive	
Oxid	Oxidizing properties		No data available	
Self-	ignition	:	not auto-flammable	
Meta	l corrosion rate	:	Not corrosive to metals	
Evap	ooration rate	:	No data available	
Subli	imation point	:	No data available	

SECTION 10: Stability and reactivity

10.1 Reactivity

No hazards to be specially mentioned.

10.2 Chemical stability

Stable under normal conditions.

0.3 Possibility of hazardous reactions							
Hazardous reactions	: No dangerous reaction known under conditions of normal use.	•					
10.4 Conditions to avoid							
Conditions to avoid	: Heat, flames and sparks. Strong sunlight for prolonged periods. Risk of receptacle bursting.						
10.5 Incompatible materials Materials to avoid	: Oxidizing agents						

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.





Version	Revision Date:	Date of last issue: 16.09.2022	Print Date:
2.2	26.05.2025	Date of first issue: 07.06.2016	26.05.2025

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity							
Based on available data, the classification criteria are not met.							
Product:		5					
Acute oral toxicity	:	Remarks: Effects due to ingestion may include:					
		Symptoms: Central nervous system depression					
Acute inhalation toxicity	:	Remarks: Respiration of solvent vapour may cause dizziness.					
		Symptoms: Inhalation may provoke the following symptoms:, Respiratory disorder, Dizziness, Drowsiness, Vomiting, Fatigue, Vertigo, Central nervous system depression					
Acute dermal toxicity	:	Remarks: Prolonged or repeated skin contact with liquid may cause defatting resulting in drying, redness and possible blistering.					
		Symptoms: Skin disorders					
Components:							
pentane:							
Acute oral toxicity	:	LD50 (Rat): > 2.000 mg/kg					
Acute inhalation toxicity	:	LC50 (Rat): > 25,3 mg/l Exposure time: 4 h Test atmosphere: vapour Assessment: The substance or mixture has no acute inhalation toxicity					
zinc oxide:							
Acute oral toxicity	:	LD50 (Rat): > 5.000 mg/kg Method: OECD Test Guideline 401					
Acute inhalation toxicity	:	LC50 (Rat): > 5,7 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403 Assessment: The substance or mixture has no acute inhalation toxicity					
Acute dermal toxicity	:	LD50 (Rat): > 2.000 mg/kg Method: OECD Test Guideline 402 GLP: yes					





(S 48 1	1			
rsion	Revision Date: 26.05.2025		e of last issue: 16.09.2022 e of first issue: 07.06.2016	Print Date: 26.05.2025
			Assessment: The substance of toxicity	or mixture has no acute dermal
butar	ne:			
Acute	inhalation toxicity	:	LC50 (Rat): 658 mg/l Exposure time: 4 h Test atmosphere: gas	
isobu	utane:			
Acute	inhalation toxicity	:	LC50 (Rat): 658 mg/l Exposure time: 4 h Test atmosphere: gas	
-	corrosion/irritation	ause s	kin dryness or cracking.	
Prod				
Rema		:	This information is not availab	le.
<u>Com</u>	ponents:			
penta	ane:			
Resu	lt	:	Repeated exposure may caus	se skin dryness or cracking.
zinc o	oxide:			
Speci		:	Rabbit	
Asses	ssment od	:	No skin irritation OECD Test Guideline 404	
Resu		:	No skin irritation	
Serio	ous eye damage/eye	irritati	on	
Base	d on available data, th	ne clas	sification criteria are not met.	
Prod	uct:			
Rema	arks	:	This information is not availab	le.
Com	ponents:			
penta	ane:			
Speci		:	Rabbit	
Asses Resul	ssment It	:	No eye irritation No eye irritation	
zinc o	oxide:			
Speci		:	Rabbit	
Asses	ssment	:	No eye irritation	
			13 / 26	a brand of



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - ES



OK	S 481				
Vers 2.2		Revision Date: 26.05.2025		e of last issue: 16.09.2022 e of first issue: 07.06.2016	Print Date: 26.05.2025
	Metho Result GLP		:	OECD Test Guideline 405 No eye irritation yes	
	Respi	ratory or skin sensit	isatio	on	
		ensitisation on available data, the	e clas	sification criteria are not met.	
	-	ratory sensitisation on available data, the	e clas	sification criteria are not met.	
	<u>Produ</u> Remai		:	This information is not available.	
	<u>Comp</u>	onents:			
	pental Specie Assess Methor Result GLP	es sment d		Guinea pig Does not cause skin sensitisation. OECD Test Guideline 406 Does not cause skin sensitisation. yes	
	zinc o Test T Specie Assess Metho Result GLP	ype es sment d		Maximisation Test Guinea pig Does not cause skin sensitisation. OECD Test Guideline 406 Does not cause skin sensitisation. yes	
		cell mutagenicity on available data, the	e clas	sification criteria are not met.	
	Produ Genote	<u>ct:</u> oxicity in vitro	:	Remarks: No data available	
	Genote	oxicity in vivo	:	Remarks: No data available	
	<u>Comp</u>	onents:			
	zinc o Germ Assess	cell mutagenicity-	:	Tests on bacterial or mammalian cell cult mutagenic effects.	tures did not show



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - ES



OKS 481

ersion 2	Revision Date: 26.05.2025		e of last issue: 16.09.2022 e of first issue: 07.06.2016		nt Date: 05.2025
Carci	nogenicity				
Based	d on available data, tl	he clas	sification criteria are not met.		
Produ					
Rema	ırks	:	No data available		
<u>Comp</u>	oonents:				
zinc o	oxide:				
	nogenicity - ssment	:	Not classifiable as a human	carcinogen.	
Repro	oductive toxicity				
Based	d on available data, tl	he clas	sification criteria are not met.		
Produ	uct:				
Effect	s on fertility	:	Remarks: No data available	•	
	s on foetal opment	:	Remarks: No data available		
<u>Comp</u>	oonents:				
zinc o	oxide:				
	oductive toxicity -	:	- Fertility -		
Assessment			No toxicity to reproduction - Teratogenicity -		
			No toxicity to reproduction		
STOT	- single exposure				
May c	ause drowsiness or	dizzine	SS.		
Produ	uct:				
Rema	ırks	:	No data available		
<u>Comp</u>	oonents:				
penta	ine:				
Targe	sure routes t Organs ssment	:	Inhalation Central nervous system, Na May cause drowsiness or d mixture is classified as spec exposure, category 3 with n	izziness., The subs cific target organ to	
zinc o	oxide:				
Asses	ssment	:	The substance or mixture is	not classified as s	pecific target
			15 / 00	a bra	nd of





OKC 4	04		
OKS 4	81		
Version 2.2	Revision Date: 26.05.2025	Date of last issue: 16.09.2022 Date of first issue: 07.06.2016	Print Date: 26.05.2025
		organ toxicant, single exposure.	
ST	DT - repeated exposu		
	• •	classification criteria are not met.	
	duct:		
	narks	: No data available	
<u>Co</u>	nponents:		
zin	c oxide:		
Ass	essment	: The substance or mixture is not classified organ toxicant, repeated exposure.	d as specific target
Rep	peated dose toxicity		
Pro	duct:		
Rer	narks	: This information is not available.	
Ma <u>y</u> Pro	Diration toxicity y be fatal if swallowed a <u>duct:</u> s information is not ava		
I MS	s information is not ava	ne.	
<u>Co</u>	nponents:		
per	itane:		
Ma	/ be fatal if swallowed a	enters airways.	
	c oxide: aspiration toxicity class	ation	
11.2 Info	ormation on other haz	ls	
End	locrine disrupting pro	rties	
	duct:		
Ass	essment	 The substance/mixture does not contain considered to have endocrine disrupting to REACH Article 57(f) or Commission D (EU) 2017/2100 or Commission Regulati levels of 0.1% or higher. 	properties according elegated regulation
Fur	ther information		
Pro	duct:		





OKS 48	1			
Version 2.2	Revision Date: 26.05.2025		e of last issue: 16.09.2022 e of first issue: 07.06.2016	Print Date: 26.05.2025
Rema	Remarks		Information given is based on data the toxicology of similar products.	a on the components and
SECTION	N 12: Ecological info	orma	tion	
12.1 Toxi	city			
Prod	uct:			
	ity to fish	:	Remarks: Toxic to aquatic organis adverse effects in the aquatic envi	
	ity to daphnia and othe tic invertebrates	r:	Remarks: No data available	
Toxic plants	sity to algae/aquatic s	:	Remarks: No data available	
Toxic	ity to microorganisms	:	Remarks: No data available	
<u>Com</u>	ponents:			
penta	ane:			
Ecot	oxicology Assessmen	t		
	nic aquatic toxicity	:	Toxic to aquatic life with long lasting	ng effects.
zinc	oxide:			
Toxic	ity to fish	:	LC50 (Danio rerio (zebra fish)): 1, Exposure time: 96 h Test Type: static test	55 mg/l
	tity to daphnia and othe tic invertebrates	r:	EC50 (Daphnia magna (Water flea Exposure time: 48 h Test Type: static test Method: OECD Test Guideline 202	

Toxicity to algae/aquatic
plants:EC50 (Pseudokirchneriella subcapitata (green algae)): 0,136
mg/l
Exposure time: 72 h
Test Type: static test
Method: OECD Test Guideline 201
GLP: yesM-Factor (Acute aquatic:1

toxicity)



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - ES



Version 2.2	Revision Date: 26.05.2025		e of last issue: 16.09.2022 e of first issue: 07.06.2016	Print Date: 26.05.2025
	icity to microorganisms	:	EC50 (activated sludge): > 1.000 mg/l Exposure time: 3 h Method: OECD Test Guideline 209 GLP: yes	
aqu	icity to daphnia and other atic invertebrates ronic toxicity)	:	0,04 mg/l Exposure time: 21 d Species: Daphnia magna (Water flea) Test Type: semi-static test Method: OECD Test Guideline 211	
	actor (Chronic aquatic city)	:	1	
12.2 Per	sistence and degradabi	lity		
	duct:			
Biod	degradability	:	Remarks: No data available	
	sico-chemical ovability	:	Remarks: No data available	
<u>Cor</u>	nponents:			
pen	tane:			
Biod	degradability	:	Test Type: aerobic Inoculum: activated sludge Result: rapidly biodegradable Biodegradation: 87 % Method: OECD Test Guideline 301F GLP: yes	
zino	c oxide:			
Biod	degradability	:	Remarks: The methods for determining not applicable to inorganic substances.	
12.3 Bio	accumulative potential			
Pro	duct:			
Bioa	accumulation	:	Remarks: No data available	
<u>Cor</u>	nponents:			
but	ane:			
	tition coefficient: n- anol/water	:	log Pow: 2,89 Method: OECD Test Guideline 107	





26.05.2025	Dat	e of first issue: 07.06.2016	Print Date: 26.05.2025
n e: on coefficient: n- bl/water	:	log Pow: 2,36	
isobutane: Partition coefficient: n- octanol/water		log Pow: 2,88 Method: OECD Test Guideline 107	
ity in soil			
<mark>ict:</mark> ty	:	Remarks: No data available	
oution among nmental compartment	: s	Remarks: No data available	
Its of PBT and vPvB a	asse	ssment	
<u>ict:</u> sment	:	to be either persistent, bioaccumulative	e and toxic (PBT), or
oonents:			
sment	:	Remarks: Not applicable	
crine disrupting prop	ertie	es	
<u>ıct:</u> sment	:	considered to have endocrine disruptir to REACH Article 57(f) or Commission	ng properties according Delegated regulation
adverse effects			
<u>ict:</u> onal ecological ation	:	Toxic to aquatic life with long lasting ef	ffects.
	on coefficient: n- bl/water tane: on coefficient: n- bl/water ity in soil <u>ict:</u> ty pution among inmental compartment: its of PBT and vPvB a <u>ict:</u> sment crine disrupting prop <u>ict:</u> sment crine disrupting prop <u>ict:</u> sment	on coefficient: n- : : : : : : : : : : : : : : : : : :	on coefficient: n- : log Pow: 2,36 bi/water tane: on coefficient: n- : log Pow: 2,88 bi/water Method: OECD Test Guideline 107 ity in soil tet: ty : Remarks: No data available pution among : Remarks: No data available inmental compartments tts of PBT and vPvB assessment tet: sment : This substance/mixture contains no co to be either persistent, bioaccumulative very persistent and very bioaccumulative very persistent and very bioaccumulative very persistent and very bioaccumulative very persistent and very bioaccumulative to nigher. biotel: sment : Remarks: Not applicable crine disrupting properties tet: sment : The substance/mixture does not conta considered to have endocrine disruptir to REACH Article 57(f) or Commission (EU) 2017/2100 or Commission Regul levels of 0.1% or higher.





Version	Revision Date:	Date of last issue: 16.09.2022	Print Date:
2.2	26.05.2025	Date of first issue: 07.06.2016	26.05.2025

Global warming potential

Assessment Report of the Intergovernmental Panel on Climate Change (IPCC) of the United Nations Framework Convention on Climate Change (UNFCCC)

Components:

propane:

20-year global warming potential: 0,072 100-year global warming potential: 0,02 500-year global warming potential: 0,006 Atmospheric lifetime: 0,036 yr Radiative efficiency: 0 Wm2ppb Further information: Miscellaneous compounds

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product :		Do not dispose of with domestic refuse. Dispose of as hazardous waste in compliance with local and national regulations.
		Waste codes should be assigned by the user based on the application for which the product was used.
Contaminated packaging	:	Packaging that is not properly emptied must be disposed of as the unused product. Offer empty spray cans to an established disposal company. Pressurized container: Do not pierce or burn, even after use.
		The following Waste Codes are only suggestions:
Waste Code	:	unused product, packagings not completely emptied 16 05 04*, gases in pressure containers (including halons) containing hazardous substances

SECTION 14: Transport information

14.1 UN number or ID number

ADR	:	UN 1950
RID	:	UN 1950
IMDG	:	UN 1950
ΙΑΤΑ	:	UN 1950

14.2 UN proper shipping name



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - ES



OKS 48 [°]	1			
Version 2.2	Revision Date: 26.05.2025		e of last issue: 16.09.2022 e of first issue: 07.06.2016	Print Date: 26.05.2025
ADR		:	AEROSOLS	
RID		:	AEROSOLS	
IMDG	6	:	AEROSOLS (pentane, zinc oxide)	
ΙΑΤΑ		:	Aerosols, flammable	
14.3 Tran	sport hazard class(es))		
ADR		:	2	
RID		:	2	
IMDO	6	:	2.1	
ΙΑΤΑ		:	2.1	
14.4 Pack	ing group			
ADR				
Packi Class Label	ing group ification Code Is el restriction code	:	Not assigned by regulation 5F 2.1 (D)	
Class	ing group ification Code rd Identification Numbe Is	: : r : :	Not assigned by regulation 5F 23 2.1	
Label	ing group	:	Not assigned by regulation 2.1 F-D, S-U	
Packi aircra Packi	ing instruction (LQ)	:	203 Y203 Not assigned by regulation Flammable Gas	
Packi (pass Packi	(Passenger) ing instruction enger aircraft) ing instruction (LQ) ing group	:	203 Y203 Not assigned by regulation Flammable Gas	
14.5 Envi	ronmental hazards			
ADR Envir RID	onmentally hazardous	:	yes	





Version 2.2	Revision Date: 26.05.2025	Date of last issue: 16.09.2022 Date of first issue: 07.06.2016	Print Date: 26.05.2025

Environmentally hazardous : yes IMDG Marine pollutant : yes

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Remarks	: Not applicable for product as supplied.
---------	---

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture				
REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)	:	Not applicable		
REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59). (EU SVHC)	:	This product does not contain substances of very high concern (Regulation (EC) No 1907/2006 (REACH), Article 57).		
Regulation (EU) No 2024/590 on substances that deplete the ozone layer (EC 2024/590)	:	Not applicable		
Regulation (EU) 2019/1021 on persistent organic pollutants (recast) (EU POP)	:	Not applicable		
Regulation (EU) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals (EU PIC)	:	Not applicable		
REACH - List of substances subject to authorisation (Annex XIV) (EU. REACH-Annex XIV)	:	Not applicable		
Degulation (ELI) 2010/1118 on the marketing and use of		Not applicable		

Regulation (EU) 2019/1148 on the marketing and use of : Not applicable





2.2	26.05.2025	Date of first issue: 07.	06.2016	26.05.2025
explo	sives precursors			
			P2	
Parlia major		/18/EU of the European Incil on the control of volving dangerous	P3a	FLAMMABLE AEROSOLS
			E2	ENVIRONMENTAL HAZARDS
			18	Liquefied flammable gases (including LPG) and natural gas
			34	Petroleum products: (a) gasolines and naphthas, (b) kerosenes (including jet fuels), (c) gas oils (including diesel fuels, home heatin oils and gas oil blending streams),(d) heavy fuel oils (e) alternative fuels serving the same purposes and with similar propertie as regards flammability and environmental hazards as the products referred to in points (a) to (d)

Diatile organic compounds : Directive 2010/75/EU of 24 November 2010 on industrial and livestock rearing emissions (integrated pollution prevention and control) Volatile organic compounds (VOC) content: 82,5 %

Other regulations:

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

15.2 Chemical safety assessment

This information is not available.





Version	Revision Date:	Date of last issue: 16.09.2022	Print Date:
2.2	26.05.2025	Date of first issue: 07.06.2016	26.05.2025

SECTION 16: Other information

Full text of H-Statements

H220 : H225 : H280 : H304 : H336 : H400 : H410 : H411 : EUH066 : Full text of other abbreviations	Extremely flammable gas. Highly flammable liquid and vapour. Contains gas under pressure; may explode if heated. May be fatal if swallowed and enters airways. May cause drowsiness or dizziness. Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects. Toxic to aquatic life with long lasting effects. Repeated exposure may cause skin dryness or cracking.
Note C :	Some organic substances may be marketed either in a specific isomeric form or as a mixture of several isomers. In this case the supplier must state on the label whether the
Note U (Table 3) :	substance is a specific isomer or a mixture of isomers. When put on the market gases have to be classified as "Gases under pressure", in one of the groups compressed gas, liquefied gas, refrigerated liquefied gas or dissolved gas. The group depends on the physical state in which the gas is packaged and therefore has to be assigned case by case. The following codes are assigned: Press. Gas (Comp.) Press. Gas (Liq.) Press. Gas (Ref. Liq.) Press. Gas (Diss.) Aerosols shall not be classified as gases under pressure (See Annex I, Part
2006/15/EC :	2, Section 2.3.2.1, Note 2). Europe. Indicative occupational exposure limit values
ES VLA :	Spain. Environmental Limits for exposure to Chemical agents
2006/15/EC / TWA :	- Table 1: Occupational Exposure Values Limit Value - eight hours
ES VLA / VLA-ED :	Environmental Daily Limit Value
ES VLA / VLA-EC :	Environmental Short Term Value

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System;



SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - ES



OKS 481

Version	Revision Date:	Date of last issue: 16.09.2022	Print Date:
2.2	26.05.2025	Date of first issue: 07.06.2016	26.05.2025

GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA -International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO -International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID -Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information					
Classification of the m	nixture:	Classification procedure:			
Aerosol 1	H222, H229	Based on product data or assessment			
STOT SE 3	H336	Calculation method			
Asp. Tox. 1	H304	Based on product data or assessment			
Aquatic Chronic 2	H411	Calculation method			

Relevant changes compared to the last edition are highlighted at the left margin. This version replaces all previous editions.

This safety data sheet applies only to products as originally packed and labelled. The information contained therein may not be reproduced or modified without our express written permission. Any forwarding of this document is only permitted to the extent required by law. Any further, in particular public, dissemination of the safety data sheet (e.g. as a document for download from the Internet) is not permitted without our express written consent. We provide our customers with amended safety data sheets as prescribed by law. The customer is responsible for passing on safety data sheets and any amendments contained therein to its own customers, employees and other users of the product. We provide no guarantee that safety data sheets received by users from third parties are up-to-date. All information and instructions in this safety data sheet have been compiled to the best of our knowledge and are based on the information available to us on the day of publication. The information provided is intended to describe the product in relation to the required safety measures; it is neither an assurance of characteristics nor a guarantee of the product's suitability for particular applications and does not justify any contractual legal relationship. The existence of a safety data sheet for a particular jurisdiction does not necessarily





Version	Revision Date:	Date of last issue: 16.09.2022	Print Date:
2.2	26.05.2025	Date of first issue: 07.06.2016	26.05.2025

mean that import or use within that jurisdiction is legally permitted. If you have any questions, please contact your responsible sales contact or authorized trading partner.

