

OKS 3	30
-------	----

Version	Revision Date:	Date of last issue: 31.01.2025	Print Date:
4.0	01.04.2025	Date of first issue: 12.07.2017	01.04.2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier						
Product name	:	OKS 30				
1.2 Relevant identified uses of t	he s	substance or mixture and uses advised against				
Use of the Substance/Mixture	:	Lubricant				
Recommended restrictions on use	:	Restricted to professional users.				
1.3 Details of the supplier of the	saf	ety data sheet				
Company	:	OKS Spezialschmierstoffe GmbH				
		Ganghoferstr. 47 82216 Maisach-Gernlinden				
		Deutschland				
		Tel.: +49 8142 3051 500 Fax: +49 8142 3051 599				
		info@oks-germany.com				
E-mail address of person	:	mcm@oks-germany.com				
responsible for the SDS						
National contact	:					
1.4 Emergency telephone number						
		124 04 562 04 20				

1

Emergency telephone	:	+34 91 562 04 20
number		

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 12 Skin irritation, Category 2	2 72/2008) H315: Causes skin ir	ritation.
Skin sensitisation, Category 1	H317: May cause an	allergic skin reaction.
Specific target organ toxicity - repeated exposure, Category 2, lymph node	H373: May cause da prolonged or repeate	mage to organs through ed exposure.
Long-term (chronic) aquatic hazard,	H412: Harmful to aqu	uatic life with long lasting
	1 / 25	a brand of

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - ES



OKS 30						
			Date of last issue: 31.01.2025 Date of first issue: 12.07.2017		Print Date: 01.04.2025	
Categ	Jory 3		effects).		
2.2 Label	elements					
Label	ling (REGULATION (EC)	No 1272/2008)			
Hazard pictograms :						
Signal word		:	Warning			
Hazard statements		:	H315 H317 H373 H412	Causes skin irritation. May cause an allergic May cause damage to through prolonged or r Harmful to aquatic life	organs (lymph node) epeated exposure.	
				effects.		
Precautionary statements		:	Prevention: P260 P261 P264 P273 P280	Do not breathe vapour Avoid breathing mist o Wash skin thoroughly a Avoid release to the er Wear protective gloves	r vapours. after handling. nvironment.	
			Response: P314	Get medical advice/ at unwell.	tention if you feel	

Hazardous components which must be listed on the label:

Molybdenum trioxide, reaction products with bis[O,O-bis(2-ethylhexyl)] hydrogen dithiophosphate

Amines, C11-14-branched alkyl, monohexyl and dihexyl phosphates

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.





Version	Revision Date:	Date of last issue: 31.01.2025	Print Date:
4.0	01.04.2025	Date of first issue: 12.07.2017	01.04.2025

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature : Additive

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	specific concentration limit M-Factor Notes Acute toxicity estimate	Concentration (% w/w)
Molybdenum trioxide, reaction products with bis[O,O-bis(2- ethylhexyl)] hydrogen dithiophosphate	947-946-9 01-2120772600-59- XXXX	Skin Irrit.2; H315 Skin Sens.1B; H317 Aquatic Chronic4; H413		>= 30 - < 50
Amines, C11-14- branched alkyl, monohexyl and dihexyl phosphates	80939-62-4 279-632-6 01-2119976322-36- XXXX	Skin Irrit.2; H315 Eye Irrit.2; H319 STOT RE1; H372 Aquatic Chronic2; H411		>= 2,5 - < 10
Substances with a work Distillates (petroleum), hydrotreated heavy naphthenic; Baseoil — unspecified	cplace exposure limit : 64742-52-5 265-155-0 649-465-00-7 01-2119467170-45- XXXX	Not classified	Note L	>= 1 - < 10

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

If inhaled

: Remove person to fresh air. If signs/symptoms continue, get medical attention. Keep patient warm and at rest.





OKS 30	OKS 30					
Version 4.0	Revision Date: 01.04.2025	Date of last issue: 31.01.2025 Date of first issue: 12.07.2017	Print Date: 01.04.2025			
		If unconscious, place in recover advice. Keep respiratory tract clear. If breathing is irregular or stopporte respiration.				
In ca	se of skin contact	 Take off all contaminated clothin Wash off immediately with soap Get medical attention immediate persists. Wash clothing before reuse. Thoroughly clean shoes before 	and plenty of water. aly if irritation develops and			
In cas	se of eye contact	: Rinse immediately with plenty o for at least 10 minutes. Get medical attention immediate				
lf swa	allowed	 Move the victim to fresh air. If unconscious, place in recover advice. Keep respiratory tract clear. Do NOT induce vomiting. Rinse mouth with water. Never give anything by mouth to 				
4.2 Most	important symptom	s and effects, both acute and delayed				
Symp	otoms	Skin contact may provoke the for Erythema	bllowing symptoms:			
Risks	3	: Causes skin irritation. May cause an allergic skin reac May cause damage to organs th exposure.				
4.3 Indica	4.3 Indication of any immediate medical attention and special treatment needed					
Treat	ment	: Treat symptomatically.				

SECTION 5: Firefighting measures

5.1 Extinguishing media				
Suitable extinguishing media	:	Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.		
Unsuitable extinguishing media	:	High volume water jet		





OK	S 30					
Vers 4.0	sion	Revision Date: 01.04.2025		e of last issue: 31.01.2025 e of first issue: 12.07.2017	Print Date: 01.04.2025	
5.2	5.2 Special hazards arising from the substance or mixture Hazardous combustion : Carbon oxides					
	produc	xts		Nitrogen oxides (NOx) Sulphur oxides Oxides of phosphorus Metal oxides		
5.3	Advice	for firefighters				
	•	al protective equipment fighters	t :	In the event of fire, wear self-contained b Use personal protective equipment. Exp decomposition products may be a hazard	osure to	
	Furthe	r information	:	Standard procedure for chemical fires. Collect contaminated fire extinguishing w must not be discharged into drains.	vater separately. This	

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

	Personal precautions	:	Evacuate personnel to safe areas. Use personal protective equipment. Ensure adequate ventilation. Do not breathe vapours or spray mist. Refer to protective measures listed in sections 7 and 8.
~ -			

6.2 Environmental precautions

Prevent furthe	contact with soil, surface or ground water. er leakage or spillage if safe to do so. contaminates rivers and lakes or drains inform thorities.
----------------	---

6.3 Methods and material for containment and cleaning up

Methods for cleaning up	:	Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth,
		vermiculite) and place in container for disposal according to local / national regulations (see section 13).

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling





013 30				
Version 4.0	Revision Date: 01.04.2025		e of last issue: 31.01.2025 e of first issue: 12.07.2017	Print Date: 01.04.2025
Advid	e on safe handling	:	Do not use in areas without adequat Do not breathe vapours or spray mis In case of insufficient ventilation, we equipment. Avoid contact with skin and eyes. For personal protection see section Smoking, eating and drinking should application area. Wash hands and face before breaks handling the product. Do not get in eyes or mouth or on sk Do not get on skin or clothing. Do not repack. Do not repack. Do not re-use empty containers. These safety instructions also apply may still contain product residues. Keep container closed when not in u	st. ear suitable respiratory 8. d be prohibited in the s and immediately after kin. to empty packaging which
Hygie	ene measures	:	Wash face, hands and any exposed handling.	skin thoroughly after
Requ	itions for safe storag irements for storage s and containers	e, inc :	luding any incompatibilities Store in original container. Keep cor use. Keep in a dry, cool and well-ver which are opened must be carefully to prevent leakage. Store in accorda national regulations. Keep in proper	ntilated place. Containers resealed and kept upright ance with the particular
-	fic end use(s) ific use(s)	:	Specific instructions for handling, no	ot required.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Distillates (petroleum), hydrotreated heavy naphthenic; Baseoil — unspecified	64742-52-5	VLA-ED (Mist)	5 mg/m3	ES VLA (2019-02-20)
		VLA-EC (Mist)	10 mg/m3	ES VLA (2019-02-20)



SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - ES



OKS 30

Version	Revision Date:	Date of last issue: 31.01.2025	Print Date:
4.0	01.04.2025	Date of first issue: 12.07.2017	01.04.2025

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
Molybdenum trioxide, reaction products with bis[O,O-bis(2- ethylhexyl)] hydrogen dithiophosphate	Workers	Inhalation	Long-term systemic effects	4,93 mg/m3
	Workers	Dermal	Long-term systemic effects	1,4 mg/kg bw/day
Fatty acids, C18- unsatd., diesters and triesters with trimethylolpropane	Workers	Dermal		833,3 mg/kg bw/day
	Workers	Inhalation		58,8 mg/m3
Distillates (petroleum), hydrotreated heavy naphthenic; Baseoil — unspecified	Workers	Inhalation	Long-term local effects	5,58 mg/m3
	Workers	Inhalation	Long-term systemic effects	2,73 mg/m3
	Workers	Skin contact	Long-term systemic effects	0,97 mg/kg
Amines, C11-14- branched alkyl, monohexyl and dihexyl phosphates	Workers	Inhalation	Long-term systemic effects	0,2 mg/m3
	Workers	Skin contact	Long-term systemic effects	0,03 mg/kg
	Workers	Skin contact	Acute systemic effects	0,03 mg/kg

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
Distillates (petroleum),	Oral	9,33 mg/kg
hydrotreated heavy naphthenic;		
Baseoil — unspecified		
Amines, C11-14-branched alkyl,	Fresh water	0,055 mg/l
monohexyl and dihexyl		
phosphates		
	Intermittent use/release	0,01 mg/l
	Marine water	0,005 mg/l
	Sewage treatment plant	1 mg/l
	Fresh water sediment	239,64 mg/kg
	Marine sediment	23,96 mg/kg
	Soil	47,76 mg/kg





Version	Revision Date:	Date of last issue: 31.01.2025	Print Date:
4.0	01.04.2025	Date of first issue: 12.07.2017	01.04.2025

8.2 Exposure controls

Engineering measures

Handle only in a place equipped with local exhaust (or other appropriate exhaust).

Personal protective equipment

Eye/face protection	:	Safety glasses with side-shields	
Hand protection Material Break through time Protective index	:	Nitrile rubber > 10 min Class 1	
Remarks	:	Wear protective gloves. The break through time depends amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each case. The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it.	
Skin and body protection	:	Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.	
Respiratory protection	:	Not required; except in case of aerosol formation.	
Filter type	:	Filter type A-P	
Protective measures	:	The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.	
Environmental exposure controls			

Air :	Should not be released into the environment. Exhaust air must be cleaned using approved equipment before returning it to the work place.
Soil :	
	Do not allow contact with soil, surface or ground water. The product should not be allowed to enter drains, water courses or the soil.
Water :	





OKS 30			
Version	Revision Date:	Date of last issue: 31.01.2025	Print Date:
4.0	01.04.2025	Date of first issue: 12.07.2017	01.04.2025

Do not allow contact with soil, surface or ground water. The product should not be allowed to enter drains, water courses or the soil.

SECTION 9: Physical and chemical properties

9.1	Information on basic physical Physical state	an :	d chemical properties liquid
	Colour	:	green
	Odour	:	characteristic
	Odour Threshold	:	No data available
	Melting point/ range	:	No data available
	Boiling point/boiling range	:	224 °C (1.013 hPa)
	Flammability (solid, gas)	:	Not applicable
	Upper explosion limit / Upper flammability limit	:	No data available
	Lower explosion limit / Lower flammability limit	:	No data available
	Flash point	:	184 °C Method: ISO 2592
	Auto-ignition temperature	:	No data available
	Decomposition temperature	:	No data available
	рН	:	Not applicable substance/mixture is non-polar/aprotic
	Viscosity Viscosity, dynamic	:	No data available
	Viscosity, kinematic	:	115,6 mm2/s (40 °C)
	Solubility(ies) Water solubility	:	immiscible
	Solubility in other solvents	:	No data available



SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - ES



OKS 30

Version 4.0	Revision Date: 01.04.2025	Date of last issue: 31.01.2025 Date of first issue: 12.07.2017	Print Date: 01.04.2025
	tion coefficient: n- nol/water	: No data available	
Vapo	our pressure	: 26,5 hPa (20 °C)	
Relat	tive density	: 1,0036 (20 °C) Reference substance: Water The value is calculated	
Dens	sity	: 1,00 g/cm3 (20 °C)	
Bulk	density	: No data available	
Relat	tive vapour density	: No data available	
9.2 Other	information		
Explo	osives	: Not explosive	
Oxidi	izing properties	: No data available	
Self-i	ignition	: No data available	
Evap	oration rate	: No data available	
Subli	mation point	: No data available	

SECTION 10: Stability and reactivity

	Reactivity No hazards to be specially men	ntior	ned.
	Chemical stability Stable under normal conditions		
10.3	Possibility of hazardous read	tio	ns
	Hazardous reactions	:	No dangerous reaction known under conditions of normal use.
	Conditions to avoid Conditions to avoid	:	No conditions to be specially mentioned.
	Incompatible materials Materials to avoid	:	No materials to be especially mentioned.





Version	Revision Date:	Date of last issue: 31.01.2025	Print Date:
4.0	01.04.2025	Date of first issue: 12.07.2017	01.04.2025

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008 Acute toxicity Based on available data, the classification criteria are not met. Product: Acute oral toxicity Remarks: This information is not available. : Remarks: This information is not available. Acute inhalation toxicity : Acute dermal toxicity : Symptoms: Redness, Local irritation **Components:** Molybdenum trioxide, reaction products with bis[O,O-bis(2-ethylhexyl)] hydrogen dithiophosphate: Acute dermal toxicity : Symptoms: Redness, Local irritation Amines, C11-14-branched alkyl, monohexyl and dihexyl phosphates: Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg Method: OECD Test Guideline 401 : LD50 (Rat): > 2.000 mg/kg Acute dermal toxicity Method: OECD Test Guideline 402 Assessment: The substance or mixture has no acute dermal toxicity Distillates (petroleum), hydrotreated heavy naphthenic; Baseoil — unspecified: LD50 (Rat): > 5.000 mg/kg Acute oral toxicity : Method: OECD Test Guideline 401 GLP: yes Acute inhalation toxicity LC50 (Rat): > 5,53 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403 GLP: yes Assessment: The substance or mixture has no acute inhalation toxicity Acute dermal toxicity LD50 (Rabbit): > 5.000 mg/kg : Method: OECD Test Guideline 402



SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - ES



sion	Revision Date: 01.04.2025	Date of last issue: 31.01.2025 Date of first issue: 12.07.2017	
		GLP: yes	
Skin	corrosion/irritation		
-	es skin irritation.		
Produ	uct:		
Rema	arks	: This information is not av	ailable.
<u>Com</u>	oonents:		
	odenum trioxide, re ophosphate:	nction products with bis[O,O-b	is(2-ethylhexyl)] hydrogen
	ssment	: Irritating to skin.	
Resul	lt	: Irritating to skin.	
Rema	arks	: Irritating to skin.	
Amin	es, C11-14-branche	d alkyl, monohexyl and dihexyl	l phosphates:
Speci		: Rabbit	
	ssment	: Irritating to skin.	4
Metho Resul		: OECD Test Guideline 40: Irritating to skin.	4
Distil	lates (petroleum) h	/drotreated heavy naphthenic;	Baseoil — unspecified:
Speci		: Rabbit	Buscon unspeomeu.
•	ssment	: No skin irritation	
Metho		: OECD Test Guideline 40	4
Resul	lt	: No skin irritation	
	us eye damage/eye		
Based	d on available data, t	e classification criteria are not m	iet.
<u>Prod</u>			
Rema	arks	: This information is not av	ailable.
<u>Com</u>	oonents:		
	odenum trioxide, re ophosphate:	nction products with bis[O,O-b	is(2-ethylhexyl)] hydrogen
	ssment	: No eye irritation	
Resul	It	: No eye irritation	
		d alkyl, monohexyl and dihexyl	l phosphates:
Speci	es ssment	: Rabbit : Irritating to eyes.	
~>>6		: OECD Test Guideline 40	





(S 30			
sion	Revision Date: 01.04.2025	Date of last issue: 31.01.2025 Date of first issue: 12.07.2017	Print Date: 01.04.2025
Resu	lt	: Irritating to eyes.	
Distil	lates (petroleum), h	ydrotreated heavy naphthenic; Base	oil — unspecified:
Speci		: Rabbit	•
	ssment	: No eye irritation	
Metho Resu		: OECD Test Guideline 405	
GLP	ıı	: No eye irritation : yes	
Resp	iratory or skin sens	sitisation	
Skin	sensitisation		
	cause an allergic skir		
•	iratory sensitisatio		
		he classification criteria are not met.	
Prod		This is formation in a formation in the	
Rema	arks	: This information is not available	9.
Com	ponents:		
	bdenum trioxide, re ophosphate:	action products with bis[O,O-bis(2-e	thylhexyl)] hydrogen
Asse	ssment	: The product is a skin sensitiser	
Resu	lt	: The product is a skin sensitiser	, sub-category 1B.
Amin	es, C11-14-branche	ed alkyl, monohexyl and dihexyl phos	phates:
Spec		: Guinea pig	
	ssment	: Did not cause sensitisation on	
Resu	IL	: Did not cause sensitisation on	aboratory animals.
Distil	lates (petroleum), h	ydrotreated heavy naphthenic; Base	oil — unspecified:
Spec		: Guinea pig	
	ssment	: Does not cause skin sensitisati	on.
Metho Resu		: OECD Test Guideline 406 : Does not cause skin sensitisati	on
Resu	n.		011.
	n cell mutagenicity d on available data, t	he classification criteria are not met.	
Prod			
	toxicity in vitro	: Remarks: No data available	
20110			
~	toxicity in vivo	: Remarks: No data available	





0 20				
S 30				
sion	Revision Date: 01.04.2025		of last issue: 31.01.2025 of first issue: 12.07.2017	Print Date: 01.04.2025
<u>Com</u>	oonents:			
Amin	es, C11-14-branche	ed alkyl,	monohexyl and dihexyl phosp	hates:
Geno	toxicity in vitro	:	Test Type: Chromosome aberrat Test system: Rodent cell line Metabolic activation: with and with Method: OECD Test Guideline 4 Result: negative	thout metabolic activation
Distil	lates (petroleum), h	ydrotre	ated heavy naphthenic; Baseo	il — unspecified:
Geno	toxicity in vitro	:	Test Type: In vitro mammalian co Test system: Chinese hamster o Metabolic activation: with and wir Method: OECD Test Guideline 4 Result: negative	vary cells thout metabolic activation
Geno	toxicity in vivo	:	Test Type: Micronucleus test Species: Mouse Cell type: Bone marrow Application Route: Intraperitonea Method: OECD Test Guideline 4 Result: negative	
	cell mutagenicity- ssment	:	Tests on bacterial or mammalian mutagenic effects.	cell cultures did not show
Carci	nogenicity			
Based	d on available data, t	he class	ification criteria are not met.	
Produ	uct:			
Rema	arks	:	No data available	
<u>Comp</u>	oonents:			
Distil	lates (petroleum), h	ydrotre	ated heavy naphthenic; Baseo	il — unspecified:
	nogenicity - ssment	:	Not classifiable as a human carc	inogen.
-	oductive toxicity	ha class	ification criteria are not met.	
			incation chiena are not met.	
Produ Effect	ts on fertility	:	Remarks: No data available	
	ts on foetal opment	:	Remarks: No data available	





KS 30				
	Devision Deter	Def		Drint Data
rsion)	Revision Date: 01.04.2025		e of last issue: 31.01.2025 e of first issue: 12.07.2017	Print Date: 01.04.2025
<u>Com</u>	oonents:			
Amin	es, C11-14-branche	d alky	l, monohexyl and dihexyl phosph	nates:
	ts on foetal opment	:	Species: Rat Application Route: Oral Method: OECD Test Guideline 42 Result: No effects on fertility and development were detected.	
Repro	oductive toxicity -	:	- Fertility -	
Asses	ssment		No toxicity to reproduction	
Distil	lates (petroleum), h	ydrotr	eated heavy naphthenic; Baseoil	— unspecified:
	ts on foetal opment	:	Species: Rat Application Route: Dermal General Toxicity Maternal: LOAE Teratogenicity: NOAEL: >= 2.000 Developmental Toxicity: NOAEL: >= Embryo-foetal toxicity: NOAEL: >= Method: OECD Test Guideline 41 Result: No effects on fertility and development were detected.	mg/kg body weight >= 2.000 mg/kg body weight = 2.000 mg/kg body weight 4
	oductive toxicity -	:	- Fertility -	
Asses	ssment		No toxicity to reproduction - Teratogenicity -	
			No toxicity to reproduction	
STOT	- single exposure			
Base	d on available data, t	he clas	sification criteria are not met.	
Prod	uct:			
Rema	arks	:	No data available	
<u>Com</u>	oonents:			
Amin	es, C11-14-branche	ed alky	l, monohexyl and dihexyl phosph	nates:
Asses	ssment	:	The substance or mixture is not c organ toxicant, single exposure.	lassified as specific target
Distil	lates (petroleum), h	ydrotr	eated heavy naphthenic; Baseoil	- unspecified:
Asses	ssment	:	The substance or mixture is not c organ toxicant, single exposure.	lassified as specific target
STOT	- repeated exposu	re		
May o	cause damage to org	ans (ly	mph node) through prolonged or re	peated exposure.





OK	S 30				
Vers 4.0	sion	Revision Date: 01.04.2025	Date of last issue: 31.01.2025PrintDate of first issue: 12.07.201701.04	Date: .2025	
	<u>Prodι</u> Rema		: No data available		
	<u>Comp</u>	onents:			
	Amine	es, C11-14-brancheo	lkyl, monohexyl and dihexyl phosphates:		
		t Organs sment	 lymph node The substance or mixture is classified as specific toxicant, repeated exposure, category 1. 	c target organ	
	Distill	ates (petroleum), hy	rotreated heavy naphthenic; Baseoil — unspecifie	d:	
	Asses	sment	: The substance or mixture is not classified as spe organ toxicant, repeated exposure.	ecific target	
	Repea	ated dose toxicity			
	<u>Produ</u>	<u>ict:</u>			
	Rema	rks	: This information is not available.		
	<u>Comp</u>	oonents:			
			lkyl, monohexyl and dihexyl phosphates:		
	Specie		: Rat : 10 mg/kg		
	Applic Metho	ation Route d	: Oral : OECD Test Guideline 422		
	Aspira	ation toxicity			
	Based	l on available data, th	classification criteria are not met.		
	<u>Produ</u> This ir	ict: iformation is not avai	ble.		
	<u>Comp</u>	onents:			
		es, C11-14-branched piration toxicity classi	Ikyl, monohexyl and dihexyl phosphates: ation		
Distillates (petroleum), hydrotreated heavy naphthenic; Baseoil — unspecified: No aspiration toxicity classification					
11.2	Inforr	nation on other haz	ds		
	Endo	crine disrupting pro	erties		
	Dradu				

Product:





KS 30			
rsion)	Revision Date: 01.04.2025	Date of last issue: 31.01.2025 Date of first issue: 12.07.2017	Print Date: 01.04.2025
Asse	ssment	to REACH Article 57(f) or C	s not contain components ne disrupting properties according commission Delegated regulation ssion Regulation (EU) 2018/605 at
Furth	ner information		
<u>Prod</u>	uct:		
Rema	arks	: Ingestion causes irritation o gastrointestinal disturbance	f upper respiratory system and
<u>Com</u>	ponents:		
	bdenum trioxide, re ophosphate:	action products with bis[O,O-bis(2-ethylhexyl)] hydrogen
Rema	arks	: Ingestion causes irritation o gastrointestinal disturbance	f upper respiratory system and
Amir	nes, C11-14-branch	ed alkyl, monohexyl and dihexyl p	hosphates:
Rema	arks	: Ingestion causes irritation o gastrointestinal disturbance	f upper respiratory system and

SECTION 12: Ecological information

12.1 Toxicity

<u>Product:</u> Toxicity to fish	:	Remarks: Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
Toxicity to daphnia and other aquatic invertebrates	:	Remarks: No data available
Toxicity to algae/aquatic plants	:	Remarks: No data available
Toxicity to microorganisms	:	Remarks: No data available
Components:		

Molybdenum trioxide, r	eaction products wi	th bis[O,0	D-bis(2-	ethylhexy	/l)] hydi	rogen
dithiophosphate:						

Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l
		Exposure time: 96 h





OKS 30					
Versio 4.0	on			e of last issue: 31.01.2025 e of first issue: 12.07.2017	Print Date: 01.04.2025
				Test Type: semi-static test Method: OECD Test Guideline 203 GLP: yes	
				Remarks: May cause long-term adverse environment.	effects in the aquatic
		to daphnia and other invertebrates	:	EC50 (Daphnia magna (Water flea)): > 10 Exposure time: 48 h Test Type: static test Method: OECD Test Guideline 202 GLP: yes	00 mg/l
	Foxicity plants	r to algae/aquatic	:	EC50 (Pseudokirchneriella subcapitata (g mg/l Exposure time: 72 h Test Type: static test Method: OECD Test Guideline 201 GLP: yes	Jreen algae)): > 100
Δ	Amines	s. C11-14-branched a	alkvi.	monohexyl and dihexyl phosphates:	
		to fish	:	LC50 (Oncorhynchus mykiss (rainbow tro Exposure time: 96 h Method: OECD Test Guideline 203	out)): 5,5 mg/l
		to daphnia and other invertebrates	:	EC50 (Daphnia magna (Water flea)): 1,2 Exposure time: 48 h Method: OECD Test Guideline 202	mg/l
	Foxicity plants	to algae/aquatic	:	EC50 (Selenastrum capricornutum (green Exposure time: 72 h Method: OECD Test Guideline 201	n algae)): > 10 mg/l
Т	Foxicity	to microorganisms	:	EC50 (activated sludge): > 100 mg/l Exposure time: 3 h	
0	Distilla	tes (petroleum), hyd	rotre	ated heavy naphthenic; Baseoil — uns	pecified:
		r to fish	:	LC50 (Pimephales promelas (fathead min Exposure time: 96 h Test Type: static test Method: OECD Test Guideline 203 GLP: yes	-
		to daphnia and other invertebrates	:	EC50 (Daphnia magna (Water flea)): > 10 Exposure time: 48 h Test Type: static test Method: OECD Test Guideline 202	0.000 mg/l
Т	Foxicity	to algae/aquatic	:	LC50 (Pseudokirchneriella subcapitata (g	jreen algae)): > 100





OKS 3	n			
Version	Revision Date:		e of last issue: 31.01.2025	Print Date:
4.0	01.04.2025	Dat	e of first issue: 12.07.2017	01.04.2025
plar	its		mg/l Exposure time: 72 h Method: OECD Test Guideline 201	
	Toxicity to fish (Chronic : toxicity)		NOELR: >= 1.000 mg/l Exposure time: 28 d Species: Oncorhynchus mykiss (rainbow Remarks: The value is calculated	v trout)
aqu	Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)		NOELR: 10 mg/l Exposure time: 21 d Species: Daphnia magna (Water flea) Test Type: Reproduction Test Method: OECD Test Guideline 211	
12.2 Per	sistence and degradab	ility		
<u>Pro</u>	duct:			
Biod	degradability	:	Remarks: No data available	
	sico-chemical ovability	:	Remarks: No data available	
<u>Cor</u>	nponents:			
	Molybdenum trioxide, reaction products with bis[O,O-bis(2-ethylhexyl)] hydrogen dithiophosphate:			l)] hydrogen
	degradability	:	Result: Not rapidly biodegradable Biodegradation: 11 % Exposure time: 28 d Method: OECD Test Guideline 301B	
Ami	ines, C11-14-branched	alky	I, monohexyl and dihexyl phosphates:	
	degradability	:	Result: Not rapidly biodegradable Biodegradation: 12 % Method: OECD Test Guideline 301B	
Dist	tillates (petroleum), hyd	lrotr	eated heavy naphthenic; Baseoil — un	specified:
Biod	degradability	:	Test Type: aerobic Inoculum: activated sludge Result: Not rapidly biodegradable Biodegradation: 3 % Exposure time: 28 d Method: OECD Test Guideline 301B GLP: yes	





Version	Revision Date:	Date of last issue: 31.01.2025	Print Date:
4.0	01.04.2025	Date of first issue: 12.07.2017	01.04.2025

12.3 Bioaccumulative potential

Product:

Bioaccumulation : Remarks: No data available

Components:

Molybdenum trioxide, reaction products with bis[O,O-bis(2-ethylhexyl)] hydrogen dithiophosphate:

Partition coefficient: n- : log Pow: > 4 octanol/water

Amines, C11-14-branched alkyl, monohexyl and dihexyl phosphates:

Partition coefficient: n-	: log Pow: 1,74 - 11,61
octanol/water	

12.4 Mobility in soil

Product:		
Mobility	:	Remarks: No data available
Distribution among environmental compartments	:	Remarks: No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment	:	This substance/mixture contains no components considered
		to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Components:

Distillates (petroleum), hydrotreated heavy naphthenic; Baseoil — unspecified:				
Assessment	:	Non-classified PBT substance. Non-classified vPvB substance		

12.6 Endocrine disrupting properties

Product:	
Assessment	: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at



levels of 0.1% or higher.



Version	Revision Date:	Date of last issue: 31.01.2025	Print Date:		
4.0	01.04.2025	Date of first issue: 12.07.2017	01.04.2025		
12.7 Other adverse effects					

Product:

Additional ecological information	: Harmful to aquatic life with long lasting effects.			
Components:				
Molybdenum trioxide, reaction products with bis[O,O-bis(2-ethylhexyl)] hydrogen				

dithiophosphate:		
Additional ecological information	:	May cause long lasting harmful effects to aquatic life.

SECTION 13: Disposal considerations

13.1 Waste treatment methods	
Product :	The product should not be allowed to enter drains, water courses or the soil. Do not dispose of with domestic refuse. Dispose of as hazardous waste in compliance with local and national regulations.
	Waste codes should be assigned by the user based on the application for which the product was used.
Contaminated packaging :	Packaging that is not properly emptied must be disposed of as the unused product. Dispose of waste product or used containers according to local regulations.
	The following Waste Codes are only suggestions:
Waste Code :	unused product 13 02 06*, synthetic engine, gear and lubricating oils
	uncleaned packagings 15 01 10*, packaging containing residues of or contaminated by hazardous substances

SECTION 14: Transport information

14.1 UN number or ID number			
ADR	:	Not regulated as a dangerous good	
RID	:	Not regulated as a dangerous good	





SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - ES



OKS 30					
Version 4.0	Revision Date: 01.04.2025	Date of last issue: 31.01.2025Print Date:Date of first issue: 12.07.201701.04.2025			
IMDO	3	: Not regulated as a dangerous good			
ΙΑΤΑ	L Contraction of the second seco	: Not regulated as a dangerous good			
14.2 UN p	proper shipping name				
ADR		: Not regulated as a dangerous good			
RID		: Not regulated as a dangerous good			
IMDO	3	: Not regulated as a dangerous good			
ΙΑΤΑ		: Not regulated as a dangerous good			
14.3 Tran	sport hazard class(e	s)			
ADR		: Not regulated as a dangerous good			
RID		: Not regulated as a dangerous good			
IMDO	3	: Not regulated as a dangerous good			
ΙΑΤΑ	L Contraction of the second seco	: Not regulated as a dangerous good			
14.4 Packing group					
ADR		: Not regulated as a dangerous good			
RID		: Not regulated as a dangerous good			
IMDO	3	: Not regulated as a dangerous good			
ΙΑΤΑ	(Cargo)	: Not regulated as a dangerous good			
ΙΑΤΑ	(Passenger)	: Not regulated as a dangerous good			
14.5 Envi	ronmental hazards				
ADR		: Not regulated as a dangerous good			
RID		: Not regulated as a dangerous good			
IMDO	3	: Not regulated as a dangerous good			
14.6 Special precautions for user Not applicable					
	-	according to IMO instruments			
Rem	arks	: Not applicable for product as supplied.			

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII) : Conditions of restriction for the following entries should be considered: Number on list 3





OKS 3	0			
Version 4.0	Revision Date: 01.04.2025	Date of last issue: 31.01.20 Date of first issue: 12.07.20		Print Date: 01.04.2025
REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59). (EU SVHC)		:	This product does not contain substances of very high concern (Regulation (EC) No 1907/2006 (REACH), Article 57).	
Regulation (EU) No 2024/590 on substances that deplete the ozone layer (EC 2024/590)			:	Not applicable
pol	gulation (EU) 2019/1021 lutants (recast) U POP)	on persistent organic	:	Not applicable
Par imp	gulation (EU) No 649/20 liament and the Council port of dangerous chemic U PIC)	concerning the export and	:	Not applicable
(An	ACH - List of substances nex XIV) J. REACH-Annex XIV)	subject to authorisation	:	Not applicable
	gulation (EU) 2019/1148 losives precursors	on the marketing and use of	:	Not applicable
Par maj	veso III: Directive 2012/1 liament and of the Coun jor-accident hazards inve ostances.	cil on the control of		Not applicable
Vol	atile organic compounds			4 November 2010 on industrial and s (integrated pollution prevention

Other regulations:

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.





Version	Revision Date:	Date of last issue: 31.01.2025	Print Date:
4.0	01.04.2025	Date of first issue: 12.07.2017	01.04.2025

15.2 Chemical safety assessment

This information is not available.

SECTION 16: Other information

Full text of H-Statements

H315		Causes skin irritation.
H317		May cause an allergic skin reaction.
H319	:	Causes serious eye irritation.
H372	:	Causes damage to organs through prolonged or repeated exposure.
H411	:	Toxic to aquatic life with long lasting effects.
H413	:	May cause long lasting harmful effects to aquatic life.
Full text of other abbrevia	tions	

Note L The harmonised classification as a carcinogen applies unless it can be shown that the substance contains less than 3 % of dimethyl sulphoxide extract as measured by IP 346 ("Determination of polycyclic aromatics in unused lubricating base oils and asphaltene free petroleum fractions - Dimethyl sulphoxide extraction refractive index method"Institute of Petroleum, London), in which case a classification in accordance with Title II of this Regulation shall be performed also for that hazard class. ES VLA Spain. Environmental Limits for exposure to Chemical agents - Table 1: Occupational Exposure Values ES VLA / VLA-ED **Environmental Daily Limit Value** : **Environmental Short Term Value** ES VLA / VLA-EC :

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN -Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx -Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO -International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50



SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - ES



OKS 30			
Version	Revision Date: 01.04.2025	Date of last issue: 31.01.2025	Print Date:
4.0		Date of first issue: 12.07.2017	01.04.2025

- Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Classification of the n	nixture:	Classification procedure:
Skin Irrit. 2	H315	Calculation method
Skin Sens. 1	H317	Calculation method
STOT RE 2	H373	Calculation method
Aquatic Chronic 3	H412	Calculation method

|| Relevant changes compared to the last edition are highlighted at the left margin. This version replaces all previous editions.

This safety data sheet applies only to products as originally packed and labelled. The information contained therein may not be reproduced or modified without our express written permission. Any forwarding of this document is only permitted to the extent required by law. Any further, in particular public, dissemination of the safety data sheet (e.g. as a document for download from the Internet) is not permitted without our express written consent. We provide our customers with amended safety data sheets as prescribed by law. The customer is responsible for passing on safety data sheets and any amendments contained therein to its own customers, employees and other users of the product. We provide no guarantee that safety data sheets received by users from third parties are up-to-date. All information and instructions in this safety data sheet have been compiled to the best of our knowledge and are based on the information available to us on the day of publication. The information provided is intended to describe the product in relation to the required safety measures; it is neither an assurance of characteristics nor a guarantee of the product's suitability for particular applications and does not justify any contractual legal relationship. The existence of a safety data sheet for a particular jurisdiction does not necessarily mean that import or use within that jurisdiction is legally permitted. If you have any questions, please contact your responsible sales contact or authorized trading partner.

