

Version	Revision Date:	Date of last issue: 07.11.2022	Print Date:
3.2	10.07.2024	Date of first issue: 08.06.2016	10.07.2024

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

	-		
1.1	Product identifier Product name	:	OKS 490
1.2	Relevant identified uses of th	ne s	ubstance or mixture and uses advised against
	Use of the Substance/Mixture	:	Grease
	Recommended restrictions on use	:	Restricted to professional users.
1.3	Details of the supplier of the	saf	ety data sheet
	Company	:	OKS Spezialschmierstoffe GmbH Ganghoferstr. 47 82216 Maisach-Gernlinden Deutschland Tel.: +49 8142 3051 500 Fax: +49 8142 3051 599 info@oks-germany.com
	E-mail address of person responsible for the SDS	:	mcm@oks-germany.com
	National contact	:	

## 1.4 Emergency telephone number

Emergency telephone	:	+34 91 562 04 20
number		

## **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

#### 2.2 Label elements

#### Labelling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.





Version	Revision Date:	Date of last issue: 07.11.2022	Print Date:
3.2	10.07.2024	Date of first issue: 08.06.2016	10.07.2024

#### **Additional Labelling**

EUH210 Safety data sheet available on request.

EUH208 Contains dibutyl [[bis[(2-ethylhexyl)oxy]phosphinothioyl]thio]succinate. May produce an allergic reaction.

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

Chemical nature

: Mineral oil. aluminium soap graphite

#### Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	specific concentration limit M-Factor Notes Acute toxicity estimate	Concentration (% w/w)
Fatty acids, C16-18 and C18-unsatd., Me esters, sulfurized	68390-93-2 269-913-1	Aquatic Chronic3; H412		>= 2,5 - < 10
dibutyl [[bis[(2- ethylhexyl)oxy]phosph inothioyl]thio]succinate	68413-48-9 270-220-1 01-2120786863-37- XXXX	Skin Sens.1B; H317 Aquatic Chronic4; H413		>= 0,25 - < 1



## **SAFETY DATA SHEET** according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - ES



## **OKS 490**

Version 3.2	Revision Date: 10.07.2024	Date of last issue: 07.11.2022 Date of first issue: 08.06.2016	Print Date: 10.07.2024
----------------	---------------------------	---	------------------------

Substances with a wor	kplace exposure limit :			
Residual oils (petroleum), solvent-	64742-62-7 265-166-0	Not classified		>= 50 - < 70
dewaxed; Baseoil — unspecified	649-471-00-X 01-2119480472-38- xxxx		Note L	
Asphalt	8052-42-4 232-490-9 01-2119480172-44- XXXX	Not classified		>= 10 - < 20
Graphite (natural)	7782-42-5 231-955-3	Not classified		>= 1 - < 10
Fatty acids, C16-18 (even numbered), aluminium salts	939-582-4	Not classified		>= 1 - < 10
	01-2119978504-28- XXXX			

For explanation of abbreviations see section 16.

## **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

•	
If inhaled :	Remove person to fresh air. If signs/symptoms continue, get medical attention. Keep patient warm and at rest. If unconscious, place in recovery position and seek medical advice. Keep respiratory tract clear. If breathing is irregular or stopped, administer artificial respiration.
In case of skin contact :	Take off all contaminated clothing immediately. Wash off immediately with soap and plenty of water. Get medical attention immediately if irritation develops and persists. Wash clothing before reuse. Thoroughly clean shoes before reuse.
In case of eye contact :	Rinse immediately with plenty of water, also under the eyelids,





3.2 If swallc 4.2 Most im Sympto Risks	portant symptoms a	:	e of last issue: 07.11.2022 e of first issue: 08.06.2016 for at least 10 minutes. If eye irritation persists, consult a spe Move the victim to fresh air. If unconscious, place in recovery pos advice. Keep respiratory tract clear. Do not induce vomiting without medi Never give anything by mouth to an in effects, both acute and delayed No symptoms known or expected.	sition and seek medical cal advice.
<ul> <li>4.2 Most imposition</li> <li>Sympto</li> <li>Risks</li> <li>4.3 Indication</li> </ul>	portant symptoms a	: Ind e	If eye irritation persists, consult a spe Move the victim to fresh air. If unconscious, place in recovery pos advice. Keep respiratory tract clear. Do not induce vomiting without medi Never give anything by mouth to an a effects, both acute and delayed	sition and seek medical cal advice.
<ul> <li>4.2 Most imposition of the second strain of the second stra</li></ul>	portant symptoms a	: Ind e	If unconscious, place in recovery pos advice. Keep respiratory tract clear. Do not induce vomiting without medi Never give anything by mouth to an effects, both acute and delayed	cal advice.
Sympto Risks 4.3 Indicatio		ind e :	· · ·	
Risks				
4.3 Indicatio			May cause an allergic skin reaction.	
	-	meo :	dical attention and special treatmen Treat symptomatically.	t needed
5.1 Extingui	5: Firefighting mea shing media e extinguishing media		es Use water spray, alcohol-resistant fo carbon dioxide.	am, dry chemical or
Unsuital media	ble extinguishing	:	High volume water jet	
			High volume water jet	
5.2 Special	hazards arising fron	n the	e substance or mixture	
Hazardo product:	ous combustion s	:	Carbon oxides Sulphur oxides Oxides of phosphorus Metal oxides	
5.3 Advice f	or firefighters			
	protective equipment	: :	In the event of fire, wear self-contain Use personal protective equipment. decomposition products may be a ha	Exposure to
Further	information	:	Standard procedure for chemical fire	s.





Version	Revision Date:	Date of last issue: 07.11.2022	Print Date:
3.2	10.07.2024	Date of first issue: 08.06.2016	10.07.2024

#### **SECTION 6: Accidental release measures**

## 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	: Evacuate personnel to safe areas. Ensure adequate ventilation.
	Do not breathe vapours, aerosols.
	Refer to protective measures listed in sections 7 and 8.

#### 6.2 Environmental precautions

Environmental precautions	:	Try to prevent the material from entering drains or water
		courses.
		Local authorities should be advised if significant spillages
		cannot be contained.

#### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up	: Pick up and transfer to properly labelled containers	s.
-------------------------	--	----

#### 6.4 Reference to other sections

For personal protection see section 8.

## **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Advice on safe handling	:	Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Wash hands and face before breaks and immediately after handling the product. Do not get in eyes or mouth or on skin. Do not get on skin or clothing. Do not get on skin or clothing. Do not repack. These safety instructions also apply to empty packaging which may still contain product residues. Keep container closed when not in use.
Hygiene measures	:	Wash face, hands and any exposed skin thoroughly after handling.

#### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage	:	Store in original container. Keep container closed when not in
areas and containers		use. Keep in a dry, cool and well-ventilated place. Containers
		which are opened must be carefully resealed and kept upright
		to prevent leakage. Store in accordance with the particular





<b>OKS 49</b>	0		
Version 3.2	Revision Date: 10.07.2024	Date of last issue: 07.11.2022 Date of first issue: 08.06.2016	Print Date: 10.07.2024
		national regulations. Keep in prop	erly labelled containers.
•	<b>fic end use(s)</b> ific use(s)	: Specific instructions for handling,	not required.

## SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

#### **Occupational Exposure Limits**

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Residual oils (petroleum), solvent-dewaxed; Baseoil — unspecified	64742-62-7	VLA-ED (Mist)	5 mg/m3	ES VLA (2019-02-20)
		VLA-EC (Mist)	10 mg/m3	ES VLA (2019-02-20)
Asphalt	8052-42-4	VLA-ED (Fumes)	0,5 mg/m3	ES VLA (2013-02-22)
Graphite (natural)	7782-42-5	VLA-ED (respirable dust fraction)	2 mg/m3	ES VLA (2017-02-01)
Fatty acids, C16- 18 (even numbered), aluminium salts	Not Assigned	VLA-ED	10 mg/m3	ES VLA (2012-01-01)
		VLA-ED (respirable fraction)	1 mg/m3 (Aluminium)	ES VLA (2021-04-01)

## Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
Residual oils (petroleum), solvent- dewaxed; Baseoil — unspecified	Workers	Inhalation	Long-term systemic effects	2,73 mg/m3
	Workers	Inhalation	Long-term local effects	5,58 mg/m3
	Workers	Dermal	Long-term systemic effects	0,97 mg/kg
Reaction mass of p-t- butylphenyldiphenyl phosphate and bis(p- t-butylphenyl) phenyl	Workers	Inhalation	Long-term systemic effects	2,03 mg/m3



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - ES



## **OKS 490**

Version 3.2	Revision Date: 10.07.2024	Date of last issue: 07.11.2022 Date of first issue: 08.06.2016	Print Date: 10.07.2024
			I

phosphate				
	Workers	Inhalation	Long-term local effects	0,2 mg/m3
	Workers	Dermal	Long-term systemic effects	0,056 mg/kg bw/day
	Workers	Dermal	Long-term local effects	0,001 mg/cm2

#### Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
Residual oils (petroleum), solvent-dewaxed; Baseoil — unspecified	Oral	9,33 mg/kg
Reaction mass of p-t- butylphenyldiphenyl phosphate and bis(p-t-butylphenyl) phenyl phosphate	Fresh water	0,000116 mg/l
	Marine water	0,000012 mg/l
	Microbiological Activity in Sewage Treatment Systems	1 mg/l
	Fresh water sediment	0,51 mg/kg
	Marine sediment	0,051 mg/kg
	Soil	0,118 mg/kg

## 8.2 Exposure controls

#### **Engineering measures**

none

#### Personal protective equipment

Eye/face protection	:	Safety glasses
Break through time	:	Nitrile rubber > 10 min Class 1
Remarks	:	Wear protective gloves. The break through time depends amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each case. The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it.
Skin and body protection	:	Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.
Respiratory protection	:	Not required; except in case of aerosol formation.





<b>OKS 490</b>	)		
Version 3.2	Revision Date: 10.07.2024	Date of last issue: 07.11.2022 Date of first issue: 08.06.2016	Print Date: 10.07.2024
	ter type ctive measures	<ul> <li>Filter type P</li> <li>The type of protective equipment to the concentration and amount at the specific workplace.</li> </ul>	

## **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

Physical state	:	paste
Colour	:	black
Odour	:	characteristic
Odour Threshold	:	No data available
Melting point/range	:	No data available
Boiling point/boiling range	:	> 300 °C
Flammability (solid, gas)	:	Combustible Solids
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	Not applicable
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
рН	:	Not applicable
Viscosity Viscosity, dynamic	:	No data available
Viscosity, kinematic	:	Not applicable
Solubility(ies) Water solubility	:	insoluble



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - ES



## **OKS 490**

Version 3.2			e of last issue: 07.11.2022 e of first issue: 08.06.2016	Print Date: 10.07.2024
So	lubility in other solvents	:	No data available	
	Partition coefficient: n- octanol/water		No data available	
Vapou	ur pressure	:	< 0,001 hPa (20 °C)	
Relative density		:	0,98 (20 °C) Reference substance: Water The value is calculated	
Densi	ty	:	0,98 g/cm3 (20 °C)	
Bulk c	density	:	No data available	
Relati	ve vapour density	:	No data available	
	le characteristics rticle size	:	Not applicable	
Pa	rticle Size Distribution	:	Not applicable	
	<b>9.2 Other information</b> Explosives		Not explosive	
Oxidiz	Oxidizing properties		No data available	
Self-ig	Self-ignition		No data available	
Evapo	Evaporation rate		No data available	
Sublimation point		:	No data available	

## **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

No hazards to be specially mentioned.

#### 10.2 Chemical stability

Stable under normal conditions.

#### 10.3 Possibility of hazardous reactions

Hazardous reactions : No dangerous reaction known under conditions of normal use.





OKS 490				
Version 3.2	Revision Date: 10.07.2024	Date of last issue: 07.11.2022Print Date:Date of first issue: 08.06.201610.07.2024		
	itions to avoid tions to avoid	: No conditions to be specially mentioned.		
<b>10.5 Incompatible materials</b> Materials to avoid		: No materials to be especially mentioned.		
10.6 Hazardous decomposition products				

No decomposition if stored and applied as directed.

#### **SECTION 11: Toxicological information**

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

	asses as defined in Regulation (EC) NO 1212/2006
Acute toxicity	
Product:	
Acute oral toxicity	: Remarks: This information is not available.
Acute inhalation toxicity	: Remarks: This information is not available.
Acute dermal toxicity	: Symptoms: Redness, Local irritation
Components:	
dibutyl [[bis[(2-ethylhexy	l)oxy]phosphinothioyl]thio]succinate:
Acute oral toxicity	: LD50 (Rat): 11.300 mg/kg Method: OECD Test Guideline 401
Residual oils (petroleum)	, solvent-dewaxed; Baseoil — unspecified:
Acute oral toxicity	: LD50 (Rat): > 5.000 mg/kg Method: OECD Test Guideline 401 GLP: yes

Acute dermal toxicity : LD50 (Rabbit): > 5.000 mg/kg Method: OECD Test Guideline 402 GLP: yes

# Asphalt: . Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg Method: OECD Test Guideline 401 Acute dermal toxicity : LD50 (Rabbit): > 2.000 mg/kg Method: OECD Test Guideline 402 Assessment: The substance or mixture has no acute dermal toxicity





<b>OKS 49</b>	0		
Version 3.2	Revision Date: 10.07.2024	Date of last issue: 07.11.2022 Date of first issue: 08.06.2016	Print Date: 10.07.2024
-	<b>ohite (natural):</b> e oral toxicity	: LD50 (Rat): > 2.000 mg/kg Method: OECD Test Guideline Assessment: The substance of toxicity	
Acut	e inhalation toxicity	: LC50 (Rat): > 2.000 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline Assessment: The substance of inhalation toxicity	
Fatty	v acids, C16-18 (even	numbered), aluminium salts:	
-	e oral toxicity	: LD50 (Rat): > 2.000 mg/kg Assessment: The substance o toxicity	or mixture has no acute oral
Skin	corrosion/irritation		
<u>Prod</u> Rem		: This information is not availab	le.
Com	ponents:		
dibu	tyl [[bis[(2-ethylhexy	l)oxy]phosphinothioyl]thio]succina	te:
Spec Asse Resu	essment	: Rabbit : No skin irritation : No skin irritation	
Resi	dual oils (petroleum)	, solvent-dewaxed; Baseoil — unsp	pecified:
Spec Asse Meth Resu GLP	essment lod	<ul> <li>Rabbit</li> <li>No skin irritation</li> <li>OECD Test Guideline 404</li> <li>No skin irritation</li> <li>yes</li> </ul>	
Aspl	halt:		
Spec	cies essment iod	<ul> <li>Rabbit</li> <li>No skin irritation</li> <li>OECD Test Guideline 404</li> <li>No skin irritation</li> </ul>	
Grap	ohite (natural):		
Spec		: Rabbit : No skin irritation	
		11 / 24	a brand of



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - ES



(S 490			
	evision Date: ).07.2024	Date of last issue: 07.11.2022 Date of first issue: 08.06.2016	Print Date: 10.07.2024
Method Result		: OECD Test Guideline 404 : No skin irritation	L
Fatty acid	ds, C16-18 (ever	numbered), aluminium salts:	
Species		: Human	
Assessme	ent	: No skin irritation	
Result		: No skin irritation	
Serious e	eye damage/eye	irritation	
Product:			
Remarks		: This information is not ava	ailable.
Compone	ents:		
dibutyl [[l	bis[(2-ethylhexy	)oxy]phosphinothioyl]thio]suc	cinate:
Species		: Rabbit	
	nt	: No eye irritation	
Assessme			
Assessme Result		: No eye irritation	
Result			unspecified:
Result <b>Residual</b>		: No eye irritation	unspecified:
Result	oils (petroleum	: No eye irritation , <b>solvent-dewaxed; Baseoil — ι</b> : Rabbit	unspecified:
Result <b>Residual</b> Species	oils (petroleum	: No eye irritation , solvent-dewaxed; Baseoil — u	
Result <b>Residual</b> Species Assessme	oils (petroleum	: No eye irritation , <b>solvent-dewaxed; Baseoil — ι</b> : Rabbit : No eye irritation	
Result Residual Species Assessme Method	oils (petroleum	<ul> <li>No eye irritation</li> <li>, solvent-dewaxed; Baseoil — u</li> <li>: Rabbit</li> <li>: No eye irritation</li> <li>: OECD Test Guideline 405</li> </ul>	
Result Residual Species Assessme Method Result	oils (petroleum	<ul> <li>No eye irritation</li> <li>solvent-dewaxed; Baseoil — u</li> <li>Rabbit</li> <li>No eye irritation</li> <li>OECD Test Guideline 405</li> <li>No eye irritation</li> </ul>	
Result Residual Species Assessme Method Result GLP	oils (petroleum	<ul> <li>No eye irritation</li> <li>solvent-dewaxed; Baseoil — u</li> <li>Rabbit</li> <li>No eye irritation</li> <li>OECD Test Guideline 405</li> <li>No eye irritation</li> </ul>	
Result Residual Species Assessme Method Result GLP Asphalt:	oils (petroleum ent	<ul> <li>No eye irritation</li> <li>, solvent-dewaxed; Baseoil — u</li> <li>Rabbit</li> <li>No eye irritation</li> <li>OECD Test Guideline 405</li> <li>No eye irritation</li> <li>yes</li> </ul>	
Result Residual Species Assessme Method Result GLP Asphalt: Species	oils (petroleum ent	<ul> <li>No eye irritation</li> <li>solvent-dewaxed; Baseoil — u</li> <li>Rabbit</li> <li>No eye irritation</li> <li>OECD Test Guideline 405</li> <li>No eye irritation</li> <li>yes</li> <li>Rabbit</li> </ul>	5
Result Residual Species Assessme Method Result GLP Asphalt: Species Assessme	oils (petroleum ent	<ul> <li>No eye irritation</li> <li>solvent-dewaxed; Baseoil — u</li> <li>Rabbit</li> <li>No eye irritation</li> <li>OECD Test Guideline 405</li> <li>No eye irritation</li> <li>yes</li> <li>Rabbit</li> <li>No eye irritation</li> </ul>	5
Result Residual Species Assessme Method Result GLP Asphalt: Species Assessme Method	<b>oils (petroleum</b> ent	<ul> <li>No eye irritation</li> <li>solvent-dewaxed; Baseoil — u</li> <li>Rabbit</li> <li>No eye irritation</li> <li>OECD Test Guideline 405</li> <li>No eye irritation</li> <li>yes</li> <li>Rabbit</li> <li>No eye irritation</li> <li>OECD Test Guideline 405</li> </ul>	5
Result Residual Species Assessme Method Result GLP Asphalt: Species Assessme Method Result	<b>oils (petroleum</b> ent	<ul> <li>No eye irritation</li> <li>solvent-dewaxed; Baseoil — u</li> <li>Rabbit</li> <li>No eye irritation</li> <li>OECD Test Guideline 405</li> <li>No eye irritation</li> <li>yes</li> <li>Rabbit</li> <li>No eye irritation</li> <li>OECD Test Guideline 405</li> </ul>	5
Result Residual Species Assessme Method Result GLP Asphalt: Species Assessme Method Result Graphite	oils (petroleum ent ent (natural):	<ul> <li>No eye irritation</li> <li>solvent-dewaxed; Baseoil — u</li> <li>Rabbit</li> <li>No eye irritation</li> <li>OECD Test Guideline 405</li> <li>No eye irritation</li> <li>yes</li> <li>Rabbit</li> <li>No eye irritation</li> <li>OECD Test Guideline 405</li> <li>No eye irritation</li> <li>OECD Test Guideline 405</li> <li>No eye irritation</li> </ul>	5
Result Residual Species Assessme Method Result GLP Asphalt: Species Assessme Method Result Graphite Species	oils (petroleum ent ent (natural):	<ul> <li>No eye irritation</li> <li>solvent-dewaxed; Baseoil — u</li> <li>Rabbit</li> <li>No eye irritation</li> <li>OECD Test Guideline 405</li> <li>No eye irritation</li> <li>yes</li> <li>Rabbit</li> <li>No eye irritation</li> <li>OECD Test Guideline 405</li> <li>No eye irritation</li> <li>OECD Test Guideline 405</li> <li>No eye irritation</li> <li>OECD Test Guideline 405</li> <li>No eye irritation</li> </ul>	5
Result Residual Species Assessme Method Result GLP Asphalt: Species Assessme Method Result Graphite Species Assessme	oils (petroleum ent ent (natural):	<ul> <li>No eye irritation</li> <li>solvent-dewaxed; Baseoil — u</li> <li>Rabbit</li> <li>No eye irritation</li> <li>OECD Test Guideline 405</li> <li>No eye irritation</li> <li>yes</li> <li>Rabbit</li> <li>No eye irritation</li> <li>OECD Test Guideline 405</li> <li>No eye irritation</li> <li>OECD Test Guideline 405</li> <li>No eye irritation</li> <li>OECD Test Guideline 405</li> <li>No eye irritation</li> <li>So eye irritation</li> <li>No eye irritation</li> </ul>	5
Result Residual Species Assessme Method Result GLP Asphalt: Species Assessme Method Result Graphite Species Assessme Method Result	oils (petroleum ent ent (natural):	<ul> <li>No eye irritation</li> <li>solvent-dewaxed; Baseoil — u</li> <li>Rabbit</li> <li>No eye irritation</li> <li>OECD Test Guideline 405</li> <li>No eye irritation</li> <li>yes</li> <li>Rabbit</li> <li>No eye irritation</li> <li>OECD Test Guideline 405</li> <li>No eye irritation</li> </ul>	5
Result Residual Species Assessme Method Result GLP Asphalt: Species Assessme Method Result Graphite Species Assessme Method Result	oils (petroleum ent ent (natural): ent ds, C16-18 (ever	<ul> <li>No eye irritation</li> <li>solvent-dewaxed; Baseoil — u</li> <li>Rabbit</li> <li>No eye irritation</li> <li>OECD Test Guideline 405</li> <li>No eye irritation</li> <li>yes</li> <li>Rabbit</li> <li>No eye irritation</li> <li>OECD Test Guideline 405</li> <li>No eye irritation</li> </ul>	5





KS 490	0			
ersion 2	Revision Date: 10.07.2024		Date of last issue: 07.11.2022Print Date:Date of first issue: 08.06.201610.07.2024	
Resp	iratory or skin sens	sitisatio	n	
Prod	uct:			
Rema	arks	:	This information is not available.	
Com	ponents:			
dibut	yl [[bis[(2-ethylhex	yl)oxy]j	phosphinothioyl]thio]succinate:	
Asses Resu	ssment It	:	The product is a skin sensitiser, so The product is a skin sensitiser, so	<b>U 1</b>
Resid	dual oils (petroleum	), solve	ent-dewaxed; Baseoil — unspeci	fied:
Speci		:	Guinea pig	
Asses	ssment od	:	Did not cause sensitisation on lab OECD Test Guideline 406	oratory animals.
Resu	•••	:	Did not cause sensitisation on lab	oratory animals.
GLP		:	yes	
Asph	alt:			
Speci		:	Guinea pig	
	ssment	:	Does not cause skin sensitisation.	
Metho Resu		:	OECD Test Guideline 406 Does not cause skin sensitisation.	
Resu	n.			
Grap	hite (natural):			
Speci		:	Mouse	
Metho Resu		:	OECD Test Guideline 429	
Resu	IL		negative	
Fatty	acids, C16-18 (eve	n numt	ered), aluminium salts:	
	ssment	:	Did not cause sensitisation on lab	
Resu	lt	:	Did not cause sensitisation on lab	oratory animals.
Germ	n cell mutagenicity			
Prod	uct:			
Geno	toxicity in vitro	:	Remarks: No data available	
Geno	toxicity in vivo	:	Remarks: No data available	
<u>Com</u>	ponents:			
		), solve	ent-dewaxed; Baseoil — unspeci	fied:
	cell mutagenicity-	:	Tests on bacterial or mammalian of	cell cultures did not show
A2268	ออกาศาส		mutagenic effects.	





<b>OKS 490</b>				
ersion .2	Revision Date: 10.07.2024	Date of last issue: 07.11. Date of first issue: 08.06		
Graph	ite (natural):			
Genoto	oxicity in vitro	: Test Type: Microbia Method: OECD Tes Result: negative	al mutagenesis assay (Ames test) st Guideline 471	
		Test Type: gene mu Method: OECD Tes Result: negative		
		Test Type: Chromos Method: OECD Tes Result: negative	some aberration test in vitro at Guideline 473	
Carcin	ogenicity			
<u>Produ</u>	ct:			
Remar		: No data available		
<u>Comp</u>	onents:			
Residu	ual oils (petroleum	solvent-dewaxed; Based	oil — unspecified:	
Carcin Assess	ogenicity - sment	: No evidence of carc	cinogenicity in animal studies.	
Repro	ductive toxicity			
Produ	ct:			
Effects	on fertility	: Remarks: No data a	available	
Effects develo	s on foetal pment	: Remarks: No data a	available	
<u>Comp</u>	onents:			
Residu	ual oils (petroleum	solvent-dewaxed; Based	oil — unspecified:	
	ductive toxicity -	: - Fertility -	-	
Assess	sment	No toxicity to reproc - Teratogenicity -	duction	
		No effects on or via	lactation	
Graph	ite (natural):			
Effects	on fertility	: Species: Rat Application Route: 0 General Toxicity F1 Method: OECD Tes	: NOAEL: 813 mg/kg body weight	
		14 / 24	a brand of	





Version	Revision Date: 10.07.2024	Date of last issue: 07.11.2022	Print Date:
3.2		Date of first issue: 08.06.2016	10.07.2024

#### STOT - single exposure

<u>Product:</u> Remarks	:	No data available
<u>Components:</u> Asphalt:		
Assessment	:	The substance or mixture is not classified as specific target organ toxicant, single exposure.
STOT - repeated exposure		
<u>Product:</u> Remarks	:	No data available
Components:		
Asphalt:		
Assessment	:	The substance or mixture is not classified as specific target organ toxicant, repeated exposure.
Repeated dose toxicity		
<u>Product:</u> Remarks	:	This information is not available.
Components:		
Graphite (natural):		
Species NOAEL	:	Rat 813 mg/kg
Application Route Method	:	Oral OECD Test Guideline 422
Species NOAEL	:	Rat > 2 mg/l
Application Route Method	:	inhalation (dust/mist/fume) OECD Test Guideline 412
	•	

## Aspiration toxicity

#### Product:

This information is not available.





Version	Revision Date:	Date of last issue: 07.11.2022	Print Date:
3.2	10.07.2024	Date of first issue: 08.06.2016	10.07.2024

#### **Components:**

Residual oils (petroleum), solvent-dewaxed; Baseoil — unspecified:

No aspiration toxicity classification

#### Asphalt:

No aspiration toxicity classification

#### **11.2 Information on other hazards**

#### **Endocrine disrupting properties**

#### Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

#### **Further information**

#### Product:

Remarks

: Information given is based on data on the components and the toxicology of similar products.

## **SECTION 12: Ecological information**

#### 12.1 Toxicity

Product:		
Toxicity to fish	:	Remarks: No data available
Toxicity to daphnia and other aquatic invertebrates	:	Remarks: No data available
Toxicity to algae/aquatic plants	:	Remarks: No data available
Toxicity to microorganisms	:	Remarks: No data available

#### **Components:**

#### Fatty acids, C16-18 and C18-unsatd., Me esters, sulfurized:

Toxicity to daphnia and other	:	EC50 (Daphnia magna (Water flea)): 13 mg/l
aquatic invertebrates		Exposure time: 48 h





<b>OKS</b> 49	90			
Version 3.2	Revision Date: 10.07.2024		e of last issue: 07.11.2022 e of first issue: 08.06.2016	Print Date: 10.07.2024
Tox plar	icity to algae/aquatic hts	:	EC50 (algae): > 100 mg/l Exposure time: 72 h	
dibu	utyl [[bis[(2-ethylhexyl)o	oxy]p	phosphinothioyl]thio]succinate:	
	icity to fish	:	LC50 (Oncorhynchus mykiss (rain Exposure time: 96 h Test Type: semi-static test Method: OECD Test Guideline 20 GLP: yes Remarks: No toxicity at the limit of	3
	icity to daphnia and other atic invertebrates	• :	EC50 (Daphnia magna (Water flea Exposure time: 48 h Test Type: static test Method: OECD Test Guideline 20	
Tox plar	icity to algae/aquatic nts	:	EC50 (Desmodesmus subspicatus Exposure time: 72 h Test Type: static test Method: OECD Test Guideline 20	
Res	sidual oils (petroleum), s	solve	ent-dewaxed; Baseoil — unspeci	fied:
	icity to fish	:	LC50 (Pimephales promelas (fath Exposure time: 96 h Test Type: static test Method: OECD Test Guideline 20 GLP: yes	ead minnow)): > 100 mg/l
			NOEC (Pimephales promelas (fat Exposure time: 96 h Method: OECD Test Guideline 20 GLP: yes	
	icity to daphnia and other atic invertebrates	· :	LC50 : > 10.000 mg/l Exposure time: 96 h Test Type: semi-static test Method: OECD Test Guideline 20	2
			NOEC : >= 10.000 mg/l Exposure time: 96 h Test Type: semi-static test Method: OECD Test Guideline 20	2
Tox plar	icity to algae/aquatic hts	:	NOEC (Pseudokirchneriella subca 100 mg/l Exposure time: 72 h Test Type: static test Method: OECD Test Guideline 20	





Version 3.2	Revision Date: 10.07.2024	Date of last issue: 07.11.2022 Date of first issue: 08.06.2016	Print Date: 10.07.2024

#### Graphite (natural):

Toxicity to fish	:	LC50 (Danio rerio (zebra fish)): > 100 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	:	(Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	:	EC50 (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l Exposure time: 72 h Method: OECD Test Guideline 201

#### 12.2 Persistence and degradability

#### Product:

Biodegradability	:	Remarks: No data available
Physico-chemical removability	:	Remarks: No data available

#### **Components:**

#### Fatty acids, C16-18 and C18-unsatd., Me esters, sulfurized:

Biodegradability	:	Result: Not readily biodegradable. Biodegradation: 35 %
		Exposure time: 28 d
		Method: OECD Test Guideline 301B

#### dibutyl [[bis[(2-ethylhexyl)oxy]phosphinothioyl]thio]succinate:

Biodegradability	:	Test Type: aerobic Inoculum: activated sludge Result: Not rapidly biodegradable Biodegradation: 12,1 % Exposure time: 28 d
		Method: OECD Test Guideline 301B

#### Residual oils (petroleum), solvent-dewaxed; Baseoil — unspecified:

Biodegradability	:	Test Type: aerobic
		Inoculum: activated sludge
		Result: Not rapidly biodegradable
		Biodegradation: 3 %
		Exposure time: 28 d
		Method: OECD Test Guideline 301B
		GLP: yes





<b>OKS 49</b>	0			
Version 3.2	Revision Date: 10.07.2024		e of last issue: 07.11.2022 e of first issue: 08.06.2016	Print Date: 10.07.2024
Biode	<b>hite (natural):</b> egradability	:	Remarks: The methods for determin not applicable to inorganic substanc	
	ccumulative potential			
<u>Prod</u> Bioad	l <u>uct:</u> ccumulation	:	Remarks: No data available	
Com	ponents:			
dibu	tyl [[bis[(2-ethylhexyl)	oxy]	phosphinothioyl]thio]succinate:	
Partit	tion coefficient: n- nol/water	:	log Pow: > 6,5 Method: OECD Test Guideline 117 GLP: yes	
Resi	dual oils (petroleum), s	solv	ent-dewaxed; Baseoil — unspecifie	ed:
Bioad	ccumulation	:	Remarks: No data available	
	tion coefficient: n- nol/water	:	Pow: > 3,5	
12.4 Mob	ility in soil			
<u>Prod</u>	luct:			
Mobi	lity	:	Remarks: No data available	
	ibution among onmental compartments	: S	Remarks: No data available	
12.5 Resu	ults of PBT and vPvB a	asse	ssment	
Prod	luct:			
	ssment	:	This substance/mixture contains no to be either persistent, bioaccumular very persistent and very bioaccumul 0.1% or higher.	tive and toxic (PBT), or
<u>Com</u>	ponents:			
Resi	dual oils (petroleum),	solv	ent-dewaxed; Baseoil — unspecifie	ed:
	ssment	:	Substance is not very persistent and (vPvB) Substance is not persistent toxic (PBT).	d very bioaccumulative





<b>OKS 49</b>	0						
Version 3.2	Revision Date: 10.07.2024		Date of last issue: 07.11.2022Print Date:Date of first issue: 08.06.201610.07.2024				
Asphalt: Assessment		:	Non-classified vPvB substance. N	on-classified PBT substance			
12.6 Endo	ocrine disrupting pr	opertie	2S				
Prod	uct:						
Assessment		:	The substance/mixture does not c considered to have endocrine disr to REACH Article 57(f) or Commis (EU) 2017/2100 or Commission R levels of 0.1% or higher.	upting properties according sion Delegated regulation			
12.7 Othe	r adverse effects						
	<b>uct:</b> ional ecological nation	:	No information on ecology is availa	able.			

## **SECTION 13: Disposal considerations**

13.1 Waste treatment methods	
Product	<ul> <li>The product should not be allowed to enter drains, water courses or the soil.</li> <li>Do not dispose of with domestic refuse.</li> <li>Dispose of as hazardous waste in compliance with local and national regulations.</li> </ul>
	Waste codes should be assigned by the user based on the application for which the product was used.
Contaminated packaging	<ul> <li>Packaging that is not properly emptied must be disposed of as the unused product.</li> <li>Dispose of waste product or used containers according to local regulations.</li> </ul>
	The following Waste Codes are only suggestions:
Waste Code	<ul> <li>used product, unused product</li> <li>12 01 12**, spent waxes and fats</li> </ul>
	uncleaned packagings 15 01 10*, packaging containing residues of or contaminated by hazardous substances





Version	Revision Date:	Date of last issue: 07.11.2022	Print Date: 10.07.2024
3.2	10.07.2024	Date of first issue: 08.06.2016	

#### **SECTION 14: Transport information**

14.1 UN number or ID number						
ADR	:	Not regulated as a dangerous good				
RID	:	Not regulated as a dangerous good				
IMDG	:	Not regulated as a dangerous good				
ΙΑΤΑ	:	Not regulated as a dangerous good				
14.2 UN proper shipping name						
ADR	:	Not regulated as a dangerous good				
RID	:	Not regulated as a dangerous good				
IMDG	:	Not regulated as a dangerous good				
ΙΑΤΑ	:	Not regulated as a dangerous good				
14.3 Transport hazard class(es)						
ADR	:	Not regulated as a dangerous good				
RID	:	Not regulated as a dangerous good				
IMDG	:	Not regulated as a dangerous good				
ΙΑΤΑ	:	Not regulated as a dangerous good				
14.4 Packing group						
ADR	:	Not regulated as a dangerous good				
RID	:	Not regulated as a dangerous good				
IMDG	:	Not regulated as a dangerous good				
IATA (Cargo)	:	Not regulated as a dangerous good				
IATA (Passenger)	:	Not regulated as a dangerous good				
14.5 Environmental hazards						
ADR	:	Not regulated as a dangerous good				
RID	:	Not regulated as a dangerous good				
IMDG	:	Not regulated as a dangerous good				
14.6 Special precautions for user Not applicable						
14.7 Maritime transport in bulk according to IMO instruments						
Remarks	:	Not applicable for product as supplied.				





Version	Revision Date:	Date of last issue: 07.11.2022	Print Date:
3.2	10.07.2024	Date of first issue: 08.06.2016	10.07.2024

## **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislat mixture	ion	specific for the substance or
REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)	:	Not applicable
REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59). (EU SVHC)	:	This product does not contain substances of very high concern (Regulation (EC) No 1907/2006 (REACH), Article 57).
Regulation (EC) No 1005/2009 on substances that deplete the ozone layer (EC 1005/2009)	:	Not applicable
Regulation (EU) 2019/1021 on persistent organic pollutants (recast) (EU POP)	:	Not applicable
Regulation (EU) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals (EU PIC)	:	Not applicable
REACH - List of substances subject to authorisation (Annex XIV) (EU. REACH-Annex XIV)	:	Not applicable
Regulation (EU) 2019/1148 on the marketing and use of explosives precursors	:	Not applicable
Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.		Not applicable
emissions (integrated	poll	4 November 2010 on industrial ution prevention and control) ds (VOC) content: 3,93 %
		a brand of





Version	Revision Date:	Date of last issue: 07.11.2022	Print Date:
3.2	10.07.2024	Date of first issue: 08.06.2016	10.07.2024

#### 15.2 Chemical safety assessment

This information is not available.

#### **SECTION 16: Other information**

Full text of H-Statements		
H317	:	May cause an allergic skin reaction.
H412	:	Harmful to aquatic life with long lasting effects.
H413	:	May cause long lasting harmful effects to aquatic life.
Full text of other abbreviations		

Note L	:	The harmonised classification as a carcinogen applies unless it can be shown that the substance contains less than 3 % of dimethyl sulphoxide extract as measured by IP 346 ("Determination of polycyclic aromatics in unused lubricating base oils and asphaltene free petroleum fractions - Dimethyl sulphoxide extraction refractive index method"Institute of Petroleum, London), in which case a classification in accordance with Title II of this Regulation shall be performed also for that hazard class.
ES VLA	:	Spain. Environmental Limits for exposure to Chemical agents - Table 1: Occupational Exposure Values
ES VLA / VLA-ED ES VLA / VLA-EC		Environmental Daily Limit Value Environmental Short Term Value

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -



#### SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - ES



## **OKS 490**

Version	Revision Date:	Date of last issue: 07.11.2022	Print Date:
3.2	10.07.2024	Date of first issue: 08.06.2016	10.07.2024

International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID -Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

#### **Further information**

This safety data sheet applies only to products as originally packed and labelled. The information contained therein may not be reproduced or modified without our express written permission. Any forwarding of this document is only permitted to the extent required by law. Any further, in particular public, dissemination of the safety data sheet (e.g. as a document for download from the Internet) is not permitted without our express written consent. We provide our customers with amended safety data sheets as prescribed by law. The customer is responsible for passing on safety data sheets and any amendments contained therein to its own customers, employees and other users of the product. We provide no guarantee that safety data sheets received by users from third parties are up-to-date. All information and instructions in this safety data sheet have been compiled to the best of our knowledge and are based on the information available to us on the day of publication. The information provided is intended to describe the product in relation to the required safety measures; it is neither an assurance of characteristics nor a guarantee of the product's suitability for particular applications and does not justify any contractual legal relationship. The existence of a safety data sheet for a particular jurisdiction does not necessarily mean that import or use within that jurisdiction is legally permitted. If you have any questions, please contact your responsible sales contact or authorized trading partner.

