

Version	Revision Date:	Date of last issue: 20.10.2022	Print Date:
2.5	18.02.2025	Date of first issue: 15.07.2016	18.02.2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier		
Product name	:	OKS 341
1.2 Relevant identified uses of t	he s	substance or mixture and uses advised against
Use of the Substance/Mixture	:	Lubricant spray
Recommended restrictions on use	:	Restricted to professional users.
1.3 Details of the supplier of the	saf	ety data sheet
Company	:	OKS Spezialschmierstoffe GmbH Ganghoferstr. 47 82216 Maisach-Gernlinden Deutschland Tel.: +49 8142 3051 500 Fax: +49 8142 3051 599 info@oks-germany.com
E-mail address of person responsible for the SDS	:	mcm@oks-germany.com
National contact	:	

1.4 Emergency telephone number

Emergency telephone	:	+34 91 562 04 20
number		

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)					
Aerosols, Category 1	H222: Extremely flammable aerosol. H229: Pressurised container: May burst if heated.				
Eye irritation, Category 2	H319: Causes serious eye irritation.				



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - ES



OKS 341

Version	Revision Date:	Date of last issue: 20.10.2022	Print Date:
2.5	18.02.2025	Date of first issue: 15.07.2016	18.02.2025

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008) Hazard pictograms :				
Signal word :	Danger			
Hazard statements :	H222 H229 H319	Extremely flammable aerosol. Pressurised container: May burst if heated. Causes serious eye irritation.		
Precautionary statements :	Prevention: P210 P211 P251	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use.		
	P280	Wear eye protection/ face protection.		
	Response: P337 + P313	If eye irritation persists: Get medical advice/ attention.		
	Storage: P410 + P412	Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F.		

Additional Labelling

EUH208

Contains Molybdenum trioxide, reaction products with bis[O,O-bis(2-ethylhexyl)] hydrogen dithiophosphate. May produce an allergic reaction.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.





Version	Revision Date:	Date of last issue: 20.10.2022	Print Date:
2.5	18.02.2025	Date of first issue: 15.07.2016	18.02.2025

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature

: Active substance with propellant Synthetic hydrocarbon oil

Components				
Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	specific concentration limit M-Factor Notes Acute toxicity estimate	Concentration (% w/w)
Sulfonic acids, petroleum, calcium salts	61789-86-4 263-093-9 01-2119488992-18- 0000	Skin Sens.1B; H317	>= 10 % Skin Sens.1B,	>= 0,1 - < 1
Molybdenum trioxide, reaction products with bis[O,O-bis(2- ethylhexyl)] hydrogen dithiophosphate	947-946-9 01-2120772600-59- XXXX	Skin Irrit.2; H315 Skin Sens.1B; H317 Aquatic Chronic4; H413		>= 0,1 - < 0,25
Substances with a work	place exposure limit :			
butane	106-97-8 203-448-7 601-004-00-0 01-2119474691-32- XXXX	Flam. Gas1; H220 Press. GasCompr. Gas; H280	Note U (table 3.1), Note C	>= 30 - < 50
propane	74-98-6 200-827-9 601-003-00-5 01-2119486944-21- XXXX	Flam. Gas1A; H220 Press. GasCompr. Gas; H280	Note U (table 3.1)	>= 10 - < 20





Version	Revision Date:	Date of last issue: 20.10.2022	Print Date:
2.5	18.02.2025	Date of first issue: 15.07.2016	18.02.2025

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

	If inhaled	:	Remove person to fresh air. If signs/symptoms continue, get medical attention. Keep patient warm and at rest. If unconscious, place in recovery position and seek medical advice. Keep respiratory tract clear. If breathing is irregular or stopped, administer artificial respiration.
	In case of skin contact	:	Take off all contaminated clothing immediately. Wash off immediately with soap and plenty of water. Get medical attention immediately if irritation develops and persists. Wash clothing before reuse. Thoroughly clean shoes before reuse.
	In case of eye contact	:	Rinse immediately with plenty of water, also under the eyelids, for at least 10 minutes. Seek medical advice.
	If swallowed	:	Move the victim to fresh air. Keep respiratory tract clear. Do NOT induce vomiting. Rinse mouth with water.
4.2	Most important symptoms an	d e	ffects, both acute and delayed
	Symptoms	:	Inhalation may provoke the following symptoms: Unconsciousness Dizziness Drowsiness Headache Nausea Tiredness
	Risks	:	May cause an allergic skin reaction.
4.3	Indication of anv immediate n	ned	ical attention and special treatment needed
	Treatment	:	Treat symptomatically.





Version	Revision Date:	Date of last issue: 20.10.2022	Print Date:
2.5	18.02.2025	Date of first issue: 15.07.2016	18.02.2025

SECTION 5: Firefighting measures

5.1 Extinguishing media		
Suitable extinguishing media	:	ABC powder
Unsuitable extinguishing media	:	High volume water jet
5.2 Special hazards arising from	the	e substance or mixture
Specific hazards during firefighting	:	Fire Hazard Do not let product enter drains. Contains gas under pressure; may explode if heated. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.
Hazardous combustion products	:	Carbon oxides Nitrogen oxides (NOx)
5.3 Advice for firefighters		
Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment. Exposure to decomposition products may be a hazard to health.
Further information	:	Standard procedure for chemical fires. Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Cool containers/tanks with water spray.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Evacuate personnel to safe areas. Ensure adequate ventilation. Remove all sources of ignition. Do not breathe vapours or spray mist. Refer to protective measures listed in section Only qualified personnel equipped with suita equipment may intervene.	
--	--

6.2 Environmental precautions

Environmental precautions	:	Try to prevent the material from entering drains or water
		courses.
		Prevent further leakage or spillage if safe to do so. Local authorities should be advised if significant spillages
		cannot be contained.





Version	Revision Date:	Date of last issue: 20.10.2022	Print Date:
2.5	18.02.2025	Date of first issue: 15.07.2016	18.02.2025

6.3 Methods and material for containment and cleaning up

Methods for cleaning up	 Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Keep in suitable, closed containers for disposal. Non-sparking tools should be used.
-------------------------	--

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling	:	Do not use in areas without adequate ventilation. Do not breathe vapours or spray mist. In case of insufficient ventilation, wear suitable respiratory equipment. Avoid contact with skin and eyes. For personal protection see section 8. Keep away from fire, sparks and heated surfaces. Smoking, eating and drinking should be prohibited in the application area. Wash hands and face before breaks and immediately after handling the product. Do not get in eyes or mouth or on skin. Do not get on skin or clothing. Do not ingest. Do not use sparking tools. These safety instructions also apply to empty packaging which may still contain product residues. Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50 °C. Do not pierce or burn, even after use.
Hygiene measures	:	Wash face, hands and any exposed skin thoroughly after handling.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage	:	BEWARE: Aerosol is pressurized. Keep away from direct sun
areas and containers		exposure and temperatures over 50 °C. Do not open by force
		or throw into fire even after use. Do not spray on flames or
		red-hot objects. Store in accordance with the particular
		national regulations.





Version	Revision Date:	Date of last issue: 20.10.2022	Print Date:
2.5	18.02.2025	Date of first issue: 15.07.2016	18.02.2025

7.3 Specific end use(s)

Specific use(s)

: Specific instructions for handling, not required.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
butane	106-97-8	VLA-ED (gas)	1.000 ppm	ES VLA (2013-02-22)
propane	74-98-6	VLA-ED	1.000 ppm	ES VLA (2011-03-03)

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
Benzene, mono-C10- 13-alkyl derivs., distn. residues	Workers	Inhalation	Long-term systemic effects	2,2 mg/m3
	Workers	Skin contact	Long-term systemic effects	3,15 mg/kg bw/day
Molybdenum trioxide, reaction products with bis[O,O-bis(2- ethylhexyl)] hydrogen dithiophosphate	Workers	Inhalation	Long-term systemic effects	4,93 mg/m3
	Workers	Dermal	Long-term systemic effects	1,4 mg/kg bw/day

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
Benzene, mono-C10-13-alkyl	Fresh water	0,001 mg/l
derivs., distn. residues		
	Intermittent use/release	0,001 mg/l
	Marine water	0 mg/l
	Microbiological Activity in Sewage	2 mg/l
	Treatment Systems	
	Fresh water sediment	16,5 mg/kg
	Marine sediment	1,65 mg/kg
	Soil	3,7 mg/kg

8.2 Exposure controls

Engineering measures

Use only in an area equipped with explosion proof exhaust ventilation. Handle only in a place equipped with local exhaust (or other appropriate exhaust).



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - ES



OKS 34	11		
Version 2.5	Revision Date: 18.02.2025	Date of last issue: 20.10.2022 Date of first issue: 15.07.2016	Print Date: 18.02.2025
Pers	sonal protective equip	ment	
	face protection	: Safety glasses with side-shields	
N E	d protection Aaterial Break through time Protective index	: butyl-rubber : > 10 min : Class 1	
F	Remarks	 Wear protective gloves. The bre amongst other things on the mat type of glove and therefore has t case. The selected protective gloves h specifications of Regulation (EU EN 374 derived from it. 	terial, the thickness and the to be measured for each have to satisfy the
Skin	and body protection	: Choose body protection in relation concentration and amount of date the specific work-place.	
Res	piratory protection	: Use respiratory protection unless ventilation is provided or exposu that exposures are within recom Short term only	re assessment demonstrates
F	filter type	: Filter type A-P	
Prot	ective measures	: The type of protective equipment to the concentration and amount at the specific workplace.	
Env	ironmental exposure	controls	
Air		: No special environmental precat	utions required.
Soil		:	
		The product should not be allow courses or the soil.	ed to enter drains, water
Wat	er	:	
		The product should not be allow courses or the soil.	ed to enter drains, water





Version	Revision Date: 18.02.2025	Date of last issue: 20.10.2022	Print Date:
2.5		Date of first issue: 15.07.2016	18.02.2025
2.0	10.02.2020	Date of first 1350C. 15.07.2010	10.02.2020

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	:	aerosol
Colour	:	brown
Odour	:	characteristic
Odour Threshold	:	No data available
Melting point/range	:	No data available
Boiling point/boiling range	:	< -20 °C (1.013 hPa)
Flammability (solid, gas)	:	Extremely flammable aerosol.
Upper explosion limit / Upper flammability limit	:	15 %(V)
Lower explosion limit / Lower flammability limit	:	3 %(V)
Flash point	:	-20 °C Method: Abel-Pensky
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
рН	:	Not applicable substance/mixture is non-soluble (in water)
Viscosity		
Viscosity, dynamic	:	No data available
Viscosity, kinematic	:	No data available
Solubility(ies) Water solubility	:	insoluble
Solubility in other solvents	:	No data available
Partition coefficient: n- octanol/water	:	No data available



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - ES



OKS 341

Version Revision Date: 2.5 18.02.2025	Date of last issue: 20.10.2022 Date of first issue: 15.07.2016	Print Date: 18.02.2025
Vapour pressure	: 4.200 hPa (20 °C)	
Relative density	: 0,6745 (20 °C) Reference substance: Water The value is calculated	
Density	: 0,67 g/cm3 (20 °C)	
Bulk density	: No data available	
Relative vapour density	: No data available	
9.2 Other information		
Explosives	: Not explosive	
Oxidizing properties	: No data available	
Self-ignition	: No data available	
Metal corrosion rate	: Not corrosive to metals	
Evaporation rate	: No data available	
Sublimation point	: No data available	

SECTION 10: Stability and reactivity

10.1 Reactivity

No hazards to be specially mentioned.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions : No dangerous reaction known under conditions of normal use
--

10.4 Conditions to avoid

Conditions to avoid

: Heat, flames and sparks. Strong sunlight for prolonged periods. Risk of receptacle bursting.

10.5 Incompatible materials

Materials to avoid

: Oxidizing agents





Version	Revision Date:	Date of last issue: 20.10.2022	Print Date:
2.5	18.02.2025	Date of first issue: 15.07.2016	18.02.2025

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity		
Product:		
Acute oral toxicity	:	Remarks: This information is not available.
Acute inhalation toxicity	:	Symptoms: Inhalation may provoke the following symptoms:, Respiratory disorder
Acute dermal toxicity	:	Symptoms: Redness, Local irritation
Components:		
Molybdenum trioxide, read dithiophosphate:	ction	products with bis[O,O-bis(2-ethylhexyl)] hydrogen
Acute dermal toxicity	:	Symptoms: Redness, Local irritation
butane:		
Acute inhalation toxicity	:	LC50 (Rat): 658 mg/l Exposure time: 4 h Test atmosphere: gas
Skin corrosion/irritation		
Product:		
Remarks	:	This information is not available.
Components:		
Molybdenum trioxide, readition dithiophosphate:	ction	products with bis[O,O-bis(2-ethylhexyl)] hydrogen
Assessment	:	Irritating to skin.
Result	:	Irritating to skin.
Remarks	:	Irritating to skin.
Serious eye damage/eye i	rritati	on
Product:		

Result : Eye irritation





OKS 34	11			
Version 2.5	Revision Date: 18.02.2025	Date of last issue: 20.10.2022 Date of first issue: 15.07.2016	Print Date: 18.02.2025	
Rem	narks	: Irritating to eyes.		
<u>Con</u>	nponents:			
	ybdenum trioxide, re iophosphate:	action products with bis[O,O-bis(2-e	thylhexyl)] hydrogen	
Asse	essment	: No eye irritation		
Res	ult	: No eye irritation		
Res	piratory or skin sens	itisation		
	duct:			
Rem	narks	: This information is not available	е.	
Con	nponents:			
Sulfonic acids, petroleum, calcium salts:				
Asse	essment	: The product is a skin sensitiser	r, sub-category 1B.	
	ybdenum trioxide, re iophosphate:	action products with bis[O,O-bis(2-e	thylhexyl)] hydrogen	
Asse Res	essment ult	The product is a skin sensitiserThe product is a skin sensitiser		
Geri	m cell mutagenicity			
Proc	duct:			
Gen	otoxicity in vitro	: Remarks: No data available		
Gen	otoxicity in vivo	: Remarks: No data available		
Card	cinogenicity			
Proc	duct:			
Rem	narks	: No data available		
Rep	roductive toxicity			
Proc	duct:			
	cts on fertility	: Remarks: No data available		
	cts on foetal elopment	: Remarks: No data available		





Version	Revision Date:	Date of last issue: 20.10.2022	Print Date:
2.5	18.02.2025	Date of first issue: 15.07.2016	18.02.2025
STO	T - single exposure		
Prod	uct:		
Rem		: No data available	
STO	T - repeated exposu	re	
Prod			
Rem	arks	: No data available	
Repe	eated dose toxicity		
Prod	uct:		
Rem	arks	: This information is not available.	
Aspi	ration toxicity		
Prod	uct:		
	information is not ava	ailable.	
11.2 Infor	mation on other ha	zards	
Endo	ocrine disrupting pr	operties	
Prod	uct:		
Asse	ssment	 The substance/mixture does not considered to have endocrine dis to REACH Article 57(f) or Commi (EU) 2017/2100 or Commission F levels of 0.1% or higher. 	srupting properties according ission Delegated regulation
Furth	ner information		
Prod	uct:		
Rem	arks	: Information given is based on date the toxicology of similar products	
<u>Com</u>	ponents:		
	bdenum trioxide, re ophosphate:	action products with bis[O,O-bis(2-eth	ylhexyl)] hydrogen
Rem		: Ingestion causes irritation of upport gastrointestinal disturbance.	er respiratory system and





Version	Revision Date: 18.02.2025	Date of last issue: 20.10.2022	Print Date:
2.5		Date of first issue: 15.07.2016	18.02.2025
2.0	10.02.2020	Dute of mot 10000. 10.07.2010	10.02.2020

SECTION 12: Ecological information

12.1 Toxicity

- D	ro	du	ct:
	ιu	uu	ωι.

Toxicity to fish	:	Remarks: No data available
Toxicity to daphnia and other aquatic invertebrates	:	Remarks: No data available
Toxicity to algae/aquatic plants	:	Remarks: No data available
Toxicity to microorganisms	:	Remarks: No data available
Components:		
Molybdenum trioxide, reaction dithiophosphate:	on	products with bis[O,O-bis(2-ethylhexyl)] hydrogen
Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l Exposure time: 96 h Test Type: semi-static test Method: OECD Test Guideline 203 GLP: yes
		Remarks: May cause long-term adverse effects in the aquatic environment.
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h Test Type: static test Method: OECD Test Guideline 202 GLP: yes
Toxicity to algae/aquatic plants	:	EC50 (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l Exposure time: 72 h Test Type: static test Method: OECD Test Guideline 201 GLP: yes

12.2 Persistence and degradability

Product:

Biodegradability	:	Remarks: No data available
Physico-chemical removability	:	Remarks: No data available





Version	Revision Date:	Date of last issue: 20.10.2022	Print Date:
2.5	18.02.2025	Date of first issue: 15.07.2016	18.02.2025

Components:

Molybdenum trioxide, dithiophosphate:	reaction products with bis[O,O-bis(2-ethylhexyl)] hydrogen
Biodegradability	 Result: Not rapidly biodegradable Biodegradation: 11 % Exposure time: 28 d Method: OECD Test Guideline 301B

12.3 Bioaccumulative potential

Product:

Bioaccumulation	Remarks: No data available
Dioaccumulation	ILEIIIaiks. NU uala avaliabie

Components:

Molybdenum trioxide, reaction products with bis[O,O-bis(2-ethylhexyl)] hydrogen
dithiophosphate:

Partition coefficient: n-	:	log Pow: > 4
octanol/water		

butane:

Partition coefficient: n-	:	log Pow: 2,89
octanol/water		Method: OECD Test Guideline 107

propane:

Partition coefficient: n-	:	log Pow: 2,36
octanol/water		

12.4 Mobility in soil

Product:		
Mobility	:	Remarks: No data available
Distribution among environmental compartments	:	Remarks: No data available

12.5 Results of PBT and vPvB assessment

Product:	
Assessment	: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.





Version	Revision Date:	Date of last issue: 20.10.2022	Print Date:
2.5	18.02.2025	Date of first issue: 15.07.2016	18.02.2025

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain compone considered to have endocrine disrupting propertie to REACH Article 57(f) or Commission Delegated (EU) 2017/2100 or Commission Regulation (EU) 2 levels of 0.1% or higher.

12.7 Other adverse effects

Product:		
Additional ecological information	No information on ecology is availab	le.
Components:		
Molybdenum trioxide, rea dithiophosphate:	n products with bis[0,0-bis(2-ethylh	exyl)] hydrogen
Additional ecological information	: May cause long lasting harmful effect	ts to aquatic life.

SECTION 13: Disposal considerations

13.1 Waste treatment methods	
Product :	Do not dispose of with domestic refuse. Dispose of as hazardous waste in compliance with local and national regulations.
	Waste codes should be assigned by the user based on the application for which the product was used.
Contaminated packaging :	Packaging that is not properly emptied must be disposed of as the unused product. Offer empty spray cans to an established disposal company. Pressurized container: Do not pierce or burn, even after use.
	The following Waste Codes are only suggestions:
Waste Code :	unused product, packagings not completely emptied 16 05 04**, gases in pressure containers (including halons) containing hazardous substances





Version	Revision Date:	Date of last issue: 20.10.2022	Print Date:
2.5	18.02.2025	Date of first issue: 15.07.2016	18.02.2025

SECTION 14: Transport information

14.1 UN number or ID number		
ADR	:	UN 1950
RID	:	UN 1950
IMDG	:	UN 1950
ΙΑΤΑ	:	UN 1950
14.2 UN proper shipping name		
ADR	:	AEROSOLS
RID	:	AEROSOLS
IMDG	:	AEROSOLS
ΙΑΤΑ	:	Aerosols, flammable
14.3 Transport hazard class(es)		
ADR	:	2
RID	:	2
IMDG	:	2.1
ΙΑΤΑ	:	2.1
14.4 Packing group		
ADR Packing group Classification Code Labels Tunnel restriction code	:	Not assigned by regulation 5F 2.1 (D)
RID Packing group Classification Code Hazard Identification Number Labels	:	Not assigned by regulation 5F 23 2.1
IMDG Packing group Labels EmS Code	:	Not assigned by regulation 2.1 F-D, S-U
IATA (Cargo) Packing instruction (cargo aircraft)	:	203
Packing instruction (LQ) Packing group Labels	:	Y203 Not assigned by regulation Flammable Gas



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - ES



OKS 341

Version 2.5	Revision Date: 18.02.2025	Date of last issue: 20.10.2022 Date of first issue: 15.07.2016	Print Date: 18.02.2025
----------------	---------------------------	---	------------------------

IATA (Passenger)

Packing instruction	: 203
(passenger aircraft)	
Packing instruction (LQ)	: Y203
Packing group	: Not assigned by regulation
Labels	: Flammable Gas

14.5 Environmental hazards

ADR Environmentally hazardous	:	no
RID Environmentally hazardous	:	no
IMDG Marine pollutant	:	no

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Remarks

: Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)	:	Conditions of restriction for the following entries should be considered: Number on list 75 If you intend to use this product as tattoo ink, please contact your vendor.
REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59). (EU SVHC)	:	This product does not contain substances of very high concern (Regulation (EC) No 1907/2006 (REACH), Article 57).
Regulation (EC) No 1005/2009 on substances that deplete the ozone layer (EC 1005/2009)	:	Not applicable
Regulation (EU) 2019/1021 on persistent organic	:	Not applicable
		a brand of



OKS 341 Version Date of last issue: 20.10.2022 **Revision Date:** Print Date: 18.02.2025 Date of first issue: 15.07.2016 18.02.2025 2.5 pollutants (recast) (EU POP) Regulation (EU) No 649/2012 of the European Not applicable 1 Parliament and the Council concerning the export and import of dangerous chemicals (EU PIC) REACH - List of substances subject to authorisation : Not applicable (Annex XIV) (EU. REACH-Annex XIV) Regulation (EU) 2019/1148 on the marketing and use of : Not applicable explosives precursors P2 Seveso III: Directive 2012/18/EU of the European P3a FLAMMABLE AEROSOLS Parliament and of the Council on the control of major-accident hazards involving dangerous substances. 18 Liquefied flammable gases (including LPG) and natural gas Volatile organic compounds Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control) Volatile organic compounds (VOC) content: 54,92 % Other regulations: Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

15.2 Chemical safety assessment

This information is not available.





Version	Revision Date:	Date of last issue: 20.10.2022	Print Date:
2.5	18.02.2025	Date of first issue: 15.07.2016	18.02.2025

SECTION 16: Other information

Full text of H-Statements H220 H280 H315 H317 H413 Full text of other abbreviation	ons	Extremely flammable gas. Contains gas under pressure; may explode if heated. Causes skin irritation. May cause an allergic skin reaction. May cause long lasting harmful effects to aquatic life.
Note C	:	Some organic substances may be marketed either in a specific isomeric form or as a mixture of several isomers. In this case the supplier must state on the label whether the
Note U (table 3.1)	:	substance is a specific isomer or a mixture of isomers. When put on the market gases have to be classified as "Gases under pressure", in one of the groups compressed gas, liquefied gas, refrigerated liquefied gas or dissolved gas. The group depends on the physical state in which the gas is packaged and therefore has to be assigned case by case. The following codes are assigned: Press. Gas (Comp.) Press. Gas (Liq.) Press. Gas (Ref. Liq.) Press. Gas (Diss.) Aerosols shall not be classified as gases under pressure (See Annex I, Part
ES VLA	:	2, Section 2.3.2.1, Note 2). Spain. Environmental Limits for exposure to Chemical agents
ES VLA / VLA-ED	:	- Table 1: Occupational Exposure Values Environmental Daily Limit Value

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN -Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx -Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA -International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO -International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test



SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - ES



OKS 341

Version	Revision Date:	Date of last issue: 20.10.2022	Print Date:
2.5	18.02.2025	Date of first issue: 15.07.2016	18.02.2025

population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Classification of the mixtur	Classification procedure:	
Aerosol 1	H222, H229	Based on product data or assessment
Eye Irrit. 2	H319	Based on product data or assessment

|| Relevant changes compared to the last edition are highlighted at the left margin. This version replaces all previous editions.

This safety data sheet applies only to products as originally packed and labelled. The information contained therein may not be reproduced or modified without our express written permission. Any forwarding of this document is only permitted to the extent required by law. Any further, in particular public, dissemination of the safety data sheet (e.g. as a document for download from the Internet) is not permitted without our express written consent. We provide our customers with amended safety data sheets as prescribed by law. The customer is responsible for passing on safety data sheets and any amendments contained therein to its own customers, employees and other users of the product. We provide no guarantee that safety data sheets received by users from third parties are up-to-date. All information and instructions in this safety data sheet have been compiled to the best of our knowledge and are based on the information available to us on the day of publication. The information provided is intended to describe the product in relation to the required safety measures; it is neither an assurance of characteristics nor a guarantee of the product's suitability for particular applications and does not justify any contractual legal relationship. The existence of a safety data sheet for a particular jurisdiction does not necessarily mean that import or use within that jurisdiction is legally permitted. If you have any questions, please contact your responsible sales contact or authorized trading partner.

