

| Version | Revision Date: | Date of last issue: 19.07.2022  | Print Date: |
|---------|----------------|---------------------------------|-------------|
| 2.4     | 07.11.2024     | Date of first issue: 18.06.2016 | 07.11.2024  |

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

| 1.1 | Product identifier                                   |      |  |  |  |  |
|-----|--|------|--|--|--|--|
|     | Product name   | :    | OKS 1601   |  |  |  |
|     |  |      |  |  |  |  |
| 1.2 | Relevant identified uses of the                      | ne s | substance or mixture and uses advised against  |  |  |  |
|     | Use of the<br>Substance/Mixture                      | :    | release agent spray  |  |  |  |
|     | Recommended restrictions on use                      | :    | Restricted to professional users.  |  |  |  |
| 1.3 | 1.3 Details of the supplier of the safety data sheet |      |  |  |  |  |
|     | Company  | :    | OKS Spezialschmierstoffe GmbH<br>Ganghoferstr. 47<br>82216 Maisach-Gernlinden<br>Deutschland |  |  |  |
|     |  |      | Tel.: +49 8142 3051 500  |  |  |  |
|     |  |      | Fax: +49 8142 3051 599   |  |  |  |
|     |  |      | info@oks-germany.com   |  |  |  |
|     | E-mail address of person responsible for the SDS     | :    | mcm@oks-germany.com  |  |  |  |
|     | National contact                                     | :    |  |  |  |  |
|     |  |      |  |  |  |  |

#### 1.4 Emergency telephone number

| Emergency telephone | : | +34 91 562 04 20 |
|---------------------|---|------------------|
| number              |   |                  |

# **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

| Classification (REGULATION (EC) No 1272/2008) |   |  |  |  |  |
|---|---|--|--|--|--|
| Aerosols, Category 1                          | H222: Extremely flammable aerosol.                |  |  |  |  |
|   | H229: Pressurised container: May burst if heated. |  |  |  |  |

#### 2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)



01/0 4004

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - ES



| OKS 1             | 601                          |   |   |  |   |
|-------------------|------------------------------|---|---|--|---|
| Version<br>2.4    | Revision Date:<br>07.11.2024 |   | ate of last issue: 19<br>ate of first issue: 18 |  | Print Date:<br>07.11.2024                       |
| Ha                | zard pictograms              | : |   |  |   |
| Siç               | gnal word                    | : | Danger  |  |   |
| Hazard statements |                              | : | H222<br>H229                                    | Extremely flammable<br>Pressurised container             |   |
| Pre               | ecautionary statements       | : | Prevention:                                     |  |   |
|                   |                              |   | P210  | Keep away from heat,<br>open flames and othe<br>smoking. | hot surfaces, sparks,<br>r ignition sources. No |
|                   |                              |   | P211  | Do not spray on an op ignition source.                   | en flame or other                               |
|                   |                              |   | P251  | Do not pierce or burn,                                   | even after use.                                 |
|                   |                              |   | Storage:  |  |   |
|                   |                              |   | P410 + P412                                     | Protect from sunlight.<br>temperatures exceedi           |   |

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

Chemical nature

: Active substance with propellant

#### Components

| CAS-No.<br>EC-No.<br>Index-No. | Classification | specific<br>concentration<br>limit<br>M-Factor | Concentration<br>(% w/w) |
|--------------------------------|----------------|--|--------------------------|
|                                |                |  |                          |





Version R 2.4 0

Revision Date: 07.11.2024

Date of last issue: 19.07.2022 Date of first issue: 18.06.2016 Print Date: 07.11.2024

|                   | Registration number  |   | Notes<br>Acute toxicity<br>estimate |              |
|-------------------|--|---|-------------------------------------|--------------|
| Substances with a | workplace exposure limit :   |   |                                     |              |
| dimethyl ether    | 115-10-6<br>204-065-8<br>603-019-00-8<br>01-2119472128-37-<br>XXXX | Flam. Gas1A;<br>H220<br>Press.<br>GasLiquefied gas;<br>H280 | Note U (table<br>3.1)               | >= 30 - < 50 |
| glycerol          | 56-81-5<br>200-289-5   | Not classified  |                                     | >= 1 - < 10  |

For explanation of abbreviations see section 16.

# **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

| If inhaled :            | Remove person to fresh air. If signs/symptoms continue, get<br>medical attention.<br>Keep patient warm and at rest.<br>If unconscious, place in recovery position and seek medical<br>advice.<br>Keep respiratory tract clear.<br>If breathing is irregular or stopped, administer artificial<br>respiration. |
|-------------------------|---|
| In case of skin contact | Remove contaminated clothing. If irritation develops, get<br>medical attention.<br>Wash off with soap and plenty of water.<br>Wash clothing before reuse.<br>Thoroughly clean shoes before reuse.   |
| In case of eye contact  | Rinse immediately with plenty of water, also under the eyelids,<br>for at least 10 minutes.<br>If eye irritation persists, consult a specialist.  |
| If swallowed :          | Move the victim to fresh air.<br>Keep respiratory tract clear.<br>Do NOT induce vomiting.<br>Rinse mouth with water.  |

# 4.2 Most important symptoms and effects, both acute and delayed

| Symptoms | : | Inhalation may provoke the following symptoms: |
|----------|---|--|
|----------|---|--|





| Version<br>2.4 | Revision Date:<br>07.11.2024 | Date of last issue: 19.07.2022<br>Date of first issue: 18.06.2016             | Print Date:<br>07.11.2024 |
|----------------|------------------------------|---|---------------------------|
|                |                              | Unconsciousness<br>Dizziness<br>Drowsiness<br>Headache<br>Nausea<br>Tiredness |                           |
| Risks          | ;                            | : None known.   |                           |

#### 4.3 Indication of any immediate medical attention and special treatment needed

| Treatment | : | Treat symptomatically. |
|-----------|---|------------------------|
|-----------|---|------------------------|

# **SECTION 5: Firefighting measures**

| 5.1 Extinguishing media                       |     |  |
|---|-----|--|
| Suitable extinguishing media                  | :   | ABC powder   |
| Unsuitable extinguishing media                | :   | High volume water jet  |
| 5.2 Special hazards arising from              | the | e substance or mixture   |
| Specific hazards during firefighting          | :   | Fire Hazard<br>Do not let product enter drains.<br>Contains gas under pressure; may explode if heated.<br>Beware of vapours accumulating to form explosive<br>concentrations. Vapours can accumulate in low areas. |
| Hazardous combustion products                 | :   | Carbon oxides  |
| 5.3 Advice for firefighters                   |     |  |
| Special protective equipment for firefighters | :   | In the event of fire, wear self-contained breathing apparatus.<br>Use personal protective equipment. Exposure to<br>decomposition products may be a hazard to health.  |
| Further information                           | :   | Standard procedure for chemical fires.<br>Collect contaminated fire extinguishing water separately. This<br>must not be discharged into drains.<br>Cool containers/tanks with water spray.                         |





| Version | Revision Date: | Date of last issue: 19.07.2022  | Print Date: |
|---------|----------------|---------------------------------|-------------|
| 2.4     | 07.11.2024     | Date of first issue: 18.06.2016 | 07.11.2024  |

#### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

| •                   | <i>i</i> . |                                    |   | 0 |  |                                     |  |
|---------------------|------------|------------------------------------|---|---|--|-------------------------------------|--|
| Personal precaution | ons :      | Ensure<br>Remov<br>Refer<br>Only q | e adequat<br>ve all sour<br>to protecti<br>jualified pe |   | on.<br>iition.<br>ires listed in sect<br>quipped with su | tions 7 and 8.<br>itable protective |  |
|                     |            |                                    |   |   |  |                                     |  |

#### 6.2 Environmental precautions

| Environmental precautions | <ul> <li>Try to prevent the material from entering drains or water courses.</li> <li>Prevent further leakage or spillage if safe to do so.</li> <li>Local authorities should be advised if significant spillages cannot be contained.</li> </ul> |
|---------------------------|--|
|                           |  |

#### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Keep in suitable, closed containers for disposal. Non-sparking tools should be used.

#### 6.4 Reference to other sections

For personal protection see section 8.

#### **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

| Smoking, eating and drinking should be prohibited in th application area. | Advice on safe handling | Wash hands and face before breaks and immediately after<br>handling the product.<br>Do not get in eyes or mouth or on skin.<br>Do not get on skin or clothing.<br>Do not ingest. |
|---|-------------------------|--|
|---|-------------------------|--|





| <b>OKS 160</b>   | 1                                     |  |  |
|------------------|---------------------------------------|--|--|
| Version<br>2.4   | Revision Date:<br>07.11.2024          |  | Print Date:<br>07.11.2024              |
| Hygig            | ne measures                           | <ul> <li>These safety instructions also apply to emp<br/>may still contain product residues.</li> <li>Pressurized container: protect from sunligh<br/>expose to temperatures exceeding 50 °C. I<br/>burn, even after use.</li> <li>Wash face, hands and any exposed skin th</li> </ul> | it and do not<br>Do not pierce or      |
| Hygiene measures |                                       | handling.  | loroughly alter                        |
| 7.2 Condit       | ions for safe storage                 | ncluding any incompatibilities   |  |
|                  | rements for storage<br>and containers | : BEWARE: Aerosol is pressurized. Keep aw<br>exposure and temperatures over 50 °C. Do<br>or throw into fire even after use. Do not spr<br>red-hot objects. Store in accordance with th<br>national regulations.  | o not open by force<br>ay on flames or |
|                  |                                       | Protect from frost.  |  |
| -                | i <b>c end use(s)</b><br>fic use(s)   | : Specific instructions for handling, not require  | red.                                   |

# **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

#### **Occupational Exposure Limits**

| Components     | CAS-No.       | Value type (Form of exposure) | Control parameters       | Basis                      |
|----------------|---------------|-------------------------------|--------------------------|----------------------------|
| dimethyl ether | 115-10-6      | TWA                           | 1.000 ppm<br>1.920 mg/m3 | 2000/39/EC<br>(2000-06-16) |
|                | Further infor | mation: Indicative            |                          |                            |
|                |               | VLA-ED                        | 1.000 ppm<br>1.920 mg/m3 | ES VLA<br>(2012-01-01)     |
| glycerol       | 56-81-5       | VLA-ED (Mist)                 | 10 mg/m3                 | ES VLA<br>(2013-02-22)     |

#### Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

| Substance name | End Use | Exposure routes | Potential health effects   | Value      |
|----------------|---------|-----------------|----------------------------|------------|
| dimethyl ether | Workers | Inhalation      | Long-term exposure         | 1894 mg/m3 |
| glycerol       | Workers | Inhalation      | Long-term local<br>effects | 56 mg/m3   |

#### Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

| Substance name | Environmental Compartment | Value      |
|----------------|---------------------------|------------|
| dimethyl ether | Fresh water               | 0,155 mg/l |



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - ES



0,33 mg/kg

0,141 mg/kg

# **OKS 1601**

| /ersion<br>4 | Revision Date:<br>07.11.2024 | Date of last issue: 19.07.2022<br>Date of first issue: 18.06.2016 | Print Date:<br>07.11.2024 |
|--------------|------------------------------|---|---------------------------|
|              |                              | Marine water  | 0,016 mg/l                |
|              |                              | Sewage treatment plant  | 160 mg/l                  |
|              |                              | Fresh water sediment  | 0,681 mg/kg               |
|              |                              | Marine sediment   | 0,069 mg/kg               |
|              |                              | Soil  | 0,045 mg/kg               |
| glyce        | rol                          | Fresh water   | 0,885 mg/l                |
|              |                              | Marine water  | 0,088 mg/l                |
|              |                              | Intermittent use/release  | 8,85 mg/l                 |
|              |                              | Microbiological Activity in Sewage<br>Treatment Systems           | 1000 mg/l                 |
|              |                              | Fresh water sediment  | 3,3 mg/kg                 |
|              |                              |   |                           |

Marine sediment

# 8.2 Exposure controls

#### **Engineering measures**

Use only in an area equipped with explosion proof exhaust ventilation. Handle only in a place equipped with local exhaust (or other appropriate exhaust).

Soil

| Personal | protective | equipment |
|----------|------------|-----------|
|----------|------------|-----------|

| Eye/face protection   | : | Safety glasses with side-shields  |
|---|---|---|
| Hand protection<br>Material<br>Break through time<br>Protective index | : | butyl-rubber<br>> 10 min<br>Class 1   |
| Remarks   | : | Wear protective gloves. The break through time depends<br>amongst other things on the material, the thickness and the<br>type of glove and therefore has to be measured for each<br>case.<br>The selected protective gloves have to satisfy the<br>specifications of Regulation (EU) 2016/425 and the standard<br>EN 374 derived from it. |
| Skin and body protection  | : | Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.  |
| Respiratory protection  | : | Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.   |
| Filter type   | : | Recommended Filter type:  |
|   |   | Organic gas and low boiling vapour type (AX)  |
| Protective measures   | : | The type of protective equipment must be selected according to the concentration and amount of the dangerous substance  |



| OKS 1601       |                              |   |                           |  |  |  |  |
|----------------|------------------------------|---|---------------------------|--|--|--|--|
| Version<br>2.4 | Revision Date:<br>07.11.2024 | Date of last issue: 19.07.2022<br>Date of first issue: 18.06.2016 | Print Date:<br>07.11.2024 |  |  |  |  |
|                |                              | at the specific workplace.  |                           |  |  |  |  |
| Envir          | onmental exposure            | controls  |                           |  |  |  |  |
| Air            |                              | :<br>No special environmental precaut                             | ions required.            |  |  |  |  |
| Soil           |                              | :   |                           |  |  |  |  |
|                |                              | The product should not be allowed courses or the soil.            | d to enter drains, water  |  |  |  |  |
| Wate           | r                            | :   |                           |  |  |  |  |
|                |                              | The product should not be allowed courses or the soil.            | d to enter drains, water  |  |  |  |  |

# **SECTION 9: Physical and chemical properties**

### 9.1 Information on basic physical and chemical properties

| Physical state                                      | : | aerosol                       |
|---|---|-------------------------------|
| Colour  | : | colourless                    |
| Odour   | : | characteristic                |
| Odour Threshold                                     | : | No data available             |
|   |   |                               |
| Melting point/range                                 | : | No data available             |
| Boiling point/boiling range                         | : | -24,8 °C (1.013 hPa)          |
| Flammability (solid, gas)                           | : | Extremely flammable aerosol.  |
| Upper explosion limit / Upper<br>flammability limit | : | 18,6 %(V)                     |
| Lower explosion limit / Lower flammability limit    | : | 3 %(V)                        |
| Flash point   | : | -41 °C<br>Method: Abel-Pensky |
| Auto-ignition temperature                           | : | No data available             |



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - ES



# **OKS 1601**

| Version<br>2.4 | Revision Date:<br>07.11.2024          |     | of last issue: 19.07.2022<br>of first issue: 18.06.2016               | Print Date:<br>07.11.2024 |
|----------------|---------------------------------------|-----|---|---------------------------|
| De             | composition temperature               | :   | No data available   |                           |
| pН             |                                       | :   | 6,4 (20 °C)<br>Concentration: 100 %                                   |                           |
|                | cosity<br>Viscosity, dynamic          | :   | No data available   |                           |
|                | Viscosity, kinematic                  | :   | < 20,5 mm2/s (40 °C)  |                           |
|                | lubility(ies)<br>Water solubility     | :   | insoluble   |                           |
|                | Solubility in other solvents          | 6 : | No data available   |                           |
|                | rtition coefficient: n-<br>anol/water | :   | No data available   |                           |
| Va             | pour pressure                         | :   | 4.500 hPa (20 °C)   |                           |
| Re             | lative density                        | :   | 0,84 (20 °C)<br>Reference substance: Water<br>The value is calculated |                           |
| De             | nsity                                 | :   | 0,84 g/cm3<br>(20 °C)   |                           |
| Bu             | lk density                            | :   | No data available   |                           |
| Re             | lative vapour density                 | :   | No data available   |                           |
| 9.2 Oth        | er information                        |     |   |                           |
| Ex             | plosives                              | :   | Not explosive   |                           |
| Ox             | idizing properties                    | :   | No data available   |                           |
| Se             | lf-ignition                           | :   | No data available   |                           |
| Ме             | tal corrosion rate                    | :   | Not corrosive to metals   |                           |
| Ev             | aporation rate                        | :   | No data available   |                           |
| Su             | blimation point                       | :   | No data available   |                           |
|                |                                       |     |   |                           |





| Version | Revision Date: | Date of last issue: 19.07.2022  | Print Date: |
|---------|----------------|---------------------------------|-------------|
| 2.4     | 07.11.2024     | Date of first issue: 18.06.2016 | 07.11.2024  |
|         | •••••          |                                 | •••••••••   |

#### **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

No hazards to be specially mentioned.

#### 10.2 Chemical stability

Stable under normal conditions.

#### 10.3 Possibility of hazardous reactions

| Hazardous reactions | : | No dangerous reaction known under conditions of normal use. |
|---------------------|---|---|
|---------------------|---|---|

#### 10.4 Conditions to avoid

| Conditions to avoid | : Heat, flames and sparks.             |
|---------------------|--|
|                     | Strong sunlight for prolonged periods. |
|                     | Risk of receptacle bursting.           |

#### 10.5 Incompatible materials

| Materials to avoid | : Oxidizing agents |
|--------------------|--------------------|
|--------------------|--------------------|

#### **10.6 Hazardous decomposition products**

No decomposition if stored and applied as directed.

### **SECTION 11: Toxicological information**

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

| Acute toxicity                          |   |  |
|---|---|--|
| Product:                                |   |  |
| Acute oral toxicity                     | : | Remarks: This information is not available.                                    |
| Acute inhalation toxicity               | : | Symptoms: Inhalation may provoke the following symptoms:, Respiratory disorder |
| Acute dermal toxicity                   | : | Remarks: This information is not available.                                    |
| Components:                             |   |  |
| dimethyl ether:                         |   |  |
| Acute inhalation toxicity               | : | LC50 (Rat): 309 mg/l<br>Exposure time: 4 h<br>Test atmosphere: gas             |
| <b>glycerol:</b><br>Acute oral toxicity | : | LD50 (Rat, male): 18.300 mg/kg   |





| Un          | 5 100                           |                                |         |  |                           |
|-------------|---------------------------------|--------------------------------|---------|--|---------------------------|
| Vers<br>2.4 | sion                            | Revision Date:<br>07.11.2024   |         | e of last issue: 19.07.2022<br>e of first issue: 18.06.2016              | Print Date:<br>07.11.2024 |
|             | Acute                           | dermal toxicity                | :       | LD50 (Rat): 56.750 mg/kg   |                           |
|             | Skin c                          | orrosion/irritation            |         |  |                           |
|             | <u>Produ</u><br>Remai           |                                | :       | This information is not available.                                       |                           |
|             | <u>Comp</u>                     | onents:                        |         |  |                           |
|             | <b>dimet</b><br>Asses<br>Result |                                | :       | No skin irritation<br>No skin irritation                                 |                           |
|             | Seriou                          | ıs eye damage/eye i            | rritati | ion  |                           |
|             | <u>Produ</u><br>Remai           |                                | :       | Irritating to eyes.  |                           |
|             | <u>Comp</u>                     | onents:                        |         |  |                           |
|             | dimet                           | hyl ether:                     |         |  |                           |
|             | Asses<br>Result                 |                                | :       | No eye irritation<br>No eye irritation                                   |                           |
|             | Respi                           | ratory or skin sensit          | isatio  | on   |                           |
|             | Produ                           | <u>ct:</u>                     |         |  |                           |
|             | Rema                            | rks                            | :       | This information is not available.                                       |                           |
|             | <u>Comp</u>                     | onents:                        |         |  |                           |
|             |                                 | hyl ether:                     |         |  |                           |
|             | Asses<br>Result                 |                                | :       | Does not cause skin sensitisation.<br>Does not cause skin sensitisation. |                           |
|             | Germ                            | cell mutagenicity              |         |  |                           |
|             | <u>Produ</u><br>Genote          | <u>ct:</u><br>oxicity in vitro | :       | Remarks: No data available   |                           |
|             | Genot                           | oxicity in vivo                | :       | Remarks: No data available   |                           |
|             | <u>Comp</u>                     | onents:                        |         |  |                           |
|             | dimet                           | hyl ether:                     |         |  |                           |



# **SAFETY DATA SHEET** according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - ES



| OKS 1601              |                                |   |   |                            |  |
|-----------------------|--------------------------------|---|---|----------------------------|--|
| Version<br>2.4        | Revision Date:<br>07.11.2024   |   | e of last issue: 19.07.2022<br>e of first issue: 18.06.2016   | Print Date:<br>07.11.2024  |  |
| Geno                  | Genotoxicity in vitro          |   | Test Type: Ames test<br>Method: OECD Test Guideline 47<br>Result: negative  | 1                          |  |
| Gend                  | otoxicity in vivo              | : | Species: Drosophila melanogaste<br>Application Route: inhalation (gas<br>Method: OECD Test Guideline 47<br>Result: negative | 3)                         |  |
| glyce                 | erol:                          |   |   |                            |  |
| Gern                  | n cell mutagenicity-<br>ssment | : | Tests on bacterial or mammalian mutagenic effects.  | cell cultures did not show |  |
| Carc                  | inogenicity                    |   |   |                            |  |
| Prod                  | luct:                          |   |   |                            |  |
| Rem                   |                                | : | No data available   |                            |  |
| <u>Com</u>            | ponents:                       |   |   |                            |  |
| dimethyl ether:       |                                |   |   |                            |  |
| Spec<br>Appli<br>Expo | cation Route<br>sure time      | : | Rat<br>inhalation (gas)<br>2 Years<br>47 mg/l<br>OECD Test Guideline 453  |                            |  |
| Meth<br>Resu          |                                | : | negative  |                            |  |
| glyce                 | erol:                          |   |   |                            |  |
|                       | inogenicity -<br>ssment        | : | No evidence of carcinogenicity in   | animal studies.            |  |
| Repr                  | oductive toxicity              |   |   |                            |  |
| Prod                  | luct:                          |   |   |                            |  |
| Effec                 | ets on fertility               | : | Remarks: No data available  |                            |  |
|                       | ts on foetal<br>lopment        | : | Remarks: No data available  |                            |  |
| Com                   | ponents:                       |   |   |                            |  |
| dime                  | ethyl ether:                   |   |   |                            |  |
|                       | oductive toxicity -<br>ssment  | : | - Fertility -<br>Animal testing did not show any e  | ffects on fertility.       |  |



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - ES



| <b>OKS</b> 16       | 01                                     |   |   |  |  |  |  |
|---------------------|--|---|---|--|--|--|--|
| Version<br>2.4      | Revision Date:<br>07.11.2024           | Date of last issue: 19.07.2022<br>Date of first issue: 18.06.2016   | Print Date:<br>07.11.2024                             |  |  |  |  |
| •                   | erol:<br>oductive toxicity -<br>ssment | <ul> <li>Fertility -</li> <li>No toxicity to reproduction</li> <li>Teratogenicity -</li> <li>No effects on or via lactation</li> </ul>            |   |  |  |  |  |
| STO                 | T - single exposure                    |   |   |  |  |  |  |
| Prod                | uct:                                   |   |   |  |  |  |  |
| Rem                 |  | : No data available   |   |  |  |  |  |
| STO                 | T - repeated exposur                   | )   |   |  |  |  |  |
| Prod                | uct:                                   |   |   |  |  |  |  |
| Rem                 | arks                                   | : No data available   |   |  |  |  |  |
| Repe                | eated dose toxicity                    |   |   |  |  |  |  |
| Prod                |  |   |   |  |  |  |  |
| Rem                 | arks                                   | : This information is not available.  |   |  |  |  |  |
| Aspi                | ration toxicity                        |   |   |  |  |  |  |
| <u>Prod</u><br>This | uct:<br>information is not avai        | able.   |   |  |  |  |  |
| <u>Com</u>          | ponents:                               |   |   |  |  |  |  |
| dime                | thyl ether:                            |   |   |  |  |  |  |
| No a                | spiration toxicity class               | ication   |   |  |  |  |  |
| glyce               | erol:                                  |   |   |  |  |  |  |
| No a                | No aspiration toxicity classification  |   |   |  |  |  |  |
| 11.2 Info           | mation on other haz                    | urds  |   |  |  |  |  |
|                     | ocrine disrupting pro                  | perties   |   |  |  |  |  |
| Prod                |  |   |   |  |  |  |  |
| Asse                | ssment                                 | : The substance/mixture does not co<br>considered to have endocrine disru<br>to REACH Article 57(f) or Commiss<br>(EU) 2017/2100 or Commission Re | upting properties according sion Delegated regulation |  |  |  |  |



levels of 0.1% or higher.



| Version<br>2.4 | Revision Date:<br>07.11.2024 | Date of last issue: 19.07.2022<br>Date of first issue: 18.06.2016       | Print Date:<br>07.11.2024 |
|----------------|------------------------------|---|---------------------------|
| Furth          | ner information              |   |                           |
| Prod           | uct:                         |   |                           |
| Remarks :      |                              | : Information given is based on date the toxicology of similar products |                           |

# **SECTION 12: Ecological information**

# 12.1 Toxicity

| Product:  |   |  |
|---|---|--|
| Toxicity to fish                                    | ÷ | Remarks: No data available   |
| Toxicity to daphnia and other aquatic invertebrates | : | Remarks: No data available   |
| Toxicity to algae/aquatic plants                    | : | Remarks: No data available   |
| Toxicity to microorganisms                          | : | Remarks: No data available   |
| Components:   |   |  |
| dimethyl ether:                                     |   |  |
| Toxicity to fish                                    | : | LC50 (Poecilia reticulata (guppy)): > 4.100 mg/l<br>Exposure time: 96 h<br>Test Type: semi-static test   |
| Toxicity to daphnia and other aquatic invertebrates | : | EC50 (Daphnia magna (Water flea)): > 4.400 mg/l<br>Exposure time: 48 h<br>Test Type: static test         |
| Toxicity to algae/aquatic plants                    | : | EC50 (green algae): 154,9 mg/l<br>Exposure time: 96 h  |
| glycerol:   |   |  |
| Toxicity to fish                                    | : | LC50 (Oncorhynchus mykiss (rainbow trout)): 54.000 mg/l<br>Exposure time: 96 h<br>Test Type: static test |
| Toxicity to daphnia and other aquatic invertebrates | : | EC50 (Daphnia magna (Water flea)): 1.955 mg/l<br>Exposure time: 48 h<br>Test Type: static test           |



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - ES



# **OKS 1601**

| Version | Revision Date: | Date of last issue: 19.07.2022  | Print Date: |
|---------|----------------|---------------------------------|-------------|
| 2.4     | 07.11.2024     | Date of first issue: 18.06.2016 | 07.11.2024  |

### 12.2 Persistence and degradability

| · === · · · · · · · · · · · · · · · · ·          | - , |  |
|--|-----|--|
| Product:   |     |  |
| Biodegradability                                 | :   | Remarks: No data available   |
| Physico-chemical removability                    | :   | Remarks: No data available   |
| Components:                                      |     |  |
| dimethyl ether:                                  |     |  |
| Biodegradability                                 | :   | Test Type: aerobic<br>Inoculum: activated sludge<br>Result: Not readily biodegradable.<br>Biodegradation: 5 %<br>Exposure time: 28 d<br>Method: OECD Test Guideline 301D |
| glycerol:  |     |  |
| Biodegradability                                 | :   | Result: Readily biodegradable.<br>Biodegradation: 94 %<br>Exposure time: 1 d   |
| 12.3 Bioaccumulative potential                   |     |  |
| Product:   |     |  |
| Bioaccumulation                                  | :   | Remarks: No data available   |
| Components:                                      |     |  |
| dimethyl ether:                                  |     |  |
| Partition coefficient: n-<br>octanol/water       | :   | log Pow: 0,07 (25 °C)  |
| glycerol:  |     |  |
| Partition coefficient: n-<br>octanol/water       | :   | log Pow: -1,760  |
| 12.4 Mobility in soil                            |     |  |
| Product:   |     |  |
| Mobility   | :   | Remarks: No data available   |
| Distribution among<br>environmental compartments | :   | Remarks: No data available   |





| Version | Revision Date: | Date of last issue: 19.07.2022  | Print Date: |
|---------|----------------|---------------------------------|-------------|
| 2.4     | 07.11.2024     | Date of first issue: 18.06.2016 | 07.11.2024  |

# 12.5 Results of PBT and vPvB assessment

| Product:<br>Assessment         | : This substance/mixture contains no components considered<br>to be either persistent, bioaccumulative and toxic (PBT), or<br>very persistent and very bioaccumulative (vPvB) at levels of<br>0.1% or higher. |
|--------------------------------|---|
| Components:                    |   |
| dimethyl ether:<br>Assessment  | : Non-classified vPvB substance. Non-classified PBT substance   |
| <b>glycerol:</b><br>Assessment | : Non-classified PBT substance. Non-classified vPvB substance   |

#### 12.6 Endocrine disrupting properties

| Product:<br>Assessment :          |   | The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher. |
|-----------------------------------|---|---|
| 12.7 Other adverse effects        |   |   |
| Product:                          |   |   |
| Additional ecological information | : | No information on ecology is available.   |

### **SECTION 13: Disposal considerations**

| 13.1 Waste treatment methods |  |
|------------------------------|--|
| Product                      | : Do not dispose of with domestic refuse.<br>Dispose of as hazardous waste in compliance with local and<br>national regulations.   |
|                              | Waste codes should be assigned by the user based on the application for which the product was used.  |
| Contaminated packaging       | <ul> <li>Packaging that is not properly emptied must be disposed of as<br/>the unused product.</li> <li>Offer empty spray cans to an established disposal company.</li> <li>Pressurized container: Do not pierce or burn, even after use.</li> </ul> |





| <b>OKS 16</b>                      | 01 |   |                            |  |  |  |
|------------------------------------|----|---|----------------------------|--|--|--|
| VersionRevision Date:2.407.11.2024 |    | Date of last issue: 19.07.2022Print Date:Date of first issue: 18.06.201607.11.2024  |                            |  |  |  |
|                                    |    | The following Waste Codes are only suggestions:   |                            |  |  |  |
| Waste Code                         |    | <ul> <li>unused product, packagings not on<br/>16 05 04**, gases in pressure cor<br/>containing hazardous substances</li> </ul> | tainers (including halons) |  |  |  |

# **SECTION 14: Transport information**

| 14.1 UN number or ID number  |   |  |
|--|---|--|
| ADR  | : | UN 1950  |
| RID  | : | UN 1950  |
| IMDG   | : | UN 1950  |
| ΙΑΤΑ   | : | UN 1950  |
| 14.2 UN proper shipping name   |   |  |
| ADR  | : | AEROSOLS                                       |
| RID  | : | AEROSOLS                                       |
| IMDG   | : | AEROSOLS                                       |
| ΙΑΤΑ   | : | Aerosols, flammable                            |
| 14.3 Transport hazard class(es)  |   |  |
| ADR  | : | 2  |
| RID  | : | 2  |
| IMDG   | : | 2.1  |
| ΙΑΤΑ   | : | 2.1  |
| 14.4 Packing group   |   |  |
| <b>ADR</b><br>Packing group<br>Classification Code<br>Labels<br>Tunnel restriction code      | : | Not assigned by regulation<br>5F<br>2.1<br>(D) |
| <b>RID</b><br>Packing group<br>Classification Code<br>Hazard Identification Number<br>Labels | : | Not assigned by regulation<br>5F<br>23<br>2.1  |
| <b>IMDG</b><br>Packing group<br>Labels<br>EmS Code   | : | Not assigned by regulation<br>2.1<br>F-D, S-U  |

# 14.1 UN number or ID number



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - ES



# **OKS 1601**

| Version<br>2.4   | Revision Date:<br>07.11.2024 | Date of last issue: 19.07.2022<br>Date of first issue: 18.06.2016 |  | - | Print Date:<br>07.11.2024 |
|--|------------------------------|---|--|---|---------------------------|
| IATA (Cargo)<br>Packing instruction (cargo<br>aircraft)<br>Packing instruction (LQ)<br>Packing group<br>Labels         |                              | :   | 203<br>Y203<br>Not assigned by regulation<br>Flammable Gas |   |                           |
| IATA (Passenger)<br>Packing instruction<br>(passenger aircraft)<br>Packing instruction (LQ)<br>Packing group<br>Labels |                              | :   | 203<br>Y203<br>Not assigned by regulation<br>Flammable Gas |   |                           |
| 14.5 Environmental hazards   |                              |   |  |   |                           |
| <b>ADR</b><br>Envir  | onmentally hazardous         | :   | no   |   |                           |

| Environmentally hazardous |  |
|---------------------------|--|
|                           |  |

RID

#### IMDG

Marine pollutant : no

#### 14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

#### 14.7 Maritime transport in bulk according to IMO instruments

: no

Remarks

: Not applicable for product as supplied.

### **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

| REACH - Restrictions on the manufacture, placing on<br>the market and use of certain dangerous substances,<br>mixtures and articles (Annex XVII) | : Not applicable   |
|--|--|
| REACH - Candidate List of Substances of Very High<br>Concern for Authorisation (Article 59).<br>(EU SVHC)  | : This product does not contain<br>substances of very high concern<br>(Regulation (EC) No<br>1907/2006 (REACH), Article 57). |
| Regulation (EC) No 1005/2009 on substances that deplete the ozone layer (EC 1005/2009)   | : Not applicable   |





\_\_\_\_

| <b>OKS 16</b>  | 01   |  |    |                        |
|--|--|--|----|------------------------|
| Version<br>2.4   | Revision Date:<br>07.11.2024   | Date of last issue: 19.07.20<br>Date of first issue: 18.06.2 |    | Print Date: 07.11.2024 |
|  |  |  |    |                        |
| pollut   | llation (EU) 2019/102<br>tants (recast)<br>POP)                                    | 1 on persistent organic                                      | :  | Not applicable         |
| Regulation (EU) No 649/2012 of the European : Not applicable<br>Parliament and the Council concerning the export and<br>import of dangerous chemicals<br>(EU PIC)                                  |  |  |    |                        |
| (Ann   | CH - List of substance<br>ex XIV)<br>REACH-Annex XIV)                              | es subject to authorisation                                  | :  | Not applicable         |
|  | llation (EU) 2019/114<br>osives precursors   | 8 on the marketing and use of                                | f: | Not applicable         |
| Parlia<br>majo   | so III: Directive 2012<br>ament and of the Cou<br>r-accident hazards in<br>tances. |  | a  | FLAMMABLE AEROSOLS     |
| Volatile organic compounds : Directive 2010/75/EU of 24 November 2010 on industrial<br>emissions (integrated pollution prevention and control)<br>Volatile organic compounds (VOC) content: 40,8 % |  |  |    |                        |
| Othe   | r regulations:   |  |    |                        |
| Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.  |  |  |    |                        |
| 15.2 Chei  | nical safety assess  | ment   |    |                        |
|  | information is not ava   |  |    |                        |
| SECTIO   | N 16: Other inform   | ation  |    |                        |
| Full   | ext of H-Statements  | 5  |    |                        |

| H220 | : Extremely flammable gas.                            |
|------|---|
| H280 | : Contains gas under pressure; may explode if heated. |





| Version | Revision Date: | Date of last issue: 19.07.2022  | Print Date: |
|---------|----------------|---------------------------------|-------------|
| 2.4     | 07.11.2024     | Date of first issue: 18.06.2016 | 07.11.2024  |

#### Full text of other abbreviations

| Note U (table 3.1)                  | : | When put on the market gases have to be classified as<br>"Gases under pressure", in one of the groups compressed<br>gas, liquefied gas, refrigerated liquefied gas or dissolved gas.<br>The group depends on the physical state in which the gas is<br>packaged and therefore has to be assigned case by case. The<br>following codes are assigned: Press. Gas (Comp.) Press. Gas<br>(Liq.) Press. Gas (Ref. Liq.) Press. Gas (Diss.) Aerosols shall<br>not be classified as gases under pressure (See Annex I, Part<br>2, Section 2.3.2.1, Note 2). |
|-------------------------------------|---|--|
| 2000/39/EC                          | : | Europe. Commission Directive 2000/39/EC establishing a first list of indicative occupational exposure limit values   |
| ES VLA                              | : | Spain. Environmental Limits for exposure to Chemical agents<br>- Table 1: Occupational Exposure Values   |
| 2000/39/EC / TWA<br>ES VLA / VLA-ED | : | Limit Value - eight hours<br>Environmental Daily Limit Value   |

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN -Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx -Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA -International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO -International Maritime Organization: ISHL - Industrial Safety and Health Law (Japan): ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIOC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID -Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals





| Version | Revision Date: | Date of last issue: 19.07.2022  | Print Date: |
|---------|----------------|---------------------------------|-------------|
| 2.4     | 07.11.2024     | Date of first issue: 18.06.2016 | 07.11.2024  |

Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

| Further information            | 1          |                                     |  |
|--------------------------------|------------|-------------------------------------|--|
| Classification of the mixture: |            | Classification procedure:           |  |
| Aerosol 1                      | H222, H229 | Based on product data or assessment |  |

Relevant changes compared to the last edition are highlighted at the left margin. This version replaces all previous editions.

This safety data sheet applies only to products as originally packed and labelled. The information contained therein may not be reproduced or modified without our express written permission. Any forwarding of this document is only permitted to the extent required by law. Any further, in particular public, dissemination of the safety data sheet (e.g. as a document for download from the Internet) is not permitted without our express written consent. We provide our customers with amended safety data sheets as prescribed by law. The customer is responsible for passing on safety data sheets and any amendments contained therein to its own customers, employees and other users of the product. We provide no guarantee that safety data sheets received by users from third parties are up-to-date. All information and instructions in this safety data sheet have been compiled to the best of our knowledge and are based on the information available to us on the day of publication. The information provided is intended to describe the product in relation to the required safety measures; it is neither an assurance of characteristics nor a guarantee of the product's suitability for particular applications and does not justify any contractual legal relationship. The existence of a safety data sheet for a particular jurisdiction does not necessarily mean that import or use within that jurisdiction is legally permitted. If you have any questions, please contact your responsible sales contact or authorized trading partner.

