

Version	Revision Date:	Date of last issue: 10.10.2023	Print Date:
5.1	08.11.2024	Date of first issue: 21.06.2016	08.11.2024

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier		
Product name	:	OKS 240
1.2 Relevant identified uses of t	he s	substance or mixture and uses advised against
Use of the	:	Lubricants and lubricant additives
Substance/Mixture		
Recommended restrictions	:	Restricted to professional users.
on use		·
1.3 Details of the supplier of the	saf	ety data sheet
Company	:	OKS Spezialschmierstoffe GmbH
		Ganghoferstr. 47
		82216 Maisach-Gernlinden Deutschland
		Tel.: +49 8142 3051 500
		Fax: +49 8142 3051 599
		info@oks-germany.com
E-mail address of person	:	mcm@oks-germany.com
responsible for the SDS		
National contact		
	•	
1.4 Emergency telephone numb	er	

#### 1.4 Emergency telephone number

Emergency telephone	:	+34 91 562 04 20
number		

# **SECTION 2: Hazards identification**

# 2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)					
Eye irritation, Category 2	H319: Causes serious eye irritation.				
Short-term (acute) aquatic hazard, Category 1	H400: Very toxic to aquatic life.				
Long-term (chronic) aquatic hazard, Category 1	H410: Very toxic to aquatic life with long lasting effects.				



### **SAFETY DATA SHEET** according to Regulation (EC) No. 1907/2006, as amended by

Commission Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - ES



# **OKS 240**

Version	Revision Date:	Date of last issue: 10.10.2023	Print Date: 08.11.2024
5.1	08.11.2024	Date of first issue: 21.06.2016	

#### 2.2 Label elements

Labelling (REGULATION (E Hazard pictograms	<b>C)</b>	No 1272/2008)	
Signal word	:	Warning	
Hazard statements	:	H319 H410	Causes serious eye irritation. Very toxic to aquatic life with long lasting effects.
Precautionary statements	:	<b>Prevention:</b> P264 P273 P280	Wash skin thoroughly after handling. Avoid release to the environment. Wear eye protection/ face protection.
		<b>Response:</b> P305 + P351 + P3 P337 + P313 P391	<ul> <li>IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</li> <li>If eye irritation persists: Get medical advice/ attention.</li> <li>Collect spillage.</li> </ul>

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

Chemical nature

: Synthetic hydrocarbon oil

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - ES



# **OKS 240**

Version	Revision Date:	Date of last issue: 10.10.2023	Print Date:
5.1	08.11.2024	Date of first issue: 21.06.2016	08.11.2024

# Metal powder solid lubricant

Components				
Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	specific concentration limit M-Factor Notes Acute toxicity estimate	Concentration (% w/w)
copper	7440-50-8 231-159-6 01-2119480154-42- XXXX	Acute Tox.4; H302 Eye Irrit.2; H319 Aquatic Acute1; H400 Aquatic Chronic1; H410	M-Factor: 10/10 ATE (Oral): 500 mg/kg; ATE (Inhalation): 0,733 mg/l;	>= 10 - < 20
Substances with a work	place exposure limit :			
tin	7440-31-5 231-141-8	Not classified		>= 1 - < 10
molybdenum disulphide	1317-33-5 215-263-9	Not classified		>= 1 - < 10

For explanation of abbreviations see section 16.

# **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

If inhaled

: Take victim immediately to hospital.

Remove person to fresh air. If signs/symptoms continue, get medical attention. Keep patient warm and at rest.

If unconscious, place in recovery position and seek medical

advice.

Keep respiratory tract clear.

If breathing is irregular or stopped, administer artificial respiration.



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - ES



OKS 240				
Version 5.1	Revision Date: 08.11.2024		e of last issue: 10.10.2023 e of first issue: 21.06.2016	Print Date: 08.11.2024
In cas	e of skin contact	:	Take off all contaminated clothing in Wash off immediately with soap and Get medical attention immediately in persists. Wash clothing before reuse. Thoroughly clean shoes before reuse	d plenty of water. f irritation develops and
In cas	e of eye contact	:	Rinse immediately with plenty of wa for at least 10 minutes. Seek medical advice.	ater, also under the eyelids
lf swa	llowed	:	Move the victim to fresh air. If accidentally swallowed obtain imm If unconscious, place in recovery po- advice. Keep respiratory tract clear. Do not induce vomiting without med Never give anything by mouth to an	osition and seek medical dical advice.
4.2 Most ir	mportant symptoms a	and e	effects, both acute and delayed	
Sympt		:	Inhalation may provoke the followin Headache Nausea	ig symptoms:
Risks		:	May cause an allergic skin reaction	
4 3 Indicat	ion of any immediate	mo	dical attention and special treatme	int needed
Treatr	-	:	Treat symptomatically.	
	5: Firefighting mea	asur	es	
-	ble extinguishing media	a :	Use water spray, alcohol-resistant f carbon dioxide.	foam, dry chemical or
Unsuit media	table extinguishing	:	High volume water jet	
5.2 Specia	I hazards arising from	n the	e substance or mixture	
-	dous combustion	:	Carbon oxides Nitrogen oxides (NOx) Sulphur oxides Oxides of phosphorus Metal oxides	





Version 5.1	Revision Date: 08.11.2024		e of last issue: 10.10.2023 e of first issue: 21.06.2016	Print Date: 08.11.2024
5.3 Advid	ce for firefighters			
	cial protective equipme refighters	ent :	In the event of fire, wear self-cont Use personal protective equipment decomposition products may be a	nt. Exposure to
Furti	ner information	:	Standard procedure for chemical Collect contaminated fire extingui must not be discharged into drain	shing water separately. This

# **SECTION 6: Accidental release measures**

6.1 Personal precautions, protectiv	e equipment and emergency procedures			
Personal precautions :	Evacuate personnel to safe areas. Ensure adequate ventilation. Do not breathe vapours, aerosols. Refer to protective measures listed in sections 7 and 8.			
6.2 Environmental precautions				
Environmental precautions :	Do not allow contact with soil, surface or ground water. If the product contaminates rivers and lakes or drains inform respective authorities.			
6.3 Methods and material for containment and cleaning up				
Methods for cleaning up :	Pick up and transfer to properly labelled containers.			

## 6.4 Reference to other sections

For personal protection see section 8.

# **SECTION 7: Handling and storage**

### 7.1 Precautions for safe handling

In case of equipme Avoid ex Avoid co For pers Smoking applicati Wash ha handling Do not g	posure - obtain special instructions before use. ontact with skin and eyes. onal protection see section 8. g, eating and drinking should be prohibited in the on area. ands and face before breaks and immediately after the product. let in eyes or mouth or on skin. let on skin or clothing.
--	---





<b>OKS 240</b>	l.			
Version 5.1	Revision Date: 08.11.2024		e of last issue: 10.10.2023 e of first issue: 21.06.2016	Print Date: 08.11.2024
			Do not repack. These safety instructions also apply to en may still contain product residues. Keep container closed when not in use.	
Hygier	ne measures	:	Wash face, hands and any exposed skin handling.	thoroughly after
7.2 Conditions for safe storage, including any incompatibilities				
	rements for storage and containers	:	Store in original container. Keep container use. Keep in a dry, cool and well-ventilat which are opened must be carefully rese to prevent leakage. Store in accordance national regulations. Keep in properly lab	ed place. Containers aled and kept upright with the particular
-	<b>c end use(s)</b> ic use(s)	:	Specific instructions for handling, not req	uired.

# **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

#### **Occupational Exposure Limits**

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
copper	7440-50-8	VLA-ED (respirable fraction)	0,01 mg/m3 (Copper)	ES VLA (2022-04-01)
tin	7440-31-5	VLA-ED	2 mg/m3	ES VLA (2015-02-19)
		TWA	2 mg/m3 (Tin)	91/322/EEC (1991-07-05)
	Further inform	mation: Indicative		
molybdenum disulphide	1317-33-5	VLA-ED (inhalable fraction)	10 mg/m3 (Molybdenum)	ES VLA (2015-02-19)
		VLA-ED (respirable fraction)	3 mg/m3 (Molybdenum)	ES VLA (2015-02-19)

#### Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
Benzene, mono-C10- 13-alkyl derivs., distn. residues	Workers	Inhalation	Long-term systemic effects	2,2 mg/m3



### **SAFETY DATA SHEET** according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - ES



# **OKS 240**

Version 5.1	Revision Date: 08.11.2024		of last issue: 10.10.2023 of first issue: 21.06.2016	Print Date: 08.11.2024	
		Workers	Skin contact	Long-term systemic effects	3,15 mg/kg bw/day
Pre	dicted No Effect C	oncentratio	on (PNEC) according to	Regulation (EC) No.	1907/2006:
Sub	Substance name		Environmental Compar	rtment	Value
	Benzene, mono-C10-13-alkyl derivs., distn. residues		Fresh water		0,001 mg/l
			Intermittent use/release	Э	0,001 mg/l
			Manina watan		0

	0,001 mg/i
Marine water	0 mg/l
Microbiological Activity in Sewage	2 mg/l
Treatment Systems	-
Fresh water sediment	16,5 mg/kg
Marine sediment	1,65 mg/kg
Soil	3,7 mg/kg

#### 8.2 Exposure controls

#### Engineering measures

Handle only in a place equipped with local exhaust (or other appropriate exhaust).

Personal protective equipment				
Eye/face protection	Safety glasses			
Break through time	butyl-rubber > 10 min Class 1			
Remarks	For prolonged or repeated contact use protective gloves. The break through time depends amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each case. The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it.			
Skin and body protection	Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.			
Respiratory protection	Not required; except in case of aerosol formation.			
Filter type	Filter type A-P			
Protective measures	The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.			

#### **Environmental exposure controls**

:

Air





<b>OKS 240</b>					
Version 5.1	Revision Date: 08.11.2024				
		Should not be released into the envi	ronment.		
Soil		:			
		Do not allow contact with soil, surface The product should not be allowed to courses or the soil.			
Water		:			
		Do not allow contact with soil, surfact The product should not be allowed to courses or the soil.	-		

# **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

Physical state	:	paste
Colour	:	red brown
Odour	:	characteristic
Odour Threshold	:	No data available
Melting point/range	:	Not applicable
Boiling point/boiling range	:	No data available
Flammability (solid, gas)	:	Combustible Solids
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	Not applicable
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
рН	:	Not applicable substance/mixture is non-soluble (in water)



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - ES



# **OKS 240**

Version 5.1	Revision Date: 08.11.2024		e of last issue: 10.10.2023 e of first issue: 21.06.2016	Print Date: 08.11.2024
	osity			
V	'iscosity, dynamic	:	No data available	
V	iscosity, kinematic	:	Not applicable	
	bility(ies) Vater solubility	:	insoluble	
S	olubility in other solvents	3 :	No data available	
	ition coefficient: n- nol/water	:	No data available	
Vapo	our pressure	:	< 0,001 hPa (20 °C)	
Rela	tive density	:	1,30 (20 °C) Reference substance: Water The value is calculated	
Den	sity	:	1,30 g/cm3 (20 °C)	
Bulk	density	:	No data available	
Rela	tive vapour density	:	No data available	
	icle characteristics Particle size	:	Not applicable	
P	Particle Size Distribution	:	Not applicable	
9.2 Other	r information			
Expl	osives	:	Not explosive	
Oxid	lizing properties	:	No data available	
Self-	ignition	:	No data available	
Meta	al corrosion rate	:	Not corrosive to metals	
Evap	poration rate	:	No data available	
Subl	imation point	:	No data available	





Version 5.1	Revision Date: 08.11.2024	Date of last issue: 10.10.2023 Date of first issue: 21.06.2016	Print Date: 08.11.2024
SECTION	N 10: Stability and	reactivity	
10 1 Boog	s+iszi4sz		
10.1 Read	azards to be specially	mentioned	
		mentioned.	
10.2 Cher	nical stability		
Stabl	e under normal cond	itions.	
10.3 Poss	bility of hazardous	reactions	
Haza	rdous reactions	: No dangerous reaction knowr	n under conditions of normal use.
10.4 Cond	ditions to avoid		
Cond	itions to avoid	: No conditions to be specially	mentioned.
10.5 Incol	mpatible materials		
Mate	rials to avoid	: No materials to be especially	mentioned.

#### **10.6 Hazardous decomposition products**

No decomposition if stored and applied as directed.

## **SECTION 11: Toxicological information**

Acute toxicity

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Addie toxioity		
Product:		
Acute oral toxicity	:	Acute toxicity estimate: > 2.000 mg/kg Method: Calculation method
		Remarks: Toxic if swallowed. Very toxic if swallowed.
Acute inhalation toxicity	:	Remarks: Very toxic by inhalation.
Acute dermal toxicity	:	Symptoms: Redness, Local irritation
<u>Components:</u>		
copper:		
Acute oral toxicity	:	Acute toxicity estimate: 500 mg/kg Method: Acute toxicity estimate according to Regulation (EC) No. 1272/2008
		LD50 Oral (Rat): > 300 - 2.000 mg/kg Assessment: The component/mixture is moderately toxic after





<b>OKS 24</b>	0			
Version 5.1	Revision Date: 08.11.2024	Date of last issue: 10.10.2023Print Date:Date of first issue: 21.06.201608.11.2024		
			single ingestion.	
Acute	Acute inhalation toxicity		Acute toxicity estimate: 0,733 mg Test atmosphere: dust/mist Method: Acute toxicity estimate a No. 1272/2008	
Acute	Acute dermal toxicity		LD50 (Rat, male and female): > 2 Assessment: The substance or m toxicity	
tin:				
Acute	e oral toxicity	:	LD50 (Rat): > 2.000 mg/kg Method: OECD Test Guideline 42 GLP: yes Assessment: The substance or m toxicity	
Acute	Acute inhalation toxicity		LC50 (Rat): > 5 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 40 GLP: yes Assessment: The substance or m inhalation toxicity	
Acute	Acute dermal toxicity		LD50 (Rat): > 2.000 mg/kg Method: OECD Test Guideline 40 GLP: yes Assessment: The substance or m toxicity	
moly	bdenum disulphide:			
Acute	e oral toxicity	:	LD50 (Rat): > 5.000 mg/kg	
Acute	e dermal toxicity	:	LD50 (Rat): > 16.000 mg/kg	
Skin	corrosion/irritation			
<u>Prod</u> Rema		:	This information is not available.	
<u>Com</u>	ponents:			
<b>tin:</b> Asse Resu	ssment It	:	No skin irritation No skin irritation	



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - ES



<b>OKS 24</b>	OKS 240				
Version 5.1	Revision Date: 08.11.2024	Date of last issue: 10.10.2023 Date of first issue: 21.06.2016	Print Date: 08.11.2024		
moly	bdenum disulphide:				
Asse Resu	ssment It	<ul><li>No skin irritation</li><li>No skin irritation</li></ul>			
Seric	ous eye damage/eye	rritation			
<u>Prod</u> Rema		: Irritating to eyes.			
Com	ponents:				
<b>copp</b> Resu		: Eye irritation			
tin:					
Asse Resu	ssment It	<ul><li>No eye irritation</li><li>No eye irritation</li></ul>			
moly	bdenum disulphide:				
Asse Resu	ssment It	<ul><li>No eye irritation</li><li>No eye irritation</li></ul>			
Resp	iratory or skin sensi	isation			
Prod					
Rema	arks	: This information is not available.			
Com	ponents:				
	bdenum disulphide: ssment	: Does not cause skin sensitisation.			
Resu		: Does not cause skin sensitisation.			
Gern	n cell mutagenicity				
<u>Prod</u> Genc	<u>uct:</u> toxicity in vitro	: Remarks: No data available			
	toxicity in vivo	: Remarks: No data available			
Com	ponents:				
Germ	<b>bdenum disulphide:</b> n cell mutagenicity- ssment	: Animal testing did not show any mutager	nic effects.		





ersion 1	Revision Date: 08.11.2024		e of last issue: 10.10.2023 e of first issue: 21.06.2016	Print Date: 08.11.2024
Carci	nogenicity			
Prod	uct:			
Rema	arks	:	No data available	
Com	ponents:			
moly	bdenum disulphide:			
	nogenicity - ssment	:	No evidence of carcinogenicity in	animal studies.
Repr	oductive toxicity			
Prod	uct:			
Effect	ts on fertility	:	Remarks: No data available	
	ts on foetal opment	:	Remarks: No data available	
STO	- single exposure			
Prod	uct:			
Rema	arks	:	No data available	
<u>Com</u>	ponents:			
moly	bdenum disulphide:			
Asses	ssment	:	The substance or mixture is not c organ toxicant, single exposure.	lassified as specific target
STO	- repeated exposure			
Prod	uct:			
Rema	arks	:	No data available	
<u>Com</u>	ponents:			
moly	bdenum disulphide:			
Asses	ssment	:	The substance or mixture is not c organ toxicant, repeated exposur	
Repe	ated dose toxicity			
Prod	uct:			
Rema		:	This information is not available.	





Version	Revision Date:	Date of last issue: 10.10.2023	Print Date:
5.1	08.11.2024	Date of first issue: 21.06.2016	08.11.2024

### Aspiration toxicity

#### Product:

This information is not available.

#### 11.2 Information on other hazards

#### Endocrine disrupting properties

# Product:

Product:	
Assessment	: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
Further information	
Product:	
Remarks	: Information given is based on data on the components and the toxicology of similar products.
Components:	
molybdenum disulphide:	
Remarks	: Information given is based on data on the components and the toxicology of similar products.

# **SECTION 12: Ecological information**

### 12.1 Toxicity

<u>Product:</u> Toxicity to fish	:	Remarks: Very toxic to aquatic organisms, may cause long- term adverse effects in the aquatic environment.
Toxicity to daphnia and other aquatic invertebrates	:	Remarks: No data available
Toxicity to algae/aquatic plants	:	Remarks: No data available
Toxicity to microorganisms	:	Remarks: No data available





rsion	Revision Date: 08.11.2024		e of last issue: 10.10.2023 e of first issue: 21.06.2016	Print Date: 08.11.2024
<u>Comp</u>	onents:			
<b>coppe</b> M-Fac toxicity	tor (Acute aquatic	:	10	
M-Fac toxicity	tor (Chronic aquatic ⁄)	:	10	
Ecoto	xicology Assessmer	nt		
Acute	aquatic toxicity	:	Very toxic to aquatic life.	
Chron	ic aquatic toxicity	:	Very toxic to aquatic life with long last	ing effects.
<b>tin:</b> Toxicit	ty to fish	:	LC50 (Pimephales promelas (fathead Exposure time: 96 h	minnow)): > 0,0124 mg/
			Test Type: static test Method: OECD Test Guideline 203 Remarks: No toxicity at the limit of so	lubility
Toxicit plants	ty to algae/aquatic	:	EC50 (Pseudokirchneriella subcapitat 0,0192 mg/l Exposure time: 72 h Test Type: static test Method: OECD Test Guideline 201 Remarks: No toxicity at the limit of so	
molyb	denum disulphide:			
-	ty to fish	:	LC50 (Pimephales promelas (fathead Exposure time: 96 h	minnow)): > 100 mg/l
	ty to daphnia and othe c invertebrates	r:	EC50 (Daphnia magna (Water flea)): Exposure time: 48 h	> 100 mg/l
Toxicit plants	ty to algae/aquatic	:	EC50 (Pseudokirchneriella subcapitat mg/l Exposure time: 72 h	ta (green algae)): > 100

### 12.2 Persistence and degradability

Product:		
Biodegradability	:	Remarks: No data available
Physico-chemical removability	:	Remarks: No data available





Version 5.1	Revision Date: 08.11.2024		e of last issue: 10.10.2023 e of first issue: 21.06.2016	Print Date: 08.11.2024
Com	ponents:			
<b>copp</b> Biode	<b>er:</b> egradability	:	Result: Not rapidly biodegradable	
12.3 Bioa	ccumulative potential			
<u>Prod</u> i Bioac	uct: cumulation	:	Remarks: No data available	
12.4 Mobi	lity in soil			
<u>Prod</u> Mobil		:	Remarks: No data available	
	bution among onmental compartments	:	Remarks: No data available	
12.5 Resu	llts of PBT and vPvB a	sse	ssment	
<u>Prod</u> e Asses	uct: ssment	:	This substance/mixture contains no con to be either persistent, bioaccumulative very persistent and very bioaccumulativ 0.1% or higher.	and toxic (PBT), or
Com	ponents:			
tin: Asses	ssment	:	Remarks: Not applicable	
12.6 Endo	ocrine disrupting prop	ertie	25	
Produ Asses	<u>uct:</u> ssment	:	The substance/mixture does not contain considered to have endocrine disrupting to REACH Article 57(f) or Commission I (EU) 2017/2100 or Commission Regula levels of 0.1% or higher.	g properties according Delegated regulation
12.7 Othe	r adverse effects			
	<u>uct:</u> ional ecological nation	:	Very toxic to aquatic organisms, may ca effects in the aquatic environment.	ause long-term adverse





Version	Revision Date:	Date of last issue: 10.10.2023	Print Date:
5.1	08.11.2024	Date of first issue: 21.06.2016	08.11.2024

### **SECTION 13: Disposal considerations**

13.1 Waste treatment methods				
Product :	The product should not be allowed to enter drains, water courses or the soil. Do not dispose of with domestic refuse. Dispose of as hazardous waste in compliance with local and national regulations.			
	Waste codes should be assigned by the user based on the application for which the product was used.			
Contaminated packaging :	Packaging that is not properly emptied must be disposed of as the unused product. Dispose of waste product or used containers according to local regulations.			
	The following Waste Codes are only suggestions:			
Waste Code :	unused product 13 02 06**, synthetic engine, gear and lubricating oils			
	uncleaned packagings 15 01 10*, packaging containing residues of or contaminated by hazardous substances			

# **SECTION 14: Transport information**

#### 14.1 UN number or ID number

ADR	:	UN 3077
RID	:	UN 3077
IMDG	:	UN 3077
ΙΑΤΑ	:	UN 3077
14.2 UN proper shipping name		
ADR	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (copper)
RID	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (copper)
IMDG	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - ES



<b>A</b> 1/ <b>A A</b> (	•			
<b>OKS 24</b>	0			
Version 5.1	Revision Date: 08.11.2024		e of last issue: 10.10.2023 e of first issue: 21.06.2016	Print Date: 08.11.2024
			(copper)	
ΙΑΤΑ		:	Environmentally hazardous sub (copper)	stance, solid, n.o.s.
14.3 Tran	sport hazard class(es)			
ADR		:	9	
RID		:	9	
IMDO	3	:	9	
ΙΑΤΑ		:	9	
14.4 Pack	king group			
ADR				
	ing group sification Code	:	III M7	
	ard Identification Number	r :	90	
Labe	ls	:	9	
	el restriction code	:	(-)	
RID	ing group		111	
	ing group sification Code	:	M7	
Hazard Identification Number		r :	90	
Labe	ls	:	9	
IMDC Book			111	
Labe	ing group Is	÷	9	
EmS	Code	:	F-A, S-F	
	(Cargo)		050	
Pack aircra	ing instruction (cargo	:	956	
Pack	ing instruction (LQ)	:	Y956	
Pack Labe	ing group	:	III Miscellaneous Dangerous Good	de
	(Passenger)	•	Miscellarieous Dangerous Good	25
	ing instruction	:	956	
(pass	senger aircraft)			
	ing instruction (LQ) ing group	:	Y956 III	
Labe		:	Miscellaneous Dangerous Good	sc
14.5 Envi	ronmental hazards			
ADR				
Envir	onmentally hazardous	:	yes	
RID Envir	conmontally bezordous		Voc	
	onmentally hazardous	·	yes	
IMDO	נ			



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - ES



# **OKS 240**

Version 5.1	Revision Date: 08.11.2024	Date of last issue: 10.10.2023 Date of first issue: 21.06.2016	Print Date: 08.11.2024
Marin	e pollutant	: yes	
IATA (Passenger) Environmentally hazardous		: yes	
	(Cargo) onmentally hazardous	: yes	
14.6 Spec	ial precautions for us	ser	

### o Special precautions

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

#### 14.7 Maritime transport in bulk according to IMO instruments

Remarks

: Not applicable for product as supplied.

## **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legis mixture	lation s	pecific for the substance or
REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)	f C N Ii t	Conditions of restriction for the ollowing entries should be considered: Number on list 75 f you intend to use this product as attoo ink, please contact your yendor.
		copper (Number on list 75) in (Number on list 75)
REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59). (EU SVHC)	s (	This product does not contain substances of very high concern Regulation (EC) No 1907/2006 (REACH), Article 57).
Regulation (EC) No 1005/2009 on substances that deplete the ozone layer (EC 1005/2009)	: N	Not applicable
Regulation (EU) 2019/1021 on persistent organic pollutants (recast) (EU POP)	: N	Not applicable
Regulation (EU) No 649/2012 of the European Parliament and the Council concerning the export and		Not applicable
40/00		a brand of





# **OKS 240** Version Date of last issue: 10.10.2023 Print Date: **Revision Date:** 08.11.2024 Date of first issue: 21.06.2016 08.11.2024 5.1 import of dangerous chemicals (EU PIC) REACH - List of substances subject to authorisation : Not applicable (Annex XIV) (EU. REACH-Annex XIV) Regulation (EU) 2019/1148 on the marketing and use of : Not applicable explosives precursors Seveso III: Directive 2012/18/EU of the European E1 **ENVIRONMENTAL HAZARDS** Parliament and of the Council on the control of major-accident hazards involving dangerous substances. Directive 2010/75/EU of 24 November 2010 on industrial Volatile organic compounds : emissions (integrated pollution prevention and control) Not applicable 15.2 Chemical safety assessment This information is not available. **SECTION 16: Other information**

Full text of H-Statements				
H302	:	Harmful if swallowed.		
H319	:	Causes serious eye irritation.		
H400	:	Very toxic to aquatic life.		
H410	:	Very toxic to aquatic life with long lasting effects.		
Full text of other abbreviations				
91/322/EEC	:	Europe. Commission Directive 91/322/EEC on establishing indicative limit values		
ES VLA	:	Spain. Environmental Limits for exposure to Chemical agents - Table 1: Occupational Exposure Values		
91/322/EEC / TWA	:	Limit Value - eight hours		
ES VLA / VLA-ED	:	Environmental Daily Limit Value		



# SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by



Commission Regulation (EU) 2020/878 - ES

# **OKS 240**

Version	Revision Date:	Date of last issue: 10.10.2023	Print Date:
5.1	08.11.2024	Date of first issue: 21.06.2016	08.11.2024

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN -Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx -Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA -International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID -Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

#### Further information

<b>Classification of the</b>	Classification procedure:	
Eye Irrit. 2	H319	Calculation method
Aquatic Acute 1	H400	Calculation method
Aquatic Chronic 1	H410	Calculation method

Relevant changes compared to the last edition are highlighted at the left margin. This version replaces all previous editions.

This safety data sheet applies only to products as originally packed and labelled. The information contained therein may not be reproduced or modified without our express written permission. Any forwarding of this document is only permitted to the extent required by law. Any further, in particular public, dissemination of the safety data sheet (e.g. as a document for download from the Internet) is not permitted without our express written consent. We provide our customers with amended safety data sheets as prescribed by law. The customer is responsible for passing on



### **SAFETY DATA SHEET** according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - ES



### **OKS 240**

Version	Revision Date:	Date of last issue: 10.10.2023	Print Date:
5.1	08.11.2024	Date of first issue: 21.06.2016	08.11.2024

safety data sheets and any amendments contained therein to its own customers, employees and other users of the product. We provide no guarantee that safety data sheets received by users from third parties are up-to-date. All information and instructions in this safety data sheet have been compiled to the best of our knowledge and are based on the information available to us on the day of publication. The information provided is intended to describe the product in relation to the required safety measures; it is neither an assurance of characteristics nor a guarantee of the product's suitability for particular applications and does not justify any contractual legal relationship. The existence of a safety data sheet for a particular jurisdiction does not necessarily mean that import or use within that jurisdiction is legally permitted. If you have any questions, please contact your responsible sales contact or authorized trading partner.

