

Version	Revision Date:	Date of last issue: 18.10.2022	Print Date:
3.4	06.03.2025	Date of first issue: 10.07.2016	06.03.2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier		
Product name	:	OKS 701
	uses of the s	ubstance or mixture and uses advised against
Use of the Substance/Mixture	:	Lubricant spray
Recommended restroning on use	rictions :	Restricted to professional users.
1.3 Details of the suppl	ier of the saf	ety data sheet
Company	:	OKS Spezialschmierstoffe GmbH Ganghoferstr. 47 82216 Maisach-Gernlinden Deutschland Tel.: +49 8142 3051 500
		Fax: +49 8142 3051 599 info@oks-germany.com
E-mail address of per responsible for the S		mcm@oks-germany.com
National contact	:	
	_	

1.4 Emergency telephone number

Emergency telephone	:	+34 91 562 04 20
number		

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)			
Aerosols, Category 1	H222: Extremely flammable aerosol. H229: Pressurised container: May burst if heated.		
Aspiration hazard, Category 1	H304: May be fatal if swallowed and enters airways.		



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - ES



OKS 701

VersionRevision Date:Date of last issue: 18.10.2022Print Date:3.406.03.2025Date of first issue: 10.07.201606.03.2025	•
--	---

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms



Signal word	:	Danger	
Hazard statements	:	H222 H229 H304	Extremely flammable aerosol. Pressurised container: May burst if heated. May be fatal if swallowed and enters airways.
Precautionary statements	:	Prevention:	
		P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
		P211	Do not spray on an open flame or other ignition source.
		P251	Do not pierce or burn, even after use.
		Response:	
		P301 + P310	IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
		P331	Do NOT induce vomiting.
		Storage:	
		P410 + P412	Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F.

Hazardous components which must be listed on the label:

Butene, polymers

Additional Labelling

EUH208 Contains Sulfonic acids, petroleum, calcium salts. May produce an allergic reaction.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.





Version	Revision Date:	Date of last issue: 18.10.2022	Print Date:
3.4	06.03.2025	Date of first issue: 10.07.2016	06.03.2025

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature

: Active substance with propellant Synthetic hydrocarbon oil

Components

Components				
Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	specific concentration limit M-Factor Notes Acute toxicity estimate	Concentration (% w/w)
Butene, polymers	9003-29-6 500-004-7	Asp. Tox.1; H304		>= 30 - < 50
Sulfonic acids, petroleum, calcium salts	61789-86-4 263-093-9 01-2119488992-18- 0000	Skin Sens.1B; H317	>= 10 % Skin Sens.1B,	>= 1 - < 10
Substances with a work	kplace exposure limit :	1	1	
butane	106-97-8 203-448-7 601-004-00-0 01-2119474691-32- XXXX	Flam. Gas1; H220 Press. GasCompr. Gas; H280	Note U (table 3.1), Note C	>= 30 - < 50
propane	74-98-6 200-827-9 601-003-00-5	Flam. Gas1A; H220 Press. GasCompr. Gas; H280	Note U (table 3.1)	>= 1 - < 10



SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - ES



OKS 701

Version 3.4	Revision Da 06.03.2025		t issue: 18.10.2022 t issue: 10.07.2016		Date: 3.2025
		01-2119486944-21- XXXX			
isobutane		75-28-5 200-857-2 601-004-00-0	Flam. Gas1A; H220 Press. GasCompr. Gas; H280	Note U (table 3.1), Note C	>= 1 - < 10
		01-2119485395-27- XXXX			

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

If inhaled	 Remove person to fresh air. If signs/symptoms continue, get medical attention. Keep patient warm and at rest. If unconscious, place in recovery position and seek medical advice. Keep respiratory tract clear. If breathing is irregular or stopped, administer artificial respiration.
In case of skin contact	 Take off all contaminated clothing immediately. Wash off immediately with soap and plenty of water. Get medical attention immediately if irritation develops and persists. Wash clothing before reuse. Thoroughly clean shoes before reuse.
In case of eye contact	 Rinse immediately with plenty of water, also under the eyelids, for at least 10 minutes. If eye irritation persists, consult a specialist.
If swallowed	 Move the victim to fresh air. Keep respiratory tract clear. Do NOT induce vomiting. Obtain medical attention. Rinse mouth with water. Aspiration hazard if swallowed - can enter lungs and cause damage.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms	: Inhalation may provoke the following symptoms:
	Unconsciousness
	Dizziness





OKS 701						
Version 3.4	Revision Date: 06.03.2025	Date of last issue: 18.10.2022 Date of first issue: 10.07.2016	Print Date: 06.03.2025			
Risks		Drowsiness Headache Nausea Tiredness Aspiration may cause pulmonar : Risk of product entering the lung Health injuries may be delayed.				
_ ·		ate medical attention and special treat : Treat symptomatically.	ment needed			

SECTION 5: Firefighting measures

5.1 Extinguishing media Suitable extinguishing media : ABC powder

Unsuitable extinguishing	:	High volume water jet
media		

5.2 Special hazards arising from the substance or mixture

Specific hazards during firefighting	Fire Hazard Do not let product enter drains. Contains gas under pressure; may explode if heated. Beware of vapours accumulating to form explosive
Hazardous combustion : products	concentrations. Vapours can accumulate in low areas. Carbon oxides Nitrogen oxides (NOx) Sulphur oxides
5.3 Advice for firefighters Special protective equipment for firefighters	In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment. Exposure to decomposition products may be a hazard to health.

Further information : Standard procedure for chemical fires. Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Cool containers/tanks with water spray.





Version	Revision Date:	Date of last issue: 18.10.2022	Print Date:
3.4	06.03.2025	Date of first issue: 10.07.2016	06.03.2025

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

• • •	
Personal precautions	: Evacuate personnel to safe areas.
-	Ensure adequate ventilation.
	Remove all sources of ignition.
	Do not breathe vapours or spray mist.
	Refer to protective measures listed in sections 7 and 8.
	Only qualified personnel equipped with suitable protective
	equipment may intervene.

6.2 Environmental precautions

Environmental precautions	:	Try to prevent the material from entering drains or water courses. Prevent further leakage or spillage if safe to do so. Local authorities should be advised if significant spillages cannot be contained.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Keep in suitable, closed containers for disposal. Non-sparking tools should be used.

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling	 Do not use in areas without adequate ventilation. Do not breathe vapours or spray mist. In case of insufficient ventilation, wear suitable respiratory equipment. Avoid contact with skin and eyes. For personal protection see section 8. Keep away from fire, sparks and heated surfaces. Smoking, eating and drinking should be prohibited in the application area. Wash hands and face before breaks and immediately after handling the product. Do not get in eyes or mouth or on skin. Do not get on skin or clothing. Do not increst
	Do not ingest.





OKS 701				
Version 3.4	Revision Date: 06.03.2025		e of last issue: 18.10.2022 e of first issue: 10.07.2016	Print Date: 06.03.2025
			Do not use sparking tools. These safety instructions also apply to may still contain product residues. Pressurized container: protect from sur expose to temperatures exceeding 50 ° burn, even after use.	nlight and do not
Hygiei	ne measures	:	: Wash face, hands and any exposed skin thoroughly after handling.	
7.2 Condit	ions for safe storage	e, inc	luding any incompatibilities	
	rements for storage and containers	:	: BEWARE: Aerosol is pressurized. Keep away from direct su exposure and temperatures over 50 °C. Do not open by force or throw into fire even after use. Do not spray on flames or red-hot objects. Store in accordance with the particular national regulations.	
-	i c end use(s) ïc use(s)	:	Specific instructions for handling, not re	equired.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
butane	106-97-8	VLA-ED (gas)	1.000 ppm	ES VLA (2013-02-22)
propane	74-98-6	VLA-ED	1.000 ppm	ES VLA (2011-03-03)
isobutane	75-28-5	VLA-ED (gas)	1.000 ppm	ES VLA (2013-02-22)

8.2 Exposure controls

Engineering measures

Use only in an area equipped with explosion proof exhaust ventilation. Handle only in a place equipped with local exhaust (or other appropriate exhaust).

Personal protective equipment

Eye/face protection	:	Safety glasses with side-shields

Hand protection		
Material	: Flue	orinated rubber
Break through time	: > 10	0 min
Protective index	: Cla	ss 1





OKS 70	1		
Version 3.4	Revision Date: 06.03.2025	Date of last issue: 18.10.2022Print Date:Date of first issue: 10.07.201606.03.2025	
R	emarks	 Wear protective gloves. The break through time depe amongst other things on the material, the thickness an type of glove and therefore has to be measured for ea case. The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the st 	nd the ach
Skin	and body protection	 EN 374 derived from it. Choose body protection in relation to its type, to the concentration and amount of dangerous substances, the specific work-place. 	and to
Resp	iratory protection	: Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrate that exposures are within recommended exposure guidelines Short term only	
Fi	lter type	: Filter type A-P	
Prote	ective measures	ve measures : The type of protective equipment must be selected accord to the concentration and amount of the dangerous subs at the specific workplace.	
Envi	ronmental exposure	ontrols	
Air		: No special environmental precautions required.	
Soil		: The product should not be allowed to enter drains, wa	ater
		courses or the soil.	
Wate	er	:	
		The product should not be allowed to enter drains, wa courses or the soil.	ater

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	:	aerosol
----------------	---	---------

Colour : brown



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - ES



OKS 701

Vers 3.4	sion	Revision Date: 06.03.2025		of last issue: 18.10.2022 of first issue: 10.07.2016	Print Date: 06.03.2025
	Odour		:	characteristic	
	Odour	Threshold	:	No data available	
	Melting	g point/range	:	No data available	
	Boiling	point/boiling range	:	-44 °C (1.013 hPa)	
	Flamm	ability (solid, gas)	:	Extremely flammable aerosol.	
		explosion limit / Upper ability limit	:	10,5 %(V)	
		explosion limit / Lower ability limit	:	1,5 %(V)	
	Flash p	point	:	-97 °C Method: Abel-Pensky, closed cup	
	Auto-ig	nition temperature	:	No data available	
	Decom	position temperature	:	No data available	
	рН		:	Not applicable substance/mixture is non-soluble (in wa	ter)
	Viscos	ity cosity, dynamic		No data available	
		cosity, kinematic	:	< 20,5 mm2/s (40 °C)	
	Solubil		:	insoluble	
	Sol	ubility in other solvents	;	No data available	
	Partitic octano	on coefficient: n- I/water	:	No data available	
	Vapou	r pressure	:	5.000 hPa (20 °C)	
	Relativ	e density	:	0,698 (20 °C) Reference substance: Water The value is calculated	
	Density	y	:	0,70 g/cm3 (20 °C)	



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - ES



OKS 701

Versior 3.4	n Revision Date: 06.03.2025	Date of last issue: 18.10.2022Print Date:Date of first issue: 10.07.201606.03.2025	
Bu	Ik density	: No data available	
Relative vapour density		: No data available	
9.2 Oth	er information		
Explosives		: Not explosive	
O	kidizing properties	: No data available	
Se	lf-ignition	: No data available	
Me	etal corrosion rate	: Not corrosive to metals	
Εv	aporation rate	: No data available	
Su	blimation point	: No data available	

SECTION 10: Stability and reactivity

 10.1 Reactivity No hazards to be specially menti 10.2 Chemical stability Stable under normal conditions. 	oned.
10.3 Possibility of hazardous react	ons
Hazardous reactions :	No dangerous reaction known under conditions of normal use.
10.4 Conditions to avoid Conditions to avoid :	Heat, flames and sparks. Strong sunlight for prolonged periods. Risk of receptacle bursting.
10.5 Incompatible materials Materials to avoid :	Oxidizing agents
10.6 Hazardous decomposition pro	

No decomposition if stored and applied as directed.





Version	Revision Date:	Date of last issue: 18.10.2022	Print Date:
3.4	06.03.2025	Date of first issue: 10.07.2016	06.03.2025

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity		
Product:		
Acute oral toxicity	:	Remarks: This information is not available.
Acute inhalation toxicity	:	Symptoms: Inhalation may provoke the following symptoms:, Respiratory disorder
Acute dermal toxicity	:	Remarks: This information is not available.
Components:		
Butene, polymers:		
Acute oral toxicity	:	LD50 (Rat): > 34.600 mg/kg Method: OECD Test Guideline 401
Acute dermal toxicity	:	LD50 (Rat): > 10.250 mg/kg
butane:		
Acute inhalation toxicity	:	LC50 (Rat): 658 mg/l Exposure time: 4 h Test atmosphere: gas
isobutane:		
Acute inhalation toxicity	:	LC50 (Rat): 658 mg/l Exposure time: 4 h Test atmosphere: gas
Skin corrosion/irritation		
Product:		
Remarks	:	This information is not available.
Serious eye damage/eye irr	itat	ion
Product:		
Remarks	:	Contact with eyes may cause irritation.
Respiratory or skin sensitis	atio	on
Product:		
Remarks	:	This information is not available.





Version	Revision Date:	Date of last issue: 18.10.2022	Print Date:
3.4	06.03.2025	Date of first issue: 10.07.2016	06.03.2025

Components:

Sulfonic acids, petroleum, calcium salts:				
Assessment	:	The product is a skin sensitiser, sub-category 1B.		
Germ cell mutagenicity				
Product:		Remarks: No data available		
Genotoxicity in vitro				
Genotoxicity in vivo	:	Remarks: No data available		
Carcinogenicity				
Product:				
Remarks	:	No data available		
Reproductive toxicity				
Product:				
Effects on fertility	:	Remarks: No data available		
Effects on foetal development	:	Remarks: No data available		
STOT - single exposure				
Product:				
Remarks	:	No data available		
STOT - repeated exposure				
Product:				
Remarks	:	No data available		
Repeated dose toxicity				
Product:				
Remarks	:	This information is not available.		
Aspiration toxicity				
Product:				
May be fatal if swallowed and	l en	ters airways.		





Version	Revision Date:	Date of last issue: 18.10.2022	Print Date:
3.4	06.03.2025	Date of first issue: 10.07.2016	06.03.2025

Components:

Butene, polymers:

May be fatal if swallowed and enters airways.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Further information

Product:

Remarks

: Information given is based on data on the components and the toxicology of similar products.

SECTION 12: Ecological information

12.1 Toxicity

Product:		
Toxicity to fish	:	Remarks: No data available
Toxicity to daphnia and other aquatic invertebrates	:	Remarks: No data available
Toxicity to algae/aquatic plants	:	Remarks: No data available
Toxicity to microorganisms	:	Remarks: No data available
Components:		
Butene, polymers:		
Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): > 1.000 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 1.000 mg/l Exposure time: 48 h Test Type: Immobilization





Version	Revision Date:	Date of last issue: 18.10.2022	Print Date:
3.4	06.03.2025	Date of first issue: 10.07.2016	06.03.2025

12.2 Persistence and degradability

Product:		
Biodegradability	:	Remarks: No data available
Physico-chemical removability	:	Remarks: No data available

12.3 Bioaccumulative potential

P	٢o	du	ct:	
_				

Components:

butane:

Partition coefficient: n-	:	log Pow: 2,89
octanol/water		Method: OECD Test Guideline 107

propane:

Partition coefficient: n-	:	log Pow: 2,36
octanol/water		

isobutane:

Partition coefficient: n-	:	log Pow: 2,88
octanol/water		Method: OECD Test Guideline 107

12.4 Mobility in soil

Product:

Mobility	:	Remarks: No data available
Distribution among environmental compartments	:	Remarks: No data available

12.5 Results of PBT and vPvB assessment

Product:	
Assessment	: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.





Version	Revision Date:	Date of last issue: 18.10.2022	Print Date:
3.4	06.03.2025	Date of first issue: 10.07.2016	06.03.2025

12.6 Endocrine disrupting properties

Product:

Assessment :	The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
--------------	---

12.7 Other adverse effects

Product:	

Additional ecological information	:	No information on ecology is available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods	
Product :	Do not dispose of with domestic refuse. Dispose of as hazardous waste in compliance with local and national regulations.
	Waste codes should be assigned by the user based on the application for which the product was used.
Contaminated packaging :	Packaging that is not properly emptied must be disposed of as the unused product. Offer empty spray cans to an established disposal company. Pressurized container: Do not pierce or burn, even after use.
	The following Waste Codes are only suggestions:
Waste Code :	unused product, packagings not completely emptied 16 05 04**, gases in pressure containers (including halons) containing hazardous substances

SECTION 14: Transport information

14.1 UN number or ID number

ADR	:	UN 1950
RID	:	UN 1950
IMDG	:	UN 1950
ΙΑΤΑ	:	UN 1950




according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - ES



OKS 701

Version 3.4	Revision Date: 06.03.2025		e of last issue: 18.10.2022 e of first issue: 10.07.2016	Print Date: 06.03.2025
14.2 UN p	proper shipping name			
ADR		:	AEROSOLS	
RID		:	AEROSOLS	
IMDO	3	:	AEROSOLS	
ΙΑΤΑ	L .	:	Aerosols, flammable	
14.3 Tran	sport hazard class(es)			
ADR		:	2	
RID		:	2	
IMDO	3	:	2.1	
ΙΑΤΑ	L .	:	2.1	
14.4 Pack	king group			
Class Labe	ing group sification Code	:	Not assigned by regulation 5F 2.1 (D)	
Class	ing group sification Code ard Identification Number Is	: : : :	Not assigned by regulation 5F 23 2.1	
Labe	ing group	:	Not assigned by regulation 2.1 F-D, S-U	
IATA Pack aircra Pack	(Cargo) ing instruction (cargo aft) ing instruction (LQ) ing group	:	203 Y203 Not assigned by regulation Flammable Gas	
IATA Pack (pass Pack	(Passenger) ing instruction senger aircraft) ing instruction (LQ) ing group	:	203 Y203 Not assigned by regulation Flammable Gas	
	ronmental hazards			
ADR				
	onmentally hazardous	÷	no	







Version	Revision Date:	Date of last issue: 18.10.2022	Print Date:
3.4	06.03.2025	Date of first issue: 10.07.2016	06.03.2025

RID

Environmentally hazardous : no
IMDG
Marine pollutant : no

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Remarks	:	Not applicable for product as supplied.
---------	---	---

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture					
REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)	:	Not applicable			
REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59). (EU SVHC)	:	This product does not contain substances of very high concern (Regulation (EC) No 1907/2006 (REACH), Article 57).			
Regulation (EC) No 1005/2009 on substances that deplete the ozone layer (EC 1005/2009)	:	Not applicable			
Regulation (EU) 2019/1021 on persistent organic pollutants (recast) (EU POP)	:	Not applicable			
Regulation (EU) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals (EU PIC)	:	Not applicable			
REACH - List of substances subject to authorisation (Annex XIV) (EU. REACH-Annex XIV)	:	Not applicable			





OKS 701					
Version 3.4	Revision Date: 06.03.2025	Date of last issue: 18. Date of first issue: 10		Print Date: 06.03.2025	
Regulation (EU) 2019/1148 on the marketing and use of : Not applicable explosives precursors					
			P2		
Par maj	veso III: Directive 2012/ liament and of the Cour for-accident hazards inv stances.	ncil on the control of	P3a	FLAMMABLE AEROSOLS	
			18	Liquefied flammable gases (including LPG) and natural gas	
Vol	atile organic compound	emissions (integ	rated poll	4 November 2010 on industrial ution prevention and control) ds (VOC) content: 93,95 %	

Other regulations:

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

15.2 Chemical safety assessment

This information is not available.

SECTION 16: Other information

Full text of H-Statements

H220 :	Extremely flammable gas.
H280 :	Contains gas under pressure; may explode if heated.
H304 :	May be fatal if swallowed and enters airways.
H317 :	May cause an allergic skin reaction.

1

Full text of other abbreviations

Note C

Some organic substances may be marketed either in a specific isomeric form or as a mixture of several isomers. In this case the supplier must state on the label whether the



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - ES



OKS 701

Version 3.4	Revision Date: 06.03.2025		e of last issue: 18.10.2022 e of first issue: 10.07.2016	Print Date: 06.03.2025
Note U	l (table 3.1)	:	substance is a specific isomer or a mixtur When put on the market gases have to be "Gases under pressure", in one of the gro gas, liquefied gas, refrigerated liquefied g The group depends on the physical state packaged and therefore has to be assign following codes are assigned: Press. Gas (Liq.) Press. Gas (Ref. Liq.) Press. Gas (I not be classified as gases under pressure 2, Section 2.3.2.1, Note 2).	e classified as oups compressed jas or dissolved gas. in which the gas is ed case by case. The s (Comp.) Press. Gas Diss.) Aerosols shall
ES VL	A	:	Spain. Environmental Limits for exposure - Table 1: Occupational Exposure Values	
ES VL	A / VLA-ED	:	Environmental Daily Limit Value	

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN -Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx -Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response: GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA -International Air Transport Association: IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO -International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID -Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Classification of the mixture:

Aerosol 1

H222, H229

Classification procedure:

Based on product data or assessment





OKS 70	1		
Version 3.4	Revision Date: 06.03.2025	Date of last issue: 18.10.202 Date of first issue: 10.07.201	
Asp.	Tox. 1	H304	Based on product data or assessment

|| Relevant changes compared to the last edition are highlighted at the left margin. This version replaces all previous editions.

This safety data sheet applies only to products as originally packed and labelled. The information contained therein may not be reproduced or modified without our express written permission. Any forwarding of this document is only permitted to the extent required by law. Any further, in particular public, dissemination of the safety data sheet (e.g. as a document for download from the Internet) is not permitted without our express written consent. We provide our customers with amended safety data sheets as prescribed by law. The customer is responsible for passing on safety data sheets and any amendments contained therein to its own customers, employees and other users of the product. We provide no guarantee that safety data sheets received by users from third parties are up-to-date. All information and instructions in this safety data sheet have been compiled to the best of our knowledge and are based on the information available to us on the day of publication. The information provided is intended to describe the product in relation to the required safety measures; it is neither an assurance of characteristics nor a guarantee of the product's suitability for particular applications and does not justify any contractual legal relationship. The existence of a safety data sheet for a particular jurisdiction does not necessarily mean that import or use within that jurisdiction is legally permitted. If you have any questions, please contact your responsible sales contact or authorized trading partner.

