

Version	Revision Date:	Date of last issue: 18.02.2022	Print Date:
1.6	30.01.2025	Date of first issue: 30.06.2016	30.01.2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier						
Product name	:	OKS 391				
1.2 Relevant identified uses of t	he s	substance or mixture and uses advised against				
Use of the	:	Lubricant				
Substance/Mixture						
Recommended restrictions	:	Restricted to professional users.				
on use		•				
1.3 Details of the supplier of the	saf	ety data sheet				
Company	:	OKS Spezialschmierstoffe GmbH				
		Ganghoferstr. 47 82216 Maisach-Gernlinden				
		Deutschland				
		Tel.: +49 8142 3051 500				
		Fax: +49 8142 3051 599				
		info@oks-germany.com				
E-mail address of person	:	mcm@oks-germany.com				
responsible for the SDS						
National contact	:					
1.4 Emergency telephone number						

1.4 Emergency telephone number

Emergency telephone	:	+34 91 562 04 20
number		

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)					
Aerosols, Category 1	H222: Extremely flammable aerosol.				
	H229: Pressurised container: May burst if heated.				

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)



01/0 004

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - ES



OKS 39)1				
Version 1.6	Revision Date: 30.01.2025		ate of last issue: 18 ate of first issue: 30		Print Date: 30.01.2025
Hazard pictograms		:			
Sign	al word	:	Danger		
Hazard statements		:	H222 H229	Extremely flammable Pressurised container	
Prec	autionary statements	:	Prevention:		
			P210	Keep away from heat, open flames and othe smoking.	, hot surfaces, sparks, r ignition sources. No
			P211	Do not spray on an op ignition source.	en flame or other
			P251	Do not pierce or burn,	even after use.
			Storage:		
			P410 + P412	Protect from sunlight. temperatures exceedi	

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature

: Active substance with propellant Mineral oil.

Components

Chemical name	CAS-No.	Classification	specific	Concentration
	EC-No.		concentration	(% w/w)
			limit	



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - ES



OKS 391

Version	Revision Date:	Date of last issue: 18.02.2022	Print Date: 30.01.2025
1.6	30.01.2025	Date of first issue: 30.06.2016	

Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil —	Index-No. Registration number 64742-54-7 265-157-1	Asp. Tox.1; H304	M-Factor Notes Acute toxicity estimate Note L	>= 30 - < 50
unspecified	649-467-00-8 01-2119484627-25- XXXX			
Substances with a work butane	place exposure limit : 106-97-8	Flam Cast H220		>= 30 - < 50
butane	203-448-7 601-004-00-0 01-2119474691-32- XXXX	Flam. Gas1; H220 Press. GasCompr. Gas; H280	Note U (table 3.1), Note C	
propane	74-98-6 200-827-9 601-003-00-5 01-2119486944-21- XXXX	Flam. Gas1A; H220 Press. GasCompr. Gas; H280	Note U (table 3.1)	>= 10 - < 20
isobutane	75-28-5 200-857-2 601-004-00-0 01-2119485395-27- XXXX	Flam. Gas1A; H220 Press. GasCompr. Gas; H280	Note U (table 3.1), Note C	>= 1 - < 10

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

If inhaled: Remove person to fresh air. If signs/symptoms continue, get
medical attention.
Keep patient warm and at rest.
If unconscious, place in recovery position and seek medical
advice.
Keep respiratory tract clear.
If breathing is irregular or stopped, administer artificial
respiration.In case of skin contact: Remove contaminated clothing. If irritation develops, get



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - ES



OKS 3	91				
Version 1.6	Revision Date: 30.01.2025		e of last issue: 18.02.2022 e of first issue: 30.06.2016	Print Date: 30.01.2025	
			medical attention. Wash off with soap and plenty of wa Wash clothing before reuse. Thoroughly clean shoes before reus		
In c	In case of eye contact		Rinse immediately with plenty of water, also under the eyelids, for at least 10 minutes. If eye irritation persists, consult a specialist.		
If swallowed		:	Move the victim to fresh air. Keep respiratory tract clear. Do NOT induce vomiting. Rinse mouth with water.		
4.2 Mos	t important symptoms a	nd e	effects, both acute and delayed		
	nptoms	:	Inhalation may provoke the following Unconsciousness Dizziness Drowsiness Headache Nausea Tiredness	g symptoms:	
Ris	ks	:	None known.		
	cation of any immediate atment	meo :	dical attention and special treatmen Treat symptomatically.	nt needed	
SECTIO	ON 5: Firefighting mea	sur	es		
5.1 Exti	nguishing media				
	table extinguishing media	:	ABC powder		
Uns	suitable extinguishing dia	:	High volume water jet		
5.2 Spe	cial hazards arising from	ו the	e substance or mixture		
Spe	ecific hazards during fighting	:	Fire Hazard Do not let product enter drains. Contains gas under pressure; may e Beware of vapours accumulating to concentrations. Vapours can accum	form explosive	
	zardous combustion ducts	:	Carbon oxides Oxides of phosphorus		





Version 1.6	Revision Date: 30.01.2025		te of last issue: 18.02.2022 te of first issue: 30.06.2016	Print Date: 30.01.2025
5.3 Advic	e for firefighters			
Special protective equipment for firefighters		nt :	In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment. Exposure to decomposition products may be a hazard to health.	
Further information		:	Standard procedure for chemical Collect contaminated fire extingui must not be discharged into drain Cool containers/tanks with water	ishing water separately. This is.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	:	Evacuate personnel to safe areas. Ensure adequate ventilation. Remove all sources of ignition. Refer to protective measures listed in sections 7 and 8. Only qualified personnel equipped with suitable protective equipment may intervene.
----------------------	---	--

6.2 Environmental precautions

Environmental precautions	 Try to prevent the material from entering drains or water courses. Prevent further leakage or spillage if safe to do so. Local authorities should be advised if significant spillages cannot be contained.
---------------------------	--

6.3 Methods and material for containment and cleaning up

Methods for cleaning up	:	Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Keep in suitable, closed containers for disposal. Non-sparking tools should be used.
-------------------------	---	---

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling	:	Do not use in areas without adequate ventilation.
		Do not breathe vapours or spray mist.
		In case of insufficient ventilation, wear suitable respiratory



OKS 391

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - ES



UN 3 39			
Version 1.6	Revision Date: 30.01.2025	Date of last issue: 18.02.2022 Date of first issue: 30.06.2016	Print Date: 30.01.2025
		equipment. Avoid contact with skin and eyes. For personal protection see section Keep away from fire, sparks and h Smoking, eating and drinking shou application area. Wash hands and face before breat handling the product. Do not ingest. Do not use sparking tools. These safety instructions also appl may still contain product residues. Pressurized container: protect from expose to temperatures exceeding burn, even after use.	eated surfaces. Ild be prohibited in the ks and immediately after ly to empty packaging which n sunlight and do not
Hygi	ene measures	: Wash face, hands and any expose handling.	ed skin thoroughly after
7.2 Cond	itions for safe storag	e, including any incompatibilities	
	uirements for storage s and containers	: BEWARE: Aerosol is pressurized. exposure and temperatures over 5 or throw into fire even after use. Do red-hot objects. Store in accordance national regulations.	60 °C. Do not open by force o not spray on flames or
7.3 Spec	ific end use(s)		
Spec	cific use(s)	: Specific instructions for handling, r	not required.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil — unspecified	64742-54-7	VLA-ED (Mist)	5 mg/m3	ES VLA (2019-02-20)
		VLA-EC (Mist)	10 mg/m3	ES VLA (2019-02-20)
butane	106-97-8	VLA-ED (gas)	1.000 ppm	ES VLA (2013-02-22)
propane	74-98-6	VLA-ED	1.000 ppm	ES VLA



SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - ES



OKS 391

Version				
1.6				

Revision Date: 30.01.2025

Date of last issue: 18.02.2022 Date of first issue: 30.06.2016 Print Date: 30.01.2025

				(2011-03-03)
isobutane	75-28-5	VLA-ED (gas)	1.000 ppm	ES VLA (2013-02-22)

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil — unspecified	Workers	Inhalation	Long-term systemic effects	2,73 mg/m3
	Workers	Inhalation	Long-term local effects	5,58 mg/m3
	Workers	Skin contact	Long-term systemic effects	0,97 mg/kg bw/day

8.2 Exposure controls

Engineering measures

Use only in an area equipped with explosion proof exhaust ventilation. Handle only in a place equipped with local exhaust (or other appropriate exhaust).

Personal protective equipment

Eye/face protection	:	Safety glasses with side-shields
Hand protection Material Break through time Protective index	:	Fluorinated rubber > 10 min Class 1
Remarks	:	Wear protective gloves. The break through time depends amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each case. The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it.
Skin and body protection	:	Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.
Respiratory protection	:	Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines. Short term only
Filter type	:	Filter type A-P





OKS 39	1		
Version 1.6	Revision Date: 30.01.2025	Date of last issue: 18.02.2022 Date of first issue: 30.06.2016	Print Date: 30.01.2025
Prote	ective measures	: The type of protective equipmen to the concentration and amount at the specific workplace.	
Envi	ronmental exposure	controls	
Air		: No special environmental precau	utions required.
Soil		:	
		The product should not be allowe courses or the soil.	ed to enter drains, water
Wate	r	:	
		The product should not be allowe courses or the soil.	ed to enter drains, water

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	:	aerosol
Colour	:	yellow
Odour	:	characteristic
Odour Threshold	:	No data available
Melting point/range	:	No data available
Boiling point/boiling range	:	-161 °C (1.013 hPa)
Flammability (solid, gas)	:	Extremely flammable aerosol.
Upper explosion limit / Upper flammability limit	:	15 %(V)
Lower explosion limit / Lower flammability limit	:	3 %(V)
Flash point	:	-90 °C Method: Abel-Pensky



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - ES



OKS 391

Versio 1.6	n Revision Date: 30.01.2025		of last issue: 18.02.2022 of first issue: 30.06.2016	Print Date: 30.01.2025
A	uto-ignition temperature	:	No data available	
D	ecomposition temperature	:	No data available	
p	Н	:	Not applicable substance/mixture is non-soluble	e (in water)
V	iscosity Viscosity, dynamic	:	No data available	
	Viscosity, kinematic	:	No data available	
S	olubility(ies) Water solubility	:	insoluble	
	Solubility in other solvents	:	No data available	
	artition coefficient: n- ctanol/water	:	No data available	
V	apour pressure	:	5.300 hPa (20 °C)	
R	elative density	:	0,69 (20 °C) Reference substance: Water The value is calculated	
D	ensity	:	0,69 g/cm3 (20 °C)	
В	ulk density	:	No data available	
R	elative vapour density	:	No data available	
9.2 Ot	her information			
E	xplosives	:	Not explosive	
0	oxidizing properties	:	No data available	
S	elf-ignition	:	No data available	
N	letal corrosion rate	:	Not corrosive to metals	
E	vaporation rate	:	No data available	
S	ublimation point	:	No data available	





Version	Revision Date:	Date of last issue: 18.02.2022	Print Date:
1.6	30.01.2025	Date of first issue: 30.06.2016	30.01.2025

SECTION 10: Stability and reactivity

10.1 Reactivity

No hazards to be specially mentioned.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions	:	No dangerous reaction known under conditions of normal use.
---------------------	---	---

10.4 Conditions to avoid

Conditions to avoid	: Heat, flames and sparks.
	Strong sunlight for prolonged periods.
	Risk of receptacle bursting.

10.5 Incompatible materials

Materials to avoid	: Oxidizing agents
--------------------	--------------------

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity		
Product:		
Acute oral toxicity	:	Remarks: This information is not available.
Acute inhalation toxicity	:	Symptoms: Inhalation may provoke the following symptoms:, Respiratory disorder
Acute dermal toxicity	:	Remarks: This information is not available.
Components:		
Distillates (petroleum), hyd	rotr	reated heavy paraffinic; Baseoil — unspecified:
Acute oral toxicity	:	LD50 (Rat): > 5.000 mg/kg Method: OECD Test Guideline 401
Acute inhalation toxicity	:	LC50 (Rat): > 5,53 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - ES



DKS 39	1			
749 99				
/ersion .6	Revision Date: 30.01.2025		e of last issue: 18.02.2022 e of first issue: 30.06.2016	Print Date: 30.01.2025
			Assessment: The substance or mi inhalation toxicity	xture has no acute
Acute	e dermal toxicity	:	LD50 (Rabbit): > 5.000 mg/kg Method: OECD Test Guideline 402	2
buta	201			
	e inhalation toxicity	:	LC50 (Rat): 658 mg/l Exposure time: 4 h Test atmosphere: gas	
isob	utane:			
	e inhalation toxicity	:	LC50 (Rat): 658 mg/l Exposure time: 4 h Test atmosphere: gas	
Skin	corrosion/irritation			
Prod	luct:			
Rem		:	This information is not available.	
Com	ponents:			
Disti	llates (petroleum), h	ydrotr	eated heavy paraffinic; Baseoil —	- unspecified:
Spec		:	Rabbit	-
•	ssment	:	No skin irritation	
Meth	od	:	OECD Test Guideline 404	
Resu	ılt	:	No skin irritation	
GLP		:	yes	
Serio	ous eye damage/eye	irritati	on	
Prod	luct:			
Rem		:	Contact with eyes may cause irrita	ation.
<u>Com</u>	ponents:			
Dieti	llates (netroleum) b	vdrotr	eated heavy paraffinic; Baseoil –	- unspecified
		yurut		- แเวคะแแะน.
Spec		:	Rabbit No eye irritation	
Asse Meth	essment		OECD Test Guideline 405	
Resu		:	No eye irritation	
GLP		:	yes	
		-	,	





Version	Revision Date:	Date of last issue: 18.02.2022	Print Date:
1.6	30.01.2025	Date of first issue: 30.06.2016	30.01.2025

Respiratory or skin sensitisation

Product:

Remarks

: This information is not available.

Components:

Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil — unspecified:

Species	:	Guinea pig
Assessment	:	Does not cause skin sensitisation.
Method	:	OECD Test Guideline 406
Result	:	Does not cause skin sensitisation.
GLP	:	yes

Germ cell mutagenicity

Product:

Genotoxicity in vitro	:	Remarks: No data available
Genotoxicity in vivo	:	Remarks: No data available

Components:

		eated heavy paraffinic; Baseoil — unspecified: Tests on bacterial or mammalian cell cultures did not show mutagenic effects.
Carcinogenicity		
Product:		
Remarks	:	No data available
Components:		
Distillates (petroleum), hydro	otre	eated heavy paraffinic; Baseoil — unspecified:
Carcinogenicity - Assessment	:	Not classifiable as a human carcinogen.
Reproductive toxicity		
Product:		
Effects on fertility	:	Remarks: No data available
Effects on foetal development	:	Remarks: No data available





OKS 39	1		
Version 1.6	Revision Date: 30.01.2025	Date of last issue: 18.02.2022 Date of first issue: 30.06.2016	
Com	ponents:		
Repr	Ilates (petroleum), h oductive toxicity - ssment	drotreated heavy paraffinic; B : - Fertility - No toxicity to reproductio	
STO	T - single exposure		
<u>Prod</u> Rem		: No data available	
STO	T - repeated exposu	9	
<u>Prod</u> Rem		: No data available	
Repe	eated dose toxicity		
<u>Prod</u> Rem		: This information is not av	ailable.
Aspi	ration toxicity		
<u>Prod</u> This	l <mark>uct:</mark> information is not ava	able.	
<u>Com</u>	ponents:		
	llates (petroleum), h be fatal if swallowed a	drotreated heavy paraffinic; B nd enters airways.	aseoil — unspecified:
11.2 Info	mation on other haz	ards	
Endo	ocrine disrupting pro	perties	
<u>Prod</u> Asse	l <u>uct:</u> ssment	considered to have endo to REACH Article 57(f) or	oes not contain components crine disrupting properties according r Commission Delegated regulation nission Regulation (EU) 2018/605 at
Furtl	ner information		
Prod			
Dom	orko	· Information divan is base	d on data on the components and

Remarks

: Information given is based on data on the components and the toxicology of similar products.



1.6 30.01.2025 Date of first issue: 30.06.2016 30.01.2025	Version 1.6	Revision Date: 30.01.2025	Date of last issue: 18.02.2022 Date of first issue: 30.06.2016	Print Date: 30.01.2025
---	----------------	---------------------------	---	------------------------

SECTION 12: Ecological information

12.1 Toxicity

Product:		
Toxicity to fish	:	Remarks: No data available
Toxicity to daphnia and other aquatic invertebrates	:	Remarks: No data available
Toxicity to algae/aquatic plants	:	Remarks: No data available
Toxicity to microorganisms	:	Remarks: No data available
Components:		
Distillates (petroleum), hydr	otr	eated heavy paraffinic; Baseoil — unspecified:
Toxicity to fish		LC50 (Pimephales promelas (fathead minnow)): > 100 mg/l Exposure time: 96 h Test Type: static test Method: OECD Test Guideline 203 GLP: yes
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 10.000 mg/l Exposure time: 48 h Test Type: Immobilization Method: OECD Test Guideline 202 GLP: yes
Toxicity to algae/aquatic plants	:	NOEC (Pseudokirchneriella subcapitata (microalgae)): > 100 mg/l Exposure time: 72 h Test Type: static test Method: OECD Test Guideline 201
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOELR: 10 mg/l Exposure time: 21 d Species: Daphnia magna (Water flea) Method: OECD Test Guideline 211 Remarks: No toxicity at the limit of solubility

12.2 Persistence and degradability

Product:



SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - ES



OKS	391

/ersion I.6	Revision Date: 30.01.2025		e of last issue: 18.02.2022 e of first issue: 30.06.2016	Print Date: 30.01.2025
Biode	gradability	:	Remarks: No data available	
	co-chemical /ability	:	Remarks: No data available	
Comp	oonents:			
Distil	lates (petroleum), hyd	rotr	eated heavy paraffinic; Baseoil —	unspecified:
Biode	gradability	:	Test Type: aerobic Inoculum: activated sludge Result: Not readily biodegradable. Biodegradation: 3 % Exposure time: 28 d Method: OECD Test Guideline 301 GLP: yes	В
2.3 Bioad	ccumulative potential			
<u>Produ</u>				
Bioac	cumulation		Remarks: No data available	
Comp	oonents:			
Partiti	lates (petroleum), hyd on coefficient: n- ol/water	rotro :	eated heavy paraffinic; Baseoil — log Pow: 10,16 - 24,9	unspecified:
butan	le:			
	on coefficient: n- ol/water	:	log Pow: 2,89 Method: OECD Test Guideline 107	
propa	ane:			
	on coefficient: n- ol/water	:	log Pow: 2,36	
isobu	itane:			
	on coefficient: n- ol/water	:	log Pow: 2,88 Method: OECD Test Guideline 107	
2.4 Mobi	lity in soil			
<u>Produ</u>	<u>uct:</u>			
Mobili	ty	:	Remarks: No data available	
Distrik envirc	oution among	:	Remarks: No data available	





Version	Revision Date:	Date of last issue: 18.02.2022	Print Date:
1.6	30.01.2025	Date of first issue: 30.06.2016	30.01.2025

12.5 Results of PBT and vPvB assessment

Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Endocrine disrupting properties

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

Product:

Additional ecological	:	No information on ecology is available.
information		

SECTION 13: Disposal considerations

13.1 Waste treatment methods		
Product	:	Do not dispose of with domestic refuse. Dispose of as hazardous waste in compliance with local and national regulations.
		Waste codes should be assigned by the user based on the application for which the product was used.
Contaminated packaging	:	Packaging that is not properly emptied must be disposed of as the unused product. Offer empty spray cans to an established disposal company. Pressurized container: Do not pierce or burn, even after use.
		The following Waste Codes are only suggestions:
Waste Code	:	unused product, packagings not completely emptied 16 05 04**, gases in pressure containers (including halons) containing hazardous substances





Version	Revision Date:	Date of last issue: 18.02.2022	Print Date:
1.6	30.01.2025	Date of first issue: 30.06.2016	30.01.2025

SECTION 14: Transport information

14.1 UN number or ID number		
ADR	:	UN 1950
RID	:	UN 1950
IMDG	:	UN 1950
ΙΑΤΑ	:	UN 1950
14.2 UN proper shipping name		
ADR	:	AEROSOLS
RID	:	AEROSOLS
IMDG	:	AEROSOLS
ΙΑΤΑ	:	Aerosols, flammable
14.3 Transport hazard class(es)		
ADR	:	2
RID	:	2
IMDG	:	2.1
ΙΑΤΑ	:	2.1
14.4 Packing group		
ADR Packing group Classification Code Labels Tunnel restriction code	:	Not assigned by regulation 5F 2.1 (D)
RID Packing group Classification Code Hazard Identification Number Labels	:	Not assigned by regulation 5F 23 2.1
IMDG Packing group Labels EmS Code	:	Not assigned by regulation 2.1 F-D, S-U
IATA (Cargo) Packing instruction (cargo aircraft)	:	203
Packing instruction (LQ) Packing group Labels	: : :	Y203 Not assigned by regulation Flammable Gas



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - ES



OKS 391

		Date of last issue: 18.02.2022 Date of first issue: 30.06.2016	Print Date: 30.01.2025
--	--	---	------------------------

IATA (Passenger)

Packing instruction	: 203
(passenger aircraft)	
Packing instruction (LQ)	: Y203
Packing group	: Not assigned by regulation
Labels	: Flammable Gas

14.5 Environmental hazards

ADR Environmentally hazardous	:	no
RID Environmentally hazardous	:	no
IMDG Marine pollutant	:	no

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Remarks

: Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)	: Not applicable
REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59). (EU SVHC)	: This product does not contain substances of very high concern (Regulation (EC) No 1907/2006 (REACH), Article 57).
Regulation (EC) No 1005/2009 on substances that deplete the ozone layer (EC 1005/2009)	: Not applicable
Regulation (EU) 2019/1021 on persistent organic pollutants (recast) (EU POP)	: Not applicable





OKS 39	1			
Version 1.6	Revision Date: 30.01.2025	Date of last issue: 18. Date of first issue: 30.		Print Date: 30.01.2025
Parlia	rt of dangerous chemi	I concerning the export a	: Ind	Not applicable
(Anne	CH - List of substance ex XIV) REACH-Annex XIV)	s subject to authorisation	n :	Not applicable
	llation (EU) 2019/1148 sives precursors	3 on the marketing and u	se of :	Not applicable
			P2	
Parlia majo	so III: Directive 2012/ ament and of the Cour r-accident hazards inv tances.		P3a	FLAMMABLE AEROSOLS
			18	Liquefied flammable gases (including LPG) and natural gas
Volat	ile organic compound	emissions (integ	rated poll	4 November 2010 on industrial ution prevention and control) ds (VOC) content: 49,82 %
Othe	r regulations:			

Other regulations:

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

15.2 Chemical safety assessment

This information is not available.

SECTION 16: Other information

Full text of H-Statements

H220 :	Extremely flammable gas.
H280 :	Contains gas under pressure; may explode if heated.
H304 :	May be fatal if swallowed and enters airways.





Version	Revision Date:	Date of last issue: 18.02.2022	Print Date:
1.6	30.01.2025	Date of first issue: 30.06.2016	30.01.2025

Full text of other abbreviations

Note C	Some organic substances may be marketed either in a
	specific isomeric form or as a mixture of several isomers. In
	this case the supplier must state on the label whether the substance is a specific isomer or a mixture of isomers.
Note L	The harmonised classification as a carcinogen applies unless
	it can be shown that the substance contains less than 3 % of
	dimethyl sulphoxide extract as measured by IP 346
	("Determination of polycyclic aromatics in unused lubricating
	base oils and asphaltene free petroleum fractions - Dimethyl
	sulphoxide extraction refractive index method"Institute of
	Petroleum, London), in which case a classification in
	accordance with Title II of this Regulation shall be performed also for that hazard class.
Noto II (toble 2.1)	
Note U (table 3.1)	 When put on the market gases have to be classified as "Gases under pressure", in one of the groups compressed
	gas, liquefied gas, refrigerated liquefied gas or dissolved gas.
	The group depends on the physical state in which the gas is
	packaged and therefore has to be assigned case by case. The
	following codes are assigned: Press. Gas (Comp.) Press. Gas
	(Liq.) Press. Gas (Ref. Liq.) Press. Gas (Diss.) Aerosols shall
	not be classified as gases under pressure (See Annex I, Part
	2, Section 2.3.2.1, Note 2).
ES VLA	Spain. Environmental Limits for exposure to Chemical agents
	 Table 1: Occupational Exposure Values
ES VLA / VLA-ED	Environmental Daily Limit Value
ES VLA / VLA-EC	Environmental Short Term Value

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road: AIIC - Australian Inventory of Industrial Chemicals: ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN -Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx -Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA -International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test



SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - ES



OKS 391

Version	Revision Date:	Date of last issue: 18.02.2022	Print Date:
1.6	30.01.2025	Date of first issue: 30.06.2016	30.01.2025

population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Classification of the mixture:		Classification procedure:	
Aerosol 1	H222, H229	Based on product data or assessment	

Relevant changes compared to the last edition are highlighted at the left margin. This version replaces all previous editions.

This safety data sheet applies only to products as originally packed and labelled. The information contained therein may not be reproduced or modified without our express written permission. Any forwarding of this document is only permitted to the extent required by law. Any further, in particular public, dissemination of the safety data sheet (e.g. as a document for download from the Internet) is not permitted without our express written consent. We provide our customers with amended safety data sheets as prescribed by law. The customer is responsible for passing on safety data sheets and any amendments contained therein to its own customers, employees and other users of the product. We provide no guarantee that safety data sheets received by users from third parties are up-to-date. All information and instructions in this safety data sheet have been compiled to the best of our knowledge and are based on the information available to us on the day of publication. The information provided is intended to describe the product in relation to the required safety measures; it is neither an assurance of characteristics nor a quarantee of the product's suitability for particular applications and does not justify any contractual legal relationship. The existence of a safety data sheet for a particular jurisdiction does not necessarily mean that import or use within that jurisdiction is legally permitted. If you have any questions, please contact your responsible sales contact or authorized trading partner.

