

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878 - ES



## OKS 2571

Version	Revision Date:	Date of last issue: 19.09.2024	Print Date:
1.1	04.04.2025	Date of first issue: 19.09.2024	04.04.2025

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

Product name : OKS 2571

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Corrosion inhibitor

Recommended restrictions on use : Restricted to professional users.

### 1.3 Details of the supplier of the safety data sheet

Company : OKS Spezialechmierstoffe GmbH  
Ganghoferstr. 47  
82216 Maisach-Gernlinden  
Deutschland  
Tel.: +49 8142 3051 500  
Fax: +49 8142 3051 599  
info@oks-germany.com

E-mail address of person responsible for the SDS : mcm@oks-germany.com

National contact :

### 1.4 Emergency telephone number

Emergency telephone number : +34 91 562 04 20

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

#### Classification (REGULATION (EC) No 1272/2008)

Aerosols, Category 1	H222: Extremely flammable aerosol. H229: Pressurised container: May burst if heated.
Skin irritation, Category 2	H315: Causes skin irritation.
Eye irritation, Category 2	H319: Causes serious eye irritation.
Specific target organ toxicity - single	H336: May cause drowsiness or dizziness.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878 - ES



## OKS 2571

Version	Revision Date:	Date of last issue: 19.09.2024	Print Date:
1.1	04.04.2025	Date of first issue: 19.09.2024	04.04.2025

exposure, Category 3, Central nervous system

Long-term (chronic) aquatic hazard,  
Category 3

H412: Harmful to aquatic life with long lasting effects.

## 2.2 Label elements

### Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :



Signal word : Danger

Hazard statements : H222 Extremely flammable aerosol.  
H229 Pressurised container: May burst if heated.  
H315 Causes skin irritation.  
H319 Causes serious eye irritation.  
H336 May cause drowsiness or dizziness.  
H412 Harmful to aquatic life with long lasting effects.

Precautionary statements : **Prevention:**  
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P211 Do not spray on an open flame or other ignition source.  
P251 Do not pierce or burn, even after use.  
P261 Avoid breathing mist.  
P264 Wash skin thoroughly after handling.  
**Storage:**  
P410 + P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F.

### Hazardous components which must be listed on the label:

butanone

acetone

n-butyl acetate

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878 - ES



## OKS 2571

Version	Revision Date:	Date of last issue: 19.09.2024	Print Date:
1.1	04.04.2025	Date of first issue: 19.09.2024	04.04.2025

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

Chemical nature : Active agent with propellant and solvent.  
Metal powder

#### Components

Chemical name	CAS-No. EC-No.  Index-No. Registration number	Classification	specific concentration limit M-Factor Notes Acute toxicity estimate	Concentration (% w/w)
butanone	78-93-3 201-159-0  606-002-00-3 01-2119457290-43-XXXX	Flam. Liq.2; H225 Eye Irrit.2; H319 STOT SE3; H336; EUH066		>= 30 - < 50
acetone	67-64-1 200-662-2  606-001-00-8 01-2119471330-49-XXXX	Flam. Liq.2; H225 Eye Irrit.2; H319 STOT SE3; H336; EUH066		>= 10 - < 20
cyclopentanone	120-92-3 204-435-9  606-025-00-9 01-2119495595-21-	Flam. Liq.3; H226 Skin Irrit.2; H315 Eye Irrit.2; H319		>= 10 - < 20

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878 - ES



## OKS 2571

Version 1.1      Revision Date: 04.04.2025      Date of last issue: 19.09.2024      Print Date: 04.04.2025  
Date of first issue: 19.09.2024

	xxxx			
n-butyl acetate	123-86-4 204-658-1  607-025-00-1 01-2119485493-29-XXXX	Flam. Liq.3; H226 STOT SE3; H336; EUH066		$\geq 1 - < 10$
zinc powder — zinc dust (stabilised)	7440-66-6 231-175-3  030-001-01-9 01-2119467174-37-XXXX	Aquatic Acute1; H400 Aquatic Chronic1; H410	M-Factor: 1/1	$\geq 1 - < 2,5$
Substances with a workplace exposure limit :				
dimethyl ether	115-10-6 204-065-8  603-019-00-8 01-2119472128-37-XXXX	Flam. Gas1A; H220 Press. GasLiquefied gas; H280	Note U (Table 3)	$\geq 30 - < 50$
aluminium powder (stabilised)	7429-90-5 231-072-3  013-002-00-1 01-2119529243-45-XXXX	Flam. Sol.1; H228	Note T	$\geq 1 - < 10$

For explanation of abbreviations see section 16.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

- If inhaled : Call a physician or poison control centre immediately.  
Remove person to fresh air. If signs/symptoms continue, get medical attention.  
Keep patient warm and at rest.  
If unconscious, place in recovery position and seek medical advice.  
Keep respiratory tract clear.  
If breathing is irregular or stopped, administer artificial respiration.
- In case of skin contact : Take off all contaminated clothing immediately.  
Wash off immediately with soap and plenty of water.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878 - ES



## OKS 2571

Version	Revision Date:	Date of last issue: 19.09.2024	Print Date:
1.1	04.04.2025	Date of first issue: 19.09.2024	04.04.2025

Get medical attention immediately if irritation develops and persists.  
Wash clothing before reuse.  
Thoroughly clean shoes before reuse.

- In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 10 minutes.  
Seek medical advice.
- If swallowed : Move the victim to fresh air.  
If accidentally swallowed obtain immediate medical attention.  
Keep respiratory tract clear.  
Do NOT induce vomiting.  
Rinse mouth with water.

### 4.2 Most important symptoms and effects, both acute and delayed

- Symptoms : Inhalation may provoke the following symptoms:  
Unconsciousness  
Dizziness  
Drowsiness  
Headache  
Nausea  
Tiredness

- Risks : Causes skin irritation.  
Causes serious eye irritation.  
May cause drowsiness or dizziness.  
  
Central nervous system depression

### 4.3 Indication of any immediate medical attention and special treatment needed

- Treatment : Treat symptomatically.

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

- Suitable extinguishing media : ABC powder
- Unsuitable extinguishing media : High volume water jet

### 5.2 Special hazards arising from the substance or mixture

- Specific hazards during firefighting : Fire Hazard  
Do not let product enter drains.  
Contains gas under pressure; may explode if heated.  
Beware of vapours accumulating to form explosive

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878 - ES



## OKS 2571

Version 1.1	Revision Date: 04.04.2025	Date of last issue: 19.09.2024 Date of first issue: 19.09.2024	Print Date: 04.04.2025
----------------	------------------------------	---	---------------------------

concentrations. Vapours can accumulate in low areas.

Hazardous combustion products : Carbon oxides  
Metal oxides

### 5.3 Advice for firefighters

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment. Exposure to decomposition products may be a hazard to health.

Further information : Standard procedure for chemical fires.  
Collect contaminated fire extinguishing water separately. This must not be discharged into drains.  
Cool containers/tanks with water spray.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Evacuate personnel to safe areas.  
Ensure adequate ventilation.  
Remove all sources of ignition.  
Do not breathe vapours or spray mist.  
Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.  
Refer to protective measures listed in sections 7 and 8.  
Only qualified personnel equipped with suitable protective equipment may intervene.

### 6.2 Environmental precautions

Environmental precautions : Do not allow contact with soil, surface or ground water.  
Prevent further leakage or spillage if safe to do so.  
If the product contaminates rivers and lakes or drains inform respective authorities.

### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).  
Keep in suitable, closed containers for disposal.  
Non-sparking tools should be used.

### 6.4 Reference to other sections

For personal protection see section 8.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878 - ES



## OKS 2571

Version	Revision Date:	Date of last issue: 19.09.2024	Print Date:
1.1	04.04.2025	Date of first issue: 19.09.2024	04.04.2025

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

- Advice on safe handling : Do not use in areas without adequate ventilation.  
Do not breathe vapours or spray mist.  
In case of insufficient ventilation, wear suitable respiratory equipment.  
Avoid contact with skin and eyes.  
For personal protection see section 8.  
Keep away from fire, sparks and heated surfaces.  
Smoking, eating and drinking should be prohibited in the application area.  
Wash hands and face before breaks and immediately after handling the product.  
Do not get in eyes or mouth or on skin.  
Do not get on skin or clothing.  
Do not ingest.  
Do not use sparking tools.  
These safety instructions also apply to empty packaging which may still contain product residues.  
Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50 °C. Do not pierce or burn, even after use.
- Hygiene measures : Wash face, hands and any exposed skin thoroughly after handling.

### 7.2 Conditions for safe storage, including any incompatibilities

- Requirements for storage areas and containers : BEWARE: Aerosol is pressurized. Keep away from direct sun exposure and temperatures over 50 °C. Do not open by force or throw into fire even after use. Do not spray on flames or red-hot objects. Store in accordance with the particular national regulations.

### 7.3 Specific end use(s)

- Specific use(s) : Specific instructions for handling, not required.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
butanone	78-93-3	STEL	300 ppm	2000/39/EC

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878 - ES



## OKS 2571

Version 1.1      Revision Date: 04.04.2025      Date of last issue: 19.09.2024      Date of first issue: 19.09.2024      Print Date: 04.04.2025

			900 mg/m <sup>3</sup>	(2000-06-16)
Further information: Indicative				
		TWA	200 ppm 600 mg/m <sup>3</sup>	2000/39/EC (2000-06-16)
Further information: Indicative				
		VLA-EC	300 ppm 900 mg/m <sup>3</sup>	ES VLA (2011-03-03)
		VLA-ED	200 ppm 600 mg/m <sup>3</sup>	ES VLA (2011-03-03)
dimethyl ether	115-10-6	TWA	1.000 ppm 1.920 mg/m <sup>3</sup>	2000/39/EC (2000-06-16)
Further information: Indicative				
		VLA-ED	1.000 ppm 1.920 mg/m <sup>3</sup>	ES VLA (2012-01-01)
acetone	67-64-1	TWA	500 ppm 1.210 mg/m <sup>3</sup>	2000/39/EC (2000-06-16)
Further information: Indicative				
		VLA-ED	500 ppm 1.210 mg/m <sup>3</sup>	ES VLA (2011-03-03)
aluminium powder (stabilised)	7429-90-5	VLA-ED (respirable fraction)	1 mg/m <sup>3</sup>	ES VLA (2021-04-01)
n-butyl acetate	123-86-4	STEL	150 ppm 723 mg/m <sup>3</sup>	2019/1831/E U (2019-10-31)
Further information: Indicative				
		TWA	50 ppm 241 mg/m <sup>3</sup>	2019/1831/E U (2019-10-31)
Further information: Indicative				
		VLA-ED	50 ppm 241 mg/m <sup>3</sup>	ES VLA (2022-04-01)
		VLA-EC	150 ppm 723 mg/m <sup>3</sup>	ES VLA (2022-04-01)

### Biological occupational exposure limits

Substance name	CAS-No.	Control parameters	Sampling time	Basis
butanone	78-93-3	methyl ethyl ketone: 2 mg/l (Urine)	End of workday	ES VLB (2011-03-03)
acetone	67-64-1	Acetone: 50 mg/l (Urine)	End of workday	ES VLB (2011-03-03)

### Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
butanone	Workers	Inhalation	Long-term systemic effects	600 mg/m <sup>3</sup>
	Workers	Skin contact	Long-term systemic	1161 mg/kg



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878 - ES



## OKS 2571

Version  
1.1

Revision Date:  
04.04.2025

Date of last issue: 19.09.2024  
Date of first issue: 19.09.2024

Print Date:  
04.04.2025

			effects	
dimethyl ether	Workers	Inhalation	Long-term exposure	1894 mg/m <sup>3</sup>
acetone	Workers	Inhalation	Long-term systemic effects	1210 mg/m <sup>3</sup>
	Workers	Skin contact	Long-term systemic effects	186 mg/kg
cyclopentanone	Workers	Inhalation	Long-term systemic effects	61 mg/m <sup>3</sup>
	Workers	Skin contact	Long-term systemic effects	7 mg/kg
aluminium powder (stabilised)	Workers	Inhalation	Long-term systemic effects	3,72 mg/m <sup>3</sup>
	Workers	Inhalation	Long-term local effects	3,72 mg/m <sup>3</sup>
n-butyl acetate	Workers	Inhalation	Long-term systemic effects	300 mg/m <sup>3</sup>
	Workers	Inhalation	Acute systemic effects	600 mg/m <sup>3</sup>
	Workers	Dermal	Long-term local effects	11 mg/cm <sup>2</sup>
zinc powder — zinc dust (stabilised)	Workers	Inhalation	Long-term systemic effects	5 mg/m <sup>3</sup>
	Workers	Skin contact	Long-term systemic effects	83 mg/kg

### Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
dimethyl ether	Fresh water	0,155 mg/l
	Marine water	0,016 mg/l
	Sewage treatment plant	160 mg/l
	Fresh water sediment	0,681 mg/kg
	Marine sediment	0,069 mg/kg
	Soil	0,045 mg/kg
acetone	Fresh water	10,6 mg/l
	Marine water	1,06 mg/l
	Sewage treatment plant	100 mg/l
	Fresh water sediment	30,4 mg/kg
	Marine sediment	3,04 mg/kg
	Soil	29,5 mg/kg
n-butyl acetate	Fresh water	0,18 mg/l
	Marine water	0,018 mg/l
	Microbiological Activity in Sewage Treatment Systems	35,6 mg/l
	Fresh water sediment	0,981 mg/kg
	Marine sediment	0,0981 mg/kg
	Soil	0,09 mg/kg
zinc powder — zinc dust (stabilised)	Fresh water	0,0206 mg/l
	Fresh water sediment	117,8 mg/kg
	Marine water	0,0061 mg/l

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878 - ES



## OKS 2571

Version	Revision Date:	Date of last issue: 19.09.2024	Print Date:
1.1	04.04.2025	Date of first issue: 19.09.2024	04.04.2025

	Marine sediment	56,5 mg/kg
	Microbiological Activity in Sewage Treatment Systems	0,052 mg/l
	Soil	35,6 mg/kg

### 8.2 Exposure controls

#### Engineering measures

Use only in an area equipped with explosion proof exhaust ventilation.  
Handle only in a place equipped with local exhaust (or other appropriate exhaust).

#### Personal protective equipment

Eye/face protection : Safety glasses with side-shields

#### Hand protection

Material : butyl-rubber  
Break through time : > 10 min  
Protective index : Class 1

Remarks : Wear protective gloves. The break through time depends amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each case.  
The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it.

Skin and body protection : Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.

Respiratory protection : Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.

Filter type : Recommended Filter type:  
Organic gas and low boiling vapour type (AX)

Protective measures : The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

#### Environmental exposure controls

Air : Should not be released into the environment.

Soil :

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878 - ES



## OKS 2571

Version 1.1	Revision Date: 04.04.2025	Date of last issue: 19.09.2024 Date of first issue: 19.09.2024	Print Date: 04.04.2025
----------------	------------------------------	---	---------------------------

Do not allow contact with soil, surface or ground water.  
The product should not be allowed to enter drains, water  
courses or the soil.

Water :

Do not allow contact with soil, surface or ground water.  
The product should not be allowed to enter drains, water  
courses or the soil.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Physical state : aerosol

Colour : silver

Odour : characteristic

Odour Threshold : No data available

  

Melting point/ range : No data available

Boiling point/boiling range : No data available

Flammability (solid, gas) : Extremely flammable aerosol.

Upper explosion limit / Upper flammability limit : 14,3 %(V)

Lower explosion limit / Lower flammability limit : 1 %(V)

Flash point : -60 °C  
Method: Abel-Pensky

Auto-ignition temperature : 365 °C

Decomposition temperature : No data available

pH : Not applicable  
substance/mixture is non-soluble (in water)

  

Viscosity  
Viscosity, dynamic : No data available

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878 - ES



## OKS 2571

Version	Revision Date:	Date of last issue: 19.09.2024	Print Date:
1.1	04.04.2025	Date of first issue: 19.09.2024	04.04.2025

Viscosity, kinematic : < 20,5 mm<sup>2</sup>/s (40 °C)

Solubility(ies)  
Water solubility : insoluble

Solubility in other solvents : No data available

Partition coefficient: n-  
octanol/water : No data available

Vapour pressure : 5.600 hPa (20 °C)

Relative density : 0,67 (20 °C)  
Reference substance: Water  
The value is calculated

Density : 0,67 g/cm<sup>3</sup>  
(20 °C)

Bulk density : No data available

Relative vapour density : No data available

### 9.2 Other information

Explosives : Not explosive

Oxidizing properties : No data available

Self-ignition : No data available

Evaporation rate : No data available

Sublimation point : No data available

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

No hazards to be specially mentioned.

### 10.2 Chemical stability

Stable under normal conditions.

### 10.3 Possibility of hazardous reactions

Hazardous reactions : No dangerous reaction known under conditions of normal use.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878 - ES



## OKS 2571

Version	Revision Date:	Date of last issue: 19.09.2024	Print Date:
1.1	04.04.2025	Date of first issue: 19.09.2024	04.04.2025

### 10.4 Conditions to avoid

Conditions to avoid : Heat, flames and sparks.  
Strong sunlight for prolonged periods.  
Risk of receptacle bursting.

### 10.5 Incompatible materials

Materials to avoid : Oxidizing agents

### 10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

## SECTION 11: Toxicological information

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

Based on available data, the classification criteria are not met.

#### Product:

Acute oral toxicity : Remarks: Effects due to ingestion may include:  
Symptoms: Central nervous system depression

Acute inhalation toxicity : Remarks: Respiration of solvent vapour may cause dizziness.  
Symptoms: Inhalation may provoke the following symptoms:;  
Respiratory disorder, Dizziness, Drowsiness, Vomiting,  
Fatigue, Vertigo, Central nervous system depression

Acute dermal toxicity : Symptoms: Redness, Local irritation

#### Components:

##### **butanone:**

Acute oral toxicity : LD50 (Rat): 2.193 mg/kg  
Method: OECD Test Guideline 423  
GLP: yes

Acute inhalation toxicity : LC50 (Rat): 34 mg/l  
Exposure time: 4 h  
Test atmosphere: vapour

Acute dermal toxicity : LD50 (Rabbit): > 5.000 mg/kg  
Method: OECD Test Guideline 402

##### **acetone:**

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878 - ES



## OKS 2571

Version 1.1	Revision Date: 04.04.2025	Date of last issue: 19.09.2024 Date of first issue: 19.09.2024	Print Date: 04.04.2025
----------------	------------------------------	---	---------------------------

Acute oral toxicity : LD50 Oral (Rat): 5.800 mg/kg

### **cyclopentanone:**

Acute oral toxicity : LD50 Oral (Rat): > 2.000 mg/kg

### **n-butyl acetate:**

Acute oral toxicity : LD50 (Rat): 10.768 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 21 mg/l  
Exposure time: 4 h  
Test atmosphere: vapour  
Method: OECD Test Guideline 403  
GLP: yes  
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rabbit): > 17.600 mg/kg

### **zinc powder — zinc dust (stabilised):**

Acute oral toxicity : LD50 (Rat): > 2.000 mg/kg  
Method: OECD Test Guideline 401  
GLP: yes  
Assessment: The substance or mixture has no acute oral toxicity

Acute inhalation toxicity : LC50 (Rat): > 5,41 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403  
GLP: yes  
Assessment: The substance or mixture has no acute inhalation toxicity

### **dimethyl ether:**

Acute inhalation toxicity : LC50 (Rat): 309 mg/l  
Exposure time: 4 h  
Test atmosphere: gas

### **aluminium powder (stabilised):**

Acute inhalation toxicity : LC50 (Rat): > 5,09 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Assessment: The substance or mixture has no acute inhalation toxicity

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878 - ES



## OKS 2571

Version	Revision Date:	Date of last issue: 19.09.2024	Print Date:
1.1	04.04.2025	Date of first issue: 19.09.2024	04.04.2025

### Skin corrosion/irritation

Causes skin irritation.

#### Product:

Remarks : This information is not available.

#### Components:

##### **butanone:**

Species : Rabbit  
Assessment : No skin irritation  
Method : OECD Test Guideline 404  
Result : No skin irritation  
  
Result : Repeated exposure may cause skin dryness or cracking.

##### **acetone:**

Result : Repeated exposure may cause skin dryness or cracking.

##### **cyclopentanone:**

Species : Rabbit  
Result : Skin irritation

##### **n-butyl acetate:**

Species : Rabbit  
Assessment : No skin irritation  
Method : OECD Test Guideline 404  
Result : Repeated exposure may cause skin dryness or cracking.

##### **zinc powder — zinc dust (stabilised):**

Species : Rabbit  
Assessment : No skin irritation  
Result : No skin irritation

##### **dimethyl ether:**

Assessment : No skin irritation  
Result : No skin irritation

##### **aluminium powder (stabilised):**

Species : Rabbit  
Assessment : No skin irritation  
Result : No skin irritation

### Serious eye damage/eye irritation

Causes serious eye irritation.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878 - ES



## OKS 2571

Version	Revision Date:	Date of last issue: 19.09.2024	Print Date:
1.1	04.04.2025	Date of first issue: 19.09.2024	04.04.2025

### Product:

Remarks : This information is not available.

### Components:

#### **butanone:**

Species : Rabbit  
Assessment : Irritating to eyes.  
Method : OECD Test Guideline 405  
Result : Irritating to eyes.

#### **acetone:**

Species : Rabbit  
Result : Eye irritation

#### **cyclopentanone:**

Species : Rabbit  
Result : Eye irritation

#### **n-butyl acetate:**

Species : Rabbit  
Assessment : No eye irritation  
Method : OECD Test Guideline 405  
Result : No eye irritation  
GLP : yes

#### **zinc powder — zinc dust (stabilised):**

Species : Rabbit  
Exposure time : 24 h  
Assessment : No eye irritation  
Method : OECD Test Guideline 405  
Result : No eye irritation  
GLP : yes

#### **dimethyl ether:**

Assessment : No eye irritation  
Result : No eye irritation

#### **aluminium powder (stabilised):**

Species : Rabbit  
Assessment : No eye irritation  
Result : No eye irritation



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878 - ES



## OKS 2571

Version	Revision Date:	Date of last issue: 19.09.2024	Print Date:
1.1	04.04.2025	Date of first issue: 19.09.2024	04.04.2025

### Respiratory or skin sensitisation

#### Skin sensitisation

Based on available data, the classification criteria are not met.

#### Respiratory sensitisation

Based on available data, the classification criteria are not met.

#### Product:

Remarks : This information is not available.

#### Components:

##### butanone:

Test Type : Buehler Test  
Species : Guinea pig  
Assessment : Does not cause skin sensitisation.  
Method : OECD Test Guideline 406  
Result : Does not cause skin sensitisation.  
GLP : yes

##### n-butyl acetate:

Test Type : Maximisation Test  
Exposure routes : Dermal  
Species : Guinea pig  
Assessment : Does not cause skin sensitisation.  
Method : OECD Test Guideline 406  
Result : Does not cause skin sensitisation.

##### zinc powder — zinc dust (stabilised):

Species : Guinea pig  
Assessment : Did not cause sensitisation on laboratory animals.  
Method : OECD Test Guideline 406  
Result : Did not cause sensitisation on laboratory animals.  
GLP : yes

##### dimethyl ether:

Assessment : Does not cause skin sensitisation.  
Result : Does not cause skin sensitisation.

##### aluminium powder (stabilised):

Species : Guinea pig  
Assessment : Did not cause sensitisation on laboratory animals.  
Result : Did not cause sensitisation on laboratory animals.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878 - ES



## OKS 2571

Version 1.1	Revision Date: 04.04.2025	Date of last issue: 19.09.2024 Date of first issue: 19.09.2024	Print Date: 04.04.2025
----------------	------------------------------	---	---------------------------

### Germ cell mutagenicity

Based on available data, the classification criteria are not met.

#### Product:

Genotoxicity in vitro : Remarks: No data available

Genotoxicity in vivo : Remarks: No data available

#### Components:

##### **butanone:**

Germ cell mutagenicity-  
Assessment : Tests on bacterial or mammalian cell cultures did not show  
mutagenic effects.

##### **n-butyl acetate:**

Genotoxicity in vitro : Test Type: Ames test  
Test system: Salmonella typhimurium  
Method: OECD Test Guideline 471  
Result: negative

Test Type: Chromosome aberration test in vitro  
Test system: Chinese hamster cells  
Method: OECD Test Guideline 473  
Result: negative

Genotoxicity in vivo : Species: Mouse  
Application Route: Oral  
Method: OECD Test Guideline 474  
Result: negative

Germ cell mutagenicity-  
Assessment : Tests on bacterial or mammalian cell cultures did not show  
mutagenic effects., Animal testing did not show any mutagenic  
effects.

##### **zinc powder — zinc dust (stabilised):**

Germ cell mutagenicity-  
Assessment : Tests on bacterial or mammalian cell cultures did not show  
mutagenic effects.

##### **dimethyl ether:**

Genotoxicity in vitro : Test Type: Ames test  
Method: OECD Test Guideline 471  
Result: negative

Genotoxicity in vivo : Species: Drosophila melanogaster (vinegar fly)  
Application Route: inhalation (gas)  
Method: OECD Test Guideline 477  
Result: negative

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878 - ES



## OKS 2571

Version	Revision Date:	Date of last issue: 19.09.2024	Print Date:
1.1	04.04.2025	Date of first issue: 19.09.2024	04.04.2025

### **Carcinogenicity**

Based on available data, the classification criteria are not met.

#### **Product:**

Remarks : No data available

#### **Components:**

##### **butanone:**

Carcinogenicity - Assessment : Not classifiable as a human carcinogen.

##### **n-butyl acetate:**

Carcinogenicity - Assessment : Not classifiable as a human carcinogen.

##### **zinc powder — zinc dust (stabilised):**

Carcinogenicity - Assessment : No evidence of carcinogenicity in animal studies.

##### **dimethyl ether:**

Species : Rat  
Application Route : inhalation (gas)  
Exposure time : 2 Years  
: 47 mg/l  
Method : OECD Test Guideline 453  
Result : negative

### **Reproductive toxicity**

Based on available data, the classification criteria are not met.

#### **Product:**

Effects on fertility : Remarks: No data available

Effects on foetal development : Remarks: No data available

#### **Components:**

##### **butanone:**

Reproductive toxicity - Assessment : - Fertility -  
No toxicity to reproduction  
- Teratogenicity -  
No effects on or via lactation

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878 - ES



## OKS 2571

Version	Revision Date:	Date of last issue: 19.09.2024	Print Date:
1.1	04.04.2025	Date of first issue: 19.09.2024	04.04.2025

### **n-butyl acetate:**

Effects on fertility : Test Type: Two-generation study  
Species: Rat  
Application Route: inhalation (vapour)  
General Toxicity - Parent: NOAEC: 750 mg/l  
General Toxicity F1: NOAEC: 750 mg/l  
General Toxicity F2: NOAEC: 750 mg/l  
Method: OECD Test Guideline 416  
Result: Embryotoxic effects and adverse effects on the offspring were detected.

Reproductive toxicity - Assessment : - Fertility -  
No evidence of adverse effects on sexual function and fertility, or on development, based on animal experiments.  
- Teratogenicity -  
No toxicity to reproduction

### **zinc powder — zinc dust (stabilised):**

Reproductive toxicity - Assessment : - Fertility -  
No toxicity to reproduction  
- Teratogenicity -  
No effects on or via lactation

### **dimethyl ether:**

Reproductive toxicity - Assessment : - Fertility -  
Animal testing did not show any effects on fertility.

### **STOT - single exposure**

May cause drowsiness or dizziness.

### **Product:**

Remarks : No data available

### **Components:**

#### **butanone:**

Exposure routes : Inhalation  
Target Organs : Respiratory system  
Assessment : The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with narcotic effects.,  
May cause drowsiness or dizziness.

#### **acetone:**

Exposure routes : Inhalation  
Assessment : May cause drowsiness or dizziness.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878 - ES



## OKS 2571

Version	Revision Date:	Date of last issue: 19.09.2024	Print Date:
1.1	04.04.2025	Date of first issue: 19.09.2024	04.04.2025

---

### **n-butyl acetate:**

Exposure routes : Inhalation  
Target Organs : Central nervous system  
Assessment : The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with narcotic effects.

### **STOT - repeated exposure**

Based on available data, the classification criteria are not met.

### **Product:**

Remarks : No data available

### **Components:**

#### **butanone:**

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

#### **n-butyl acetate:**

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

### **Repeated dose toxicity**

### **Product:**

Remarks : This information is not available.

### **Components:**

#### **n-butyl acetate:**

Species : Rat  
NOAEL : 125 mg/kg  
Application Route : Oral

### **Aspiration toxicity**

Based on available data, the classification criteria are not met.

### **Product:**

This information is not available.

### **Components:**

#### **butanone:**

No aspiration toxicity classification

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878 - ES



## OKS 2571

Version	Revision Date:	Date of last issue: 19.09.2024	Print Date:
1.1	04.04.2025	Date of first issue: 19.09.2024	04.04.2025

### **n-butyl acetate:**

No aspiration toxicity classification

### **zinc powder — zinc dust (stabilised):**

No aspiration toxicity classification

### **dimethyl ether:**

No aspiration toxicity classification

## 11.2 Information on other hazards

### **Endocrine disrupting properties**

#### **Product:**

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### **Further information**

#### **Product:**

Remarks : Risks of irreversible effects after a single exposure. Ingestion causes irritation of upper respiratory system and gastrointestinal disturbance. Possible risk of irreversible effects.

---

## SECTION 12: Ecological information

### 12.1 Toxicity

#### **Product:**

Toxicity to fish : Remarks: Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Toxicity to daphnia and other aquatic invertebrates : Remarks: No data available

Toxicity to algae/aquatic plants : Remarks: No data available

Toxicity to microorganisms : Remarks: No data available

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878 - ES



## OKS 2571

Version 1.1	Revision Date: 04.04.2025	Date of last issue: 19.09.2024 Date of first issue: 19.09.2024	Print Date: 04.04.2025
----------------	------------------------------	---	---------------------------

### Components:

#### **butanone:**

- Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 2.993 mg/l  
Exposure time: 96 h  
Test Type: static test
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 308 mg/l  
Exposure time: 48 h  
Test Type: static test
- Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): 1.972 mg/l  
Exposure time: 72 h  
Test Type: static test  
Method: OECD Test Guideline 201  
GLP: yes
- Toxicity to microorganisms : EC50 (Pseudomonas putida): 1.150 mg/l  
Exposure time: 16 h  
Test Type: static test  
Method: DIN 38 412 Part 8

#### **n-butyl acetate:**

- Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 18 mg/l  
Exposure time: 96 h  
Test Type: flow-through test  
Method: OECD Test Guideline 203
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia (water flea)): 44 mg/l  
Exposure time: 48 h  
Test Type: static test
- Toxicity to algae/aquatic plants : EC50 (Desmodesmus subspicatus (green algae)): 397 mg/l  
Exposure time: 72 h  
Test Type: static test
- Toxicity to microorganisms : EC50 (Tetrahymena pyriformis): 356 mg/l  
Exposure time: 40 h  
Test Type: Growth inhibition
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 23 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)  
Test Type: Reproduction Test  
GLP: yes

#### **zinc powder — zinc dust (stabilised):**

- Toxicity to fish : LC50 (Oncorhynchus kisutch (coho salmon)): 0,727 mg/l

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878 - ES



## OKS 2571

Version 1.1	Revision Date: 04.04.2025	Date of last issue: 19.09.2024 Date of first issue: 19.09.2024	Print Date: 04.04.2025
----------------	------------------------------	---	---------------------------

Exposure time: 96 h  
Test Type: static test

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0,937 mg/l  
Exposure time: 48 h  
Test Type: static test  
Method: OECD Test Guideline 202

M-Factor (Acute aquatic toxicity) : 1

M-Factor (Chronic aquatic toxicity) : 1

### Ecotoxicology Assessment

Acute aquatic toxicity : Very toxic to aquatic life.

Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

### dimethyl ether:

Toxicity to fish : LC50 (Poecilia reticulata (guppy)): > 4.100 mg/l  
Exposure time: 96 h  
Test Type: semi-static test

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 4.400 mg/l  
Exposure time: 48 h  
Test Type: static test

Toxicity to algae/aquatic plants : EC50 (green algae): 154,9 mg/l  
Exposure time: 96 h

### aluminium powder (stabilised):

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0,12 mg/l  
Exposure time: 96 h  
Test Type: static test  
Remarks: No toxicity at the limit of solubility

### Ecotoxicology Assessment

Acute aquatic toxicity : This product has no known ecotoxicological effects.

Chronic aquatic toxicity : This product has no known ecotoxicological effects.

## 12.2 Persistence and degradability

### Product:

Biodegradability : Remarks: No data available



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878 - ES



## OKS 2571

Version 1.1	Revision Date: 04.04.2025	Date of last issue: 19.09.2024 Date of first issue: 19.09.2024	Print Date: 04.04.2025
----------------	------------------------------	---	---------------------------

Physico-chemical  
removability : Remarks: No data available

### Components:

#### **butanone:**

Biodegradability : Test Type: aerobic  
Inoculum: activated sludge  
Result: rapidly biodegradable  
Biodegradation: 98 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301D  
GLP: yes

#### **acetone:**

Biodegradability : Result: rapidly biodegradable

#### **cyclopentanone:**

Biodegradability : Result: rapidly biodegradable

#### **n-butyl acetate:**

Biodegradability : Test Type: Primary biodegradation  
Result: rapidly biodegradable  
Biodegradation: 83 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301D

#### **dimethyl ether:**

Biodegradability : Test Type: aerobic  
Inoculum: activated sludge  
Result: Not readily biodegradable.  
Biodegradation: 5 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301D

## 12.3 Bioaccumulative potential

### Product:

Bioaccumulation : Remarks: No data available

### Components:

#### **butanone:**

Bioaccumulation : Remarks: Due to the distribution coefficient n-octanol/water,  
accumulation in organisms is not expected.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878 - ES



## OKS 2571

Version 1.1	Revision Date: 04.04.2025	Date of last issue: 19.09.2024 Date of first issue: 19.09.2024	Print Date: 04.04.2025
----------------	------------------------------	---	---------------------------

Partition coefficient: n-octanol/water : log Pow: 0,3 (40 °C)  
Method: OECD Test Guideline 117  
GLP: yes

### acetone:

Bioaccumulation : Remarks: Does not bioaccumulate.

Partition coefficient: n-octanol/water : log Pow: 0,2

### cyclopentanone:

Bioaccumulation : Remarks: No data available

### n-butyl acetate:

Partition coefficient: n-octanol/water : log Pow: 2,3 (25 °C)  
pH: 7  
Method: OECD Test Guideline 117  
GLP: yes

### dimethyl ether:

Partition coefficient: n-octanol/water : log Pow: 0,07 (25 °C)

## 12.4 Mobility in soil

### Product:

Mobility : Remarks: No data available

Distribution among environmental compartments : Remarks: No data available

## 12.5 Results of PBT and vPvB assessment

### Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

### Components:

#### butanone:

Assessment : Non-classified PBT substance. Non-classified vPvB substance

#### n-butyl acetate:

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878 - ES



## OKS 2571

Version	Revision Date:	Date of last issue: 19.09.2024	Print Date:
1.1	04.04.2025	Date of first issue: 19.09.2024	04.04.2025

Assessment : Non-classified PBT substance. Non-classified vPvB substance

### **dimethyl ether:**

Assessment : Non-classified vPvB substance. Non-classified PBT substance

## 12.6 Endocrine disrupting properties

### **Product:**

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## 12.7 Other adverse effects

### **Product:**

Additional ecological information : Harmful to aquatic life with long lasting effects.

---

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Product : Do not dispose of with domestic refuse.  
Dispose of as hazardous waste in compliance with local and national regulations.

Waste codes should be assigned by the user based on the application for which the product was used.

Contaminated packaging : Packaging that is not properly emptied must be disposed of as the unused product.  
Offer empty spray cans to an established disposal company.  
Pressurized container: Do not pierce or burn, even after use.

The following Waste Codes are only suggestions:

Waste Code : unused product, packagings not completely emptied  
16 05 04\*, gases in pressure containers (including halons)  
containing hazardous substances

---

## SECTION 14: Transport information

### 14.1 UN number or ID number

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878 - ES



## OKS 2571

Version 1.1	Revision Date: 04.04.2025	Date of last issue: 19.09.2024 Date of first issue: 19.09.2024	Print Date: 04.04.2025
----------------	------------------------------	---	---------------------------

**ADR** : UN 1950  
**RID** : UN 1950  
**IMDG** : UN 1950  
**IATA** : UN 1950

### 14.2 UN proper shipping name

**ADR** : AEROSOLS  
**RID** : AEROSOLS  
**IMDG** : AEROSOLS  
**IATA** : Aerosols, flammable

### 14.3 Transport hazard class(es)

**ADR** : 2  
**RID** : 2  
**IMDG** : 2.1  
**IATA** : 2.1

### 14.4 Packing group

**ADR**  
Packing group : Not assigned by regulation  
Classification Code : 5F  
Labels : 2.1  
Tunnel restriction code : (D)

**RID**  
Packing group : Not assigned by regulation  
Classification Code : 5F  
Hazard Identification Number : 23  
Labels : 2.1

**IMDG**  
Packing group : Not assigned by regulation  
Labels : 2.1  
EmS Code : F-D, S-U

**IATA (Cargo)**  
Packing instruction (cargo aircraft) : 203  
Packing instruction (LQ) : Y203  
Packing group : Not assigned by regulation  
Labels : Flammable Gas

**IATA (Passenger)**  
Packing instruction (passenger aircraft) : 203  
Packing instruction (LQ) : Y203  
Packing group : Not assigned by regulation

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878 - ES



## OKS 2571

Version 1.1	Revision Date: 04.04.2025	Date of last issue: 19.09.2024 Date of first issue: 19.09.2024	Print Date: 04.04.2025
----------------	------------------------------	---	---------------------------

Labels : Flammable Gas

### 14.5 Environmental hazards

#### ADR

Environmentally hazardous : no

#### RID

Environmentally hazardous : no

#### IMDG

Marine pollutant : no

### 14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

### 14.7 Maritime transport in bulk according to IMO instruments

Remarks : Not applicable for product as supplied.

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII) : Conditions of restriction for the following entries should be considered:  
Number on list 75  
If you intend to use this product as tattoo ink, please contact your vendor.

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59). (EU SVHC) : This product does not contain substances of very high concern (Regulation (EC) No 1907/2006 (REACH), Article 57).

Regulation (EU) No 2024/590 on substances that deplete the ozone layer (EC 2024/590) : Not applicable

Regulation (EU) 2019/1021 on persistent organic pollutants (recast) (EU POP) : Not applicable

Regulation (EU) No 649/2012 of the European : Not applicable

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878 - ES



## OKS 2571

Version 1.1	Revision Date: 04.04.2025	Date of last issue: 19.09.2024 Date of first issue: 19.09.2024	Print Date: 04.04.2025
----------------	------------------------------	---	---------------------------

Parliament and the Council concerning the export and  
import of dangerous chemicals  
(EU PIC)

REACH - List of substances subject to authorisation : Not applicable  
(Annex XIV)  
(EU. REACH-Annex XIV)

Regulation (EU) 2019/1148 on the marketing and use of : acetone (ANNEX II)  
explosives precursors

This product is regulated by Regulation (EU) 2019/1148:  
all suspicious transactions, and significant  
disappearances and thefts should be reported to the  
relevant national contact point.

P5c

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of  
major-accident hazards involving dangerous  
substances. P3a FLAMMABLE AEROSOLS

Volatile organic compounds : Directive 2010/75/EU of 24 November 2010 on industrial and  
livestock rearing emissions (integrated pollution prevention  
and control)  
Volatile organic compounds (VOC) content: 88,52 %

### Other regulations:

Take note of Directive 94/33/EC on the protection of young people at work or stricter national  
regulations, where applicable.

## 15.2 Chemical safety assessment

This information is not available.

## SECTION 16: Other information

### Full text of H-Statements

H220 : Extremely flammable gas.  
H225 : Highly flammable liquid and vapour.  
H226 : Flammable liquid and vapour.  
H228 : Flammable solid.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878 - ES



## OKS 2571

Version	Revision Date:	Date of last issue: 19.09.2024	Print Date:
1.1	04.04.2025	Date of first issue: 19.09.2024	04.04.2025

- H280 : Contains gas under pressure; may explode if heated.
- H315 : Causes skin irritation.
- H319 : Causes serious eye irritation.
- H336 : May cause drowsiness or dizziness.
- H400 : Very toxic to aquatic life.
- H410 : Very toxic to aquatic life with long lasting effects.
- EUH066 : Repeated exposure may cause skin dryness or cracking.

### Full text of other abbreviations

- Note T : This substance may be marketed in a form which does not have the physical hazards as indicated by the classification in the entry in Part 3. If the results of the relevant method or methods in accordance with Part 2 of Annex I of this Regulation show that the specific form of substance marketed does not exhibit this physical property or these physical hazards, the substance shall be classified in accordance with the result or results of this test or these tests. Relevant information, including reference to the relevant test method(s) shall be included in the safety data sheet.
- Note U (Table 3) : When put on the market gases have to be classified as "Gases under pressure", in one of the groups compressed gas, liquefied gas, refrigerated liquefied gas or dissolved gas. The group depends on the physical state in which the gas is packaged and therefore has to be assigned case by case. The following codes are assigned: Press. Gas (Comp.) Press. Gas (Liq.) Press. Gas (Ref. Liq.) Press. Gas (Diss.) Aerosols shall not be classified as gases under pressure (See Annex I, Part 2, Section 2.3.2.1, Note 2).
- 2000/39/EC : Europe. Commission Directive 2000/39/EC establishing a first list of indicative occupational exposure limit values
- 2019/1831/EU : Europe. Commission Directive 2019/1831/EU establishing a fifth list of indicative occupational exposure limit values
- ES VLA : Spain. Environmental Limits for exposure to Chemical agents - Table 1: Occupational Exposure Values
- ES VLB : Occupational Exposure Limits for Chemical Agents in Spain - Biological Exposure Values
- 2000/39/EC / TWA : Limit Value - eight hours
- 2000/39/EC / STEL : Short term exposure limit
- 2019/1831/EU / TWA : Limit Value - eight hours
- 2019/1831/EU / STEL : Short term exposure limit
- ES VLA / VLA-ED : Environmental Daily Limit Value
- ES VLA / VLA-EC : Environmental Short Term Value

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878 - ES



## OKS 2571

Version	Revision Date:	Date of last issue: 19.09.2024	Print Date:
1.1	04.04.2025	Date of first issue: 19.09.2024	04.04.2025

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

### Further information

#### Classification of the mixture:

Aerosol 1	H222, H229
Skin Irrit. 2	H315
Eye Irrit. 2	H319
STOT SE 3	H336
Aquatic Chronic 3	H412

#### Classification procedure:

Based on product data or assessment
Calculation method
Calculation method
Calculation method
Calculation method

|| Relevant changes compared to the last edition are highlighted at the left margin. This version replaces all previous editions.

This safety data sheet applies only to products as originally packed and labelled. The information contained therein may not be reproduced or modified without our express written permission. Any forwarding of this document is only permitted to the extent required by law. Any further, in particular public, dissemination of the safety data sheet (e.g. as a document for download from



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878 - ES



## OKS 2571

Version	Revision Date:	Date of last issue: 19.09.2024	Print Date:
1.1	04.04.2025	Date of first issue: 19.09.2024	04.04.2025

---

the Internet) is not permitted without our express written consent. We provide our customers with amended safety data sheets as prescribed by law. The customer is responsible for passing on safety data sheets and any amendments contained therein to its own customers, employees and other users of the product. We provide no guarantee that safety data sheets received by users from third parties are up-to-date. All information and instructions in this safety data sheet have been compiled to the best of our knowledge and are based on the information available to us on the day of publication. The information provided is intended to describe the product in relation to the required safety measures; it is neither an assurance of characteristics nor a guarantee of the product's suitability for particular applications and does not justify any contractual legal relationship. The existence of a safety data sheet for a particular jurisdiction does not necessarily mean that import or use within that jurisdiction is legally permitted. If you have any questions, please contact your responsible sales contact or authorized trading partner.