according to Regulation (EC) No. 1907/2006 - ES (Commission Regulation (EU) 2020/878)



OKS 111

Version	Revision Date:	Date of last issue: 25.03.2021	Print Date:
1.4	02.12.2022	Date of first issue: 10.06.2016	02.12.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier Product name	: OKS 11	1		
1.2 Relevant identified uses of t	the substanc	e or mixture and uses advised against		
Use of the Sub- stance/Mixture	: Lubrica	_		
Recommended restrictions on use	: Restrict	ed to professional users.		
1.3 Details of the supplier of the	e safety data	sheet		
Company	: OKS Sp Gangho D-8221 Tel.: +4 Fax.: +4	pezialschmierstoffe GmbH iferstr. 47 6 Maisach-Gernlinden 9 8142 3051 500 9 8142 3051 599 ks-germany.com		
E-mail address of person responsible for the SDS		oks-germany.com Compliance Management		
National contact	:			
1.4 Emergency telephone numb	per			
Emergency telephone num- ber		562 04 20		
SECTION 2: Hazards identification				
2.1 Classification of the substance or mixture				
Classification (REGULATIO				
Aerosols, Category 1		H222: Extremely flammable aerosol. H229: Pressurised container: May burst if heated.		
Specific target organ toxicity posure, Category 3, Central system		H336: May cause drowsiness or dizziness.		

H304: May be fatal if swallowed and enters airways.



Aspiration hazard, Category 1

according to Regulation (EC) No. 1907/2006 - ES (Commission Regulation (EU) 2020/878)



OKS 111

Version	Revision Date:	Date of last issue: 25.03.2021	Print Date:
1.4	02.12.2022	Date of first issue: 10.06.2016	02.12.2022

Long-term (chronic) aquatic hazard, Category 2 H411: Toxic to aquatic life with long lasting effects.

2.2 Label elements

Labelling (REGULATION (EC Hazard pictograms :) No 1272/2008)	
Signal word :	Danger	
Hazard statements :	H222 H229 H304 H336 H411	Extremely flammable aerosol. Pressurised container: May burst if heated. May be fatal if swallowed and enters air- ways. May cause drowsiness or dizziness. Toxic to aquatic life with long lasting effects.
Supplemental Hazard : Statements	EUH066	Repeated exposure may cause skin dryness or cracking.
Precautionary statements :	Prevention:	
	P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
	P211	Do not spray on an open flame or other ignition source.
	P251 P273	Do not pierce or burn, even after use. Avoid release to the environment.
	Response:	
	P301 + P310	IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
	P331	Do NOT induce vomiting.
	Storage:	
	P410 + P412	Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F.

Hazardous components which must be listed on the label:

Hydrocarbons, C7-C9, n-alkanes, isoalkanes, cyclics

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.



according to Regulation (EC) No. 1907/2006 - ES (Commission Regulation (EU) 2020/878)



OKS 111

Version	Revision Date:	Date of last issue: 25.03.2021	Print Date:
1.4	02.12.2022	Date of first issue: 10.06.2016	02.12.2022

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

:

3.2 Mixtures

Chemical nature

Active agent with propellant and solvent. Wax

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	specific concen- tration limit M-Factor Notes Acute toxicity estimate	Concentration (% w/w)
Hydrocarbons, C7-C9, n-alkanes, isoalkanes, cyclics	920-750-0 01-2119473851-33- xxxx	Flam. Liq.2; H225 STOT SE3; H336 Asp. Tox.1; H304 Aquatic Chronic2; H411; EUH066		>= 30 - < 50
Substances with a work	place exposure limit :			
butane	106-97-8 203-448-7 601-004-00-0 01-2119474691-32- XXXX	Flam. Gas1A; H220 Press. GasCompr. Gas; H280	Note U (table 3.1), Note C	>= 20 - < 30
molybdenum disul- phide	1317-33-5 215-263-9	Not classified		>= 10 - < 20
propane	74-98-6 200-827-9 601-003-00-5 01-2119486944-21- XXXX	Flam. Gas1A; H220 Press. GasCompr. Gas; H280	Note U (table 3.1)	>= 1 - < 10



according to Regulation (EC) No. 1907/2006 - ES (Commission Regulation (EU) 2020/878)



OKS 111

1.4 02.12.2022 Date of first issue: 10.06.2016 02.12.2022	Version	Revision Date:	Date of last issue: 25.03.2021	Print Date:
	1.4	02.12.2022	Date of first issue: 10.06.2016	02.12.2022

isobutane	75-28-5 200-857-2 601-004-00-0 01-2119485395-27- XXXX	Flam. Gas1A; H220 Press. GasCompr. Gas; H280	Note U (table 3.1), Note C	>= 1 - < 10

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

If inhaled	 Call a physician or poison control centre immediately. Remove person to fresh air. If signs/symptoms continue, get medical attention. Keep patient warm and at rest. If unconscious, place in recovery position and seek medical advice. Keep respiratory tract clear. If breathing is irregular or stopped, administer artificial respira- tion.
In case of skin contact	 Take off all contaminated clothing immediately. Get medical attention immediately if irritation develops and persists. Wash clothing before reuse. Thoroughly clean shoes before reuse. Wash skin thoroughly with soap and water or use recognized skin cleanser.
In case of eye contact	: Rinse immediately with plenty of water, also under the eyelids, for at least 10 minutes. Seek medical advice.
If swallowed	 Move the victim to fresh air. If accidentally swallowed obtain immediate medical attention. Keep respiratory tract clear. Do NOT induce vomiting. Rinse mouth with water. Aspiration hazard if swallowed - can enter lungs and cause damage.
4.2 Most important symptoms	and effects, both acute and delayed

Symptoms	: Inhalation may provoke the following symptoms: Unconsciousness Dizziness
	Drowsiness Headache



according to Regulation (EC) No. 1907/2006 - ES (Commission Regulation (EU) 2020/878)



OKS 111

Version 1.4	Revision Date: 02.12.2022	Date of last issue: 25.03.2021 Date of first issue: 10.06.2016	Print Date: 02.12.2022
		Nausea Tiredness Skin contact may provoke the following s Erythema Aspiration may cause pulmonary oedem	
Risks		 Central nervous system depression Can be absorbed through skin. Risk of product entering the lungs on voi Health injuries may be delayed. 	

4.3 Indication of any immediate medical attention and special treatment needed

Treatment	: Treat symptomatically.
-----------	--------------------------

SECTION 5: Firefighting measures

5.1 Extinguishing media		
Suitable extinguishing media	:	ABC powder
Unsuitable extinguishing media	:	High volume water jet
5.2 Special hazards arising from	the	e substance or mixture
Specific hazards during fire- fighting	:	Fire Hazard Do not let product enter drains. Contains gas under pressure; may explode if heated. Beware of vapours accumulating to form explosive concentra- tions. Vapours can accumulate in low areas.
Hazardous combustion prod- ucts	:	Carbon oxides Sulphur oxides Metal oxides
5.3 Advice for firefighters		
Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment. Exposure to decomposi- tion products may be a hazard to health.
Further information	:	Standard procedure for chemical fires. Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Cool containers/tanks with water spray.



according to Regulation (EC) No. 1907/2006 - ES (Commission Regulation (EU) 2020/878)



OKS 111

Version	Revision Date:	Date of last issue: 25.03.2021	Print Date:
1.4	02.12.2022	Date of first issue: 10.06.2016	02.12.2022

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

F	Personal precautions	:	Evacuate personnel to safe areas. Ensure adequate ventilation. Remove all sources of ignition. Do not breathe vapours or spray mist. Do not breathe dust/ fume/ gas/ mist/ vapours/ spray. Refer to protective measures listed in sections 7 and 8. Only qualified personnel equipped with suitable protective
			equipment may intervene.

6.2 Environmental precautions

Environmental precautions	:	Do not allow contact with soil, surface or ground water. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up	:	Contain spillage, and then collect with non-combustible ab- sorbent material, (e.g. sand, earth, diatomaceous earth, ver- miculite) and place in container for disposal according to local / national regulations (see section 13). Keep in suitable, closed containers for disposal. Non-sparking tools should be used.
-------------------------	---	---

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling	 Do not use in areas without adequate ventilation. Do not breathe vapours or spray mist. In case of insufficient ventilation, wear suitable respiratory equipment. Avoid contact with skin and eyes. For personal protection see section 8. Keep away from fire, sparks and heated surfaces. Smoking, eating and drinking should be prohibited in the application area. Wash hands and face before breaks and immediately after handling the product. Do not get in eyes or mouth or on skin. Do not get on skin or clothing. Do not ingest. Do not use sparking tools. These safety instructions also apply to empty packaging which
	I nese safety instructions also apply to empty packaging which



according to Regulation (EC) No. 1907/2006 - ES (Commission Regulation (EU) 2020/878)



OKS 111

Version 1.4	Revision Date: 02.12.2022		sue: 25.03.2021 sue: 10.06.2016	Print Date: 02.12.2022
		Pressuriz	emperatures exceeding s	m sunlight and do not ex- 50 °C. Do not pierce or burn,
Hygie	ene measures	: Wash fac handling.	e, hands and any expos	ed skin thoroughly after
7.2 Condi	tions for safe storage	including any	incompatibilities	
	irements for storage and containers	exposure or throw i	and temperatures over nto fire even after use. I pjects. Store in accordar	. Keep away from direct sun 50 °C. Do not open by force Do not spray on flames or nce with the particular na-
-	f ic end use(s) fic use(s)	: Specific in	nstructions for handling,	not required.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
butane	106-97-8	VLA-ED (gas)	1.000 ppm	ES VLA (2013-02-22)
molybdenum di- sulphide	1317-33-5	VLA-ED (inhala- ble fraction)	10 mg/m3 (Molybdenum)	ES VLA (2015-02-19)
		VLA-ED (respira- ble fraction)	3 mg/m3 (Molybdenum)	ES VLA (2015-02-19)
propane	74-98-6	VLA-ED	1.000 ppm	ES VLA (2011-03-03)
isobutane	75-28-5	VLA-ED (gas)	1.000 ppm	ES VLA (2013-02-22)

8.2 Exposure controls

Engineering measures

Use only in an area equipped with explosion proof exhaust ventilation. Handle only in a place equipped with local exhaust (or other appropriate exhaust).

Personal protective equipment

Eye	protection
-----	------------

: Safety glasses with side-shields

Hand protection		
Material	:	Nitrile rubber
Break through time	:	> 10 min
Protective index	:	Class 1



according to Regulation (EC) No. 1907/2006 - ES (Commission Regulation (EU) 2020/878)



OKS 111

Version 1.4	Revision Date: 02.12.2022	Date of last issue: 25.03.2021 Date of first issue: 10.06.2016	Print Date: 02.12.2022
R	emarks	: Wear protective gloves. The b amongst other things on the m type of glove and therefore ha case. The selected protective gloves tions of Regulation (EU) 2016, derived from it.	naterial, the thickness and the as to be measured for each
Skin and body protection			ation to its type, to the concen- ous substances, and to the spe-
Respiratory protection			ess adequate local exhaust ven- e assessment demonstrates that ended exposure guidelines.
Filter type : Filter type A-P			
Prote	ective measures		ent must be selected according unt of the dangerous substance

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	:	aerosol
Colour	:	black
Odour	:	characteristic
Odour Threshold	:	No data available
Melting point/range	:	No data available
Boiling point/boiling range	:	-161 °C (1.013 hPa)
Flammability (solid, gas)	:	Extremely flammable aerosol.
Upper explosion limit / Upper flammability limit	:	10,9 %(V)
Lower explosion limit / Lower flammability limit	:	0,9 %(V)



according to Regulation (EC) No. 1907/2006 - ES (Commission Regulation (EU) 2020/878)



OKS 111

Versi 1.4		Revision Date: 02.12.2022		of last issue: 25.03.2021 of first issue: 10.06.2016	Print Date: 02.12.2022
F	Flash p	oint	:	-60 °C Method: Abel-Pensky	
ŀ	Auto-igi	nition temperature	:	No data available	
[Decom	position temperature	:	No data available	
ŗ	рН		:	Not applicable substance/mixture is non-s	oluble (in water)
١	Viscosit Visc	y osity, dynamic	:	No data available	
	Visc	osity, kinematic	:	< 20,5 mm2/s (40 °C)	
ŝ	Solubilit Wate	ty(ies) er solubility	:	insoluble	
	Solu	bility in other solvents	; ;	No data available	
	Partitior octanol/	n coefficient: n- /water	:	No data available	
١	Vapour	pressure	:	3.800 hPa (20 °C)	
F	Relative	e density	:	0,77 (20 °C) Reference substance: Wate The value is calculated	er
[Density		:	0,77 g/cm3 (20 °C)	
E	Bulk de	nsity	:	No data available	
F	Relative	e vapour density	:	No data available	
9.2 O)ther in	formation			
E	Explosi	ves	:	Not explosive	
(Oxidizir	ng properties	:	No data available	
S	Self-ign	ition	:	No data available	
ſ	Metal co	orrosion rate	:	Not corrosive to metals	
E	Evapora	ation rate	:	No data available	
S	Sublima	ation point	:	No data available	



according to Regulation (EC) No. 1907/2006 - ES (Commission Regulation (EU) 2020/878)



OKS 111

Version	Revision Date:	Date of last issue: 25.03.2021	Print Date: 02.12.2022
1.4	02.12.2022	Date of first issue: 10.06.2016	

: No dangerous reaction known under conditions of normal use.

SECTION 10: Stability and reactivity

10.1 Reactivity

No hazards to be specially mentioned.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

10.4 Cor	ditions to	o avoid

Hazardous reactions

Conditions to avoid	:	Heat, flames and sparks.
		Strong sunlight for prolonged periods. Risk of receptacle bursting.

10.5 Incompatible materials

Materials to avoid	: Oxidizing agents
--------------------	--------------------

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity	
Product:	
Acute oral toxicity :	Remarks: Effects due to ingestion may include:
	Symptoms: Central nervous system depression
Acute inhalation toxicity :	Remarks: Respiration of solvent vapour may cause dizziness.
	Symptoms: Inhalation may provoke the following symptoms:, Respiratory disorder, Dizziness, Drowsiness, Vomiting, Fa- tigue, Vertigo, Central nervous system depression
Acute dermal toxicity :	Remarks: Prolonged or repeated skin contact with liquid may cause defatting resulting in drying, redness and possible blistering.
	Symptoms: Skin disorders

Components:

Hydrocarbons, C7-C9, n-alkanes, isoalkanes, cyclics:



OKS 111

1.4

according to Regulation (EC) No. 1907/2006 - ES (Commission Regulation (EU) 2020/878)



Version Revision Date: Date of last issue: 25.03.2021 Print Date: 02.12.2022 Date of first issue: 10.06.2016 02.12.2022 Acute oral toxicity : LD50 Oral (Rat): > 5.000 mg/kg butane: Acute inhalation toxicity LC50 (Rat): 658 mg/l Exposure time: 4 h Test atmosphere: gas molybdenum disulphide: Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg Acute dermal toxicity LD50 (Rat): > 16.000 mg/kg : isobutane: Acute inhalation toxicity LC50 (Rat): 658 mg/l 5 Exposure time: 4 h Test atmosphere: gas Skin corrosion/irritation Product: : This information is not available. Remarks **Components:** Hydrocarbons, C7-C9, n-alkanes, isoalkanes, cyclics: Result Repeated exposure may cause skin dryness or cracking. • molybdenum disulphide: Assessment No skin irritation : Result : No skin irritation Serious eye damage/eye irritation Product: Remarks Contact with eyes may cause irritation. : **Components:** molybdenum disulphide: Assessment No eye irritation 2 Result No eye irritation 1 Respiratory or skin sensitisation Product: Remarks : This information is not available.



according to Regulation (EC) No. 1907/2006 - ES (Commission Regulation (EU) 2020/878)



OKS 111

UN	5 1 1 1				
Vers 1.4	ion	Revision Date: 02.12.2022		e of last issue: 25.03.2021 e of first issue: 10.06.2016	Print Date: 02.12.2022
	Compo	onents:			
	molybe	denum disulphide:			
	Assess Result	ment	:	Does not cause skin sensitisation. Does not cause skin sensitisation.	
	Germ o	cell mutagenicity			
	Produc	<u>et:</u>			
	Genoto	oxicity in vitro	:	Remarks: No data available	
	Genoto	oxicity in vivo	:	Remarks: No data available	
	Compo	onents:			
	molybe	denum disulphide:			
	Germ o sessme		:	Animal testing did not show any mutagen	ic effects.
	Carcin	ogenicity			
	Produc	<u>ot:</u>			
	Remar	ks	:	No data available	
	Compo	onents:			
	molybe	denum disulphide:			
	Carcino ment	ogenicity - Assess-	:	No evidence of carcinogenicity in animal	studies.
	Reproc	ductive toxicity			
	Produc	<u>ot:</u>			
	Effects	on fertility	:	Remarks: No data available	
	Effects ment	on foetal develop-	:	Remarks: No data available	
	STOT ·	- single exposure			
	<u>Compo</u>	onents:			
	Hydrod	carbons, C7-C9, n-al	kane	s, isoalkanes, cyclics:	
	Assess	ment	:	May cause drowsiness or dizziness.	
	molybe	denum disulphide:			
	Assess	ment	:	The substance or mixture is not classified organ toxicant, single exposure.	as specific target



according to Regulation (EC) No. 1907/2006 - ES (Commission Regulation (EU) 2020/878)



OKS 111

Version	Revision Date:	Date of last issue: 25.03.2021	Print Date:
1.4	02.12.2022	Date of first issue: 10.06.2016	02.12.2022

STOT - repeated exposure

Components:

molybdenum disulphide:

Assessment

: The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Repeated dose toxicity

Product:

Remarks

: This information is not available.

Aspiration toxicity

Product:

May be fatal if swallowed and enters airways.

May be fatal if swallowed and enters airways.

Components:

Hydrocarbons, C7-C9, n-alkanes, isoalkanes, cyclics:

May be fatal if swallowed and enters airways.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment :	The substance/mixture does not contain components consid- ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
Further information	
Product:	
Remarks :	Information given is based on data on the components and the toxicology of similar products.
Components:	
molybdenum disulphide:	
Remarks :	Information given is based on data on the components and the toxicology of similar products.



according to Regulation (EC) No. 1907/2006 - ES (Commission Regulation (EU) 2020/878)



OKS 111

Version	Revision Date:	Date of last issue: 25.03.2021	Print Date:
1.4	02.12.2022	Date of first issue: 10.06.2016	02.12.2022

SECTION 12: Ecological information

12.1 Toxicity

Product:		
Toxicity to fish	:	Remarks: Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
Toxicity to daphnia and other aquatic invertebrates	:	Remarks: No data available
Toxicity to algae/aquatic plants	:	Remarks: No data available
Toxicity to microorganisms	:	Remarks: No data available
Components:		
Hydrocarbons, C7-C9, n-alka	ane	es, isoalkanes, cyclics:
Ecotoxicology Assessment		
Chronic aquatic toxicity	:	Toxic to aquatic life with long lasting effects.
molybdenum disulphide:		
Toxicity to fish	:	LC50 (Pimephales promelas (fathead minnow)): > 100 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	EC50 (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l Exposure time: 72 h

12.2 Persistence and degradability

Biodegradability	:	Remarks: No data available
Physico-chemical removabil- ity	:	Remarks: No data available

Components:

Hydrocarbons, C7-C9, n-alkanes, isoalkanes, cyclics:				
Biodegradability	:	Result: Readily biodegradable.		



according to Regulation (EC) No. 1907/2006 - ES (Commission Regulation (EU) 2020/878)



OKS 111

Version	Revision Date:	Date of last issue: 25.03.2021	Print Date:
1.4	02.12.2022	Date of first issue: 10.06.2016	02.12.2022

12.3 Bioaccumulative potential

Product:

Bioaccumulation	:	Remarks: This mixture contains no substance considered to be persistent, bioaccumulating and toxic (PBT). This mixture contains no substance considered to be very persistent and very bioaccumulating (vPvB).
		poroiotorit and vory bioaccarrialating (vr vb).

Components:

Hydrocarbons, C7-C9, n-alkanes, isoalkanes, cyclics:					
Bioaccumulation	:	Remarks: Not applicable			
Partition coefficient: n- octanol/water	:	Remarks: No data available			
butane:					
Partition coefficient: n-	:	log Pow: 2,89			
octanol/water		Method: OECD Test Guideline 107			
nronano:					
propane:					
Partition coefficient: n- octanol/water	:	log Pow: 2,36			

isobutane:

12.4 Mobility in soil

Product:		
Mobility	:	Remarks: No data available
Distribution among environ- mental compartments	:	Remarks: No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment	:	This substance/mixture contains no components considered
		to be either persistent, bioaccumulative and toxic (PBT), or
		very persistent and very bioaccumulative (vPvB) at levels of
		0.1% or higher.

12.6 Endocrine disrupting properties

Product:

Assessment	:	The substance/mixture does not contain components consid-



according to Regulation (EC) No. 1907/2006 - ES (Commission Regulation (EU) 2020/878)



OKS 111

Version 1.4	Revision Date: 02.12.2022	Date of last issue: 25.03.2021 Date of first issue: 10.06.2016	Print Date: 02.12.2022
		ered to have endocrine disrupting REACH Article 57(f) or Commissio (EU) 2017/2100 or Commission R levels of 0.1% or higher.	on Delegated regulation
12.7 Oth	er adverse effects		
	<u>duct:</u> itional ecological infor- on	: Toxic to aquatic life with long lasti	ng effects.

SECTION 13: Disposal considerations

13.1 Waste treatment methods	
Product :	Do not dispose of with domestic refuse. Dispose of as hazardous waste in compliance with local and national regulations.
	Waste codes should be assigned by the user based on the application for which the product was used.
Contaminated packaging :	Packaging that is not properly emptied must be disposed of as the unused product. Offer empty spray cans to an established disposal company. Pressurized container: Do not pierce or burn, even after use.
	The following Waste Codes are only suggestions:
Waste Code :	unused product, packagings not completely emptied 16 05 04*, gases in pressure containers (including halons) containing hazardous substances

SECTION 14: Transport information

14.1 UN number or ID number

ADR	:	UN 1950
RID	:	UN 1950
IMDG	:	UN 1950
ΙΑΤΑ	:	UN 1950
14.2 UN proper shipping name		
ADR	:	AEROSOLS
RID	:	AEROSOLS
IMDG	:	AEROSOLS



according to Regulation (EC) No. 1907/2006 - ES (Commission Regulation (EU) 2020/878)



OKS 111

Version 1.4	Revision Date: 02.12.2022		e of last issue: 25.03.2021 e of first issue: 10.06.2016	Print Date: 02.12.2022
			(Hydrocarbons, C7-C9, n-alkanes	s, isoalkanes, cyclics)
ΙΑΤΑ		:	Aerosols, flammable	
14.3 Trans	sport hazard class(es)			
ADR		:	2	
RID		:	2	
IMDG	i	:	2.1	
			2.1	
14.4 Packi	ing group			
Class Label:	ng group ification Code s el restriction code	:	Not assigned by regulation 5F 2.1 (D)	
Class	ng group ification Code rd Identification Number s	: : r : :	Not assigned by regulation 5F 23 2.1	
IMDG Packin Labels EmS	ng group s	:	Not assigned by regulation 2.1 F-D, S-U	
Packii aircra Packii	ng instruction (LQ) ng group	:	203 Y203 Not assigned by regulation Flammable Gas	
IATA Packii ger ai Packii	(Passenger) ng instruction (passen- rcraft) ng instruction (LQ) ng group	:	203 Y203 Not assigned by regulation Flammable Gas	
14.5 Envir	onmental hazards			
ADR Enviro	onmentally hazardous	:	yes	
RID Enviro	onmentally hazardous	:	yes	
IMDG Marin	e pollutant	:	yes	



according to Regulation (EC) No. 1907/2006 - ES (Commission Regulation (EU) 2020/878)



OKS 111

Version	Revision Date:	Date of last issue: 25.03.2021	Print Date:
1.4	02.12.2022	Date of first issue: 10.06.2016	02.12.2022

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Remarks

: Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing or the market and use of certain dangerous substances, mixtures and articles (Annex XVII)		Not applicable
REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59). (EU SVHC)	:	This product does not contain sub- stances of very high concern (Regu- lation (EC) No 1907/2006 (REACH), Article 57).
REACH - List of substances subject to authorisation (Annex XIV) (EU. REACH-Annex XIV)	:	Not applicable
Regulation (EC) No 1005/2009 on substances that de plete the ozone layer (EC 1005/2009)	€- :	Not applicable
Regulation (EU) 2019/1021 on persistent organic poll tants (recast) (EU POP)	lu- :	Not applicable
Regulation (EC) No 649/2012 of the European Parlia ment and the Council concerning the export and impo of dangerous chemicals (EU PIC)		Not applicable
:	P2	
Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous sub- stances.	P3a	FLAMMABLE AEROSOLS
	E2	ENVIRONMENTAL HAZARDS
	18	Liquefied extremely flammable
18 / 21		a brand of FREUDENBERG

according to Regulation (EC) No. 1907/2006 - ES (Commission Regulation (EU) 2020/878)



OKS 111

Version	Revision Date:	Date of last issue: 25.03.2021	Print Date:
1.4	02.12.2022	Date of first issue: 10.06.2016	02.12.2022

gases (including LPG) and natural gas

Volatile organic compounds : Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control) Volatile organic compounds (VOC) content: 81,12 %

Other regulations:

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

15.2 Chemical safety assessment

This information is not available.

SECTION 16: Other information

Full text of H-Statements

EUH066 H220 H225 H280 H304 H336 H411 EUH066 Full text of other abbreviatio)))))))	Repeated exposure may cause skin dryness or cracking. Extremely flammable gas. Highly flammable liquid and vapour. Contains gas under pressure; may explode if heated. May be fatal if swallowed and enters airways. May cause drowsiness or dizziness. Toxic to aquatic life with long lasting effects. Repeated exposure may cause skin dryness or cracking.
Note C	:	Some organic substances may be marketed either in a specif- ic isomeric form or as a mixture of several isomers. In this case the supplier must state on the label whether the sub-
Note U (table 3.1)	:	stance is a specific isomer or a mixture of isomers. When put on the market gases have to be classified as "Gas- es under pressure", in one of the groups compressed gas, liquefied gas, refrigerated liquefied gas or dissolved gas. The group depends on the physical state in which the gas is pack- aged and therefore has to be assigned case by case. The following codes are assigned: Press. Gas (Comp.) Press. Gas (Liq.) Press. Gas (Ref. Liq.) Press. Gas (Diss.) Aerosols shall not be classified as gases under pressure (See Annex I, Part
ES VLA	:	2, Section 2.3.2.1, Note 2). Spain. Environmental Limits for exposure to Chemical agents
ES VLA / VLA-ED	:	 Table 1: Occupational Exposure Values Environmental Daily Limit Value



according to Regulation (EC) No. 1907/2006 - ES (Commission Regulation (EU) 2020/878)



OKS 111

Version	Revision Date:	Date of last issue: 25.03.2021	Print Date:
1.4	02.12.2022	Date of first issue: 10.06.2016	02.12.2022

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA -European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIOC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Classification of the mixtu	re:	Classification procedure:
Aerosol 1	H222, H229	Based on product data or assessment
STOT SE 3	H336	Calculation method
Asp. Tox. 1	H304	Based on product data or assessment
Aquatic Chronic 2	H411	Calculation method

This safety data sheet applies only to products as originally packed and labelled. The information contained therein may not be reproduced or modified without our express written permission. Any forwarding of this document is only permitted to the extent required by law. Any further, in particular public, dissemination of the safety data sheet (e.g. as a document for download from the Internet) is not permitted without our express written consent. We provide our customers with amended safety data sheets as prescribed by law. The customer is responsible for passing on safety data sheets and any amendments contained therein to its own customers, employees and other users of the product. We provide no guarantee that safety data sheets received by users from third parties are up-to-date. All information and instructions in this safety data sheet have been compiled to the best of our knowledge and are based on the information available to us on the day of publication. The information provided is intended to describe the product in relation to



according to Regulation (EC) No. 1907/2006 - ES (Commission Regulation (EU) 2020/878)



OKS 111

Version	Revision Date:	Date of last issue: 25.03.2021	Print Date:
1.4	02.12.2022	Date of first issue: 10.06.2016	02.12.2022

the required safety measures; it is neither an assurance of characteristics nor a guarantee of the product's suitability for particular applications and does not justify any contractual legal relationship. The existence of a safety data sheet for a particular jurisdiction does not necessarily mean that import or use within that jurisdiction is legally permitted. If you have any questions, please contact your responsible sales contact or authorized trading partner.

