## OKS 2611

| Version | Revision Date: | Date of last issue: 31.07.2026 | Print Date: |
|---|---|---|---|
| 5.1 | 08.10.2026 | Date of first issue: 28.06.2016 | 08.10.2026 |

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

Product name : OKS 2611

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Detergent
Cleaning agent / Cleaner

Recommended restrictions on use : Restricted to professional users.

### 1.3 Details of the supplier of the safety data sheet

Company : OKS Spezialschmierstoffe GmbH
Ganghoferstr. 47
82216 Maisach
Germany
Tel.: +49 8142 3051-500
info@oks-germany.com

E-mail address of person responsible for the SDS : mcm@oks-germany.com

National contact : Klüber Lubrication Gmbh Ibérica S. en C.
Crta C17, Km 15.5
08150 Parets del Vallès (Barcelona)
Espania
Telefono: +34 93 57384 00
Fax: +34 93 573 84 91
customer.service@es.klueber.com

### 1.4 Emergency telephone number

Emergency telephone number : +34 91 562 04 20

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

**Classification (REGULATION (EC) No 1272/2008)**

| | |
|---|---|
| Aerosols, Category 1 | H222: Extremely flammable aerosol.<br>H229: Pressurised container: May burst if heated. |
| Skin irritation, Category 2 | H315: Causes skin irritation. |
| Eye irritation, Category 2 | H319: Causes serious eye irritation. |

| | |
|---|---|
| Specific target organ toxicity - single exposure, Category 3, Central nervous system | H336: May cause drowsiness or dizziness. |
| Specific target organ toxicity - repeated exposure, Category 2, Central nervous system | H373: May cause damage to organs through prolonged or repeated exposure. |
| Aspiration hazard, Category 1 | H304: May be fatal if swallowed and enters airways. |
| Long-term (chronic) aquatic hazard, Category 3 | H412: Harmful to aquatic life with long lasting effects. |

### 2.2 Label elements

**Labelling (REGULATION (EC) No 1272/2008)**

Hazard pictograms :



Signal word : Danger

Hazard statements :

| | |
|---|---|
| H222 | Extremely flammable aerosol. |
| H229 | Pressurised container: May burst if heated. |
| H304 | May be fatal if swallowed and enters airways. |
| H315 | Causes skin irritation. |
| H319 | Causes serious eye irritation. |
| H336 | May cause drowsiness or dizziness. |
| H373 | May cause damage to organs (Central nervous system) through prolonged or repeated exposure. |
| H412 | Harmful to aquatic life with long lasting effects. |

Precautionary statements :

**Prevention:**

| | |
|---|---|
| P210 | Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. |
| P211 | Do not spray on an open flame or other ignition source. |
| P251 | Do not pierce or burn, even after use. |
| P260 | Do not breathe mist. |

**Response:**

| | |
|---|---|
| P301 + P310 | IF SWALLOWED: Immediately call a POISON CENTER/ doctor. |
| P331 | Do NOT induce vomiting. |

**Storage:**

| | |
|---|---|
| P410 + P412 | Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F. |

**Hazardous components which must be listed on the label:**
propan-2-ol

Hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclics, <2% aromatics

Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

Chemical nature : Propellant
Solvent mixture

**Components**

| Chemical name | CAS-No.<br>EC-No.<br><br>Index-No.<br>Registration number | Classification | specific concentration limit<br>M-Factor<br>Notes<br>Acute toxicity estimate | Concentration (% w/w) |
|---|---|---|---|---|
| propan-2-ol | 67-63-0<br>200-661-7<br><br>603-117-00-0<br>02-2119457558-25-XXXX | Flam. Liq. 2; H225<br>Eye Irrit. 2; H319<br>STOT SE 3; H336 (Central nervous system) | | >= 20 - < 30 |

## OKS 2611

| Version | Revision Date: | Date of last issue: 31.07.2026 | Print Date: |
|---|---|---|---|
| 5.1 | 08.10.2026 | Date of first issue: 28.06.2016 | 08.10.2026 |

| | | | | |
|---|---|---|---|---|
| Hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclics, <2% aromatics | 927-241-2<br><br>01-2119471843-32-XXXX | Flam. Liq. 3; H226<br>STOT SE 3; H336 (Central nervous system)<br>Asp. Tox. 1; H304<br>Aquatic Chronic 3; H412<br>EUH066 | Note P | >= 25 - < 30 |
| Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane | 921-024-6<br><br>01-2119475514-35-XXXX | Flam. Liq. 2; H225<br>Skin Irrit. 2; H315<br>STOT SE 3; H336 (Central nervous system)<br>Asp. Tox. 1; H304<br>Aquatic Chronic 2; H411 | | >= 20 - < 25 |
| acetone | 67-64-1<br>200-662-2<br><br>606-001-00-8<br>01-2119471330-49-XXXX | Flam. Liq. 2; H225<br>Eye Irrit. 2; H319<br>STOT SE 3; H336 (Central nervous system)<br>EUH066 | | >= 10 - < 20 |
| n-hexane | 110-54-3<br>203-777-6<br><br>601-037-00-0<br>01-2119480412-44-XXXX | Flam. Liq. 2; H225<br>Skin Irrit. 2; H315<br>Repr. 2; H361f<br>STOT SE 3; H336 (Central nervous system)<br>STOT RE 1; H372 (Central nervous system)<br>Asp. Tox. 1; H304<br>Aquatic Chronic 2; H411 | **, *** | >= 1 - < 2,5 |
| n-hexane | 110-54-3<br>203-777-6<br><br>601-037-00-0 | Flam. Liq. 2; H225<br>Skin Irrit. 2; H315<br>Repr. 2; H361f<br>STOT SE 3; H336 (Central nervous system)<br>STOT RE 2; H373<br>Asp. Tox. 1; H304<br>Aquatic Chronic 2; H411 | **, *** | >= 0,25 - < 1 |
| Substances with a workplace exposure limit : | | | | |
| carbon dioxide | 124-38-9<br>204-696-9 | Press. Gas Compr. Gas; H280 | | >= 1 - < 10 |

For explanation of abbreviations see section 16.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

If inhaled : Call a physician or poison control centre immediately.
Remove person to fresh air. If signs/symptoms continue, get medical attention.
Keep patient warm and at rest.
If unconscious, place in recovery position and seek medical advice.
Keep respiratory tract clear.
If breathing is irregular or stopped, administer artificial respiration.

In case of skin contact : Take off all contaminated clothing immediately.
Get medical attention immediately if irritation develops and persists.
Wash clothing before reuse.
Thoroughly clean shoes before reuse.
Wash off immediately with plenty of water.

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 10 minutes.
Get medical attention immediately.

If swallowed : Move the victim to fresh air.
If accidentally swallowed obtain immediate medical attention.
Keep respiratory tract clear.
Do NOT induce vomiting.
Rinse mouth with water.
Aspiration hazard if swallowed - can enter lungs and cause damage.

### 4.2 Most important symptoms and effects, both acute and delayed

Symptoms : Aspiration may cause pulmonary oedema and pneumonitis.

Inhalation may provoke the following symptoms:
Unconsciousness
Dizziness
Drowsiness
Headache
Nausea
Tiredness

Risks : May be fatal if swallowed and enters airways.
Causes skin irritation.
Causes serious eye irritation.

May cause drowsiness or dizziness.
May cause damage to organs through prolonged or repeated exposure.

Central nervous system depression
Risk of product entering the lungs on vomiting after ingestion.
Health injuries may be delayed.

### 4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically.

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

Suitable extinguishing media : ABC powder

Unsuitable extinguishing media : High volume water jet

### 5.2 Special hazards arising from the substance or mixture

Specific hazards during firefighting : Fire Hazard
Do not let product enter drains.
Contains gas under pressure; may explode if heated.
Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

Hazardous combustion products : Carbon oxides

### 5.3 Advice for firefighters

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.
Use personal protective equipment. Exposure to decomposition products may be a hazard to health.

Further information : Standard procedure for chemical fires.
Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Cool containers/tanks with water spray.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Evacuate personnel to safe areas.
Ensure adequate ventilation.

Remove all sources of ignition.
Do not breathe vapours or spray mist.
Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.
Refer to protective measures listed in sections 7 and 8.
Only qualified personnel equipped with suitable protective equipment may intervene.

### 6.2 Environmental precautions

Environmental precautions : Do not allow contact with soil, surface or ground water.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities.

### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).
Keep in suitable, closed containers for disposal.
Non-sparking tools should be used.

### 6.4 Reference to other sections

For personal protection see section 8.

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Advice on safe handling : Do not use in areas without adequate ventilation.
Do not breathe vapours or spray mist.
In case of insufficient ventilation, wear suitable respiratory equipment.
Avoid contact with skin and eyes.
For personal protection see section 8.
Keep away from fire, sparks and heated surfaces.
Smoking, eating and drinking should be prohibited in the application area.
Wash hands and face before breaks and immediately after handling the product.
Do not get in eyes or mouth or on skin.
Do not get on skin or clothing.
Do not ingest.
Do not use sparking tools.
These safety instructions also apply to empty packaging which may still contain product residues.
Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50 °C. Do not pierce or burn, even after use.

Hygiene measures : Wash face, hands and any exposed skin thoroughly after handling.

### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : BEWARE: Aerosol is pressurized. Keep away from direct sun exposure and temperatures over 50 °C. Do not open by force or throw into fire even after use. Do not spray on flames or red-hot objects. Store in accordance with the particular national regulations.

### 7.3 Specific end use(s)

Specific use(s) : Specific instructions for handling, not required.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

**Occupational Exposure Limits**

| Components | CAS-No. | Value type (Form of exposure) | Control parameters | Basis |
|---|---|---|---|---|
| propan-2-ol | 67-63-0 | VLA-ED | 200 ppm<br>500 mg/m3 | ES VLA (2011-03-03) |
| | | VLA-EC | 400 ppm<br>1.000 mg/m3 | ES VLA (2011-03-03) |
| acetone | 67-64-1 | TWA | 500 ppm<br>1.210 mg/m3 | 2000/39/EC (1991-07-05) |
| | Further information: Indicative | | | |
| | | VLA-ED | 500 ppm<br>1.210 mg/m3 | ES VLA (2011-03-03) |
| carbon dioxide | 124-38-9 | TWA | 5.000 ppm<br>9.000 mg/m3 | 2006/15/EC (2006-02-09) |
| | Further information: Indicative | | | |
| | | VLA-ED | 5.000 ppm<br>9.150 mg/m3 | ES VLA (2007-01-01) |
| n-hexane | 110-54-3 | TWA | 20 ppm<br>72 mg/m3 | 2006/15/EC (2006-02-09) |
| | Further information: Indicative | | | |
| | | VLA-ED | 20 ppm<br>72 mg/m3 | ES VLA (2011-03-03) |
| n-hexane | 110-54-3 | TWA | 20 ppm<br>72 mg/m3 | 2006/15/EC (2006-02-09) |
| | Further information: Indicative | | | |
| | | VLA-ED | 20 ppm<br>72 mg/m3 | ES VLA (2011-03-03) |

**Biological occupational exposure limits**

| Substance name | CAS-No. | Control parameters | Sampling time | Basis |
|---|---|---|---|---|

| | | | | |
|---|---|---|---|---|
| propan-2-ol | 67-63-0 | Acetone: 40 mg/l (Urine) | At the end of the work week | ES VLB (2011-03-03) |
| acetone | 67-64-1 | Acetone: 50 mg/l (Urine) | End of workday | ES VLB (2011-03-03) |
| n-hexane | 110-54-3 | 2,5-hexanedione: 0,2 mg/l (Urine) | At the end of the work week | ES VLB (2014-01-01) |
| n-hexane | 110-54-3 | 2,5-hexanedione: 0,2 mg/l (Urine) | At the end of the work week | ES VLB (2014-01-01) |

**Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006**

| Substance name | End Use | Exposure routes | Potential health effects | Value |
|---|---|---|---|---|
| Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane | Workers | Skin contact | Long-term systemic effects | 773 mg/kg bw/day |
| | Workers | Inhalation | Long-term systemic effects | 2035 mg/m3 |
| Hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclics, <2% aromatics | Workers | Inhalation | Long-term systemic effects | 871 mg/m3 |
| | Workers | Skin contact | Long-term systemic effects | 77 mg/kg bw/day |
| acetone | Workers | Inhalation | Long-term systemic effects | 1210 mg/m3 |
| | Workers | Skin contact | Long-term systemic effects | 186 mg/kg |
| propan-2-ol | Workers | Inhalation | Long-term systemic effects | 500 mg/m3 |
| | Workers | Skin contact | Long-term systemic effects | 888 mg/kg |
| n-hexane | Workers | Inhalation | Long-term systemic effects | 75 mg/m3 |
| | Workers | Skin contact | Long-term systemic effects | 11 mg/kg |

**Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006**

| Substance name | Environmental Compartment | Value |
|---|---|---|
| acetone | Fresh water | 10,6 mg/l |
| | Marine water | 1,06 mg/l |
| | Sewage treatment plant | 100 mg/l |
| | Fresh water sediment | 30,4 mg/kg |
| | Marine sediment | 3,04 mg/kg |
| | Soil | 29,5 mg/kg |

### 8.2 Exposure controls

**Engineering measures**

Use only in an area equipped with explosion proof exhaust ventilation.
Handle only in a place equipped with local exhaust (or other appropriate exhaust).

**Personal protective equipment**

| | | |
|---|---|---|
| Eye/face protection | : | Safety glasses with side-shields |
| Hand protection | | |
| Material | : | butyl-rubber |
| Break through time | : | > 10 min |
| Protective index | : | Class 1 |
| Remarks | : | Wear protective gloves. The break through time depends amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each case.<br>The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it. |
| Skin and body protection | : | Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place. |
| Respiratory protection | : | Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines. |
| Filter type | : | Recommended Filter type:<br><br>Organic gas and low boiling vapour type (AX) |
| Protective measures | : | The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace. |

**Environmental exposure controls**

| | | |
|---|---|---|
| Air | : | Should not be released into the environment. |
| Soil | : | Do not allow contact with soil, surface or ground water.<br>The product should not be allowed to enter drains, water courses or the soil. |
| Water | : | Do not allow contact with soil, surface or ground water.<br>The product should not be allowed to enter drains, water courses or the soil. |

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

| | | |
|---|---|---|
| Physical state | : | aerosol |
| Colour | : | colourless |
| Odour | : | solvent-like |
| Odour Threshold | : | No data available |
| Melting point/ range | : | No data available |
| Boiling point/boiling range | : | 56 °C (1.013 hPa) |
| Flammability | : | Flammability (solid, gas):<br>Extremely flammable aerosol. |
| Upper explosion limit / Upper flammability limit | : | 13 %(V) |
| Lower explosion limit / Lower flammability limit | : | 0,6 %(V) |
| Flash point | : | -18 °C<br>Method: Abel-Pensky |
| Auto-ignition temperature | : | No data available |
| Decomposition temperature | : | No data available |
| pH | : | Not applicable<br>substance/mixture is non-soluble (in water) |
| Viscosity | | |
| Viscosity, dynamic | : | No data available |

| | | |
|---|---|---|
| Viscosity, kinematic | : | < 20,5 mm2/s (40 °C) |
| Solubility(ies) | | |
| Water solubility | : | insoluble |
| Solubility in other solvents | : | No data available |
| Partition coefficient: n-octanol/water | : | No data available |
| Vapour pressure | : | 233 hPa (20 °C) |
| Relative density | : | 0,7533 (20 °C)<br>Reference substance: Water<br>The value is calculated |
| Density | : | 0,75 g/cm3<br>(20 °C) |
| Bulk density | : | No data available |
| Relative vapour density | : | No data available |

**9.2 Other information**

| | | |
|---|---|---|
| Explosives | : | Not explosive |
| Oxidizing properties | : | No data available |
| Self-ignition | : | not auto-flammable |
| Metal corrosion rate | : | Not corrosive to metals |
| Evaporation rate | : | No data available |
| Sublimation point | : | No data available |

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

No hazards to be specially mentioned.

### 10.2 Chemical stability

Stable under normal conditions.

### 10.3 Possibility of hazardous reactions

Hazardous reactions : No dangerous reaction known under conditions of normal use.

### 10.4 Conditions to avoid

Conditions to avoid : Heat, flames and sparks.
Strong sunlight for prolonged periods.
Risk of receptacle bursting.

### 10.5 Incompatible materials

Materials to avoid : Oxidizing agents

### 10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

## SECTION 11: Toxicological information

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

**Acute toxicity**

Based on available data, the classification criteria are not met.

**Product:**

Acute oral toxicity : Remarks: Effects due to ingestion may include:

Symptoms: Central nervous system depression

Acute inhalation toxicity : Remarks: Respiration of solvent vapour may cause dizziness.

Symptoms: Inhalation may provoke the following symptoms:, Respiratory disorder, Dizziness, Drowsiness, Vomiting, Fatigue, Vertigo, Central nervous system depression

Acute dermal toxicity : Symptoms: Redness, Local irritation

**Components:**

**propan-2-ol:**

Acute oral toxicity : LD50 Oral (Rat): 5.840 mg/kg

**Hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclics, <2% aromatics:**

Acute oral toxicity : LD50 Oral (Rat): > 5.000 mg/kg
Method: OECD Test Guideline 401

Acute inhalation toxicity : Assessment: The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with narcotic effects.

**Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane:**

Acute oral toxicity : LD50 (Rat): > 5.840 mg/kg
Assessment: The substance or mixture has no acute oral toxicity

Acute inhalation toxicity : LC50 (Rat): > 25,2 mg/l
Exposure time: 4 h
Test atmosphere: vapour
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rat): > 2,8 g/kg
Assessment: The substance or mixture has no acute dermal toxicity

**acetone:**

Acute oral toxicity : LD50 Oral (Rat): 5.800 mg/kg

**n-hexane:**

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg
Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat): 259,35 mg/l
Exposure time: 4 h
Test atmosphere: vapour
Method: OECD Test Guideline 403

Acute dermal toxicity : LD50 (Rabbit): 3.350 mg/kg
Method: OECD Test Guideline 402
Assessment: The substance or mixture has no acute dermal toxicity

**n-hexane:**

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg
Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat): 259,35 mg/l
Exposure time: 4 h
Test atmosphere: vapour
Method: OECD Test Guideline 403

Acute dermal toxicity : LD50 (Rabbit): > 5.000 mg/kg
Method: OECD Test Guideline 402
Assessment: The substance or mixture has no acute dermal toxicity

**Skin corrosion/irritation**

Causes skin irritation.

**Product:**

Remarks : This information is not available.

**Components:**

**Hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclics, <2% aromatics:**

Result : Repeated exposure may cause skin dryness or cracking.

**Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane:**

Species : Rabbit
Assessment : Irritating to skin.
Method : OECD Test Guideline 404
Result : Irritating to skin.

**acetone:**

Result : Repeated exposure may cause skin dryness or cracking.

**n-hexane:**

Species : Rabbit
Assessment : Irritating to skin.
Method : OECD Test Guideline 404
Result : Irritating to skin.

**n-hexane:**

Species : Rabbit
Assessment : Irritating to skin.
Method : OECD Test Guideline 404
Result : Irritating to skin.

**Serious eye damage/eye irritation**

Causes serious eye irritation.

**Product:**

Remarks : This information is not available.

**Components:**

**propan-2-ol:**

Species : Rabbit

Result : Eye irritation

**Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane:**

Species : Rabbit
Assessment : No eye irritation
Result : No eye irritation

**acetone:**

Species : Rabbit
Result : Eye irritation

**n-hexane:**

Species : Rabbit
Assessment : No eye irritation
Method : OECD Test Guideline 405
Result : No eye irritation

**n-hexane:**

Species : Rabbit
Assessment : No eye irritation
Method : OECD Test Guideline 405
Result : No eye irritation

**Respiratory or skin sensitisation**

**Skin sensitisation**

Based on available data, the classification criteria are not met.

**Respiratory sensitisation**

Based on available data, the classification criteria are not met.

**Product:**

Remarks : This information is not available.

**Components:**

**Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane:**

Test Type : Maximisation Test
Exposure routes : Dermal
Species : Guinea pig
Assessment : Does not cause skin sensitisation.
Method : OECD Test Guideline 406
Result : Did not cause sensitisation on laboratory animals.

**n-hexane:**

Species : Mouse
Assessment : Does not cause skin sensitisation.

| | | |
|---|---|---|
| Method | : | OECD Test Guideline 429 |
| Result | : | Does not cause skin sensitisation. |

**n-hexane:**

| | | |
|---|---|---|
| Species | : | Mouse |
| Assessment | : | Does not cause skin sensitisation. |
| Result | : | Does not cause skin sensitisation. |

**Germ cell mutagenicity**

Based on available data, the classification criteria are not met.

**Product:**

| | | |
|---|---|---|
| Genotoxicity in vitro | : | Remarks: No data available |
| Genotoxicity in vivo | : | Remarks: No data available |

**Components:**

**Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane:**

| | | |
|---|---|---|
| Genotoxicity in vitro | : | Test Type: Chromosome aberration test in vitro<br>Test system: Rodent cell line<br>Method: OECD Test Guideline 473<br>Result: negative |

**n-hexane:**

| | | |
|---|---|---|
| Germ cell mutagenicity-Assessment | : | Weight of evidence does not support classification as a germ cell mutagen. |

**Carcinogenicity**

Based on available data, the classification criteria are not met.

**Product:**

| | | |
|---|---|---|
| Remarks | : | No data available |

**Components:**

**n-hexane:**

| | | |
|---|---|---|
| Carcinogenicity - Assessment | : | Weight of evidence does not support classification as a carcinogen |

**Reproductive toxicity**

Based on available data, the classification criteria are not met.

**Product:**

| | | |
|---|---|---|
| Effects on fertility | : | Remarks: No data available |
| Effects on foetal development | : | Remarks: No data available |

**Components:**

**n-hexane:**

Reproductive toxicity - Assessment : - Fertility -
Suspected human reproductive toxicant

**n-hexane:**

Reproductive toxicity - Assessment : - Fertility -
Suspected human reproductive toxicant

**STOT - single exposure**

May cause drowsiness or dizziness.

**Product:**

Remarks : No data available

**Components:**

**propan-2-ol:**

Assessment : May cause drowsiness or dizziness.

**Hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclics, <2% aromatics:**

Assessment : May cause drowsiness or dizziness.

**Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane:**

Assessment : May cause drowsiness or dizziness.

**acetone:**

Exposure routes : Inhalation
Assessment : May cause drowsiness or dizziness.

**n-hexane:**

Exposure routes : Inhalation
Target Organs : Central nervous system
Assessment : The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with narcotic effects.

**n-hexane:**

Exposure routes : Inhalation
Target Organs : Central nervous system
Assessment : The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with narcotic effects.

**STOT - repeated exposure**

May cause damage to organs (Central nervous system) through prolonged or repeated exposure.

**Product:**

Remarks : No data available

**Components:**

**Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane:**

Exposure routes : inhalation (vapour)
Assessment : No significant health effects observed in animals at concentrations of 1 mg/l/6h/d or less.

**n-hexane:**

Target Organs : Central nervous system
Assessment : The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 1.

**n-hexane:**

Exposure routes : Inhalation
Target Organs : Central nervous system
Assessment : The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 2.

**Repeated dose toxicity**

**Product:**

Remarks : This information is not available.

**Aspiration toxicity**

May be fatal if swallowed and enters airways.

**Product:**

May be fatal if swallowed and enters airways.

**Components:**

**Hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclics, <2% aromatics:**

May be fatal if swallowed and enters airways.

**Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane:**

May be fatal if swallowed and enters airways.

**n-hexane:**

May be fatal if swallowed and enters airways.

**n-hexane:**
May be fatal if swallowed and enters airways.

### 11.2 Information on other hazards

**Endocrine disrupting properties**
Based on available data, the classification criteria are not met.

**Product:**

| | | |
|---|---|---|
| Assessment | : | The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher. |

**Further information**

**Product:**

| | | |
|---|---|---|
| Remarks | : | Ingestion causes irritation of upper respiratory system and gastrointestinal disturbance. |

## SECTION 12: Ecological information

### 12.1 Toxicity

**Product:**

| | | |
|---|---|---|
| Toxicity to fish | : | Remarks: Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment. |
| Toxicity to daphnia and other aquatic invertebrates | : | Remarks: No data available |
| Toxicity to algae/aquatic plants | : | Remarks: No data available |
| Toxicity to microorganisms | : | Remarks: No data available |

**Components:**

**Hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclics, <2% aromatics:**

| | | |
|---|---|---|
| Toxicity to fish | : | LC50 (Oncorhynchus mykiss (rainbow trout)): > 10 - < 30 mg/l<br>Exposure time: 96 h |
| Toxicity to daphnia and other aquatic invertebrates | : | EC50 (Daphnia magna (Water flea)): > 22 - 46 mg/l<br>Exposure time: 48 h |
| Toxicity to algae/aquatic | : | (Pseudokirchneriella subcapitata (green algae)): > 1.000 mg/l |

plants — Exposure time: 72 h

**Ecotoxicology Assessment**

Chronic aquatic toxicity : Harmful to aquatic life with long lasting effects.

**Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane:**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 22 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203
GLP: yes

Toxicity to daphnia and other aquatic invertebrates : EL50 (Daphnia magna (Water flea)): 3 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202
GLP: yes

Toxicity to algae/aquatic plants : EbC50 (Pseudokirchneriella subcapitata (green algae)): 26 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

**Ecotoxicology Assessment**

Acute aquatic toxicity : Toxic to aquatic life.

Chronic aquatic toxicity : Toxic to aquatic life with long lasting effects.

**n-hexane:**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 12,51 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 21,85 mg/l
Exposure time: 48 h

Toxicity to algae/aquatic plants : ErC50 (Pseudokirchneriella subcapitata (green algae)): 9,285 mg/l
Exposure time: 72 h

**n-hexane:**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 12,51 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 21,85 mg/l
Exposure time: 48 h

Toxicity to algae/aquatic plants : ErC50 (Pseudokirchneriella subcapitata (green algae)): 9,285 mg/l
Exposure time: 72 h

### 12.2 Persistence and degradability

**Product:**

Biodegradability : Remarks: No data available

Physico-chemical removability : Remarks: No data available

**Components:**

**propan-2-ol:**

Biodegradability : Result: Readily biodegradable.

**Hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclics, <2% aromatics:**

Biodegradability : Result: rapidly biodegradable

**Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane:**

Biodegradability : Result: Readily biodegradable.

**acetone:**

Biodegradability : Result: Readily biodegradable.

**n-hexane:**

Biodegradability : Test Type: aerobic
Inoculum: activated sludge
Result: rapidly biodegradable
Biodegradation: 98 %
Exposure time: 28 d
Method: OECD Test Guideline 301F
GLP: yes
Remarks: Information given is based on data obtained from similar substances.

**n-hexane:**

Biodegradability : Test Type: aerobic
Inoculum: activated sludge
Result: rapidly biodegradable
Biodegradation: 21 %
Exposure time: 28 d
GLP: yes

### 12.3 Bioaccumulative potential

**Product:**

Bioaccumulation : Remarks: No data available

**Components:**

**propan-2-ol:**

| | | |
|---|---|---|
| Bioaccumulation | : | Remarks: Bioaccumulation is unlikely. |
| Partition coefficient: n-octanol/water | : | log Pow: 0,05 |

**Hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclics, <2% aromatics:**

| | | |
|---|---|---|
| Bioaccumulation | : | Remarks: Not applicable |
| Partition coefficient: n-octanol/water | : | Remarks: No data available |

**acetone:**

| | | |
|---|---|---|
| Bioaccumulation | : | Remarks: Does not bioaccumulate. |
| Partition coefficient: n-octanol/water | : | log Pow: 0,2 |

**n-hexane:**

| | | |
|---|---|---|
| Bioaccumulation | : | Bioconcentration factor (BCF): 501,19 |
| Partition coefficient: n-octanol/water | : | log Pow: 3,42 - 5,8 (20 °C)<br>pH: 7 |

**n-hexane:**

| | | |
|---|---|---|
| Bioaccumulation | : | Bioconcentration factor (BCF): 501,19 |
| Partition coefficient: n-octanol/water | : | log Pow: 4 (20 °C)<br>pH: 7 |

**carbon dioxide:**

| | | |
|---|---|---|
| Partition coefficient: n-octanol/water | : | log Pow: 0,83 |

### 12.4 Mobility in soil

**Product:**

| | | |
|---|---|---|
| Mobility | : | Remarks: No data available |
| Distribution among environmental compartments | : | Remarks: No data available |

### 12.5 Results of PBT and vPvB assessment

**Product:**

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

### 12.6 Endocrine disrupting properties

**Product:**

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### 12.7 Other adverse effects

**Product:**

Additional ecological information : Harmful to aquatic life with long lasting effects.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Product : Do not dispose of with domestic refuse.
Dispose of as hazardous waste in compliance with local and national regulations.

Waste codes should be assigned by the user based on the application for which the product was used.

Contaminated packaging : Packaging that is not properly emptied must be disposed of as the unused product.
Offer empty spray cans to an established disposal company.
Pressurized container: Do not pierce or burn, even after use.

The following Waste Codes are only suggestions:

Waste Code : unused product, packagings not completely emptied
16 05 04*, gases in pressure containers (including halons) containing hazardous substances

## SECTION 14: Transport information

### 14.1 UN number or ID number

**ADR** : UN 1950

| | | |
|---|---|---|
| **RID** | : | UN 1950 |
| **IMDG** | : | UN 1950 |
| **IATA** | : | UN 1950 |

**14.2 UN proper shipping name**

| | | |
|---|---|---|
| **ADR** | : | AEROSOLS |
| **RID** | : | AEROSOLS |
| **IMDG** | : | AEROSOLS |
| **IATA** | : | Aerosols, flammable |

**14.3 Transport hazard class(es)**

| | | Class | Subsidiary risks |
|---|---|---|---|
| **ADR** | : | 2 | 2.1 |
| **RID** | : | 2 | 2.1 |
| **IMDG** | : | 2.1 | |
| **IATA** | : | 2.1 | |

**14.4 Packing group**

**ADR**

| | | |
|---|---|---|
| Packing group | : | Not assigned by regulation |
| Classification Code | : | 5F |
| Labels | : | 2.1 |
| Tunnel restriction code | : | (D) |

**RID**

| | | |
|---|---|---|
| Packing group | : | Not assigned by regulation |
| Classification Code | : | 5F |
| Hazard Identification Number | : | 23 |
| Labels | : | 2.1 |

**IMDG**

| | | |
|---|---|---|
| Packing group | : | Not assigned by regulation |
| Labels | : | 2.1 |
| EmS Code | : | F-D, S-U |

**IATA (Cargo)**

| | | |
|---|---|---|
| Packing instruction (cargo aircraft) | : | 203 |
| Packing instruction (LQ) | : | Y203 |
| Packing group | : | Not assigned by regulation |
| Labels | : | Flammable Gas |

**IATA (Passenger)**

| | | |
|---|---|---|
| Packing instruction (passenger aircraft) | : | 203 |
| Packing instruction (LQ) | : | Y203 |

| | | |
|---|---|---|
| Packing group | : | Not assigned by regulation |
| Labels | : | Flammable Gas |

### 14.5 Environmental hazards

**ADR**
Environmentally hazardous : no

**RID**
Environmentally hazardous : no

**IMDG**
Marine pollutant : no

### 14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

### 14.7 Maritime transport in bulk according to IMO instruments

Remarks : Not applicable for product as supplied.

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

| | | |
|---|---|---|
| REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII) | : | Conditions of restriction for the following entries must be considered::<br>Number on list 40<br>This substance/mixture shall not be used in aerosol dispensers intended for supply to the general public for entertainment and decorative purposes.<br><br>Number on list 75<br>If you intend to use this product as tattoo ink, please contact your vendor. |
| REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).<br>(EU SVHC) | : | n-hexane |
| Regulation (EU) No 2024/590 on substances that deplete the ozone layer<br>(EC 2024/590) | : | Not applicable |

## OKS 2611

| Version | Revision Date: | Date of last issue: 31.07.2026 | Print Date: |
|---|---|---|---|
| 5.1 | 08.10.2026 | Date of first issue: 28.06.2016 | 08.10.2026 |

| | | |
|---|---|---|
| Regulation (EU) 2019/1021 on persistent organic pollutants (recast) (EU POP) | : | Not applicable |
| Regulation (EU) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals (EU PIC) | : | Not applicable |
| REACH - List of substances subject to authorisation (Annex XIV) (EU. REACH-Annex XIV) | : | Not applicable |
| Regulation (EU) 2019/1148 on the marketing and use of explosives precursors<br><br>This product is regulated by Regulation (EU) 2019/1148: all suspicious transactions, and significant disappearances and thefts should be reported to the relevant national contact point. | | acetone (ANNEX II); |
| Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. | P3b | FLAMMABLE AEROSOLS |

| | | |
|---|---|---|
| Volatile organic compounds | : | Directive 2010/75/EU of 24 November 2010 on industrial and livestock rearing emissions (integrated pollution prevention and control)<br>Volatile organic compounds (VOC) content: 96,39 % |
| Regulation (EC) No. 648/2004, as amended | : | Ingredients<br>>= 30%: Aliphatic hydrocarbons |

**Other regulations:**

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

### 15.2 Chemical safety assessment

This information is not available.

## SECTION 16: Other information

**Full text of H-Statements**

| | | |
|---|---|---|
| H225 | : | Highly flammable liquid and vapour. |
| H226 | : | Flammable liquid and vapour. |
| H280 | : | Contains gas under pressure; may explode if heated. |
| H304 | : | May be fatal if swallowed and enters airways. |
| H315 | : | Causes skin irritation. |
| H319 | : | Causes serious eye irritation. |
| H336 | : | May cause drowsiness or dizziness. |
| H361f | : | Suspected of damaging fertility. |
| H372 | : | Causes damage to organs through prolonged or repeated exposure. |
| H373 | : | May cause damage to organs through prolonged or repeated exposure. |
| H411 | : | Toxic to aquatic life with long lasting effects. |
| H412 | : | Harmful to aquatic life with long lasting effects. |
| EUH066 | : | Repeated exposure may cause skin dryness or cracking. |

**Full text of other abbreviations**

| | | |
|---|---|---|
| ** | : | Route of exposure cannot be excluded: For certain hazard classes, e.g. STOT, the route of exposure should be indicated in the hazard statement only if it is conclusively proven that no other route of exposure can cause the hazard in accordance to the criteria in Annex I. Under Directive 67/548/EEC the route of exposure was indicated for classifications with R48 when there was data justifying the classification for this route of exposure. The classification under 67/548/EEC indicating the route of exposure has been translated into the corresponding class and category according to this Regulation, but with a general hazard statement not specifying the route of exposure as the necessary information is not available. |
| *** | : | Hazard statements for reproductive toxicity: Hazard statements H360 and H361 indicate a general concern for effects on fertility and/or development: 'May damage/Suspected of damaging fertility or the unborn child'. According to the criteria, the general hazard statement can be replaced by the hazard statement indicating the specific effect of concern in accordance with Section 1.1.2.1.2. When the other differentiation is not mentioned, this is due to evidence proving no such effect, inconclusive data or no data and the obligations in Article 4(3) shall apply for that differentiation. In order not to lose information from the harmonised classifications for fertility and developmental effects under Directive 67/548/EEC, the classifications have been translated |

| | | |
|---|---|---|
| | | only for those effects classified under that Directive |
| Aquatic Chronic | : | Long-term (chronic) aquatic hazard |
| Asp. Tox. | : | Aspiration hazard |
| Eye Irrit. | : | Eye irritation |
| Flam. Liq. | : | Flammable liquids |
| Note P | : | The harmonised classification as a carcinogen or mutagen applies unless it can be shown that the substance contains less than 0,1 % w/w benzene (Einecs No 200-753-7), in which case a classification in accordance with Title II of this Regulation shall be performed also for those hazard classes. Where the substance is not classified as a carcinogen or mutagen, at least the precautionary statements (P102-)P260-P262-P301 + P310-P331 shall apply. |
| Press. Gas | : | Gases under pressure |
| Repr. | : | Reproductive toxicity |
| Skin Irrit. | : | Skin irritation |
| STOT RE | : | Specific target organ toxicity - repeated exposure |
| STOT SE | : | Specific target organ toxicity - single exposure |
| 2000/39/EC | : | Europe. Commission Directive 2000/39/EC establishing a first list of indicative occupational exposure limit values |
| 2006/15/EC | : | Europe. Indicative occupational exposure limit values |
| ES VLA | : | Spain. Environmental Limits for exposure to Chemical agents - Table 1: Occupational Exposure Values |
| ES VLB | : | Occupational Exposure Limits for Chemical Agents in Spain - Biological Exposure Values |
| 2000/39/EC / TWA | : | Limit Value - eight hours |
| 2006/15/EC / TWA | : | Limit Value - eight hours |
| ES VLA / VLA-ED | : | Environmental Daily Limit Value |
| ES VLA / VLA-EC | : | Environmental Short Term Value |

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; BGW - Biological Limit Values; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonised System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organisation; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardisation; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); LSPN - List of Hazardous Notified Substances (Chile); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration;

NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organisation for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

**Further information**

| **Classification of the mixture:** | | **Classification procedure:** |
|---|---|---|
| Aerosol 1 | H222, H229 | Based on product data or assessment |
| Skin Irrit. 2 | H315 | Calculation method |
| Eye Irrit. 2 | H319 | Calculation method |
| STOT SE 3 | H336 | Calculation method |
| STOT RE 2 | H373 | Calculation method |
| Asp. Tox. 1 | H304 | Based on product data or assessment |
| Aquatic Chronic 3 | H412 | Calculation method |

|| Relevant changes compared to the last edition are highlighted at the left margin. This version replaces all previous editions.

This safety data sheet applies only to products as originally packed and labelled. The information contained therein may not be reproduced or modified without our express written permission. Any forwarding of this document is only permitted to the extent required by law. Any further, in particular public, dissemination of the safety data sheet (e.g. as a document for download from the Internet) is not permitted without our express written consent. We provide our customers with amended safety data sheets as prescribed by law. The customer is responsible for passing on safety data sheets and any amendments contained therein to its own customers, employees and other users of the product. We provide no guarantee that safety data sheets received by users from third parties are up-to-date. All information and instructions in this safety data sheet have been compiled to the best of our knowledge and are based on the information available to us on the day of publication. The information provided is intended to describe the product in relation to the required safety measures; it is neither an assurance of characteristics nor a guarantee of the product's suitability for particular applications and does not justify any contractual legal relationship. The existence of a safety data sheet for a particular jurisdiction does not necessarily mean that import or use within that jurisdiction is legally permitted. If you have any questions, please contact your responsible sales contact or authorized trading partner.

## OKS 2611

| Version | Revision Date: | Date of last issue: 31.07.2026 | Print Date: |
|---|---|---|---|
| 5.1 | 08.10.2026 | Date of first issue: 28.06.2016 | 08.10.2026 |

**Ingredients (Regulation (EC) No. 648/2004, as amended)**

propan-2-ol
PARAFFINUM LIQUIDUM
Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane
acetone
CARBON DIOXIDE
HEXANE
n-hexane

https://ec.europa.eu/growth/tools-databases/cosing/index.cfm?fuseaction=search.simple