

| Version | Revision Date: | Date of last issue: 25.10.2022 | Print Date: |
|---------|----------------|---------------------------------|-------------|
| 2.3 | 15.07.2024 | Date of first issue: 22.06.2016 | 15.07.2024 |

SECTION 1: Identification of the substance/mixture and of the company/undertaking

| 1.1 | Product identifier | | |
|-----|--|------|--|
| | Product name | : | OKS 2200 |
| 1.2 | Relevant identified uses of th | ne s | ubstance or mixture and uses advised against |
| | Use of the Substance/Mixture | : | Anticorrosion additive |
| | Recommended restrictions on use | : | Restricted to professional users. |
| 1.3 | Details of the supplier of the | saf | ety data sheet |
| | Company | : | OKS Spezialschmierstoffe GmbH |
| | | | Ganghoferstr. 47 82216 Maisach-Gernlinden |
| | | | Deutschland Tel.: +49 8142 3051 500 |
| | | | Fax: +49 8142 3051 599 |
| | | | info@oks-germany.com |
| | E-mail address of person responsible for the SDS | : | mcm@oks-germany.com |
| | National contact | : | |
| | | | |
| 1.4 | Emergency telephone number | ər | |
| | Emergency telephone number | : | +33 1 45 42 59 59 ORFILA |
| | | | +33 1 72 11 00 03 NCEC |
| | | | +49 8142 3051 517 |

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Skin sensitisation, Category 1 H317: May cause an allergic skin reaction.



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - FR



OKS 2200

| Version | Revision Date: | Date of last issue: 25.10.2022 | Print Date: |
|---------|----------------|---------------------------------|-------------|
| 2.3 | 15.07.2024 | Date of first issue: 22.06.2016 | 15.07.2024 |

2.2 Label elements

| Labelling (REGULATION (EC) No 1272/2008) | | | | | |
|--|---|-------------|--|--|--|
| Hazard pictograms | : | | | | |
| Signal word | : | Warning | | | |
| Hazard statements | : | H317 | May cause an allergic skin reaction. | | |
| Precautionary statements | : | Prevention: | | | |
| | | P272 | Contaminated work clothing should not be allowed out of the workplace. | | |
| | | P280 | Wear protective gloves. | | |
| | | Response: | | | |
| | | P302 + P352 | IF ON SKIN: Wash with plenty of soap and water. | | |
| | | P333 + P313 | If skin irritation or rash occurs: Get medical advice/ attention. | | |
| | | P362 + P364 | Take off contaminated clothing and wash it before reuse. | | |

Hazardous components which must be listed on the label:

Sulfonic acids, petroleum, calcium salts

1,2-benzisothiazol-3(2H)-one

2-methylisothiazol-3(2H)-one

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.





| Version | Revision Date: | Date of last issue: 25.10.2022 | Print Date: |
|---------|----------------|---------------------------------|-------------|
| 2.3 | 15.07.2024 | Date of first issue: 22.06.2016 | 15.07.2024 |

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature

: Aqueous emulsion

Components

| Components | | <u>a</u> | | • |
|--|---|--|---|--------------------------|
| Chemical name | CAS-No. EC-No. Index-No. Registration number | Classification | specific concentration limit M-Factor Notes Acute toxicity estimate | Concentration (% w/w) |
| Sulfonic acids, petroleum, calcium salts | 61789-86-4 263-093-9 01-2119488992-18- 0000 | Skin Sens.1B; H317 | >= 10 % Skin Sens.1B, | >= 1 - < 10 |
| 2-methylisothiazol- 3(2H)-one | 2682-20-4 220-239-6 613-326-00-9 01-2120764690-50- XXXX | Acute Tox.3; H301 Acute Tox.2; H330 Acute Tox.2; H330 Acute Tox.3; H311 Skin Corr.1B; H314 Eye Dam.1; H318 Skin Sens.1A; H317 Aquatic Acute1; H400 Aquatic Chronic1; H410; EUH071 | >= 0,0015 % Skin Sens.1A, H317 M-Factor: 10/1 | >= 0,0025 - < 0,025 |
| 1,2-benzisothiazol- 3(2H)-one | 2634-33-5 220-120-9 613-088-00-6 | Acute Tox.4; H302 Acute Tox.2; H330 Skin Irrit.2; H315 Eye Dam.1; H318 Skin Sens.1A; H317 Aquatic Acute1; H400 Aquatic Chronic1; H410 | >= 0,036 % Skin Sens.1A, H317 M-Factor: 1/1 | >= 0,0025 - < 0,025 |



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - FR



OKS 2200

| Version 2.3 | Revision Da 15.07.2024 | | e: Date of last issue: 25.10.2022 Date of first issue: 22.06.2016 | | Print Date: 15.07.2024 | |
|--|---------------------------|------------------------|--|--|---|------------------------|
| | | | | | ATE (Oral): 450 mg/kg; ATE (Inhalation): 0,21 mg/l; | |
| N-(3-amino dodecylpro diamine | opropyl)-N- opane-1,3- | 2372-82-9 219-145-8 | | Acute Tox.3; H301 Skin Corr.1A; H314 STOT RE2; H373 Aquatic Acute1; H400 Aquatic Chronic1; H410 | M-Factor: 10/1 ATE (Oral): 261 mg/kg; | >= 0,0025 - < 0,025 |
| Substances with a workplace exposure limit : | | | | | | |
| Paraffin wa Hydrocarb | | 8002-74-2 232-315-6 | | Not classified | | >= 1 - < 10 |

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

| If inhaled | mee Kee If ur adv Kee If br | nove person to fresh air. If signs/symptoms continue, get dical attention. ap patient warm and at rest. nconscious, place in recovery position and seek medical ice. ap respiratory tract clear. reathing is irregular or stopped, administer artificial biration. |
|-------------------------|--|---|
| In case of skin contact | Wa Get pers Wa | e off all contaminated clothing immediately. sh off immediately with soap and plenty of water. medical attention immediately if irritation develops and sists. sh clothing before reuse. wroughly clean shoes before reuse. |
| In case of eye contact | for a | se immediately with plenty of water, also under the eyelids, at least 10 minutes. ye irritation persists, consult a specialist. |
| If swallowed | | ve the victim to fresh air. nconscious, place in recovery position and seek medical ice. |



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - FR



| OKS 220 | 00 | | | | |
|-----------------------------|------------------------------|--|--|---------------------------|--|
| Version 2.3 | Revision Date: 15.07.2024 | Date of last issue: 25. Date of first issue: 22.0 | | Print Date: 15.07.2024 | |
| | | Keep respiratory Do NOT induce v Rinse mouth with Never give anythi | omiting. | onscious person. | |
| 4.2 Most i | mportant symptoms | and effects, both acute | and delayed | | |
| Symp | toms | : No symptoms kno | own or expected. | | |
| Risks : | | : May cause an all | : May cause an allergic skin reaction. | | |
| 4.3 Indica Treate | • | e medical attention and : Treat symptomati | • | eeded | |

SECTION 5: Firefighting measures

| 5.1 Extinguishing media Suitable extinguishing media | : | Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide. |
|--|-------|---|
| Unsuitable extinguishing media | : | High volume water jet |
| 5.2 Special hazards arising from | n the | e substance or mixture |
| Hazardous combustion products | : | Carbon oxides Nitrogen oxides (NOx) Sulphur oxides |
| 5.3 Advice for firefighters | | |
| Special protective equipment for firefighters | : | In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment. Exposure to decomposition products may be a hazard to health. |
| Further information | : | Standard procedure for chemical fires. |

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Personal precautions : Evacuate personnel to safe areas. Use personal protective equipment. Ensure adequate ventilation.

Use personal protective equipment. Ensure adequate ventilation. Do not breathe vapours or spray mist. Refer to protective measures listed in sections 7 and 8.





| Version | Revision Date: | Date of last issue: 25.10.2022 | Print Date: |
|---------|----------------|---------------------------------|-------------|
| 2.3 | 15.07.2024 | Date of first issue: 22.06.2016 | 15.07.2024 |

6.2 Environmental precautions

| Environmental precautions | : Do not allow contact with soil, surface or ground water. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities. |
|-----------------------------------|---|
| 6.3 Methods and material for cont | ainment and cleaning up |
| Methods for cleaning up | : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). |

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

| Advice on safe handling | : | Do not breathe vapours or spray mist. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Wash hands and face before breaks and immediately after handling the product. Do not get in eyes or mouth or on skin. Do not get on skin or clothing. Do not get on skin or clothing. Do not repack. Do not re-use empty containers. These safety instructions also apply to empty packaging which may still contain product residues. Keep container closed when not in use. |
|-------------------------|---|---|
| Hygiene measures | : | Wash face, hands and any exposed skin thoroughly after handling. |

7.2 Conditions for safe storage, including any incompatibilities

| Requirements for storage | : | Store in original container. Keep container closed when not in |
|--------------------------|---|--|
| areas and containers | | use. Keep in a dry, cool and well-ventilated place. Containers |
| | | which are opened must be carefully resealed and kept upright |
| | | to prevent leakage. Store in accordance with the particular |
| | | national regulations. Keep in properly labelled containers. |

Protect from frost.





| Version | Revision Date: | Date of last issue: 25.10.2022 | Print Date: |
|---------|----------------|---------------------------------|-------------|
| 2.3 | 15.07.2024 | Date of first issue: 22.06.2016 | 15.07.2024 |

7.3 Specific end use(s)

Specific use(s)

: Specific instructions for handling, not required.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

| Components | CAS-No. | Value type (Form of exposure) | Control parameters | Basis |
|--|---|-------------------------------|--------------------|------------------------|
| Paraffin waxes and Hydrocarbon waxes | 8002-74-2 | VME (Fumes) | 2 mg/m3 | FR VLE (2012-05-10) |
| | Further information: Indicative exposure limits | | | |

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

| Substance name | End Use | Exposure routes | Potential health effects | Value |
|---------------------------|---------|-----------------|-------------------------------|-----------|
| 2,2',2"-nitrilotriethanol | Workers | Dermal | Long-term systemic effects | 7,5 mg/kg |
| | Workers | Inhalation | Long-term local effects | 1 mg/m3 |

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

| Substance name | Environmental Compartment | Value |
|---------------------------|------------------------------------|-------------|
| 2,2',2"-nitrilotriethanol | Soil | 0,151 mg/kg |
| | Microbiological Activity in Sewage | 10 mg/l |
| | Treatment Systems | _ |
| | Fresh water | 0,32 mg/l |
| | Marine water | 0,032 mg/l |
| | Fresh water sediment | 1,7 mg/kg |
| | Marine sediment | |

8.2 Exposure controls

Engineering measures

Maintain air concentrations below occupational exposure standards.

Personal protective equipment

| Eye/face protection | : | Safety glasses with side-shields |
|---------------------|---|----------------------------------|
| Hand protection | | |

| Material | : butyl-rubber |
|--------------------|----------------|
| Break through time | : > 10 min |
| Protective index | : Class 1 |





| OKS 22 | 00 | | | | | |
|--|---------------------------|--|---|------------------|--|--|
| Version 2.3 | Revision Date: 15.07.2024 | Date of last issue: 25.10.2022Print DatDate of first issue: 22.06.201615.07.20 | | | | |
| R | Remarks | | For prolonged or repeated contact use protective gloves. T break through time depends amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each case. The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it. | | | |
| Skin and body protection Respiratory protection | | : | Choose body protection in relation concentration and amount of dang the specific work-place. | | | |
| | | : | Not required; except in case of ae | rosol formation. | | |
| Fi | lter type | : | Filter type A-P | | | |
| Protective measures | | : | The type of protective equipment to the concentration and amount of at the specific workplace. | | | |

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

| Physical state | : | Emulsion |
|---|---|--------------------|
| Colour | : | beige |
| Odour | : | characteristic |
| Odour Threshold | : | No data available |
| | | |
| Melting point/range | : | No data available |
| Boiling point/boiling range | : | 100 °C (1.013 hPa) |
| Upper explosion limit / Upper flammability limit | : | No data available |
| Lower explosion limit / Lower flammability limit | : | No data available |
| Flash point | : | does not flash |
| Auto-ignition temperature | : | No data available |
| Decomposition temperature | : | No data available |



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - FR



OKS 2200

| Version 2.3 | Revision Date: 15.07.2024 | | of last issue: 25.10.2022 of first issue: 22.06.2016 | Print Date: 15.07.2024 |
|----------------|--------------------------------------|-----|---|---------------------------|
| рН | | : | 8,8 (20 °C) Concentration: 100 % | |
| | cosity Viscosity, dynamic | : | No data available | |
| ١ | Viscosity, kinematic | : | 30 mm2/s (40 °C) | |
| | ubility(ies) Water solubility | : | soluble | |
| Ś | Solubility in other solvents | 6 : | No data available | |
| | tition coefficient: n- anol/water | : | No data available | |
| Vap | oour pressure | : | 9,4 hPa (20 °C) | |
| Rela | ative density | : | 0,98 (20 °C) Reference substance: Water The value is calculated | |
| Der | nsity | : | 0,98 g/cm3 (20 °C) | |
| Bull | k density | : | No data available | |
| Rela | ative vapour density | : | No data available | |
| 9.2 Othe | er information | | | |
| Exp | losives | : | Not explosive | |
| Oxi | dizing properties | : | No data available | |
| Flar | mmability (liquids) | : | Will not burn | |
| Self | f-ignition | : | not auto-flammable | |
| Met | al corrosion rate | : | Not corrosive to metals | |
| Eva | poration rate | : | No data available | |
| Sub | limation point | : | No data available | |
| | | | | |





| Version | Revision Date: | Date of last issue: 25.10.2022 | Print Date: |
|---------|---------------------|---------------------------------|-------------|
| 2.3 | 15.07.2024 | Date of first issue: 22.06.2016 | 15.07.2024 |
| SECTION | N 10: Stability and | reactivity | |

10.1 Reactivity

No hazards to be specially mentioned.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

| Hazardous reactions | : No dangerous reaction known under conditions of normal use. |
|---------------------|---|
|---------------------|---|

10.4 Conditions to avoid

| Conditions to avoid | : | No conditions to be specially mentioned. |
|---------------------|---|--|
|---------------------|---|--|

10.5 Incompatible materials

| Materials to avoid | : | No materials to be especially mentioned. |
|--------------------|---|--|
|--------------------|---|--|

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Product:

| Acute oral toxicity | : | Remarks: This information is not available. |
|------------------------------|---|---|
| Acute inhalation toxicity | : | Remarks: This information is not available. |
| Acute dermal toxicity | : | Symptoms: Redness, Local irritation |
| Components: | | |
| 2-methylisothiazol-3(2H)-one | : | |

| Acute oral toxicity : | LD50 (Rat): 120 mg/kg Method: OPPTS 870.1100 GLP: yes |
|-----------------------|---|
|-----------------------|---|

Acute inhalation toxicity : LC50 (Rat): 0,11 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403 GLP: yes





| (S 220 | 0 | | |
|-----------------|-------------------------------|--|----------------------------------|
| sion | Revision Date: 15.07.2024 | Date of last issue: 25.10.2022 Date of first issue: 22.06.2016 | Print Date: 15.07.2024 |
| Acute | dermal toxicity | : LD50 (Rat): 242 mg/kg Method: OECD Test Guideline 40 | 2 |
| 1,2-be | enzisothiazol-3(2H) | one: | |
| Acute | oral toxicity | : Acute toxicity estimate: 450 mg/kg Method: Acute toxicity estimate a No. 1272/2008 | |
| | | LD50 (Rat): 490 mg/kg Assessment: The component/mix single ingestion. | ture is moderately toxic after |
| Acute | inhalation toxicity | : Acute toxicity estimate: 0,21 mg/l Test atmosphere: dust/mist Method: Acute toxicity estimate a No. 1272/2008 | ccording to Regulation (EC) |
| | | Assessment: The component/mix term inhalation. | ture is highly toxic after short |
| Acute | dermal toxicity | : LD50 (Rat): 4.115 mg/kg | |
| N-(3-a | aminopropyl)-N-doo | ecylpropane-1,3-diamine: | |
| - | oral toxicity | : LD50 Oral (Rat): 261 mg/kg Method: OECD Test Guideline 40 | 1 |
| | | Acute toxicity estimate: 261 mg/kg Method: ATE value derived from I | |
| Skin o | corrosion/irritation | | |
| <u>Produ</u> | <u>ict:</u> | | |
| Rema | rks | : This information is not available. | |
| <u>Comp</u> | oonents: | | |
| 2-met | hylisothiazol-3(2H) | one: | |
| Specie | | : Rabbit | |
| | sment | : Causes burns. | |
| Metho Result | - | : OECD Test Guideline 404 : Causes burns. | |
| GLP | · | : yes | |
| | | | |
| 1,2-be | enzisothiazol-3(2H) | one: | |
| | enzisothiazol-3(2H) ssment | one: : Irritating to skin. | |



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - FR



|)KS 220 | 00 | | |
|---------------|------------------------------|---|---------------------------|
| ersion .3 | Revision Date: 15.07.2024 | Date of last issue: 25.10.2022 Date of first issue: 22.06.2016 | Print Date: 15.07.2024 |
| N-(3- | aminopropyl)-N-dog | lecylpropane-1,3-diamine: | |
| Resu | • • • • • | : Causes severe burns. | |
| | | | |
| Serio | ous eye damage/eye | irritation | |
| Prod | uct: | | |
| Rema | arks | : This information is not available. | |
| <u>Com</u> | ponents: | | |
| 2-me | thylisothiazol-3(2H) | -one: | |
| | ssment | : Risk of serious damage to eyes. | |
| Resu | | : Risk of serious damage to eyes. | |
| 1,2-b | enzisothiazol-3(2H) | -one: | |
| | ssment | : Risk of serious damage to eyes. | |
| Resu | lt | : Risk of serious damage to eyes. | |
| N-(3-a | aminopropyl)-N-doo | lecylpropane-1,3-diamine: | |
| Resu | lt | : No eye irritation | |
| Resp | iratory or skin sens | itisation | |
| Prod | - | | |
| Rema | | : This information is not available. | |
| Konic | | | |
| Com | ponents: | | |
| Sulfo | onic acids, petroleur | n, calcium salts: | |
| Asses | ssment | : The product is a skin sensitiser, | sub-category 1B. |
| 2-me | thylisothiazol-3(2H) | -one: | |
| Test | , | : Buehler Test | |
| Speci | ies | : Guinea pig | |
| | ssment | : The product is a skin sensitiser, | sub-category 1A. |
| Metho Resu | | : OECD Test Guideline 406: The product is a skin sensitiser, | sub-category 1A |
| GLP | | : yes | |
| 4 ~ 1 | | | |
| | enzisothiazol-3(2H) | | aub actorion (1 A |
| Asses Resu | ssment It | The product is a skin sensitiser,The product is a skin sensitiser, | |
| i vesu | N. | | ous outogory in. |
| | | | |



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - FR



| ersion 3 | Revision Date: 15.07.2024 | | e of last issue: 25.10.2022 e of first issue: 22.06.2016 | Print Date: 15.07.2024 |
|-------------|--------------------------------|-------|---|------------------------------|
| Gern | n cell mutagenicity | | | |
| Prod | | | | |
| - | otoxicity in vitro | : | Remarks: No data available | |
| Geno | ptoxicity in vivo | : | Remarks: No data available | |
| <u>Com</u> | ponents: | | | |
| 2-me | thylisothiazol-3(2H) | -one: | | |
| | n cell mutagenicity- ssment | : | Tests on bacterial or mammalian mutagenic effects. | a cell cultures did not show |
| Carc | inogenicity | | | |
| Prod | luct: | | | |
| Rem | arks | : | No data available | |
| <u>Com</u> | ponents: | | | |
| | thylisothiazol-3(2H) | -one: | | |
| | inogenicity - ssment | : | No evidence of carcinogenicity ir | n animal studies. |
| Repr | oductive toxicity | | | |
| Prod | luct: | | | |
| Effec | ts on fertility | : | Remarks: No data available | |
| | ets on foetal lopment | : | Remarks: No data available | |
| <u>Com</u> | ponents: | | | |
| 2-me | thylisothiazol-3(2H) | -one: | | |
| | oductive toxicity - ssment | : | - Fertility - | |
| Asse | ssment | | No toxicity to reproduction - Teratogenicity - | |
| | | | No effects on or via lactation | |
| STO | T - single exposure | | | |
| Prod | luct: | | | |
| Rem | arks | : | No data available | |
| | | | | |





| OKS 2 | 2200 | | | |
|----------------|---|---------|--|---|
| Version 2.3 | Revision Date: 15.07.2024 | | te of last issue: 25.10.2022 te of first issue: 22.06.2016 | Print Date: 15.07.2024 |
| <u>Co</u> | mponents: | | | |
| 2-r | nethylisothiazol-3(2H)· | -one: | | |
| As | sessment | : | The substance or mixture is not clored organ toxicant, single exposure. | assified as specific target |
| ST | OT - repeated exposu | re | | |
| Pro | oduct: | | | |
| Re | marks | : | No data available | |
| <u>Co</u> | mponents: | | | |
| 2-r | nethylisothiazol-3(2H) | -one: | | |
| As | sessment | : | The substance or mixture is not cl organ toxicant, repeated exposure | |
| N-(| (3-aminopropyl)-N-dod | lecylp | ropane-1,3-diamine: | |
| As | sessment | : | May cause damage to organs throe exposure. | ough prolonged or repeated |
| Re | peated dose toxicity | | | |
| Pro | oduct: | | | |
| Re | marks | : | This information is not available. | |
| As | piration toxicity | | | |
| Pro | oduct: | | | |
| Th | is information is not ava | ilable. | | |
| Co | mponents: | | | |
| | nethylisothiazol-3(2H) aspiration toxicity class | | n | |
| 11.2 Inf | ormation on other haz | ards | | |
| En | docrine disrupting pro | opertie | es | |
| Pre | oduct: | | | |
| As | sessment | : | The substance/mixture does not c considered to have endocrine disi to REACH Article 57(f) or Commis (EU) 2017/2100 or Commission R levels of 0.1% or higher. | rupting properties according ssion Delegated regulation |





| Version 2.3 | Revision Date: 15.07.2024 | Date of last issue: 25.10.2022 Date of first issue: 22.06.2016 | Print Date: 15.07.2024 |
|----------------|---------------------------|---|------------------------------------|
| Furt | her information | | |
| Proc | duct: | | |
| Rem | narks | : Information given is based on the toxicology of similar produ | n data on the components and ucts. |
| Com | <u>iponents:</u> | | |
| 2-me | ethylisothiazol-3(2H) |)-one: | |
| Rem | narks | : Ingestion causes burns of the tracts. | e upper digestive and respiratory |

SECTION 12: Ecological information

12.1 Toxicity

| Product: | | |
|--|---|--|
| Toxicity to fish : | : | Remarks: Harmful to aquatic organisms. |
| Toxicity to daphnia and other : aquatic invertebrates | : | Remarks: No data available |
| Toxicity to algae/aquatic : plants | : | Remarks: No data available |
| Toxicity to microorganisms | : | Remarks: No data available |
| Components: | | |
| 2-methylisothiazol-3(2H)-one: | : | |
| Toxicity to daphnia and other : aquatic invertebrates | : | EC50 (Daphnia magna (Water flea)): 0,93 mg/l Exposure time: 48 h Test Type: flow-through test Method: OECD Test Guideline 202 GLP: yes |
| M-Factor (Acute aquatic : toxicity) | : | 10 |
| | | 10 |
| Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) | : | NOEC: 0,044 mg/l Exposure time: 21 d Species: Daphnia magna (Water flea) Test Type: flow-through test Method: OECD Test Guideline 211 |



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - FR



OKS 2200

| ersion 3 | Revision Date: 15.07.2024 | | e of last issue: 25.10.2022 e of first issue: 22.06.2016 | Print Date: 15.07.2024 |
|-----------------------|---|------|---|-----------------------------|
| M-Facto toxicity) | or (Chronic aquatic) | : | 1 | |
| | | | 1 | |
| 1,2-ber | nzisothiazol-3(2H)-on | e: | | |
| Toxicity | / to fish | : | LC50 (Oncorhynchus mykiss (rainl Exposure time: 96 h | bow trout)): 2,2 mg/l |
| | / to daphnia and other invertebrates | : | EC50 (Daphnia magna (Water flea Exposure time: 48 h Test Type: Immobilization | ı)): 3 mg/l |
| Toxicity plants | / to algae/aquatic | : | ErC50 (Pseudokirchneriella subcaj mg/l Exposure time: 72 h | pitata (green algae)): 0,11 |
| | | | NOEC (Selenastrum capricornutur Exposure time: 72 h | n (green algae)): 0,04 mg |
| M-Factor toxicity) | or (Acute aquatic) | : | 1 | |
| M-Factor toxicity) | or (Chronic aquatic) | : | 1 | |
| N-(3-an | ninopropyl)-N-dodec | ylpr | opane-1,3-diamine: | |
| Toxicity | / to fish | : | LC50 (Oncorhynchus mykiss (raint Exposure time: 96 h | bow trout)): 0,45 mg/l |
| | to daphnia and other invertebrates | : | EC50 (Daphnia magna (Water flea Exposure time: 48 h | ı)): 0,073 mg/l |
| Toxicity plants | / to algae/aquatic | : | EbC50 (Desmodesmus subspicatu mg/l Exposure time: 72 h Method: OECD Test Guideline 201 | |
| M-Factor toxicity) | or (Acute aquatic) | : | 10 | |
| M-Factor toxicity) | or (Chronic aquatic) | : | 1 | |
| Ecotox | ticology Assessment | : | | |
| | aquatic toxicity | : | Very toxic to aquatic life. | |



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - FR



OKS 2200

| Version 2.3 | Revision Date: 15.07.2024 | | e of last issue: 25.10.2022 e of first issue: 22.06.2016 | Print Date: 15.07.2024 |
|----------------|-------------------------------------|----------|---|------------------------|
| 12.2 Pers | istence and degrada | ability | | |
| Prod | luct: | | | |
| Biode | egradability | : | Remarks: No data available | |
| | ico-chemical wability | : | Remarks: No data available | |
| Com | ponents: | | | |
| 2-me | thylisothiazol-3(2H) | one: | | |
| Biode | egradability | : | Result: Not readily biodegradable. | |
| 1,2-b | enzisothiazol-3(2H)- | one: | | |
| | egradability | : | Result: Not rapidly biodegradable | |
| 12.3 Bioa | ccumulative potenti | al | | |
| Prod | luct: | | | |
| | ccumulation | : | Remarks: No data available | |
| <u>Com</u> | ponents: | | | |
| 2-me | thylisothiazol-3(2H) | one: | | |
| Partit | tion coefficient: n- nol/water | | log Pow: -0,486 (25 °C) pH: 7 | |
| 1,2-b | enzisothiazol-3(2H)- | one: | | |
| | tion coefficient: n- nol/water | : | log Pow: 0,7 | |
| 12.4 Mob | ility in soil | | | |
| Prod | luct: | | | |
| Mobi | | : | Remarks: No data available | |
| | ibution among onmental compartme | : nts | Remarks: No data available | |
| 12.5 Resu | ults of PBT and vPvE | 3 asse | ssment | |
| Prod | luct: | | | |
| | ssment | : | This substance/mixture contains no | components considered |

| Assessment | : | This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of |
|------------|---|--|
| | | |
| | | 0.1% or higher. |





| Version | Revision Date: | Date of last issue: 25.10.2022 | Print Date: |
|---------|----------------|---------------------------------|-------------|
| 2.3 | 15.07.2024 | Date of first issue: 22.06.2016 | 15.07.2024 |

Components:

1,2-benzisothiazol-3(2H)-one:

Assessment

: Non-classified vPvB substance. Non-classified PBT substance

12.6 Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

| P | roo | du | ct | : |
|---|-----|----|----|---|
| | | | | |

| Additional ecological information | : | No information on ecology is available. |
|-----------------------------------|---|---|
| | | |

SECTION 13: Disposal considerations

| 13.1 Waste treatment methods | |
|------------------------------|--|
| Product : | The product should not be allowed to enter drains, water courses or the soil. Do not dispose of with domestic refuse. Dispose of as hazardous waste in compliance with local and national regulations. |
| | Waste codes should be assigned by the user based on the application for which the product was used. |
| Contaminated packaging : | Packaging that is not properly emptied must be disposed of as the unused product. Dispose of waste product or used containers according to local regulations. |
| | The following Waste Codes are only suggestions: |
| Waste Code : | unused product 16 10 01, aqueous liquid wastes containing hazardous substances |
| | uncleaned packagings 15 01 10*, packaging containing residues of or contaminated |



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - FR



OKS 2200

| Version Revision Da | e: Date of last issue: 25.10.2022 | Print Date: |
|---------------------|-----------------------------------|-------------|
| 2.3 15.07.2024 | Date of first issue: 22.06.2016 | 15.07.2024 |

by hazardous substances

SECTION 14: Transport information

14.1 UN number or ID number

| ADN | : | Not regulated as a dangerous good |
|---------------------|---------------|-----------------------------------|
| ADR | : | Not regulated as a dangerous good |
| RID | : | Not regulated as a dangerous good |
| IMDG | : | Not regulated as a dangerous good |
| ΙΑΤΑ | : | Not regulated as a dangerous good |
| 14.2 UN proper ship | oping name | |
| ADN | : | Not regulated as a dangerous good |
| ADR | : | Not regulated as a dangerous good |
| RID | : | Not regulated as a dangerous good |
| IMDG | : | Not regulated as a dangerous good |
| ΙΑΤΑ | : | Not regulated as a dangerous good |
| 14.3 Transport haza | ard class(es) | |
| ADN | : | Not regulated as a dangerous good |
| ADR | : | Not regulated as a dangerous good |
| RID | : | Not regulated as a dangerous good |
| IMDG | : | Not regulated as a dangerous good |
| ΙΑΤΑ | : | Not regulated as a dangerous good |
| 14.4 Packing group |) | |
| ADN | : | Not regulated as a dangerous good |
| ADR | : | Not regulated as a dangerous good |
| RID | : | Not regulated as a dangerous good |
| IMDG | : | Not regulated as a dangerous good |
| IATA (Cargo) | : | Not regulated as a dangerous good |
| IATA (Passeng | jer) : | Not regulated as a dangerous good |
| 14.5 Environmental | l hazards | |
| ADN | : | Not regulated as a dangerous good |
| ADR | : | Not regulated as a dangerous good |
| | | |





| OKS 220 | 00 | | | |
|--|--|---|----------------|--|
| Version 2.3 | Revision Date: 15.07.2024 | Date of last issue: 25.10.2 Date of first issue: 22.06.2 | | Print Date: 15.07.2024 |
| RID | | : Not regulated as a d | anger | ous good |
| IMDG | a | : Not regulated as a d | - | - |
| • | ial precautions for pplicable | - | Ū | · |
| 14.7 Marit Rema | - | Ik according to IMO instrum : Not applicable for pr | | as supplied. |
| SECTION | N 15: Regulatory ii | nformation | | |
| 15.1 Safet mixture | ty, health and enviro | onmental regulations/legisl | ation | specific for the substance or |
| the m | | he manufacture, placing on ain dangerous substances, ex XVII) | : | Conditions of restriction for the following entries should be considered: Number on list 75, 3 |
| | | | | If you intend to use this product as tattoo ink, please contact your vendor. |
| Conc | CH - Candidate List o ern for Authorisation SVHC) | f Substances of Very High (Article 59). | : | This product does not contain substances of very high concern (Regulation (EC) No 1907/2006 (REACH), Article 57). |
| Regulation (EC) No 1005/2009 on substances that deplete the ozone layer (EC 1005/2009) | | : | Not applicable | |
| pollut | Regulation (EU) 2019/1021 on persistent organic pollutants (recast) (EU POP) | | | Not applicable |
| Parlia | rt of dangerous chem | il concerning the export and | : | Not applicable |
| (Anne | CH - List of substance ex XIV) REACH-Annex XIV) | es subject to authorisation | : | Not applicable |





| OKS | OKS 2200 | | | | |
|--|---|---|------------------------|--|--|
| Versi 2.3 | | te of last issue: 25.10.2022 te of first issue: 22.06.2016 | Print Date: 15.07.2024 | | |
| Regulation (EU) 2019/1148 on the marketing and use of : Not applicable explosives precursors | | | | | |
| F | Seveso III: Directive 2012/18/ Parliament and of the Council najor-accident hazards involv substances. | n the control of | licable | | |
| F | nstallations classified for the protection of the environment Environment Code R511-9) | Not applicable | | | |
| | Dccupational Illnesses (R- l61-3, France) | 36, 49 | | | |
| - | Reinforced medical supervision (R4624-23) | The product has no CMR properties | s category 1, 1A or 1B | | |
| ١ | /olatile organic compounds | Directive 2010/75/EU of 24 Novema emissions (integrated pollution prev Not applicable | | | |

Other regulations:

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

15.2 Chemical safety assessment

This information is not available.

SECTION 16: Other information

Full text of H-Statements

| H301 | : | Toxic if swallowed. |
|------|---|--|
| H302 | : | Harmful if swallowed. |
| H311 | : | Toxic in contact with skin. |
| H314 | : | Causes severe skin burns and eye damage. |
| H315 | : | Causes skin irritation. |
| H317 | : | May cause an allergic skin reaction. |
| H318 | : | Causes serious eye damage. |
| H330 | : | Fatal if inhaled. |
| H373 | : | May cause damage to organs through prolonged or repeated |
| | | exposure. |





| Version | Revision Date: | Date of last issue: 25.10.2022 | Print Date: | |
|------------------------|----------------|---|-------------|--|
| 2.3 | 15.07.2024 | Date of first issue: 22.06.2016 | 15.07.2024 | |
| H400 H410 EUH071 | | Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects. Corrosive to the respiratory tract. | | |

Full text of other abbreviations

| FR VLE | : | France. Occupational Exposure Limits |
|--------------|---|--------------------------------------|
| FR VLE / VME | : | Time Weighted Average |

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways: ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN -Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx -Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA -International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO -International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration: NO(A)EL - No Observed (Adverse) Effect Level: NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID -Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Classification of the mixture:

Classification procedure:

Skin Sens. 1

H317

Calculation method



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - FR



OKS 2200

| Version | Revision Date: | Date of last issue: 25.10.2022 | Print Date: |
|---------|----------------|---------------------------------|-------------|
| 2.3 | 15.07.2024 | Date of first issue: 22.06.2016 | 15.07.2024 |

This safety data sheet applies only to products as originally packed and labelled. The information contained therein may not be reproduced or modified without our express written permission. Any forwarding of this document is only permitted to the extent required by law. Any further, in particular public, dissemination of the safety data sheet (e.g. as a document for download from the Internet) is not permitted without our express written consent. We provide our customers with amended safety data sheets as prescribed by law. The customer is responsible for passing on safety data sheets and any amendments contained therein to its own customers, employees and other users of the product. We provide no guarantee that safety data sheets received by users from third parties are up-to-date. All information and instructions in this safety data sheet have been compiled to the best of our knowledge and are based on the information available to us on the day of publication. The information provided is intended to describe the product in relation to the required safety measures; it is neither an assurance of characteristics nor a guarantee of the product's suitability for particular applications and does not justify any contractual legal relationship. The existence of a safety data sheet for a particular jurisdiction does not necessarily mean that import or use within that jurisdiction is legally permitted. If you have any questions, please contact your responsible sales contact or authorized trading partner.

