according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - FR



OKS 661

Version Revision Date: Date of last issue: 25.11.2022 Print Date: 20.0 26.11.2025 Date of first issue: 26.09.2019 26.11.2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name : OKS 661

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the : Lubricant spray

Substance/Mixture

Recommended restrictions

on use

Restricted to professional users.

1.3 Details of the supplier of the safety data sheet

Company : OKS Spezialschmierstoffe GmbH

Ganghoferstr. 47

82216 Maisach-Gernlinden

Deutschland

Tel.: +49 8142 3051 500 Fax: +49 8142 3051 599 info@oks-germany.com

E-mail address of person

responsible for the SDS

mcm@oks-germany.com

National contact :

1.4 Emergency telephone number

Emergency telephone

number

: +33 1 45 42 59 59 ORFILA

+33 1 72 11 00 03 NCEC

+49 8142 3051 517

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Aerosols, Category 1 H222: Extremely flammable aerosol.

H229: Pressurised container: May burst if heated.

Skin sensitisation, Category 1 H317: May cause an allergic skin reaction.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - FR



OKS 661

VersionRevision Date:Date of last issue: 25.11.2022Print Date:2.026.11.2025Date of first issue: 26.09.201926.11.2025

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms





Signal word : Danger

Hazard statements : H222 Extremely flammable aerosol.

H229 Pressurised container: May burst if heated.

H317 May cause an allergic skin reaction.

Precautionary statements : Prevention:

P210 Keep away from heat, hot surfaces, sparks, open

flames and other ignition sources. No smoking.

P211 Do not spray on an open flame or other ignition

source.

P251 Do not pierce or burn, even after use.

P261 Avoid breathing mist.
P280 Wear protective gloves.

Storage:

P410 + P412 Protect from sunlight. Do not expose to

temperatures exceeding 50 °C/ 122 °F.

Hazardous components which must be listed on the label:

methyl salicylate

cinnamaldehyde

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - FR



OKS 661

VersionRevision Date:Date of last issue: 25.11.2022Print Date:2.026.11.2025Date of first issue: 26.09.201926.11.2025

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature : Active substance with propellant

Ethanol Perfumes water

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	specific concentration limit M-Factor Notes Acute toxicity estimate	Concentration (% w/w)
ethanol	64-17-5 200-578-6 603-002-00-5 01-2119457610-43- XXXX	Flam. Liq. 2; H225 Eye Irrit. 2; H319	50 % Eye Irrit.2A,	>= 30 - < 50
isobutane	75-28-5 200-857-2 601-004-00-0 01-2119485395-27- XXXX	Flam. Gas 1A; H220 Press. Gas Compr. Gas; H280	Note U (Table 3), Note C	>= 20 - < 30
propane	74-98-6 200-827-9 601-003-00-5 01-2119486944-21- XXXX	Flam. Gas 1A; H220 Press. Gas Compr. Gas; H280	Note U (Table 3)	>= 1 - < 10
pentane-2,4-dione	123-54-6 204-634-0 606-029-00-0	Flam. Liq. 3; H226 Acute Tox. 4; H302		>= 1 - < 10
methyl salicylate	119-36-8 204-317-7 607-749-00-8	Acute Tox. 4; H302 Skin Sens. 1B; H317 Repr. 2; H361d Aquatic Chronic 3;		>= 2,5 - < 3

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - FR



OKS 661

Version Revision Date: Date of last issue: 25.11.2022 Print Date: 2.0 26.11.2025 Date of first issue: 26.09.2019 26.11.2025

		H412	ATE (Oral): 890 mg/kg	
1-methoxy-2-propanol	107-98-2 203-539-1 603-064-00-3 01-2119457435-35- XXXX	Flam. Liq. 3; H226 STOT SE 3; H336 (Central nervous system)		>= 1 - < 10
cinnamaldehyde	104-55-2 203-213-9 606-155-00-6	Acute Tox. 4; H312 Skin Irrit. 2; H315 Eye Irrit. 2; H319 Skin Sens. 1; H317	>= 0,01 % Skin Sens.1, H317	>= 0,1 - < 1

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

If inhaled : Obtain medical attention.

Remove person to fresh air. If signs/symptoms continue, get

medical attention.

Keep patient warm and at rest.

If unconscious, place in recovery position and seek medical

advice.

Keep respiratory tract clear.

If breathing is irregular or stopped, administer artificial

respiration.

In case of skin contact : Take off all contaminated clothing immediately.

Get medical attention immediately if irritation develops and

persists.

Wash clothing before reuse.

Thoroughly clean shoes before reuse. Wash off immediately with plenty of water.

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids,

for at least 10 minutes.

If eye irritation persists, consult a specialist.

If swallowed : Move the victim to fresh air.

Keep respiratory tract clear. Do NOT induce vomiting. Obtain medical attention. Rinse mouth with water.



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - FR



OKS 661

Version Revision Date: Date of last issue: 25.11.2022 Print Date: 20.0 26.11.2025 Date of first issue: 26.09.2019 26.11.2025

4.2 Most important symptoms and effects, both acute and delayed

Symptoms : Inhalation may provoke the following symptoms:

Unconsciousness

Dizziness Drowsiness Headache Nausea Tiredness

Risks : May cause an allergic skin reaction.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : ABC powder

Unsuitable extinguishing

media

High volume water jet

5.2 Special hazards arising from the substance or mixture

Specific hazards during

firefighting

Fire Hazard

Do not let product enter drains.

Contains gas under pressure; may explode if heated. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

Hazardous combustion

products

Carbon oxides

5.3 Advice for firefighters

Special protective equipment:

for firefighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment. Exposure to decomposition products may be a hazard to health.

Further information : Standard procedure for chemical fires.

Collect contaminated fire extinguishing water separately. This

must not be discharged into drains. Cool containers/tanks with water spray.



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - FR



OKS 661

Version Revision Date: Date of last issue: 25.11.2022 Print Date: 2.0 26.11.2025 Date of first issue: 26.09.2019 26.11.2025

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Evacuate personnel to safe areas.

Ensure adequate ventilation. Remove all sources of ignition.

Do not breathe vapours or spray mist.

Refer to protective measures listed in sections 7 and 8. Only qualified personnel equipped with suitable protective

equipment may intervene.

6.2 Environmental precautions

Environmental precautions : Try to prevent the material from entering drains or water

courses.

Prevent further leakage or spillage if safe to do so. Local authorities should be advised if significant spillages

cannot be contained.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Contain spillage, and then collect with non-combustible

absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to

local / national regulations (see section 13). Keep in suitable, closed containers for disposal.

Non-sparking tools should be used.

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : Do not use in areas without adequate ventilation.

Do not breathe vapours or spray mist.

In case of insufficient ventilation, wear suitable respiratory

equipment.

Avoid contact with skin and eyes. For personal protection see section 8.

Keep away from fire, sparks and heated surfaces. Smoking, eating and drinking should be prohibited in the

application area.

Wash hands and face before breaks and immediately after

handling the product.

Do not get in eyes or mouth or on skin.

Do not get on skin or clothing.

Do not ingest.



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - FR



OKS 661

Version Revision Date: Date of last issue: 25.11.2022 Print Date: 2.0 26.11.2025 Date of first issue: 26.09.2019 26.11.2025

Do not use sparking tools.

These safety instructions also apply to empty packaging which

may still contain product residues.

Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50 °C. Do not pierce or

burn, even after use.

Hygiene measures : Wash face, hands and any exposed skin thoroughly after

handling.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

BEWARE: Aerosol is pressurized. Keep away from direct sun exposure and temperatures over 50 °C. Do not open by force or throw into fire even after use. Do not spray on flames or red-hot objects. Store in accordance with the particular

national regulations.

Protect from frost.

7.3 Specific end use(s)

Specific use(s) : Specific instructions for handling, not required.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis	
ethanol	64-17-5	VLCT (VLE)	5.000 ppm	FR VLE	
			9.500 mg/m3	(2005-02-01)	
	Further inform	Further information: Permissible limit values (circular)			
		VME	1.000 ppm	FR VLE	
			1.900 mg/m3	(2005-02-01)	
	Further inform	Further information: Permissible limit values (circular)			
1-methoxy-2-	107-98-2	STEL	150 ppm	2000/39/EC	
propanol			568 mg/m3	(2000-06-16)	
		Further information: Identifies the possibility of significant uptake through the skin, Indicative			
		TWA	100 ppm	2000/39/EC	
			375 mg/m3	(2000-06-16)	
	Further information: Identifies the possibility of significant uptake through				
	skin, Indicativ	skin, Indicative			
		VLCT (VLE)	100 ppm	FR VLE	
			375 mg/m3	(2012-07-01)	
	Further inform	Further information: Risk of penetration through skin, Regulatory binding			



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - FR



OKS 661

VersionRevision Date:Date of last issue: 25.11.2022Print Date:2.026.11.2025Date of first issue: 26.09.201926.11.2025

exposure limits			
	VME	50 ppm	FR VLE
		188 mg/m3	(2012-07-01)
Further information: Risk of penetration through skin, Regulatory binding			
exposure limits			

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006

Substance name	End Use	Exposure routes	Potential health effects	Value
ethanol	Workers	Inhalation	Long-term systemic effects	380 mg/m3
	Workers	Skin contact	Long-term systemic effects	8238 mg/kg bw/day
1-methoxy-2-propanol	Workers	Skin contact	Long-term systemic effects	183 mg/kg
	Workers	Inhalation	Long-term systemic effects	369 mg/m3

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006

Substance name	Environmental Compartment Value	
ethanol	Fresh water	0,96 mg/l
	Marine water	0,79 mg/l
	Microbiological Activity in Sewage Treatment Systems	580 mg/l
	Fresh water sediment	3,6 mg/kg
	Soil	0,63 mg/kg
1-methoxy-2-propanol	Fresh water	10 mg/l
	Marine water	1 mg/l
	Sewage treatment plant	100 mg/l
	Fresh water sediment	52,3 mg/kg
	Marine sediment	5,2 mg/kg
	Soil	4,59 mg/kg

8.2 Exposure controls

Engineering measures

Use only in an area equipped with explosion proof exhaust ventilation.

Handle only in a place equipped with local exhaust (or other appropriate exhaust).

Personal protective equipment

Eye/face protection : Safety glasses with side-shields

Hand protection

Material : Nitrile rubber
Break through time : > 10 min
Protective index : Class 1

Remarks : For prolonged or repeated contact use protective gloves. The

break through time depends amongst other things on the material, the thickness and the type of glove and therefore



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - FR



OKS 661

Version Revision Date: Date of last issue: 25.11.2022 Print Date: 2.0 26.11.2025 Date of first issue: 26.09.2019 26.11.2025

has to be measured for each case.

The selected protective gloves have to satisfy the

specifications of Regulation (EU) 2016/425 and the standard

EN 374 derived from it.

Skin and body protection : Choose body protection in relation to its type, to the

concentration and amount of dangerous substances, and to

the specific work-place.

Respiratory protection : Use respiratory protection unless adequate local exhaust

ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.

Filter type : Type A (A)

Protective measures : The type of protective equipment must be selected according

to the concentration and amount of the dangerous substance

at the specific workplace.

Environmental exposure controls

Air : No special environmental precautions required.

Soil : The product should not be allowed to enter drains, water

courses or the soil.

Water : The product should not be allowed to enter drains, water

courses or the soil.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state : aerosol

Colour : yellow

Odour : characteristic

Odour Threshold : No data available

Melting point/ range : No data available

Boiling point/boiling range : -42 °C (1.013 hPa)



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - FR



OKS 661

VersionRevision Date:Date of last issue: 25.11.2022Print Date:2.026.11.2025Date of first issue: 26.09.201926.11.2025

Flammability : Flammability (solid, gas):

Not applicable

Upper explosion limit / Upper

flammability limit

15 %(V)

Lower explosion limit / Lower :

flammability limit

1,4 %(V)

Flash point : -104 °C

Method: Abel-Pensky

Auto-ignition temperature : No data available

Decomposition temperature : No data available

pH : 6 (20 °C)

Concentration: 100 %

Viscosity

Viscosity, dynamic : No data available

Viscosity, kinematic : < 21,5 mm2/s (40 °C)

Not applicable

Solubility(ies)

Water solubility : soluble

Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

No data available

Vapour pressure : No data available

Relative density : 0,75 (20 °C)

Reference substance: Water The value is calculated

Density : 0,75 g/cm3

a brand of
FREUDENBERG

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - FR



OKS 661

VersionRevision Date:Date of last issue: 25.11.2022Print Date:2.026.11.2025Date of first issue: 26.09.201926.11.2025

(20 °C)

Bulk density : No data available

Relative vapour density : No data available

9.2 Other information

Explosives : Not explosive

Oxidizing properties : No data available

Self-ignition : not auto-flammable

Metal corrosion rate : Not corrosive to metals

Evaporation rate : No data available

Sublimation point : No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No hazards to be specially mentioned.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions : No dangerous reaction known under conditions of normal use.

10.4 Conditions to avoid

Conditions to avoid : Heat, flames and sparks.

Strong sunlight for prolonged periods.

Risk of receptacle bursting.

10.5 Incompatible materials

Materials to avoid : Oxidizing agents



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - FR



OKS 661

VersionRevision Date:Date of last issue: 25.11.2022Print Date:2.026.11.2025Date of first issue: 26.09.201926.11.2025

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Based on available data, the classification criteria are not met.

Product:

Acute oral toxicity : Acute toxicity estimate: > 2.000 mg/kg

Method: Calculation method

Acute inhalation toxicity : Symptoms: Inhalation may provoke the following symptoms:,

Respiratory disorder

Acute dermal toxicity : Symptoms: Redness, Local irritation

Components:

ethanol:

Acute oral toxicity : LD50 (Rat): 10.470 mg/kg

Method: OECD Test Guideline 401

GLP: no

Acute inhalation toxicity : LC50 (Rat): 124,7 mg/l

Exposure time: 4 h
Test atmosphere: vapour

Method: OECD Test Guideline 403

GLP: no

isobutane:

Acute inhalation toxicity : LC50 (Rat): 658 mg/l

Exposure time: 4 h
Test atmosphere: gas

pentane-2,4-dione:

Acute oral toxicity : Assessment: The component/mixture is moderately toxic after

single ingestion.

methyl salicylate:

Acute oral toxicity : Acute toxicity estimate: 890 mg/kg

Method: Acute toxicity estimate according to Regulation (EC)

No. 1272/2008

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - FR



OKS 661

VersionRevision Date:Date of last issue: 25.11.2022Print Date:2.026.11.2025Date of first issue: 26.09.201926.11.2025

Assessment: The component/mixture is moderately toxic after

single ingestion.

1-methoxy-2-propanol:

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg

cinnamaldehyde:

Acute dermal toxicity : Assessment: The component/mixture is moderately toxic after

single contact with skin.

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Product:

Remarks : This information is not available.

Components:

ethanol:

Species : Rabbit Exposure time : 24 h

Assessment : No skin irritation

Method : OECD Test Guideline 404

Result : No skin irritation

GLP : yes

cinnamaldehyde:

Result : Skin irritation

Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

Product:

Remarks : This information is not available.

Components:

ethanol:

Species : Rabbit

Assessment : Irritating to eyes.

Method : OECD Test Guideline 405

Result : Irritating to eyes.

cinnamaldehyde:

Result : Eye irritation

a brand of
FREUDENBERG

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - FR



OKS 661

Version Revision Date: Date of last issue: 25.11.2022 Print Date: 20.0 26.11.2025 Date of first issue: 26.09.2019 26.11.2025

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.

Respiratory sensitisation

Based on available data, the classification criteria are not met.

Product:

Remarks : This information is not available.

Components:

ethanol:

Test Type : Local lymph node assay (LLNA)

Species : Mouse

Assessment : Does not cause skin sensitisation.

Method : OECD Test Guideline 429

Result : Does not cause skin sensitisation.

methyl salicylate:

Assessment : Probability or evidence of low to moderate skin sensitisation

rate in humans

Result : Probability or evidence of low to moderate skin sensitisation

rate in humans

cinnamaldehyde:

Result : May cause sensitisation by skin contact.

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Product:

Genotoxicity in vitro : Remarks: No data available

Genotoxicity in vivo : Remarks: No data available

Components:

ethanol:

Genotoxicity in vitro : Test Type: Ames test

Test system: Salmonella typhimurium

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Test system: mouse lymphoma cells

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - FR



OKS 661

Version Revision Date: Date of last issue: 25.11.2022 Print Date: 2.0 26.11.2025 Date of first issue: 26.09.2019 26.11.2025

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 476

Result: negative

Genotoxicity in vivo : Test Type: dominant lethal test

Species: Mouse

Application Route: Oral

Method: OECD Test Guideline 478

Result: negative

Carcinogenicity

Based on available data, the classification criteria are not met.

Product:

Remarks : No data available

Reproductive toxicity

Based on available data, the classification criteria are not met.

Product:

Effects on fertility : Remarks: No data available

Effects on foetal development

Remarks: No data available

Components:

methyl salicylate:

Reproductive toxicity -

Assessment

: - Fertility -

Some evidence of adverse effects on development, based on

animal experiments.
- Teratogenicity -

Some evidence of adverse effects on development, based on

animal experiments.

STOT - single exposure

Based on available data, the classification criteria are not met.

Product:

Remarks : No data available

Components:

ethanol:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, single exposure.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - FR



OKS 661

Version Revision Date: Date of last issue: 25.11.2022 Print Date: 2.0 26.11.2025 Date of first issue: 26.09.2019 26.11.2025

1-methoxy-2-propanol:

Exposure routes : Inhalation

Target Organs : Central nervous system

Assessment : May cause drowsiness or dizziness.

STOT - repeated exposure

Based on available data, the classification criteria are not met.

Product:

Remarks : No data available

Components:

ethanol:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, repeated exposure.

Repeated dose toxicity

Product:

Remarks : This information is not available.

Components:

ethanol:

Species : Rat, female
NOAEL : 1.730 mg/kg
Application Route : oral (gavage)

Exposure time : 90 d Number of exposures : daily

Method : OECD Test Guideline 408

GLP : yes

Aspiration toxicity

Based on available data, the classification criteria are not met.

Product:

This information is not available.

Components:

ethanol:

No aspiration toxicity classification

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - FR



OKS 661

Version Revision Date: Date of last issue: 25.11.2022 Print Date: 2.0 26.11.2025 Date of first issue: 26.09.2019 26.11.2025

11.2 Information on other hazards

Endocrine disrupting properties

Based on available data, the classification criteria are not met.

Product:

Assessment : The substance/mixture does not contain components

considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

Further information

Product:

Remarks : Information given is based on data on the components and

the toxicology of similar products.

SECTION 12: Ecological information

12.1 Toxicity

Product:

Toxicity to fish : Remarks: No data available

Toxicity to daphnia and other :

aquatic invertebrates

Remarks: No data available

Toxicity to algae/aquatic

plants

Remarks: No data available

Toxicity to microorganisms

Remarks: No data available

Components:

ethanol:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 3.220 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 10.000 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

EC50 (Chlorella vulgaris (Fresh water algae)): 275 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - FR



OKS 661

Version Revision Date: Date of last issue: 25.11.2022 Print Date: 2.0 26.11.2025 Date of first issue: 26.09.2019 26.11.2025

Toxicity to daphnia and other : NOEC: 6.300 mg/l aquatic invertebrates Exposure time: 48 d

(Chronic toxicity) Species: Daphnia magna (Water flea)

methyl salicylate:

Ecotoxicology Assessment

Chronic aquatic toxicity : Harmful to aquatic life with long lasting effects.

1-methoxy-2-propanol:

Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): 6.812 mg/l

End point: mortality Exposure time: 96 h Test Type: static test

12.2 Persistence and degradability

Product:

Biodegradability : Remarks: No data available

Physico-chemical

removability

Remarks: No data available

Components:

ethanol:

Biodegradability : Test Type: aerobic

Result: Readily biodegradable.

Kinetic: 28 d: 97 %

Method: OECD Test Guideline 301B

1-methoxy-2-propanol:

Biodegradability : Result: Readily biodegradable.

12.3 Bioaccumulative potential

Product:

Bioaccumulation : Remarks: No data available

Components:

ethanol:

Bioaccumulation : Bioconcentration factor (BCF): 3,2

Remarks: Due to the distribution coefficient n-octanol/water,

accumulation in organisms is not expected.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - FR



OKS 661

Version Revision Date: Date of last issue: 25.11.2022 Print Date: 20. 26.11.2025 Date of first issue: 26.09.2019 26.11.2025

Partition coefficient: n- : log Pow: -0,35 (20 °C)

octanol/water Method: OECD Test Guideline 117

isobutane:

Partition coefficient: n- : log Pow: 2,88

octanol/water Method: OECD Test Guideline 107

propane:

Partition coefficient: n-

octanol/water

log Pow: 2,36

1-methoxy-2-propanol:

Bioaccumulation : Remarks: Bioaccumulation is unlikely.

12.4 Mobility in soil

Product:

Mobility : Remarks: No data available

Distribution among : Remarks: No data available

environmental compartments

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher.

Components:

ethanol:

Assessment : Substance is not persistent, bioaccumulative, and toxic

(PBT).. Substance is not very persistent and very

bioaccumulative (vPvB).

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components

considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - FR



OKS 661

Version Revision Date: Date of last issue: 25.11.2022 Print Date: 2.0 26.11.2025 Date of first issue: 26.09.2019 26.11.2025

12.7 Other adverse effects

Product:

Additional ecological

information

No information on ecology is available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : Do not dispose of with domestic refuse.

Dispose of as hazardous waste in compliance with local and

national regulations.

Waste codes should be assigned by the user based on the

application for which the product was used.

Contaminated packaging : Packaging that is not properly emptied must be disposed of as

the unused product.

Offer empty spray cans to an established disposal company. Pressurized container: Do not pierce or burn, even after use.

The following Waste Codes are only suggestions:

Waste Code : unused product, packagings not completely emptied

16 05 04*, gases in pressure containers (including halons)

containing hazardous substances

SECTION 14: Transport information

14.1 UN number or ID number

ADN : UN 1950
ADR : UN 1950
RID : UN 1950
IMDG : UN 1950
IATA : UN 1950

14.2 UN proper shipping name

ADN : AEROSOLS
ADR : AEROSOLS
RID : AEROSOLS
IMDG : AEROSOLS



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - FR



OKS 661

VersionRevision Date:Date of last issue: 25.11.2022Print Date:2.026.11.2025Date of first issue: 26.09.201926.11.2025

IATA : Aerosols, flammable

14.3 Transport hazard class(es)

Class Subsidiary risks

ADN : 2 2.1

ADR : 2 2.1

RID : 2 2.1

IMDG : 2.1

IATA : 2.1

14.4 Packing group

ADN

Packing group : Not assigned by regulation

Classification Code : 5F Labels : 2.1

ADR

Packing group : Not assigned by regulation

Classification Code : 5F Labels : 2.1 Tunnel restriction code : (D)

RID

Packing group : Not assigned by regulation

Classification Code : 5F Hazard Identification Number : 23 Labels : 2.1

IMDG

Packing group : Not assigned by regulation

Labels : 2.1 EmS Code : F-D, S-U

IATA (Cargo)

Packing instruction (cargo : 203

aircraft)

Packing instruction (LQ) : Y203

Packing group : Not assigned by regulation

Labels : Flammable Gas

IATA (Passenger)

Packing instruction : 203

(passenger aircraft)

Packing instruction (LQ) : Y203

Packing group : Not assigned by regulation

Labels : Flammable Gas

14.5 Environmental hazards

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - FR



OKS 661

Version Date of last issue: 25.11.2022 **Revision Date:** Print Date: 26.11.2025 26.11.2025 2.0 Date of first issue: 26.09.2019

ADN

Environmentally hazardous no

ADR

Environmentally hazardous no

Environmentally hazardous no

IMDG

Marine pollutant no

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Remarks : Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)

Conditions of restriction for the following entries should be considered:

Number on list 75: If you intend to use this product as tattoo ink, please contact your vendor.

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).

(EU SVHC)

This product does not contain substances of very high concern

(Regulation (EC) No

1907/2006 (REACH), Article 57).

Regulation (EU) No 2024/590 on substances that

deplete the ozone layer

(EC 2024/590)

: Not applicable

Regulation (EU) 2019/1021 on persistent organic

pollutants (recast)

(EU POP)

: Not applicable

Regulation (EU) No 649/2012 of the European : Not applicable



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - FR



OKS 661

Print Date: Version Date of last issue: 25.11.2022 **Revision Date:** 26.11.2025 Date of first issue: 26.09.2019 26.11.2025 2.0

Parliament and the Council concerning the export and import of dangerous chemicals (EU PIC)

REACH - List of substances subject to authorisation

(Annex XIV)

(EU. REACH-Annex XIV)

Not applicable

Regulation (EU) 2019/1148 on the marketing and use of explosives precursors

Not applicable

P₅c

P2

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

P3a FLAMMABLE AEROSOLS

34 Petroleum products: (a) gasolines and naphthas, (b) kerosenes (including jet fuels), (c) gas oils (including diesel fuels, home heating oils and gas oil blending streams),(d) heavy fuel oils (e) alternative fuels serving the same purposes and with similar properties as regards flammability and environmental hazards as the products referred to in points (a) to (d)

Liquefied flammable gases 18 (including LPG) and natural gas

Installations classified for the protection of the environment (Environment Code R511-9)

4320, 4734, 4718



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - FR



OKS 661

Version Revision Date: Date of last issue: 25.11.2022 Print Date: 2.0 26.11.2025 Date of first issue: 26.09.2019 26.11.2025

Occupational Illnesses (R-

461-3, France)

84

Reinforced medical supervision (R4624-23)

The product has no CMR properties category 1, 1A or 1B

Volatile organic compounds : Directive 2010/75/EU of 24 November 2010 on industrial and

livestock rearing emissions (integrated pollution prevention and

control)

Volatile organic compounds (VOC) content: 69,62 %

Other regulations:

Take note of Directive 92/85/EEC regarding maternity protection or stricter national regulations, where applicable.

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

15.2 Chemical safety assessment

This information is not available.

SECTION 16: Other information

Full text of H-Statements

H220 : Extremely flammable gas.

H225 : Highly flammable liquid and vapour.
H226 : Flammable liquid and vapour.

H280 : Contains gas under pressure; may explode if heated.

H302 : Harmful if swallowed.
H312 : Harmful in contact with skin.

H315 : Causes skin irritation.

H317
H319
Causes serious eye irritation.
H336
May cause drowsiness or dizziness.
H361d
Suspected of damaging the unborn child.
H412
Harmful to aquatic life with long lasting effects.

Full text of other abbreviations

Acute Tox. : Acute toxicity

Aquatic Chronic : Long-term (chronic) aquatic hazard

Eye Irrit. : Eye irritation Flam. Gas : Flammable gases



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - FR



OKS 661

Version Revision Date: Date of last issue: 25.11.2022 Print Date: 2.0 26.11.2025 Date of first issue: 26.09.2019 26.11.2025

Flam. Liq. : Flammable liquids

Note C : Some organic substances may be marketed either in a

specific isomeric form or as a mixture of several isomers. In this case the supplier must state on the label whether the substance is a specific isomer or a mixture of isomers.

Note U (Table 3) : When put on the market gases have to be classified as

"Gases under pressure", in one of the groups compressed gas, liquefied gas, refrigerated liquefied gas or dissolved gas. The group depends on the physical state in which the gas is packaged and therefore has to be assigned case by case. The following codes are assigned: Press. Gas (Comp.) Press. Gas (Liq.) Press. Gas (Ref. Liq.) Press. Gas (Diss.) Aerosols shall not be classified as gases under pressure (See Annex I. Part

2, Section 2.3.2.1, Note 2).

Press. Gas : Gases under pressure Repr. : Reproductive toxicity

Skin Irrit. : Skin irritation
Skin Sens. : Skin sensitisation

STOT SE : Specific target organ toxicity - single exposure

2000/39/EC : Europe. Commission Directive 2000/39/EC establishing a first

list of indicative occupational exposure limit values

FR VLE : France. Occupational Exposure Limits

2000/39/EC / TWA : Limit Value - eight hours 2000/39/EC / STEL : Short term exposure limit FR VLE / VME : Time Weighted Average FR VLE / VLCT (VLE) : Short Term Exposure Limit

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN -Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA -International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO -International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration: NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention;

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - FR



OKS 661

Version Revision Date: Date of last issue: 25.11.2022 Print Date: 20. 26.11.2025 Date of first issue: 26.09.2019 26.11.2025

PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Classification of the mixture:

Classification procedure:

Aerosol 1 H222, H229 Calculation method
Skin Sens. 1 H317 Calculation method

|| Relevant changes compared to the last edition are highlighted at the left margin. This version replaces all previous editions.

This safety data sheet applies only to products as originally packed and labelled. The information contained therein may not be reproduced or modified without our express written permission. Any forwarding of this document is only permitted to the extent required by law. Any further, in particular public, dissemination of the safety data sheet (e.g. as a document for download from the Internet) is not permitted without our express written consent. We provide our customers with amended safety data sheets as prescribed by law. The customer is responsible for passing on safety data sheets and any amendments contained therein to its own customers, employees and other users of the product. We provide no guarantee that safety data sheets received by users from third parties are up-to-date. All information and instructions in this safety data sheet have been compiled to the best of our knowledge and are based on the information available to us on the day of publication. The information provided is intended to describe the product in relation to the required safety measures; it is neither an assurance of characteristics nor a guarantee of the product's suitability for particular applications and does not justify any contractual legal relationship. The existence of a safety data sheet for a particular jurisdiction does not necessarily mean that import or use within that jurisdiction is legally permitted. If you have any questions, please contact your responsible sales contact or authorized trading partner.

