

Version	Revision Date:	Date of last issue: 10.07.2023	Print Date:
2.0	19.05.2025	Date of first issue: 21.06.2016	19.05.2025

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1	Product identifier Product name		OKS 1301
	Product name	•	GKS 1301
1.2	Relevant identified uses of th	ne s	ubstance or mixture and uses advised against
	Use of the Substance/Mixture	:	Lubricant
	Recommended restrictions on use	:	Restricted to professional users.
1.3	Details of the supplier of the	saf	ety data sheet
	Company	:	OKS Spezialschmierstoffe GmbH Ganghoferstr. 47 82216 Maisach-Gernlinden Deutschland Tel.: +49 8142 3051 500 Fax: +49 8142 3051 599 info@oks-germany.com
	E-mail address of person responsible for the SDS	:	mcm@oks-germany.com
	National contact	:	
1.4	Emergency telephone numbe	er	
	Emergency telephone		+33 1 45 42 59 59 ORFILA
	number		+33 1 72 11 00 03 NCEC
			+49 8142 3051 517

# **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)					
Aerosols, Category 1	H222: Extremely flammable aerosol. H229: Pressurised container: May burst if heated.				
Skin irritation, Category 2	H315: Causes skin irritation.				
	a brand of				





Version	Revision Date:	 issue: 10.07.2023	Print Date:
2.0	19.05.2025	issue: 21.06.2016	19.05.2025
	ific target organ toxic sure, Category 3, Ce m	H336: May cause drow	vsiness or dizziness.

Aspiration hazard, Category 1

Long-term (chronic) aquatic hazard, Category 2 H304: May be fatal if swallowed and enters airways.

H411: Toxic to aquatic life with long lasting effects.

#### 2.2 Label elements

Labelling (REGULATION ( Hazard pictograms	EC)	No 1272/2008)	
Signal word	:	Danger	
Hazard statements	:	H222 H229 H304 H315 H336 H411	Extremely flammable aerosol. Pressurised container: May burst if heated. May be fatal if swallowed and enters airways. Causes skin irritation. May cause drowsiness or dizziness. Toxic to aquatic life with long lasting effects.
Precautionary statements	:	Prevention:	
		P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
		P211	Do not spray on an open flame or other ignition source.
		P251 P273	Do not pierce or burn, even after use. Avoid release to the environment.
		Response:	
		P301 + P310	IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
		P331	Do NOT induce vomiting.
		Storage:	
		P410 + P412	Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F.

#### Hazardous components which must be listed on the label:

Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane





Version	Revision Date:	Date of last issue: 10.07.2023	Print Date:
2.0	19.05.2025	Date of first issue: 21.06.2016	19.05.2025

n-butyl acetate

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

Chemical nature

: Active substance with propellant silicone oil

#### Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	specific concentration limit M-Factor Notes Acute toxicity estimate	Concentration (% w/w)
Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane	921-024-6 01-2119475514-35- XXXX	Flam. Liq.2; H225 Skin Irrit.2; H315 STOT SE3; H336 Asp. Tox.1; H304 Aquatic Chronic2; H411		>= 50 - < 70
propane	74-98-6 200-827-9 601-003-00-5 01-2119486944-21- XXXX	Flam. Gas1A; H220 Press. GasCompr. Gas; H280	Note U (Table 3)	>= 1 - < 10
isobutane	75-28-5	Flam. Gas1A;		>= 1 - < 10



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - FR



# **OKS 1301**

Version 2.0	Revision Date: 19.05.2025		Date of last issue: 10.07.2023 Date of first issue: 21.06.2016			Print Date: 19.05.2025	
		200-857-2 601-004-00- 01-2119485 XXXX		H220 Press. GasCompr. Gas; H280	Note U (Table 3), Note C		
n-butyl acetate		123-86-4 204-658-1 607-025-00-1 01-2119485493-29- XXXX		Flam. Liq.3; H226 STOT SE3; H336; EUH066		>= 1 - < 10	
Substance	s with a worl	kplace exposi	ure limit :	•	·		
butane		106-97-8 203-448-7 601-004-00-0 01-2119474691-32- XXXX		Flam. Gas1; H220 Press. GasCompr. Gas; H280	Note U (Table 3), Note C	>= 20 - < 30	

For explanation of abbreviations see section 16.

# **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

If inhaled	:	Call a physician or poison control centre immediately. Remove person to fresh air. If signs/symptoms continue, get medical attention. Keep patient warm and at rest. If unconscious, place in recovery position and seek medical advice. Keep respiratory tract clear. If breathing is irregular or stopped, administer artificial respiration.
In case of skin contact	:	Take off all contaminated clothing immediately. Get medical attention immediately if irritation develops and persists. Wash clothing before reuse. Thoroughly clean shoes before reuse. Wash off immediately with plenty of water.
In case of eye contact	:	Rinse immediately with plenty of water, also under the eyelids, for at least 10 minutes. If eye irritation persists, consult a specialist.
If swallowed	:	Move the victim to fresh air.



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - FR



<b>OKS 13</b>	01		
Version 2.0	Revision Date: 19.05.2025	Date of last issue: 10.07.2023 Date of first issue: 21.06.2016	Print Date: 19.05.2025
		If accidentally swallowed obtain im Keep respiratory tract clear. Do NOT induce vomiting. Rinse mouth with water. Aspiration hazard if swallowed - ca damage.	
4.2 Most	important symptom	s and effects, both acute and delayed	
Symptoms :		: Inhalation may provoke the followi Unconsciousness Dizziness Drowsiness Headache Nausea Tiredness Skin contact may provoke the follo Erythema	
		Aspiration may cause pulmonary of	pedema and pneumonitis.
Risks		: May be fatal if swallowed and enter Causes skin irritation. May cause drowsiness or dizzines	·
		Central nervous system depressio Risk of product entering the lungs Health injuries may be delayed.	
4 3 Indic:	ation of any immedia	ate medical attention and special treatm	ent needed

#### 4.3 Indication of any immediate medical attention and special treatment needed

Treatment

: Treat symptomatically.

# **SECTION 5: Firefighting measures**

5.1 Extinguishing media		
Suitable extinguishing media	:	ABC powder
Unsuitable extinguishing media	:	High volume water jet
5.2 Special hazards arising from	the	substance or mixture
Specific hazards during	:	Fire Hazard
firefighting		Do not let product enter drains.
		Contains gas under pressure; may explode if heated.
		Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.





Version 2.0	Revision Date: 19.05.2025		e of last issue: 10.07.2023 e of first issue: 21.06.2016	Print Date: 19.05.2025		
	zardous combustion ducts	:	Carbon oxides Metal oxides			
5.3 Adv	5.3 Advice for firefighters					
	ecial protective equipmen firefighters	t :	In the event of fire, wear self-contain. Use personal protective equipment. I decomposition products may be a ha	Exposure to		
Fu	ther information	:	Standard procedure for chemical fire Collect contaminated fire extinguishin must not be discharged into drains. Cool containers/tanks with water spra	ng water separately. This		

# **SECTION 6: Accidental release measures**

6.1 Personal precautions, protectiv	e equipment and emergency procedures
Personal precautions :	Evacuate personnel to safe areas. Ensure adequate ventilation. Remove all sources of ignition. Do not breathe vapours or spray mist. Do not breathe dust/ fume/ gas/ mist/ vapours/ spray. Refer to protective measures listed in sections 7 and 8. Only qualified personnel equipped with suitable protective equipment may intervene.
6.2 Environmental precautions	
Environmental precautions :	Do not allow contact with soil, surface or ground water. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.
6.3 Methods and material for conta	inment and cleaning up
Methods for cleaning up :	Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth,

absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Keep in suitable, closed containers for disposal. Non-sparking tools should be used.

#### 6.4 Reference to other sections

For personal protection see section 8.





Version	Revision Date: 19.05.2025	Date of last issue: 10.07.2023	Print Date:
2.0		Date of first issue: 21.06.2016	19.05.2025

# **SECTION 7: Handling and storage**

# 7.1 Precautions for safe handling

Advice on safe handling :	Do not use in areas without adequate ventilation. Do not breathe vapours or spray mist. In case of insufficient ventilation, wear suitable respiratory equipment.
	Avoid contact with skin and eyes. For personal protection see section 8.
	Keep away from fire, sparks and heated surfaces.
	Smoking, eating and drinking should be prohibited in the application area.
	Wash hands and face before breaks and immediately after handling the product.
	Do not get in eyes or mouth or on skin.
	Do not get on skin or clothing.
	Do not ingest.
	Do not use sparking tools. These safety instructions also apply to empty packaging which
	may still contain product residues.
	Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50 °C. Do not pierce or burn, even after use.
Hygiene measures :	Wash face, hands and any exposed skin thoroughly after handling.
7.2 Conditions for safe storage, incl	uding any incompatibilities
Requirements for storage : areas and containers	BEWARE: Aerosol is pressurized. Keep away from direct sun exposure and temperatures over 50 °C. Do not open by force or throw into fire even after use. Do not spray on flames or red-hot objects. Store in accordance with the particular national regulations.
7.3 Specific end use(s)	

Specific use(s) : Specific instructions for handling, not required.

### **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

# **Occupational Exposure Limits**

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
butane	106-97-8	VME	800 ppm	FR VLE



### **SAFETY DATA SHEET** according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - FR



# **OKS 1301**

Version 2.0	Revision Dat 19.05.2025		of last issue: 10.07 of first issue: 21.06		Print Date: 19.05.2025
		Furtherinfer		1.900 mg/m3	(2005-02-01)
n-but	yl acetate	123-86-4	STEL	limit values (circular) 150 ppm 723 mg/m3	2019/1831/E U (2019-10-31)
		Further infor	mation: Indicative		
			TWA	50 ppm 241 mg/m3	2019/1831/E U (2019-10-31)
		Further infor	mation: Indicative		· ` ` ´
			VME	50 ppm 241 mg/m3	FR VLE (2021-12-29)
		Further infor	mation: Regulatory	binding exposure limi	its
			VLCT (VLE)	150 ppm 723 mg/m3	FR VLE (2021-12-29)
		Further information: Regulatory binding exposure limits			its

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

	· · ·	5 5	( )	
Substance name	End Use	Exposure routes	Potential health effects	Value
Hydrocarbons, C6- C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane	Workers	Skin contact	Long-term systemic effects	773 mg/kg bw/day
	Workers	Inhalation	Long-term systemic effects	2035 mg/m3
n-butyl acetate	Workers	Inhalation	Long-term systemic effects	300 mg/m3
	Workers	Inhalation	Acute systemic effects	600 mg/m3
	Workers	Dermal	Long-term local effects	11 mg/cm2

#### Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
n-butyl acetate	Fresh water	0,18 mg/l
	Marine water	0,018 mg/l
	Microbiological Activity in Sewage	35,6 mg/l
	Treatment Systems	_
	Fresh water sediment	0,981 mg/kg
	Marine sediment	0,0981 mg/kg
	Soil	0,09 mg/kg

#### 8.2 Exposure controls

#### **Engineering measures**

Use only in an area equipped with explosion proof exhaust ventilation. Handle only in a place equipped with local exhaust (or other appropriate exhaust).

### Personal protective equipment

Eye/face protection

: Safety glasses with side-shields



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - FR



# **OKS 1301**

ersion )	Revision Date: 19.05.2025		e of last issue: 10.07.2023 e of first issue: 21.06.2016	Print Date: 19.05.2025
Ma Br	protection aterial eak through time otective index	:	butyl-rubber > 10 min Class 1	
Re	emarks	:	Wear protective gloves. The breat amongst other things on the mate type of glove and therefore has to case. The selected protective gloves hat specifications of Regulation (EU) EN 374 derived from it.	erial, the thickness and the be measured for each ave to satisfy the
Skin a	and body protection	:	Choose body protection in relation concentration and amount of dang the specific work-place.	
Resp	iratory protection	:	Use respiratory protection unless ventilation is provided or exposure that exposures are within recomm Short term only	e assessment demonstrates
Fil	ter type	:	Filter type A-P	
Prote	ctive measures	:	The type of protective equipment to the concentration and amount of at the specific workplace.	
Envir	onmental exposure	contro	Is	
Air		:	Should not be released into the en	nvironment.
Soil		:		
			Do not allow contact with soil, sur The product should not be allower courses or the soil.	
Wate	r	:		
			Do not allow contact with soil, sur The product should not be allower courses or the soil.	5





Version	Revision Date:	Date of last issue: 10.07.2023	Print Date:
2.0	19.05.2025	Date of first issue: 21.06.2016	19.05.2025

#### **SECTION 9: Physical and chemical properties**

# 9.1 Information on basic physical and chemical properties

Physical state	:	aerosol
Colour	:	colourless
Odour	:	characteristic
Odour Threshold	:	No data available
Melting point/ range	:	No data available
Boiling point/boiling range	:	No data available
Flammability (solid, gas)	:	Extremely flammable aerosol.
Upper explosion limit / Upper flammability limit	:	8,5 %(V)
Lower explosion limit / Lower flammability limit	:	0,6 %(V)
Flash point	:	-60,00 °C
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
рН	:	Not applicable substance/mixture is non-soluble (in water)
Viscosity		
Viscosity, dynamic	:	No data available
Viscosity, kinematic	:	< 7 mm2/s (40 °C)
Solubility(ies) Water solubility	:	partly miscible
Solubility in other solvents	:	No data available
Partition coefficient: n- octanol/water	:	No data available
Vapour pressure	:	<= 2.500 hPa (20 °C)



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - FR



# **OKS 1301**

Version 2.0	n Revision Date: 19.05.2025	Date of last issue: 10.07.2023Print Date:Date of first issue: 21.06.201619.05.2025	
Relative density		: 0,66 (20 °C) Reference substance: Water The value is calculated	
D	ensity	: 0,66 g/cm3 (20 °C)	
В	ulk density	: No data available	
R	elative vapour density	: No data available	
	her information	: Not explosive	
0	xidizing properties	: No data available	
Se	elf-ignition	: not auto-flammable	
E	vaporation rate	: No data available	
S	ublimation point	: No data available	

# **SECTION 10: Stability and reactivity**

# 10.1 Reactivity No hazards to be specially mentioned. 10.2 Chemical stability Stable under normal conditions. **10.3 Possibility of hazardous reactions** Hazardous reactions : No dangerous reaction known under conditions of normal use. 10.4 Conditions to avoid Conditions to avoid Heat, flames and sparks. : Strong sunlight for prolonged periods. Risk of receptacle bursting. 10.5 Incompatible materials Materials to avoid : Oxidizing agents **10.6 Hazardous decomposition products**

No decomposition if stored and applied as directed.





Version	Revision Date:	Date of last issue: 10.07.2023	Print Date:
2.0	19.05.2025	Date of first issue: 21.06.2016	19.05.2025

# **SECTION 11: Toxicological information**

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

		0 ( )				
Acute toxicity						
Based on available data, the classification criteria are not met.						
Product:						
Acute oral toxicity	:	Remarks: Effects due to ingestion may include:				
		Symptoms: Central nervous system depression				
Acute inhalation toxicity	:	Remarks: Respiration of solvent vapour may cause dizziness.				
		Symptoms: Inhalation may provoke the following symptoms:, Respiratory disorder, Dizziness, Drowsiness, Vomiting, Fatigue, Vertigo, Central nervous system depression				
Acute dermal toxicity	:	Symptoms: Redness, Local irritation				
Components:						
Hydrocarbons, C6-C7, n-alka	ine	s, isoalkanes, cyclics, <5% n-hexane:				
Acute oral toxicity	:	LD50 (Rat): > 5.840 mg/kg Assessment: The substance or mixture has no acute oral toxicity				
Acute inhalation toxicity	:	LC50 (Rat): > 25,2 mg/l Exposure time: 4 h Test atmosphere: vapour Assessment: The substance or mixture has no acute inhalation toxicity				
Acute dermal toxicity	:	LD50 (Rat): > 2,8 g/kg Assessment: The substance or mixture has no acute dermal toxicity				
isobutane:						
Acute inhalation toxicity	:	LC50 (Rat): 658 mg/l Exposure time: 4 h Test atmosphere: gas				
n-butyl acetate:						
Acute oral toxicity	:	LD50 (Rat): 10.768 mg/kg				
Acute inhalation toxicity	:	LC50 (Rat): > 21 mg/l Exposure time: 4 h Test atmosphere: vapour				



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - FR



ision Date: 05.2025 al toxicity ation toxicity sion/irritation h irritation. ts: ons, C6-C7, n-	Dat : :	LC50 (Rat): 658 mg/l Exposure time: 4 h Test atmosphere: gas				
ation toxicity sion/irritation n irritation.	:	GLP: yes Assessment: The substance or mixture has no acute inhalation toxicity LD50 (Rabbit): > 17.600 mg/kg LC50 (Rat): 658 mg/l Exposure time: 4 h Test atmosphere: gas				
ation toxicity sion/irritation n irritation.	:	Assessment: The substance or mixture has no acute inhalation toxicity LD50 (Rabbit): > 17.600 mg/kg LC50 (Rat): 658 mg/l Exposure time: 4 h Test atmosphere: gas This information is not available.				
ation toxicity sion/irritation n irritation.	:	LC50 (Rat): 658 mg/l Exposure time: 4 h Test atmosphere: gas				
sion/irritation n irritation. t <u>s:</u>	:	Exposure time: 4 h Test atmosphere: gas This information is not available.				
sion/irritation n irritation. t <u>s:</u>	:	Exposure time: 4 h Test atmosphere: gas This information is not available.				
n irritation. t <u>s:</u>	alkane					
t <u>s:</u>	: •alkane					
	: •alkane					
	: •alkane					
	alkane	a incellence evoling (50/ n hovene)				
ons, C6-C7, n-	alkane	na ina alkanan avalian (50/ n havana)				
	alkanes, isoalkanes, cyclics, <5% n-hexane:					
	:	Rabbit				
t	:	Irritating to skin.				
	:	OECD Test Guideline 404 Irritating to skin.				
	•	initiating to skin.				
tate:						
	:	Rabbit				
t	:	No skin irritation				
	:	OECD Test Guideline 404				
		Repeated exposure may cause skin dryness or crackin				
e damage/eye	irritati	ion				
/ailable data, th	he clas	sification criteria are not met.				
	:	Contact with eyes may cause irritation.				
ts:						
ons, C6-C7, n-	alkane	es, isoalkanes, cyclics, <5% n-hexane:				
	:	Rabbit				
t	:	No eye irritation				
	:	No eye irritation				
	vailable data, ti t <u>s:</u> ons, C6-C7, n-	<u>ts:</u> ons, C6-C7, n-alkane				



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - FR



# **OKS 1301**

VersionRevision Date:2.019.05.2025		Date of last issue: 10.07.2023 Date of first issue: 21.06.2016	Print Date: 19.05.2025
Spec Asse Meth Resu GLP	ssment od	<ul> <li>Rabbit</li> <li>No eye irritation</li> <li>OECD Test Guideline 405</li> <li>No eye irritation</li> <li>yes</li> </ul>	

#### Respiratory or skin sensitisation

#### Skin sensitisation

Based on available data, the classification criteria are not met.

#### Respiratory sensitisation

Based on available data, the classification criteria are not met.

### Product:

Remarks

: This information is not available.

#### Components:

### Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane:

Test Type :	Maximisation Test
Exposure routes :	Dermal
Species :	Guinea pig
Assessment	Does not cause skin sensitisation.
Method :	OECD Test Guideline 406
Result :	Did not cause sensitisation on laboratory animals.

#### n-butyl acetate:

Test Type :	Maximisation Test
Exposure routes :	Dermal
Species :	Guinea pig
Assessment :	Does not cause skin sensitisation.
Method :	OECD Test Guideline 406
Result :	Does not cause skin sensitisation.

#### Germ cell mutagenicity

Based on available data, the classification criteria are not met.

# Product:

Genotoxicity in vitro	:	Remarks: No data available
Genotoxicity in vivo	:	Remarks: No data available

#### **Components:**

Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane:				
Genotoxicity in vitro	:	Test Type: Chromosome aberration test in vitro Test system: Rodent cell line		



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - FR



<b>KS</b> 130	)1			
rsion	Revision Date: 19.05.2025		e of last issue: 10.07.2023 e of first issue: 21.06.2016	Print Date: 19.05.2025
			Method: OECD Test Guideline 473 Result: negative	5
n-but	yl acetate:			
Geno	toxicity in vitro	:	Test Type: Ames test Test system: Salmonella typhimuri Method: OECD Test Guideline 471 Result: negative	
			Test Type: Chromosome aberratio Test system: Chinese hamster cell Method: OECD Test Guideline 473 Result: negative	S
Geno	toxicity in vivo	:	Species: Mouse Application Route: Oral Method: OECD Test Guideline 474 Result: negative	L
	cell mutagenicity- ssment	:	Tests on bacterial or mammalian c mutagenic effects., Animal testing effects.	
Based		he class	ification criteria are not met.	
<u>Produ</u> Rema		:	No data available	
<u>Comp</u>	oonents:			
Carci	r <b>yl acetate:</b> nogenicity - ssment	:	Not classifiable as a human carcine	ogen.
-	<b>oductive toxicity</b> d on available data, tl	he class	sification criteria are not met.	
<u>Produ</u> Effect	<b>uct:</b> ts on fertility	:	Remarks: No data available	
	ts on foetal opment	:	Remarks: No data available	
<u>Com</u>	oonents:			
	t <b>yl acetate:</b> ts on fertility	:	Test Type: Two-generation study	
				a brand of



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - FR



sion	Revision Date:		e of last issue: 10.07.2023	Print Date:	
	19.05.2025	Dat	e of first issue: 21.06.2016	19.05.2025	
			Species: Rat Application Route: inhalation (vap General Toxicity - Parent: NOAEC General Toxicity F1: NOAEC: 750 General Toxicity F2: NOAEC: 750 Method: OECD Test Guideline 41 Result: Embryotoxic effects and a offspring were detected.	C: 750 mg/l ) mg/l ) mg/l 6	
	productive toxicity - sessment	:	- Fertility -		
ASSE			No evidence of adverse effects or or on development, based on anir - Teratogenicity -		
			No toxicity to reproduction		
STO	Γ - single exposure				
	cause drowsiness or	dizzine	SS.		
Product:					
Rema	arks	:	No data available		
<u>Com</u>	ponents:				
Hydr	ocarbons, C6-C7, n	-alkane	s, isoalkanes, cyclics, <5% n-he	xane:	
Asse	ssment	:	May cause drowsiness or dizzines	SS.	
n-but	yl acetate:				
	sure routes	:	Inhalation		
	et Organs	:	Central nervous system	ified as appetite target an	
ASSE	ssment	:	The substance or mixture is class toxicant, single exposure, categor		
STO	F - repeated exposu	re			
Base	d on available data, t	the clas	sification criteria are not met.		
Prod	uct:				
Domo	arks	:	No data available		
Rema	ponents:				
			s, isoalkanes, cyclics, <5% n-he	xane:	
<u>Com</u>	ocarbons, C6-C7, n	-alkane	· · · · · · · · · · · · · · · · · · ·		
<u>Com</u> Hydr Expos	ocarbons, C6-C7, n sure routes ssment	-alkane : :	inhalation (vapour) No significant health effects obser concentrations of 1 mg/l/6h/d or le		





<b>DKS 13</b>	01			
/ersion 2.0	Revision Date: 19.05.2025		e of last issue: 10.07.2023 e of first issue: 21.06.2016	Print Date: 19.05.2025
Asse	ssment	:	The substance or mixture is not cla organ toxicant, repeated exposure.	, ,
Repe	ated dose toxicity			
Prod	uct:			
Rema		:	This information is not available.	
<u>Com</u>	ponents:			
n-bu	tyl acetate:			
Spec	ies	:	Rat	
NOA		:	125 mg/kg	
Appli	cation Route	:	Oral	
-	ration toxicity be fatal if swallowed a	and en	ers airwavs.	
Prod				
	information is not ava	ilahla		
1113				
<u>Com</u>	ponents:			
Hydr	ocarbone C6-C7 n	alkan	es, isoalkanes, cyclics, <5% n-hexa	200-
-	be fatal if swallowed a			
n-bu	tyl acetate:			
No as	spiration toxicity class	sificatio	n	
.2 Infor	mation on other haz	zards		
Endo	ocrine disrupting pro	opertie	S	
Prod	uct:			
	ssment	:	The substance/mixture does not co considered to have endocrine disru to REACH Article 57(f) or Commiss (EU) 2017/2100 or Commission Re	pting properties according sion Delegated regulation
			levels of 0.1% or higher.	
Furth	ner information			
Prod	uct:			
Rema		:	Risks of irreversible effects after a single structure in the second structure of the second structure	
				a brand of
				a prand of





Version	Revision Date:	Date of last issue: 10.07.2023	Print Date:
2.0	19.05.2025	Date of first issue: 21.06.2016	19.05.2025

# **SECTION 12: Ecological information**

### 12.1 Toxicity

Product:		
Toxicity to fish	:	Remarks: Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
Toxicity to daphnia and other aquatic invertebrates	:	Remarks: No data available
Toxicity to algae/aquatic plants	:	Remarks: No data available
Toxicity to microorganisms	:	Remarks: No data available
Components:		
Hydrocarbons, C6-C7, n-alka	ane	es, isoalkanes, cyclics, <5% n-hexane:
Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): > 22 mg/l Exposure time: 96 h Method: OECD Test Guideline 203 GLP: yes
Toxicity to daphnia and other aquatic invertebrates	:	EL50 (Daphnia magna (Water flea)): 3 mg/l Exposure time: 48 h Method: OECD Test Guideline 202 GLP: yes
Toxicity to algae/aquatic plants	:	EbC50 (Pseudokirchneriella subcapitata (green algae)): 26 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
Ecotoxicology Assessment		
Acute aquatic toxicity	:	Toxic to aquatic life.
Chronic aquatic toxicity	:	Toxic to aquatic life with long lasting effects.
<b>n-butyl acetate:</b> Toxicity to fish	:	LC50 (Pimephales promelas (fathead minnow)): 18 mg/l Exposure time: 96 h Test Type: flow-through test Method: OECD Test Guideline 203





Version	Revision Date:	Dat	e of last issue: 10.07.2023	Print Date:
2.0	19.05.2025		e of first issue: 21.06.2016	19.05.2025
	city to daphnia and other tic invertebrates	:	EC50 (Daphnia (water flea)): 44 mg Exposure time: 48 h Test Type: static test	g/I
Toxic plants	sity to algae/aquatic s	:	EC50 (Desmodesmus subspicatus Exposure time: 72 h Test Type: static test	(green algae)): 397 mg/l
Toxic	sity to microorganisms	:	EC50 (Tetrahymena pyriformis): 35 Exposure time: 40 h Test Type: Growth inhibition	56 mg/l
aqua	tity to daphnia and other tic invertebrates onic toxicity)	· :	NOEC: 23 mg/l Exposure time: 21 d Species: Daphnia magna (Water fle Test Type: Reproduction Test GLP: yes	ea)
12.2 Pers	istence and degradabi	lity		
Prod	uct:			
Biode	egradability	:	Remarks: No data available	
	ico-chemical vability	:	Remarks: No data available	
<u>Com</u>	ponents:			
Hydr	ocarbons, C6-C7, n-all	kane	s, isoalkanes, cyclics, <5% n-hexa	ane:
Biode	egradability	:	Result: Readily biodegradable.	
n-but	tyl acetate:			
Biode	egradability	:	Test Type: Primary biodegradation	
			Result: rapidly biodegradable Biodegradation: 83 %	
			Exposure time: 28 d Method: OECD Test Guideline 301	D
12.3 Bioa	ccumulative potential			
Prod	uct:			
	ccumulation	:	Remarks: No data available	
Com	ponents:			
	ane: tion coefficient: n- nol/water	:	log Pow: 2,36	
			19 / 27	a brand of



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - FR



# **OKS 1301**

Version 2.0	Revision Date: 19.05.2025		e of last issue: 10.07.2023 e of first issue: 21.06.2016	Print Date: 19.05.2025
isob	utane:			
	tion coefficient: n- nol/water	:	log Pow: 2,88 Method: OECD Test Guideline 107	
n-bu	tyl acetate:			
	tion coefficient: n- nol/water	:	log Pow: 2,3 (25 °C) pH: 7 Method: OECD Test Guideline 117 GLP: yes	
buta	ne:			
	tion coefficient: n- nol/water	:	log Pow: 2,89 Method: OECD Test Guideline 107	
12.4 Mob	ility in soil			
Prod	luct:			
Mobi	lity	:	Remarks: No data available	
Distribution among environmental compartments		:	Remarks: No data available	
12.5 Resu	ults of PBT and vPvB a	asse	ssment	
Prod	luct:			
Assessment		:	This substance/mixture contains no con to be either persistent, bioaccumulative very persistent and very bioaccumulativ 0.1% or higher.	and toxic (PBT), or
<u>Com</u>	ponents:			
n-bu	tyl acetate:			
Asse	Assessment		Non-classified PBT substance. Non-clas	ssified vPvB substance
12.6 End	ocrine disrupting prop	ertie	95	
Prod	luct:			
Asse	essment	:	The substance/mixture does not contain considered to have endocrine disrupting to REACH Article 57(f) or Commission I (EU) 2017/2100 or Commission Regula	g properties according Delegated regulation



levels of 0.1% or higher.



Version	Revision Date:	Date of last issue: 10.07.2023	Print Date:
2.0	19.05.2025	Date of first issue: 21.06.2016	19.05.2025

#### 12.7 Other adverse effects

#### Product:

Additional ecological : Toxic to aquatic life with long lasting effects. information

### **Global warming potential**

Assessment Report of the Intergovernmental Panel on Climate Change (IPCC) of the United Nations Framework Convention on Climate Change (UNFCCC)

#### **Components:**

#### propane:

20-year global warming potential: 0,072 100-year global warming potential: 0,02 500-year global warming potential: 0,006 Atmospheric lifetime: 0,036 yr Radiative efficiency: 0 Wm2ppb Further information: Miscellaneous compounds

#### **SECTION 13: Disposal considerations**

13.1 Waste treatment methods		
Product	:	Waste codes should be assigned by the user based on the application for which the product was used.
		Do not dispose of with domestic refuse. Dispose of as hazardous waste in compliance with local and national regulations.
Contaminated packaging	:	The following Waste Codes are only suggestions:
		Packaging that is not properly emptied must be disposed of as the unused product. Offer empty spray cans to an established disposal company. Pressurized container: Do not pierce or burn, even after use.
Waste Code	:	unused product, packagings not completely emptied 16 05 04*, gases in pressure containers (including halons) containing hazardous substances

#### **SECTION 14: Transport information**

#### 14.1 UN number or ID number

ADN

: UN 1950



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - FR



<b>OKS 1301</b>	
-----------------	--

OKS 130	71	
Version 2.0	Revision Date: 19.05.2025	Date of last issue: 10.07.2023Print Date:Date of first issue: 21.06.201619.05.2025
ADR		: UN 1950
RID		: UN 1950
IMDG	1	: UN 1950
	roper shipping name	: UN 1950
-	roper snipping name	
ADN		: AEROSOLS
ADR		: AEROSOLS
RID		: AEROSOLS
IMDG	ì	: AEROSOLS (naphtha (petroleum), hydrotreated light)
ΙΑΤΑ		: Aerosols, flammable
14.3 Trans	sport hazard class(es)	
ADN		: 2
ADR		: 2
RID		: 2
IMDG	ì	: 2.1
ΙΑΤΑ		: 2.1
14.4 Pack	ing group	
<b>ADN</b> Packi Class Label	ng group ification Code s	<ul> <li>Not assigned by regulation</li> <li>5F</li> <li>2.1</li> </ul>
Class Label	ng group ification Code s el restriction code	<ul> <li>Not assigned by regulation</li> <li>5F</li> <li>2.1</li> <li>(D)</li> </ul>
<b>RID</b> Packi Class	ng group ification Code rd Identification Numbe	<ul><li>Not assigned by regulation</li><li>5F</li></ul>
<b>IMDG</b> Packi Label EmS	ng group s	<ul> <li>Not assigned by regulation</li> <li>2.1</li> <li>F-D, S-U</li> </ul>
	<b>(Cargo)</b> ng instruction (cargo ft)	: 203



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - FR



# **OKS 1301**

Version 2.0	Revision Date: 19.05.2025		last issue: 10.07.2023 first issue: 21.06.2016	Print Date: 19.05.2025
	king instruction (LQ) king group els		03 t assigned by regulation mmable Gas	
Pack (pas Pack	A (Passenger) king instruction senger aircraft) king instruction (LQ) king group		-	
14.5 Env	ironmental hazards			
<b>ADN</b> Envi	l ronmentally hazardous	: yes	3	
<b>ADR</b> Envi	ronmentally hazardous	: yes	3	
<b>RID</b> Envi	ronmentally hazardous	: yes	3	
<b>IMD</b> Mari	<b>G</b> ne pollutant	: yes	3	

#### 14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

#### 14.7 Maritime transport in bulk according to IMO instruments

Remarks

: Not applicable for product as supplied.

# **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)	: Not applicable
REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59). (EU SVHC)	: This product does not contain substances of very high concern (Regulation (EC) No 1907/2006 (REACH), Article 57).
Regulation (EU) No 2024/590 on substances that deplete the ozone layer (EC 2024/590)	: Not applicable



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - FR



<b>OKS 13</b>	)1			
Version 2.0	Revision Date: 19.05.2025	Date of last issue: 10 Date of first issue: 21		Print Date: 19.05.2025
pollut	lation (EU) 2019/1021 ants (recast) POP)	on persistent organic	:	Not applicable
Parlia	lation (EU) No 649/20 ment and the Council t of dangerous chemic PIC)	: and	Not applicable	
(Anne	CH - List of substances ex XIV) REACH-Annex XIV)	s subject to authorisatio	n :	Not applicable
	lation (EU) 2019/1148 sives precursors	on the marketing and u	use of :	Not applicable
			P2	
			P5c	
Parlia major	so III: Directive 2012/1 ment and of the Coun -accident hazards inve ances.		E2	ENVIRONMENTAL HAZARDS
			18	Liquefied flammable gases (including LPG) and natural gas
			P3a	FLAMMABLE AEROSOLS
			34	Petroleum products: (a) gasolines and naphthas, (b) kerosenes (including jet fuels), (c) gas oils (including diesel fuels, home heating oils and gas oil blending streams),(d) heavy fuel oils (e) alternative fuels serving the same purposes and with similar properties as regards flammability and environmental hazards as the
		/		a brand of





<b>OKS 1301</b>	
-----------------	--

Version 2.0	Revision Date: 19.05.2025		e of last issue: 10.07.2023 e of first issue: 21.06.2016	Print Date: 19.05.2025
				products referred to in points (a) to (d)
pro	tallations classified for the tection of the environment code R511-9)		4511, 4320, 4310, 4734	
	cupational Illnesses (R- I-3, France)	:	84	
	inforced medical pervision (R4624-23)	:	The product has no CMR	properties category 1, 1A or 1B
Vol	atile organic compounds	:	livestock rearing emissions and control)	4 November 2010 on industrial and s (integrated pollution prevention Is (VOC) content: 94,72 %

#### Other regulations:

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

#### 15.2 Chemical safety assessment

This information is not available.

# **SECTION 16: Other information**

H220 :	Extremely flammable gas.
H225 :	Highly flammable liquid and vapour.
H226 :	Flammable liquid and vapour.
H280 :	Contains gas under pressure; may explode if heated.
H304 :	May be fatal if swallowed and enters airways.
H315 :	Causes skin irritation.
H336 :	May cause drowsiness or dizziness.
H411 :	Toxic to aquatic life with long lasting effects.
EUH066 :	Repeated exposure may cause skin dryness or cracking.

#### Full text of other abbreviations

: Some organic substances may be marketed either in a



OKS 1301

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - FR



0K3 1501				
Version 2.0	Revision Date: 19.05.2025	Date of last issue: 10.07.2023 Date of first issue: 21.06.2016	Print Date: 19.05.2025	
	J (Table 3) 1831/EU	<ul> <li>this case the supplier mussion substance is a specific ison.</li> <li>When put on the market of "Gases under pressure", if gas, liquefied gas, refriger The group depends on the packaged and therefore he following codes are assign (Liq.) Press. Gas (Ref. Liconot be classified as gases 2, Section 2.3.2.1, Note 2</li> <li>Europe. Commission Dire</li> </ul>	ective 2019/1831/EU establishing a	
FR VL 2019/2	.E 1831/EU / TWA	<ul> <li>fifth list of indicative occup</li> <li>France. Occupational Exp</li> <li>Limit Value - eight hours</li> </ul>	pational exposure limit values posure Limits	
2019/ <i>*</i> FR VL	1831/EU / STEL .E / VME .E / VLCT (VLE)	<ul> <li>Short term exposure limit</li> <li>Time Weighted Average</li> <li>Short Term Exposure Limit</li> </ul>		

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN -Standard of the German Institute for Standardisation: DSL - Domestic Substances List (Canada): ECHA - European Chemicals Agency; EC-Number - European Community number; ECx -Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA -International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID -Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals





Version	Revision Date:	Date of last issue: 10.07.2023	Print Date:
2.0	19.05.2025	Date of first issue: 21.06.2016	19.05.2025

Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

#### **Further information** ...

. . .

Classification of the mixture:		
H222, H229		
H315		
H336		
H304		
H411		

. . .

#### **Classification procedure:**

Based on product data or assessment
Calculation method
Calculation method
Calculation method
Calculation method

Relevant changes compared to the last edition are highlighted at the left margin. This version replaces all previous editions.

This safety data sheet applies only to products as originally packed and labelled. The information contained therein may not be reproduced or modified without our express written permission. Any forwarding of this document is only permitted to the extent required by law. Any further, in particular public, dissemination of the safety data sheet (e.g. as a document for download from the Internet) is not permitted without our express written consent. We provide our customers with amended safety data sheets as prescribed by law. The customer is responsible for passing on safety data sheets and any amendments contained therein to its own customers, employees and other users of the product. We provide no guarantee that safety data sheets received by users from third parties are up-to-date. All information and instructions in this safety data sheet have been compiled to the best of our knowledge and are based on the information available to us on the day of publication. The information provided is intended to describe the product in relation to the required safety measures; it is neither an assurance of characteristics nor a guarantee of the product's suitability for particular applications and does not justify any contractual legal relationship. The existence of a safety data sheet for a particular jurisdiction does not necessarily mean that import or use within that jurisdiction is legally permitted. If you have any questions, please contact your responsible sales contact or authorized trading partner.

