

Version	Revision Date:	Date of last issue: 21.03.2024	Print Date:
2.5	06.02.2025	Date of first issue: 06.06.2016	06.02.2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1	Product identifier		
	Product name	:	OKS 601
1.2	Relevant identified uses of th	ne s	ubstance or mixture and uses advised against
	Use of the Substance/Mixture	:	Lubricant spray
	Recommended restrictions on use	:	Restricted to professional users.
1.3	Details of the supplier of the	saf	ety data sheet
	Company	:	OKS Spezialschmierstoffe GmbH Ganghoferstr. 47 82216 Maisach-Gernlinden Deutschland Tel.: +49 8142 3051 500
			Fax: +49 8142 3051 599 info@oks-germany.com
	E-mail address of person responsible for the SDS	:	mcm@oks-germany.com
	National contact	:	
1.4	Emergency telephone number	er	
	Emergency telephone number	:	+33 1 45 42 59 59 ORFILA
	namber		+33 1 72 11 00 03 NCEC
			+49 8142 3051 517

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC)	No 1272/2008)	
Aerosols, Category 1	H222: Extremely flammable aerosol. H229: Pressurised container: May burst if heat	ed.
Aspiration hazard, Category 1	H304: May be fatal if swallowed and enters	
	a brand of	



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - FR



OKS 601	OKS 601							
Version 2.5	Revision Date: 06.02.2025	Date of last issue: 21.0 Date of first issue: 06.0			Print Date: 06.02.2025			
			airway	S.				
2.2 Label e	2.2 Label elements							
Labelling (REGULATION (EC) No 1272/2008)								
Hazard	l pictograms	:						
Signal	word	:	Danger					
Hazaro	l statements	:	H222 H229 H304	Extremely flammable a Pressurised container: May be fatal if swallowe airways.	May burst if heated.			
Supple Statem	mental Hazard ents	:	EUH066	Repeated exposur dryness or cracking.	e may cause skin			
Precau	tionary statements	:	Prevention:					
			P210	Keep away from heat, H open flames and other smoking.				
			P211	Do not spray on an ope ignition source.	en flame or other			
			P251	Do not pierce or burn, e	even after use.			
			Response:					
			P301 + P310	IF SWALLOWED: Imm POISON CENTER/ doc	ctor.			
			P331 Storage:	Do NOT induce vomitin	y.			
			P410 + P412	Protect from sunlight. D temperatures exceeding				

Hazardous components which must be listed on the label:

Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics

Additional Labelling

EUH208 C

Contains Sulfonic acids, petroleum, calcium salts. May produce an allergic reaction.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.





Version	Revision Date:	Date of last issue: 21.03.2024	Print Date:
2.5	06.02.2025	Date of first issue: 06.06.2016	06.02.2025

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

2

3.2 Mixtures

Chemical nature

Active substance with propellant Mineral oil.

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	specific concentration limit M-Factor Notes Acute toxicity estimate	Concentration (% w/w)
Hydrocarbons, C10- C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics	918-481-9 01-2119457273-39- XXXX	Asp. Tox.1; H304; EUH066 ; EUH066	Note PNote P	>= 50 - < 70
propane	74-98-6 200-827-9 601-003-00-5 01-2119486944-21- XXXX	Flam. Gas1A; H220 Press. GasCompr. Gas; H280	Note U (table 3.1)	>= 1 - < 10
Sulfonic acids, petroleum, calcium salts	61789-86-4 263-093-9 01-2119488992-18- 0000	Skin Sens.1B; H317	>= 10 % Skin Sens.1B,	>= 1 - < 10



SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - FR



OKS 601

Version 2.5	Revision Da 06.02.2025		sue: 21.03.2024 sue: 06.06.2016	Print I 06.02	
Substance butane	es with a work	place exposure limit : 106-97-8 203-448-7	Flam. Gas1; H220 Press. GasCompr.		>= 10 - < 20
		601-004-00-0 01-2119474691-32- XXXX	Gas; H280	Note U (table 3.1), Note C	

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

If inhaled :	Remove person to fresh air. If signs/symptoms continue, get medical attention. Keep patient warm and at rest. If unconscious, place in recovery position and seek medical advice. Keep respiratory tract clear. If breathing is irregular or stopped, administer artificial respiration.
In case of skin contact :	Take off all contaminated clothing immediately. Get medical attention immediately if irritation develops and persists. Wash clothing before reuse. Thoroughly clean shoes before reuse. Wash skin thoroughly with soap and water or use recognized skin cleanser.
In case of eye contact :	Rinse immediately with plenty of water, also under the eyelids, for at least 10 minutes. Seek medical advice.
If swallowed :	Move the victim to fresh air. Keep respiratory tract clear. Do NOT induce vomiting. Obtain medical attention. Rinse mouth with water. Aspiration hazard if swallowed - can enter lungs and cause damage.

4.2 Most important symptoms and effects, both acute and delayed				
Symptoms	:	Inhalation may provoke the following symptoms: Unconsciousness		



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - FR



OKS 601						
Version 2.5	Revision Date: 06.02.2025	Date of last issue: 21.03.2024Print Date:Date of first issue: 06.06.201606.02.2025				
		Dizziness Drowsiness Headache Nausea Tiredness Skin contact may provoke the follo Erythema	Drowsiness Headache Nausea Tiredness Skin contact may provoke the following symptoms:			
Aspiration may cause pulmonary oedema and pneumo						
Risks :		: Can be absorbed through skin. Risk of product entering the lungs Health injuries may be delayed.	Risk of product entering the lungs on vomiting after ingestion.			
4.3 Indication of any immediate medical attention and special treatment needed						

	•		•
Treatment		:	Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media					
Suitable extinguishing media	:	ABC powder			
Unsuitable extinguishing media	:	High volume water jet			
5.2 Special hazards arising from t	the	e substance or mixture			
Specific hazards during firefighting	:	Fire Hazard Do not let product enter drains. Contains gas under pressure; may explode if heated. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.			
Hazardous combustion products	:	Carbon oxides Nitrogen oxides (NOx) Sulphur oxides			
5.3 Advice for firefighters					
Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment. Exposure to decomposition products may be a hazard to health.			
Further information	:	Standard procedure for chemical fires. Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Cool containers/tanks with water spray.			





Version	Revision Date:	Date of last issue: 21.03.2024	Print Date:
2.5	06.02.2025	Date of first issue: 06.06.2016	06.02.2025

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	:	Evacuate personnel to safe areas. Ensure adequate ventilation. Remove all sources of ignition. Do not breathe vapours or spray mist. Refer to protective measures listed in sections 7 and 8. Only qualified personnel equipped with suitable protective equipment may intervene.
----------------------	---	---

6.2 Environmental precautions

Environmental precautions	:	Try to prevent the material from entering drains or water courses. Prevent further leakage or spillage if safe to do so. Local authorities should be advised if significant spillages cannot be contained.
---------------------------	---	--

6.3 Methods and material for containment and cleaning up

		absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Keep in suitable, closed containers for disposal. Non-sparking tools should be used.
--	--	--

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling	 Do not use in areas without adequate ventilation. Do not breathe vapours or spray mist. In case of insufficient ventilation, wear suitable respiratory equipment. Avoid contact with skin and eyes. For personal protection see section 8. Keep away from fire, sparks and heated surfaces. Smoking, eating and drinking should be prohibited in the application area. Wash hands and face before breaks and immediately after handling the product.
	Do not get in eyes or mouth or on skin.



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - FR



OKS 601					
Version 2.5	Revision Date: 06.02.2025		e of last issue: 21.03.2024 e of first issue: 06.06.2016	Print Date: 06.02.2025	
Hygie	ne measures	:	Do not get on skin or clothing. Do not ingest. Do not use sparking tools. These safety instructions also apply may still contain product residues. Pressurized container: protect from a expose to temperatures exceeding 5 burn, even after use. Wash face, hands and any exposed handling.	sunlight and do not 50 °C. Do not pierce or	
7.2 Condit	ions for safe storage	e, inc	luding any incompatibilities		
	rements for storage and containers	:	BEWARE: Aerosol is pressurized. K exposure and temperatures over 50 or throw into fire even after use. Do red-hot objects. Store in accordance national regulations.	°C. Do not open by force not spray on flames or	
-	ic end use(s) fic use(s)	:	Specific instructions for handling, no	t required.	

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Hydrocarbons, C10-C13, n- alkanes, isoalkanes, cyclics, < 2% aromatics	Not Assigned	VME (Vapour)	1.000 mg/m3	FR VLE (2016-10-01)
	Further information: Indicative exposure limits			
		VLCT (VLE) (Vapour)	1.500 mg/m3	FR VLE (2016-10-01)
	Further information: Indicative exposure limits			
butane	106-97-8	VME	800 ppm 1.900 mg/m3	FR VLE (2005-02-01)
	Further information: Indicative exposure limits			

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
Distillates	Workers	Inhalation	Long-term local	5,58 mg/m3



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - FR



OKS 601

Vers 2.5	sion Revision 06.02.	on Date: 2025	Date of last issue: 21.03.2024 Date of first issue: 06.06.2016		Print Date: 06.02.2025	
	(petroleum), hydrotreated h paraffinic; Bas unspecified				effects	
	•	,	Workers	Inhalation	Long-term systemic effects	2,73 mg/m3
		,	Workers	Skin contact	Long-term systemic effects	0,97 mg/kg
	Distillates (petroleum), se dewaxed heav paraffinic; Bas unspecified	olvent- 'y	Workers	Inhalation	Long-term systemic effects	2,73 mg/m3
	·	,	Workers	Skin contact	Long-term systemic effects	0,97 mg/kg

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
Distillates (petroleum),	Oral	9,33 mg/kg
hydrotreated heavy paraffinic;		
Baseoil — unspecified		
Distillates (petroleum), solvent- dewaxed heavy paraffinic; Baseoil — unspecified	Oral	9,33 mg/kg

8.2 Exposure controls

Engineering measures

Use only in an area equipped with explosion proof exhaust ventilation. Handle only in a place equipped with local exhaust (or other appropriate exhaust).

Personal protective equipment

Eye/face protection	:	Safety glasses with side-shields
Hand protection Material Break through time Protective index	:	Nitrile rubber > 10 min Class 1
Remarks	:	Wear protective gloves. The break through time depends amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each case. The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it.
Skin and body protection	:	Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.





OKS 60 ²	I				
Version 2.5	Revision Date: 06.02.2025	Date of last issue: 21.03.2024 Date of first issue: 06.06.2016	Print Date: 06.02.2025		
Respiratory protection		ventilation is provided or expo	Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines. Short term only		
Fil	ter type	: Filter type A-P			
Prote	ctive measures		The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.		
Envir	onmental exposure	controls			
Air		: No special environmental prec	cautions required.		
Soil		:			
		The product should not be allo courses or the soil.	owed to enter drains, water		
Wate	r	:			
		The product should not be allo courses or the soil.	owed to enter drains, water		

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	:	aerosol
Colour	:	brown
Odour	:	characteristic
Odour Threshold	:	No data available
Melting point/range	:	No data available
Boiling point/boiling range	:	< -20 °C (1.013 hPa)
Flammability (solid, gas)	:	Extremely flammable aerosol.
Upper explosion limit / Upper	:	9,4 %(V)



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - FR



OKS 601

Vers 2.5	sion	Revision Date: 06.02.2025		e of last issue: 21.03.2024 e of first issue: 06.06.2016	Print Date: 06.02.2025
	flamma	ability limit			
	Lower	explosion limit / Lower ability limit	· :	0,7 %(V)	
	Flash	point	:	-20 °C Method: Abel-Pensky, closed cup	
	Auto-ię	gnition temperature	:	No data available	
	Decom	nposition temperature	:	No data available	
	рН		:	Not applicable substance/mixture is non-soluble (in wa	ater)
	Viscos Vis	ity cosity, dynamic	:	No data available	
	Vis	cosity, kinematic	:	< 20,5 mm2/s (40 °C)	
		lity(ies) ter solubility	:	insoluble	
	Sol	ubility in other solvents	s :	No data available	
		on coefficient: n- I/water	:	No data available	
	Vapou	r pressure	:	2.800 hPa (20 °C)	
	Relativ	ve density	:	0,741 (20 °C) Reference substance: Water The value is calculated	
	Densit	У	:	0,74 g/cm3 (20 °C)	
	Bulk d	ensity	:	No data available	
	Relativ	e vapour density	:	No data available	
9.2	Other i	nformation			
	Explos	sives	:	Not explosive	
	Oxidiz	ing properties	:	No data available	
	Self-ig	nition	:	No data available	



SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - FR



OKS 601

Version 2.5	Revision Date: 06.02.2025	Date of last issue: 21.03.2024 Date of first issue: 06.06.2016	Print Date: 06.02.2025
Metal	corrosion rate	: Not corrosive to metals	
Evapo	pration rate	: No data available	
Sublin	nation point	: No data available	

SECTION 10: Stability and reactivity

10.1 Reactivity

No hazards to be specially mentioned.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions Hazardous reactions : No dangerous reaction known under conditions of normal use.

10.4 Conditions to avoid

Conditions to avoid	:	Heat, flames and sparks.
		Strong sunlight for prolonged periods. Risk of receptacle bursting.
		······································

10.5 Incompatible materials

Materials to avoid	: Oxidizing agents
--------------------	--------------------

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity		
Product: Acute oral toxicity	:	Remarks: This information is not available.
Acute inhalation toxicity		Remarks: Harmful by inhalation. Irritating to respiratory system.
		Symptoms: Inhalation may provoke the following symptoms:, Respiratory disorder, Local irritation, Respiratory disorders
Acute dermal toxicity	:	Remarks: Prolonged or repeated skin contact with liquid may cause defatting resulting in drying, redness and possible





KS 601	1		
rsion 5	Revision Date: 06.02.2025	Date of last issue: 21.03.2024 Date of first issue: 06.06.2016	Print Date: 06.02.2025
		blistering.	
		Symptoms: Redness, Local	irritation, Skin disorders
<u>Com</u>	ponents:		
Hydro	ocarbons, C10-C13,	n-alkanes, isoalkanes, cyclics, <	2% aromatics:
-	oral toxicity	: LD50 (Rat): > 5.000 mg/kg Method: OECD Test Guidel	
Acute	e dermal toxicity	: LD50 (Rabbit): > 5.000 mg/l Method: OECD Test Guidel	
butar	-		
Acute	inhalation toxicity	: LC50 (Rat): 658 mg/l Exposure time: 4 h Test atmosphere: gas	
Skin	corrosion/irritation		
Prod	uct:		
Rema		: Irritating to skin.	
Com	ponents:		
Hydro	ocarbons, C10-C13,	n-alkanes, isoalkanes, cyclics, <	2% aromatics:
Speci	ies	: Rabbit	
	ssment	: No skin irritation	
Metho Resul		: OECD Test Guideline 404 : Mild skin irritation	
Resu	lt	: Repeated exposure may ca	use skin dryness or cracking.
Serio	ous eye damage/eye	irritation	
Produ	uct:		
Rema		: Contact with eyes may caus	se irritation.
Com	ponents:		
Hydro	ocarbons, C10-C13,	n-alkanes, isoalkanes, cyclics, <	2% aromatics:
Speci		: Rabbit	
•	ssment	: No eye irritation	
Metho		: OECD Test Guideline 405	
Resu	lt	: No eye irritation	



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - FR



KS 60 ⁻	1			
ersion 5	Revision Date: 06.02.2025		ast issue: 21.03.2024 irst issue: 06.06.2016	Print Date: 06.02.2025
Resp	piratory or skin sens	itisation		
Prod	uct:			
Rema		: Thi	s information is not available.	
Com	ponents:			
Hydr	ocarbons, C10-C13,	n-alkanes,	isoalkanes, cyclics, < 2% a	romatics:
Speci			nea pig	
	ssment		es not cause skin sensitisation	n.
Metho Resu		-	CD Test Guideline 406 es not cause skin sensitisatior	2
Resu	п	. Due		1.
Sulfo	onic acids, petroleur	n, calcium	salts:	
Asses	ssment	: The	e product is a skin sensitiser,	sub-category 1B.
Germ	n cell mutagenicity			
Prod				
-	otoxicity in vitro	· Rer	marks: No data available	
Geno	otoxicity in vivo	: Rer	narks: No data available	
Com	ponents:			
Hydr	ocarbons, C10-C13,	n-alkanes,	isoalkanes, cyclics, < 2% a	romatics:
-	cell mutagenicity-		sts on bacterial or mammalian	
	ssment		tagenic effects.	
Carci	inogenicity			
	•			
Prod		. N	dete eve lebte	
Rema	arks	: No	data available	
<u>Com</u>	ponents:			
Hydr	ocarbons, C10-C13,	n-alkanes,	isoalkanes, cyclics, < 2% a	romatics:
Carci	nogenicity -	: Not	classifiable as a human carc	inogen.
	ssment			
Repr	oductive toxicity			
Prod	uct:			
-	ts on fertility	· Rer	narks: No data available	
	-			
	ts on foetal	: Rer	marks: No data available	
devel	lopment			





Version	Revision Date:	Date of last issue: 21.03.2024	Print Date:
2.5	06.02.2025	Date of first issue: 06.06.2016	06.02.2025

Components:

Hydrocarbons, C10-C13, n-all	kanes, isoalkanes, cyclics, < 2% aromatics:			
	: - Fertility -			
Assessment	No toxicity to reproduction - Teratogenicity -			
	No toxicity to reproduction			
STOT - single exposure				
Product:				
Remarks	No data available			
Components:				
Hydrocarbons, C10-C13, n-alk	kanes, isoalkanes, cyclics, < 2% aromatics:			
Assessment	The substance or mixture is not classified as specific target organ toxicant, single exposure.			
STOT - repeated exposure				
Product:				
Remarks	No data available			
Components:				
Hydrocarbons, C10-C13, n-alk	kanes, isoalkanes, cyclics, < 2% aromatics:			
Assessment	The substance or mixture is not classified as specific target organ toxicant, single exposure.			
Repeated dose toxicity				
Product:				
Remarks	: This information is not available.			
Aspiration toxicity				
Product:				
May be fatal if swallowed and enters airways.				
May be fatal if swallowed and enters airways.				





Version	Revision Date:	Date of last issue: 21.03.2024	Print Date:
2.5	06.02.2025	Date of first issue: 06.06.2016	06.02.2025

Components:

Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics:

May be fatal if swallowed and enters airways.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Further information

Product:

Remarks

: Ingestion causes irritation of upper respiratory system and gastrointestinal disturbance.

SECTION 12: Ecological information

12.1 Toxicity

Product:				
Toxicity to fish	:	Remarks: No data available		
Toxicity to daphnia and other aquatic invertebrates	:	Remarks: No data available		
Toxicity to algae/aquatic plants	:	Remarks: No data available		
Toxicity to microorganisms	:	Remarks: No data available		
Components:				
Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics:				

Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h





Versi 2.5	ion	Revision Date: 06.02.2025		e of last issue: 21.03.2024 e of first issue: 06.06.2016	Print Date: 06.02.2025
	Toxicit plants	y to algae/aquatic	:	EC50 (Pseudokirchneriella subcapitata (mg/l Exposure time: 72 h	green algae)): > 100
12.2	Persis	stence and degradab	ility		
	<u>Produ</u> Biodeg	<u>ct:</u> gradability	:	Remarks: No data available	
	Physic remova	o-chemical ability	:	Remarks: No data available	
12.3	Bioac	cumulative potential			
	<u>Produ</u> Bioacc	<u>ct:</u> :umulation	:	Remarks: No data available	
	Comp	onents:			
		ne: on coefficient: n- I/water	:	log Pow: 2,36	
		e: on coefficient: n- I/water	:	log Pow: 2,89 Method: OECD Test Guideline 107	
12.4	Mobili	ty in soil			
	<u>Produ</u> Mobilit		:	Remarks: No data available	
		ution among nmental compartments	: S	Remarks: No data available	
12.5	Resul	ts of PBT and vPvB a	asse	ssment	
]	<u>Produ</u>	<u>ct:</u>			

Assessment	: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of
	0.1% or higher.

Components:

Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics:			
Assessment	:	Non-classified PBT substance. Non-classified vPvB substance	





Version	Revision Date:	Date of last issue: 21.03.2024	Print Date:
2.5	06.02.2025	Date of first issue: 06.06.2016	06.02.2025

12.6 Endocrine disrupting properties

Product:

considered to have endocrine disrupting properties accort to REACH Article 57(f) or Commission Delegated regula	Assessment	:	The substance/mixture does not contain components considered to have endocrine disrupting properties accordin to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 a levels of 0.1% or higher.	0
--	------------	---	---	---

12.7 Other adverse effects

Product:		
Additional ecological information	:	No information on ecology is available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

 waste treatment methous		
Product	:	Do not dispose of with domestic refuse. Dispose of as hazardous waste in compliance with local and national regulations.
		Waste codes should be assigned by the user based on the application for which the product was used.
Contaminated packaging	:	Packaging that is not properly emptied must be disposed of as the unused product. Offer empty spray cans to an established disposal company. Pressurized container: Do not pierce or burn, even after use.
		The following Waste Codes are only suggestions:
Waste Code	:	unused product, packagings not completely emptied 16 05 04**, gases in pressure containers (including halons) containing hazardous substances

SECTION 14: Transport information

14.1 UN number or ID number

ADN	:	UN 1950
ADR	:	UN 1950
RID	:	UN 1950



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - FR



OKS 6	01			
		_		
Version 2.5	Revision Date: 06.02.2025		e of last issue: 21.03.2024 e of first issue: 06.06.2016	Print Date: 06.02.2025
IME	DG	:	UN 1950	
ΙΑΤ	A	:	UN 1950	
14.2 UN	proper shipping name			
AD	N	:	AEROSOLS	
AD	R	:	AEROSOLS	
RID)	:	AEROSOLS	
IME	DG	:	AEROSOLS	
ΙΑΤ	A	:	Aerosols, flammable	
14.3 Tra	ansport hazard class(es))		
AD	N	:	2	
AD	R	:	2	
RIC)	:	2	
IME	DG	:	2.1	
ΙΑΤ	A	:	2.1	
14.4 Pa	cking group			
AD	N			
Pac	cking group	:	Not assigned by regulation	
Cla Lab	ssification Code	:	5F 2.1	
AD	R			
Pac	cking group ssification Code	:	Not assigned by regulation 5F	
Lab		:	2.1	
Tur	nnel restriction code	:	(D)	
RID) cking group		Not assigned by regulation	
Cla	ssification Code	:	5F	
Haz Lab	zard Identification Number	r :	23 2.1	
IME		•	2.1	
Pac	cking group	:	Not assigned by regulation	
	oels S Code	:	2.1 F-D, S-U	
	A (Cargo)	•	. 2, 0 0	
Pac	cking instruction (cargo	:	203	
	craft) cking instruction (LQ)		Y203	
Pac	cking group	:	Not assigned by regulation	
Lab	pels	:	Flammable Gas	



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - FR



OKS 601

Version	Revision Date:	Date of last issue: 21.03.2024	Print Date: 06.02.2025
2.5	06.02.2025	Date of first issue: 06.06.2016	
	(Deccenger)		

IATA (Passenger)

Packing instruction (passenger aircraft)	: 203
Packing instruction (LQ)	: Y203
Packing group	: Not assigned by regulation
Labels	: Flammable Gas

14.5 Environmental hazards

ADN Environmentally hazardous	:	no	
ADR Environmentally hazardous	:	no	
RID Environmentally hazardous	:	no	
IMDG Marine pollutant	:	no	

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Remarks

: Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)	:	Conditions of restriction for the following entries should be considered: Number on list 75 If you intend to use this product as tattoo ink, please contact your vendor.
REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59). (EU SVHC)	:	This product does not contain substances of very high concern (Regulation (EC) No 1907/2006 (REACH), Article 57).
Regulation (EC) No 1005/2009 on substances that deplete the ozone layer (EC 1005/2009)	:	Not applicable





OKS	601				
Versio 2.5	n	Revision Date: 06.02.2025	Date of last issue: 21 Date of first issue: 06		Print Date: 06.02.2025
R	equia:	tion (EU) 2019/1021	on persistent organic		Not applicable
ро		nts (recast)		·	
Pa in	Parliam	tion (EU) No 649/201 ient and the Council o of dangerous chemica C)	Not applicable		
(A	Annex		subject to authorisatic	in :	Not applicable
		tion (EU) 2019/1148 ves precursors	on the marketing and u	use of :	Not applicable
				P2	
Pa m	Parliam	ent and of the Counc accident hazards invo		P3a	FLAMMABLE AEROSOLS
				34	Petroleum products: (a) gasolines and naphthas, (b) kerosenes (including jet fuels), (c) gas oils (including diesel fuels, home heating oils and gas oil blending streams),(d) heavy fuel oils (e) alternative fuels serving the same purposes and with similar properties as regards flammability and environmental hazards as the products referred to in points (a) to (d)
				18	Liquefied flammable gases (including LPG) and natural gas





Version 2.5	Revision Date: 06.02.2025		e of last issue: 21.03.2024 e of first issue: 06.06.2016	Print Date: 06.02.2025
protec	ations classified for the tion of the environmer onment Code R511-9)	nt	4320, 4734, 4310	
	pational Illnesses (R- , France)	:	84, 36, 36 bis	
	orced medical vision (R4624-23)	:	The product has no CMR properties cate	gory 1, 1A or 1B
Volatil	e organic compounds	:	Directive 2010/75/EU of 24 November 20 emissions (integrated pollution prevention Volatile organic compounds (VOC) conte	n and control)

Other regulations:

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

15.2 Chemical safety assessment

This information is not available.

SECTION 16: Other information

Full text of H-Statements		
H220	:	Extremely flammable gas.
H280	:	Contains gas under pressure; may explode if heated.
H304	:	May be fatal if swallowed and enters airways.
H317	:	May cause an allergic skin reaction.
EUH066	:	Repeated exposure may cause skin dryness or cracking.

Full text of other abbreviations

Note C	: Some organic substances may be marketed either in a specific isomeric form or as a mixture of several isomers. In this case the supplier must state on the label whether the substance is a specific isomer or a mixture of isomers.
Note P	: The harmonised classification as a carcinogen or mutagen applies unless it can be shown that the substance contains less than 0,1 % w/w benzene (Einecs No 200-753-7), in which case a classification in accordance with Title II of this Regulation shall be performed also for those hazard classes. Where the substance is not classified as a carcinogen or mutagen, at least the precautionary statements (P102-)P260-



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - FR



OKS 601

Version	Revision Date:	Date of last issue: 21.03.2024	Print Date:
2.5	06.02.2025	Date of first issue: 06.06.2016	06.02.2025
FR VLI FR VLI	(table 3.1) E E / VME E / VLCT (VLE)	The group depends on the phy packaged and therefore has to following codes are assigned: (Liq.) Press. Gas (Ref. Liq.) Pr	s have to be classified as e of the groups compressed l liquefied gas or dissolved gas. ysical state in which the gas is b be assigned case by case. The Press. Gas (Comp.) Press. Gas ress. Gas (Diss.) Aerosols shall er pressure (See Annex I, Part

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN -Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx -Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response: GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA -International Air Transport Association: IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO -International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID -Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Classification of the mixture:

Aerosol 1

H222, H229

Classification procedure:

Based on product data or assessment

a brand of

FREUDENBERG





OKS 60	1		
Version 2.5	Revision Date: 06.02.2025	Date of last issue: 21.03.2024 Date of first issue: 06.06.2010	
Asp.	Tox. 1	H304	Based on product data or assessment

|| Relevant changes compared to the last edition are highlighted at the left margin. This version replaces all previous editions.

This safety data sheet applies only to products as originally packed and labelled. The information contained therein may not be reproduced or modified without our express written permission. Any forwarding of this document is only permitted to the extent required by law. Any further, in particular public, dissemination of the safety data sheet (e.g. as a document for download from the Internet) is not permitted without our express written consent. We provide our customers with amended safety data sheets as prescribed by law. The customer is responsible for passing on safety data sheets and any amendments contained therein to its own customers, employees and other users of the product. We provide no guarantee that safety data sheets received by users from third parties are up-to-date. All information and instructions in this safety data sheet have been compiled to the best of our knowledge and are based on the information available to us on the day of publication. The information provided is intended to describe the product in relation to the required safety measures; it is neither an assurance of characteristics nor a guarantee of the product's suitability for particular applications and does not justify any contractual legal relationship. The existence of a safety data sheet for a particular jurisdiction does not necessarily mean that import or use within that jurisdiction is legally permitted. If you have any questions, please contact your responsible sales contact or authorized trading partner.

