

Version	Revision Date:	Date of last issue: 20.06.2022	Print Date:
3.2	31.10.2024	Date of first issue: 23.06.2016	31.10.2024

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1	Product identifier Product name	:	OKS 250
1.2	Relevant identified uses of th	ne s	ubstance or mixture and uses advised against
	Use of the Substance/Mixture	:	Lubricant
	Recommended restrictions on use	:	Restricted to professional users.
1.3	Details of the supplier of the	saf	ety data sheet
	Company	:	OKS Spezialschmierstoffe GmbH Ganghoferstr. 47 82216 Maisach-Gernlinden Deutschland Tel.: +49 8142 3051 500 Fax: +49 8142 3051 599 info@oks-germany.com
	E-mail address of person responsible for the SDS	:	mcm@oks-germany.com
	National contact	:	
1.4	Emergency telephone number	ər	
	Emergency telephone number		+33 1 45 42 59 59 ORFILA
	number		+33 1 72 11 00 03 NCEC
			+49 8142 3051 517

### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)				
Skin irritation, Category 2	H315: Causes skin irritation.			
Serious eye damage, Category 1	H318: Causes serious eye damage.			





_							
OK	S 250						
Vers 3.2	ion	Revision Date: 31.10.2024			sue: 20.06.202 sue: 23.06.20		Print Date: 31.10.2024
	Short- Catego	term (acute) aquatic ł ory 1	naza	rd,	H400: Very	toxic to aquatic life	2.
	Long-t Catego	erm (chronic) aquatic ory 3	: haz	ard,	H412: Harm effects.	ful to aquatic life v	vith long lasting
2.2 L	_abel e	elements					
	Labell	ling (REGULATION (	EC)	No 1272/20	08)		
		d pictograms	:		, Nr.		
				<u>₩</u>			
	Signal	word	:	Danger			
	Hazaro	d statements	:	H315 H318 H410	Cau		amage. fe with long lasting
	Drocou	utionary statements		Preventio	n.		
	rieca	allonary statements	•	P264 P273 P280	Was Avoi Wea	h skin thoroughly d release to the er r protective gloves ection.	0
				Response	):		
				P305 + P3	cont Con	water for several	ent and easy to do. ediately call a
				P332 + P3	13 If sk		Get medical advice/
				P391		ect spillage.	

Hazardous components which must be listed on the label:

calcium dihydroxide

#### **Additional Labelling**

- EUH208 Contains Molybdenum trioxide, reaction products with bis[O,O-bis(2-ethylhexyl)] hydrogen dithiophosphate. May produce an allergic reaction.
- EUH212 Warning! Hazardous respirable dust may be formed when used. Do not breathe dust.





Version	Revision Date:	Date of last issue: 20.06.2022	Print Date:
3.2	31.10.2024	Date of first issue: 23.06.2016	31.10.2024

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

#### **SECTION 3: Composition/information on ingredients**

1

#### 3.2 Mixtures

Chemical nature

Synthetic hydrocarbon oil solid lubricant polyurea

#### Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	specific concentration limit M-Factor Notes Acute toxicity estimate	Concentration (% w/w)
calcium dihydroxide	1305-62-0 215-137-3 01-2119475151-45- XXXX	Skin Irrit.2; H315 Eye Dam.1; H318 STOT SE3; H335		>= 10 - < 20
Amines, N-C16-C18- alkyl-(evennumbered, C18 unsaturated) propane-1,3- diaminium di[(9Z)- octadec-9-enoate]	800-362-7 01-2119974117-33- XXXX	Skin Irrit.2; H315 Eye Irrit.2; H319 STOT RE2; H373 Aquatic Acute1; H400 Aquatic Chronic2; H411	M-Factor: 10/1	>= 2,5 - < 10
Distillates (petroleum), solvent-refined heavy paraffinic; Baseoil — unspecified	64741-88-4 265-090-8 649-454-00-7	Asp. Tox.1; H304	Note L	>= 1 - < 10



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - FR



### **OKS 250**

Version 3.2	Revision Da 31.10.2024		last issue: 20.06.2022 first issue: 23.06.2016	Print Date: 31.10.2024
reaction p bis[O,O-b	l)] hydrogen	947-946-9 01-2120772600 XXXX	Skin Irrit.2; H315 Skin Sens.1B; H317 Aquatic Chronic4; -59- H413	>= 0,25 - < 1
Substanc	es with a work	place exposure li	mit :	
titanium c powder fo containing particles	lioxide; [in orm g <1 % of	13463-67-7 236-675-5 01-2119489379- XXXX	Not classified	>= 20 - < 30

For explanation of abbreviations see section 16.

#### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

If inhaled :	Remove person to fresh air. If signs/symptoms continue, get medical attention. Keep patient warm and at rest. If unconscious, place in recovery position and seek medical advice. Keep respiratory tract clear. If breathing is irregular or stopped, administer artificial respiration.
In case of skin contact :	Take off all contaminated clothing immediately. Wash off immediately with soap and plenty of water. Get medical attention immediately if irritation develops and persists. Wash clothing before reuse. Thoroughly clean shoes before reuse.
In case of eye contact :	Rinse immediately with plenty of water, also under the eyelids, for at least 10 minutes. Get medical attention immediately.
If swallowed :	Move the victim to fresh air. If unconscious, place in recovery position and seek medical advice. Keep respiratory tract clear. Do not induce vomiting without medical advice. Obtain medical attention. Never give anything by mouth to an unconscious person.





<b>OKS 250</b>
----------------

Version	Revision Date:	Date of last issue: 20.06.2022	Print Date: 31.10.2024
3.2	31.10.2024	Date of first issue: 23.06.2016	

#### 4.2 Most important symptoms and effects, both acute and delayed

Symptoms	:	Skin contact may provoke the following symptoms: Erythema
Risks	:	Causes skin irritation. May cause an allergic skin reaction.

#### 4.3 Indication of any immediate medical attention and special treatment needed

Treatment

: Treat symptomatically.

#### **SECTION 5: Firefighting measures**

5.1 Extinguishing media		
Suitable extinguishing media	:	Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
Unsuitable extinguishing media	:	High volume water jet
5.2 Special hazards arising from	the	e substance or mixture
Hazardous combustion products	:	Carbon oxides Nitrogen oxides (NOx) Oxides of phosphorus Metal oxides
5.3 Advice for firefighters		
Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment. Exposure to decomposition products may be a hazard to health.
Further information	:	Standard procedure for chemical fires. Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

#### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	: Evacuate personnel to safe areas.
	Ensure adequate ventilation.
	Do not breathe vapours, aerosols.
	Refer to protective measures listed in sections 7 and 8.





Version	Revision Date:	Date of last issue: 20.06.2022	Print Date:
3.2	31.10.2024	Date of first issue: 23.06.2016	31.10.2024

#### **6.2 Environmental precautions**

Environmental precautions

: Do not allow contact with soil, surface or ground water. If the product contaminates rivers and lakes or drains inform respective authorities.

#### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up

: Pick up and transfer to properly labelled containers.

#### 6.4 Reference to other sections

For personal protection see section 8.

#### **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Advice on safe handling	<ul> <li>Do not use in areas without adequate ventilation. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Wash hands and face before breaks and immediately after handling the product. Do not get in eyes or mouth or on skin. Do not get on skin or clothing. Do not ingest. Do not repack. These safety instructions also apply to empty packaging which may still contain product residues. Keep container closed when not in use.</li> </ul>
Hygiene measures	: Wash face, hands and any exposed skin thoroughly after handling.

#### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers	:	Store in original container. Keep container closed when not in use. Keep in a dry, cool and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store in accordance with the particular national regulations. Keep in properly labelled containers.
---	---	--

#### 7.3 Specific end use(s)

Specific use(s)

: Specific instructions for handling, not required.





Version	Revision Date:	Date of last issue: 20.06.2022	Print Date:
3.2	31.10.2024	Date of first issue: 23.06.2016	31.10.2024

#### **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

#### **Occupational Exposure Limits**

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
titanium dioxide; [in powder form containing <1 % of particles with aerodynamic diameter ≤ 10 µm]	13463-67-7	VME	10 mg/m3 (Titanium)	FR VLE (2020-12-18)
	Further information: Carcinogenic category 2 - Possibly carcinogenic to humans, Indicative exposure limits			ogenic to
calcium dihydroxide	1305-62-0	TWA (Respirable fraction)	1 mg/m3	2017/164/EU (2017-02-01)
	Further information: Indicative			
	STEL 4 mg/m3 (Respirable fraction)		4 mg/m3	2017/164/EU (2017-02-01)
	Further inform	ation: Indicative		
			FR VLE (2022-10-27)	
	Further information: Regulatory indicative exposure limits			
		VLCT (VLE) (Alveolar fraction)	4 mg/m3	FR VLE (2022-10-27)
Further information: Regulatory indicative exposure limits				

#### Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
Benzene, mono-C10- 13-alkyl derivs., distn. residues	Workers	Inhalation	Long-term systemic effects	2,2 mg/m3
	Workers	Skin contact	Long-term systemic effects	3,15 mg/kg bw/day
calcium dihydroxide	Workers	Inhalation	Long-term local effects	1 mg/m3
	Workers	Inhalation	Acute local effects	4 mg/m3
Amines, N-C16-C18- alkyl-(evennumbered, C18 unsaturated) propane-1,3- diaminium di[(9Z)- octadec-9-enoate]	Workers	Skin contact	Long-term systemic effects	0,04 mg/kg
	Workers	Inhalation	Long-term systemic effects	0,29 mg/m3
Molybdenum trioxide,	Workers	Inhalation	Long-term systemic	4,93 mg/m3



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - FR



### **OKS 250**

Version 3.2	Revision Date: 31.10.2024	Date of last issue: 20.06.2022 Date of first issue: 23.06.2016	Print Date: 31.10.2024
react	ion products with	effects	

bis[O,O-bis(2- ethylhexyl)] hydrogen dithiophosphate				
	Workers	Dermal	Long-term systemic effects	1,4 mg/kg bw/dav

#### Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
Benzene, mono-C10-13-alkyl derivs., distn. residues	Fresh water	0,001 mg/l
	Intermittent use/release	0,001 mg/l
	Marine water	0 mg/l
	Microbiological Activity in Sewage Treatment Systems	2 mg/l
	Fresh water sediment	16,5 mg/kg
	Marine sediment	1,65 mg/kg
	Soil	3,7 mg/kg
calcium dihydroxide	Fresh water	0,49 mg/l
	Marine water	0,32 mg/l
	Intermittent use/release	0,49 mg/l
	Microbiological Activity in Sewage Treatment Systems	3 mg/l
	Soil	1080 mg/kg
Amines, N-C16-C18-alkyl- (evennumbered, C18 unsaturated) propane-1,3- diaminium di[(9Z)-octadec-9- enoate]	Fresh water	0,00638 mg/l
	Marine water	0,000638 mg/l
	Intermittent use/release	0,00509 mg/l
	Microbiological Activity in Sewage Treatment Systems	98,6 mg/l
	Fresh water sediment	204 mg/kg
	Marine sediment	20,4 mg/kg
	Soil	9,93 mg/kg

#### 8.2 Exposure controls

#### **Engineering measures**

none

#### Personal protective equipment

Eye/face protection	:	Tightly fitting safety goggles
---------------------	---	--------------------------------

#### Hand protection

Material	: butyl-rubber
Break through time	: > 10 min
Protective index	: Class 1



#### **SAFETY DATA SHEET** according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - FR



OKS 250							
Version 3.2	Revision Date: 31.10.2024		e of last issue: 20.06.2022 e of first issue: 23.06.2016	Print Date: 31.10.2024			
Re	emarks	:	Wear protective gloves. The breat amongst other things on the mate type of glove and therefore has to case. The selected protective gloves has specifications of Regulation (EU) EN 374 derived from it.	erial, the thickness and the be measured for each ave to satisfy the			
Skin	Skin and body protection :		Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.				
Resp	Respiratory protection		Not required; except in case of aerosol formation.				
Fi	Filter type		Filter type A-P				
Prote	Protective measures		The type of protective equipment to the concentration and amount at the specific workplace.				
Envir	ronmental exposure	contro	bls				
Air		:	Should not be released into the e	environment.			
Soil		:					
			Do not allow contact with soil, sur The product should not be allowe courses or the soil.				
Wate	r	:					
			Do not allow contact with soil, sur The product should not be allowe courses or the soil.				

### **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

Physical state	:	paste
Colour	:	white
Odour	:	characteristic
Odour Threshold	:	No data available



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - FR



# **OKS 250**

Version 3.2	Revision Date: 31.10.2024	Date of last issue: 20.06.2022 Date of first issue: 23.06.2016	Print Date: 31.10.2024

Melting point/range	:	No data available	
Boiling point/boiling range	:	No data available	
Flammability (solid, gas)	:	Combustible Solids	
Upper explosion limit / Upper flammability limit	:	No data available	
Lower explosion limit / Lower flammability limit	:	No data available	
Flash point	:	Not applicable	
Auto-ignition temperature	:	No data available	
Decomposition temperature	:	No data available	
рН	:	Not applicable substance/mixture is non-soluble (in water)	)
Viscosity Viscosity, dynamic	:	No data available	
Viscosity, kinematic	:	Not applicable	
Solubility(ies) Water solubility	:	insoluble	
Solubility in other solvents	:	No data available	
Partition coefficient: n- octanol/water	:	No data available	
Vapour pressure	:	< 0,001 hPa (20 °C)	
Relative density	:	1,29 (20 °C) Reference substance: Water The value is calculated	
Density	:	1,29 g/cm3 (20 °C)	
Bulk density	:	No data available	
Relative vapour density	:	No data available	
		a	brand o



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - FR



## **OKS 250**

Versio 3.2	on Revision Date: 31.10.2024	Date of last issue: 20.06.2022Print DatDate of first issue: 23.06.201631.10.20	-
F	Particle characteristics Particle size Particle Size Distribution	: Not applicable : Not applicable	
9.2 Other information Explosives		: Not explosive	
Oxidizing properties		: No data available	
Self-ignition		: not auto-flammable	
Metal corrosion rate Evaporation rate		<ul><li>Not corrosive to metals</li><li>No data available</li></ul>	
S	Sublimation point	: No data available	

### **SECTION 10: Stability and reactivity**

<b>10.1 Reactivity</b> No hazards to be specially mention	pned.
10.2 Chemical stability	
Stable under normal conditions.	
10.3 Possibility of hazardous reaction	ons
Hazardous reactions :	No dangerous reaction known under conditions of normal use.
10.4 Conditions to avoid	
Conditions to avoid :	No conditions to be specially mentioned.
10.5 Incompatible materials	
Materials to avoid :	No materials to be especially mentioned.
10.6 Hazardous decomposition proc	

No decomposition if stored and applied as directed.





Version	Revision Date:	Date of last issue: 20.06.2022	Print Date:
3.2	31.10.2024	Date of first issue: 23.06.2016	31.10.2024

#### **SECTION 11: Toxicological information**

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity		
<u>Product:</u> Acute oral toxicity	:	Remarks: This information is not available.
Acute dermal toxicity	:	Symptoms: Redness, Local irritation
Components:		
calcium dihydroxide:		
Acute oral toxicity	:	LD50 (Rat, female): > 2.000 mg/kg Method: OECD Test Guideline 425 GLP: yes Assessment: The substance or mixture has no acute oral toxicity
Acute inhalation toxicity	:	LC50 (Rat, male and female): > 6,04 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 436 GLP: yes
Acute dermal toxicity	:	LD50 (Rabbit, male and female): > 2.500 mg/kg Method: OECD Test Guideline 402 Assessment: The substance or mixture has no acute dermal toxicity
Amines, N-C16-C18-alkyl-(e octadec-9-enoate]:	ever	nnumbered, C18 unsaturated) propane-1,3-diaminium di[(9Z)-
Acute oral toxicity	:	LD50 (Rat): > 5.000 mg/kg
Acute dermal toxicity	:	LD50 (Rabbit): > 2.000 mg/kg Assessment: The substance or mixture has no acute dermal toxicity
Distillatos (notroloum), col	(oni	-refined heavy paraffinic; Baseoil — unspecified:
Acute oral toxicity	/ent	
Acute dermal toxicity	:	LD50 (Rabbit): > 5.000 mg/kg Method: OECD Test Guideline 402





dithio	Revision Date: 31.10.2024		e of last issue: 20.06.2022 e of first issue: 23.06.2016	Print Date:
dithio	denum trioxide re		c of first 1330c. 25.00.2010	31.10.2024
Acute	phosphate:	action	products with bis[O,O-bis(2-ethy	/lhexyl)] hydrogen
	dermal toxicity	:	Symptoms: Redness, Local irritati	on
titaniu ≤ 10 μ		der fo	rm containing <1 % of particles w	vith aerodynamic diameter
Acute	oral toxicity	:	LD50 (Rat): > 5.000 mg/kg Method: OECD Test Guideline 40 GLP: yes	1
Acute	inhalation toxicity	:	(Rat): > 5,09 mg/l Method: OECD Test Guideline 40 GLP: no	3
Skin c	orrosion/irritation			
<u>Produ</u>	<u>ct:</u>			
Remar	ks	:	Irritating to skin.	
<u>Comp</u>	onents:			
calciu	m dihydroxide:			
Specie		:	human skin	
Assess			Irritating to skin. OECD Test Guideline 431	
Result		÷	Irritating to skin.	
GLP		:	yes	
Specie	S	:	Rabbit	
Assess	sment	:	Irritating to skin.	
Metho		:	OECD Test Guideline 404	
Result GLP		÷	Irritating to skin.	
Amine		-(even	yes numbered, C18 unsaturated) pro	pane-1,3-diaminium di[(9Z)·
Specie	ec-9-enoate]:		Rabbit	
Assess		•	Irritating to skin.	
Result		:	Irritating to skin.	
Distill	ates (petroleum), s	olvent	-refined heavy paraffinic; Baseoi	I — unspecified:
Specie			Rabbit	·····
Assess		:	No skin irritation	
Metho		:	OECD Test Guideline 404	
Result		:	No skin irritation	





Version	Revision Date:	Date of last issue: 20.06.2022	Print Date: 31.10.2024
3.2	31.10.2024	Date of first issue: 23.06.2016	

# Molybdenum trioxide, reaction products with bis[O,O-bis(2-ethylhexyl)] hydrogen dithiophosphate:

Assessment Result		Irritating to skin. Irritating to skin.
Remarks	:	Irritating to skin.

# titanium dioxide; [in powder form containing <1 % of particles with aerodynamic diameter $\leq$ 10 µm]:

Species	:	Rabbit
Assessment	:	No skin irritation
Method	:	OECD Test Guideline 404
Result	:	No skin irritation
GLP	:	no

#### Serious eye damage/eye irritation

#### Product:

Remarks

: Risk of serious damage to eyes.

#### **Components:**

#### calcium dihydroxide:

Species	:	Rabbit
Assessment	:	Risk of serious damage to eyes.
Method	:	OECD Test Guideline 405
Result	:	Risk of serious damage to eyes.
GLP	:	yes

# Amines, N-C16-C18-alkyl-(evennumbered, C18 unsaturated) propane-1,3-diaminium di[(9Z)-octadec-9-enoate]:

Species :	Rabbit
Assessment :	Irritating to eyes.
Method :	OECD Test Guideline 405
Result :	Irritating to eyes.

#### Distillates (petroleum), solvent-refined heavy paraffinic; Baseoil — unspecified:

Species	Rabbit
Assessment	No eye irritation
Method	OECD Test Guideline 405
Result	No eye irritation

# Molybdenum trioxide, reaction products with bis[O,O-bis(2-ethylhexyl)] hydrogen dithiophosphate:

Assessment	:	No eye irritation
Result	:	No eye irritation





Version	Revision Date:	Date of last issue: 20.06.2022	Print Date:
3.2	31.10.2024	Date of first issue: 23.06.2016	31.10.2024

# titanium dioxide; [in powder form containing <1 % of particles with aerodynamic diameter $\leq$ 10 µm]:

Species	:	Rabbit
Assessment	:	No eye irritation
Method	:	OECD Test Guideline 405
Result	:	No eye irritation

#### Respiratory or skin sensitisation

Product:	
Remarks	:

This information is not available.

#### **Components:**

#### calcium dihydroxide:

Test Type :	Local lymph node assay (LLNA)
Species :	Mouse
Assessment :	Does not cause skin sensitisation.
Method :	OECD Test Guideline 429
Result :	Does not cause skin sensitisation.
GLP :	yes

# Amines, N-C16-C18-alkyl-(evennumbered, C18 unsaturated) propane-1,3-diaminium di[(9Z)-octadec-9-enoate]:

Assessment	:	Does not cause skin sensitisation.
Result	:	Does not cause skin sensitisation.

#### Distillates (petroleum), solvent-refined heavy paraffinic; Baseoil - unspecified:

Test Type :	Buehler Test
Species :	Guinea pig
Assessment :	Does not cause skin sensitisation.
Method :	OECD Test Guideline 406
Result :	Does not cause skin sensitisation.
GLP :	yes

# Molybdenum trioxide, reaction products with bis[O,O-bis(2-ethylhexyl)] hydrogen dithiophosphate:

Assessment	:	The product is a skin sensitiser, sub-category 1B.
Result	:	The product is a skin sensitiser, sub-category 1B.

# titanium dioxide; [in powder form containing <1 % of particles with aerodynamic diameter $\leq$ 10 µm]:

Species

: Mouse



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - FR



(S 250			
rsion	Revision Date: 31.10.2024	Date of last issue: 20.06.2022 Date of first issue: 23.06.2016	Print Date: 31.10.2024
Assess Methoc Result		<ul> <li>Does not cause skin sensitisation</li> <li>OECD Test Guideline 429</li> <li>Does not cause skin sensitisation</li> </ul>	
Germ o	cell mutagenicity		
Produc	xt:		
	xicity in vitro	: Remarks: No data available	
Genoto	xicity in vivo	: Remarks: No data available	
Compo	onents:		
calciur	n dihydroxide:		
Genoto	xicity in vitro	: Test Type: Ames test Method: OECD Test Guideline 47 Result: negative GLP: yes	71
		Test Type: Chromosome aberrati Method: OECD Test Guideline 47 Result: negative GLP: yes	
		Test Type: In vitro mammalian ce Method: OECD Test Guideline 47 Result: negative GLP: yes	
	s, N-C16-C18-alky c-9-enoate]:	-(evennumbered, C18 unsaturated) pro	opane-1,3-diaminium di[(9Z)
	xicity in vitro	: Test Type: Ames test Result: negative	
Germ o Assess	ell mutagenicity- ment	: Tests on bacterial or mammalian mutagenic effects.	cell cultures did not show
Distilla	tes (petroleum), s	olvent-refined heavy paraffinic; Baseo	il — unspecified:
Genoto	xicity in vitro	: Test Type: Ames test Method: OECD Test Guideline 47 Result: negative GLP: yes	71
	ell mutagenicity- ment	: Animal testing did not show any r	nutagenic effects.

≤ 10 µm]:





rsion	Revision Date: 31.10.2024		e of last issue: 20.06.2022 e of first issue: 23.06.2016	Print Date: 31.10.2024
	cell mutagenicity- ssment	:	Tests on bacterial or mammalian mutagenic effects.	cell cultures did not show
Carci	inogenicity			
Prod	uct:			
Rema	arks	:	No data available	
<u>Com</u>	ponents:			
calci	um dihydroxide:			
	nogenicity - ssment	:	No evidence of carcinogenicity in	animal studies.
	les, N-C16-C18-alky dec-9-enoate]:	l-(even	numbered, C18 unsaturated) pro	ppane-1,3-diaminium di[(9Z
	nogenicity - ssment	:	No evidence of carcinogenicity in	animal studies.
Distil	lates (petroleum), s	olvent	-refined heavy paraffinic; Baseoi	I — unspecified:
	nogenicity - ssment	:	Animal testing did not show any c	arcinogenic effects.
	um dioxide; [in pow	der fo	rm containing <1 % of particles v	vith aerodynamic diameter
S 10 I	uml:			
Carci	µ <b>m]:</b> nogenicity - ssment	:	No evidence of carcinogenicity in	animal studies.
Carci Asses	nogenicity -	:	No evidence of carcinogenicity in	animal studies.
Carci Asses	nogenicity - ssment oductive toxicity	:	No evidence of carcinogenicity in	animal studies.
Carci Asses Repro	nogenicity - ssment oductive toxicity	:	No evidence of carcinogenicity in Remarks: No data available	animal studies.
Carcin Asses <b>Repro</b> <u>Produ</u> Effect	nogenicity - ssment oductive toxicity uct:	: :		animal studies.
Carcii Asses <b>Repro</b> <b>Prod</b> Effect devel	nogenicity - ssment oductive toxicity uct: ts on fertility ts on foetal	:	Remarks: No data available	animal studies.
Carcin Asses Repro Produ Effect devel <u>Comp</u> calcin	nogenicity - ssment oductive toxicity <u>uct:</u> ts on fertility ts on foetal opment <u>ponents:</u> um dihydroxide:	:	Remarks: No data available Remarks: No data available	animal studies.
Carcin Asses <b>Repro</b> <b>Produ</b> Effect devel <b>Com</b> <b>Com</b> <b>Repro</b>	nogenicity - ssment oductive toxicity <u>uct:</u> ts on fertility ts on foetal opment ponents: um dihydroxide: oductive toxicity -	: : :	Remarks: No data available Remarks: No data available - Fertility -	animal studies.
Carcin Asses <b>Repro</b> <b>Produ</b> Effect devel <b>Com</b> <b>Com</b> <b>Repro</b>	nogenicity - ssment oductive toxicity <u>uct:</u> ts on fertility ts on foetal opment <u>ponents:</u> um dihydroxide:	:	Remarks: No data available Remarks: No data available	animal studies.





#### **OKS 250** Date of last issue: 20.06.2022 Version **Revision Date:** Print Date: 31.10.2024 Date of first issue: 23.06.2016 31.10.2024 3.2 Amines, N-C16-C18-alkyl-(evennumbered, C18 unsaturated) propane-1,3-diaminium di[(9Z)octadec-9-enoate]: Reproductive toxicity -- Fertility -: Assessment No toxicity to reproduction - Teratogenicity -No toxicity to reproduction titanium dioxide; [in powder form containing <1 % of particles with aerodynamic diameter ≤ 10 µm]: Reproductive toxicity -- Fertility -5 Assessment No toxicity to reproduction - Teratogenicity -No effects on or via lactation STOT - single exposure Product: No data available Remarks • **Components:** calcium dihydroxide: Assessment May cause respiratory irritation. : Amines, N-C16-C18-alkyl-(evennumbered, C18 unsaturated) propane-1,3-diaminium di[(9Z)octadec-9-enoate]: The substance or mixture is not classified as specific target Assessment 2 organ toxicant, single exposure. titanium dioxide; [in powder form containing <1 % of particles with aerodynamic diameter ≤ 10 µm]: Assessment The substance or mixture is not classified as specific target organ toxicant, single exposure. STOT - repeated exposure Product: Remarks No data available : Components: Amines, N-C16-C18-alkyl-(evennumbered, C18 unsaturated) propane-1,3-diaminium di[(9Z)octadec-9-enoate]: Exposure routes Ingestion 1 a brand of





KS 25	U			
rsion 2	Revision Date: 31.10.2024		e of last issue: 20.06.2022 e of first issue: 23.06.2016	Print Date: 31.10.2024
Assessment		:	May cause damage to organs throe exposure.	ough prolonged or repeat
titani ≤ 10		wder fo	rm containing <1 % of particles w	vith aerodynamic diame
Asse	ssment	:	The substance or mixture is not cla organ toxicant, repeated exposure	
Repe	eated dose toxicity			
<u>Prod</u> Rema		:	This information is not available.	
Aspi	ration toxicity			
<u>Prod</u> This i	uct: information is not ava	ailable.		
This		ailable.		
This i <u>Com</u> Disti	information is not ava	solvent	-refined heavy paraffinic; Baseoil ters airways.	— unspecified:
This i <u>Com</u> Distil May i titani	information is not ava ponents: Ilates (petroleum), s be fatal if swallowed ium dioxide; [in pov	solvent and ent		
This i <u>Com</u> Distil May I titani ≤ 10	information is not ava ponents: Ilates (petroleum), s be fatal if swallowed ium dioxide; [in pov	solvent and ent wder fo	rm containing <1 % of particles w	
This i <u>Com</u> Distil May I titani ≤ 10 No as	information is not ava ponents: Ilates (petroleum), s be fatal if swallowed ium dioxide; [in pov μm]:	solvent and ent wder fo sificatio	rm containing <1 % of particles w	
This i Com Distil May I titani ≤ 10 No as .2 Infor	information is not ava ponents: Ilates (petroleum), s be fatal if swallowed ium dioxide; [in pow μm]: spiration toxicity clas	solvent and ent wder fo sificatio zards	ters airways. rm containing <1 % of particles w	
This i Com Distil May I titani ≤ 10 No as .2 Infor	information is not ava ponents: Ilates (petroleum), s be fatal if swallowed ium dioxide; [in pow μm]: spiration toxicity clas mation on other ha porine disrupting pr	solvent and ent wder fo sificatio zards	ters airways. rm containing <1 % of particles w	
This i Com Distil May I titani ≤ 10 No as .2 Infor Endo <u>Prod</u>	information is not ava ponents: Ilates (petroleum), s be fatal if swallowed ium dioxide; [in pow μm]: spiration toxicity clas mation on other ha porine disrupting pr	solvent and ent wder fo sificatio zards	ters airways. rm containing <1 % of particles w	vith aerodynamic diame ontain components upting properties accordi
This i <u>Com</u> Distil May I titani ≤ 10 No as .2 Infor Endo <u>Prod</u> Asse	information is not ava ponents: Ilates (petroleum), s be fatal if swallowed ium dioxide; [in pov μm]: spiration toxicity clas mation on other ha porrine disrupting pr	solvent and ent wder fo sificatio zards opertie	rm containing <1 % of particles w n s The substance/mixture does not c considered to have endocrine disr to REACH Article 57(f) or Commis (EU) 2017/2100 or Commission R	vith aerodynamic diame ontain components upting properties accordi
This i <u>Com</u> Distil May I titani ≤ 10 No as .2 Infor Endo <u>Prod</u> Asse	information is not ava ponents: Ilates (petroleum), s be fatal if swallowed ium dioxide; [in pow μm]: spiration toxicity clas mation on other ha porrine disrupting pr luct: ssment her information	solvent and ent wder fo sificatio zards opertie	rm containing <1 % of particles w n s The substance/mixture does not c considered to have endocrine disr to REACH Article 57(f) or Commis (EU) 2017/2100 or Commission R	vith aerodynamic diame ontain components upting properties accordi





Version	Revision Date:	Date of last issue: 20.06.2022	Print Date: 31.10.2024
3.2	31.10.2024	Date of first issue: 23.06.2016	

#### **Components:**

# Molybdenum trioxide, reaction products with bis[O,O-bis(2-ethylhexyl)] hydrogen dithiophosphate: Remarks : Ingestion causes irritation of upper respiratory system and

gastrointestinal disturbance.

### **SECTION 12: Ecological information**

#### 12.1 Toxicity

Due due t		
<u>Product:</u> Toxicity to fish	:	Remarks: Very toxic to aquatic organisms.
Toxicity to daphnia and other aquatic invertebrates	:	Remarks: No data available
Toxicity to algae/aquatic plants	:	Remarks: No data available
Toxicity to microorganisms	:	Remarks: No data available
Components:		
calcium dihydroxide:		
Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): 50,6 mg/l Exposure time: 96 h Test Type: static test Method: OECD Test Guideline 203 GLP: yes
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 49,1 mg/l Exposure time: 48 h Test Type: static test Method: OECD Test Guideline 202 GLP: yes
Toxicity to algae/aquatic plants	:	EC50 (Pseudokirchneriella subcapitata (green algae)): 184,57 mg/l Exposure time: 72 h Test Type: static test Method: OECD Test Guideline 201 GLP: yes
Ecotoxicology Assessment		

#### Ecotoxicology Assessment

Acute aquatic toxicity	: This product has no known ecotoxicological effects.
------------------------	---





OKS 250	)			
ersion .2	Revision Date: 31.10.2024		e of last issue: 20.06.2022 e of first issue: 23.06.2016	Print Date: 31.10.2024
Chror	nic aquatic toxicity	:	This product has no known ecotoxicol	ogical effects.
	es, N-C16-C18-alkyl-(e lec-9-enoate]:	even	numbered, C18 unsaturated) propan	e-1,3-diaminium di[(9Z)-
	ity to fish	:	LC50 (Danio rerio (zebra fish)): > 0,1 · Exposure time: 96 h Method: OECD Test Guideline 203	- 1 mg/l
	ity to daphnia and other ic invertebrates	:	EC50 (Daphnia magna (Water flea)): : Exposure time: 48 h	> 0,1 - 1 mg/l
Toxic plants	ity to algae/aquatic	:	EC50 (Pseudokirchneriella subcapitat - 0,1 mg/l Exposure time: 72 h Method: OECD Test Guideline 201	a (green algae)): > 0,01
M-Factoric	ctor (Acute aquatic y)	:	10	
aquat	ity to daphnia and other ic invertebrates nic toxicity)	:	EC50: 1,41 mg/l Exposure time: 21 d Species: Daphnia magna (Water flea) Test Type: semi-static test Method: OECD Test Guideline 211	
M-Fac toxicit	ctor (Chronic aquatic y)	:	1	
Ecoto	oxicology Assessment	ł		
Acute	aquatic toxicity	:	Very toxic to aquatic life.	
Chror	nic aquatic toxicity	:	Toxic to aquatic life with long lasting e	ffects.
Distil	lates (petroleum), solv	/ent-	refined heavy paraffinic; Baseoil —	unspecified:
Toxic	ity to fish	:	LC50 (Pimephales promelas (fathead Exposure time: 96 h Test Type: static test Method: OECD Test Guideline 203	minnow)): > 100 mg/l
Ecoto	oxicology Assessment	t		
	nic aquatic toxicity	:	This product has no known ecotoxicol	ogical effects.
	odenum trioxide, react ophosphate:	ion	products with bis[O,O-bis(2-ethylhe)	(yl)] hydrogen
	ity to fish	:	LC50 (Oncorhynchus mykiss (rainbow Exposure time: 96 h	r trout)): > 100 mg/l



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - FR



OKS 250	0			
Version 3.2	Revision Date: 31.10.2024		e of last issue: 20.06.2022 e of first issue: 23.06.2016	Print Date: 31.10.2024
			Test Type: semi-static test Method: OECD Test Guideline 20 GLP: yes	3
			Remarks: May cause long-term ac environment.	dverse effects in the aquatic
	ity to daphnia and other tic invertebrates	• :	EC50 (Daphnia magna (Water flea Exposure time: 48 h Test Type: static test Method: OECD Test Guideline 20 GLP: yes	
Toxic plants	ity to algae/aquatic S	:	EC50 (Pseudokirchneriella subca mg/l Exposure time: 72 h Test Type: static test Method: OECD Test Guideline 20 GLP: yes	
titani ≤ 10 ∣		er fo	rm containing <1 % of particles w	vith aerodynamic diameter
Toxic	ity to fish	:	LC50 (Oncorhynchus mykiss (rain Exposure time: 96 h Test Type: static test Method: OECD Test Guideline 20	
	ity to daphnia and other tic invertebrates	• :	LC50 (Daphnia magna (Water flea Exposure time: 48 h Test Type: static test Method: OECD Test Guideline 20	
12 2 Dore	istence and degradabi	lity		
12.2 1613				
Prod	<b>uct:</b> egradability	:	Remarks: No data available	
<u>Prod</u> Biode Physi		:	Remarks: No data available Remarks: No data available	
Prod Biode Physi remo	egradability ico-chemical	:		
Prode Biode Physi remo <u>Com</u>	egradability ico-chemical vability	:		

octadec-9-enoate]:



# SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - FR

OKS.

OKS 25	0			
Version 3.2	Revision Date: 31.10.2024		e of last issue: 20.06.2022 e of first issue: 23.06.2016	Print Date: 31.10.2024
Biode	egradability	:	Test Type: aerobic Inoculum: activated sludge Result: rapidly biodegradable Biodegradation: 65 % Exposure time: 28 d Method: OECD Test Guideline 301 GLP: yes	ID
	bdenum trioxide, rea ophosphate:	ction	products with bis[O,O-bis(2-ethyl	lhexyl)] hydrogen
	egradability	:	Result: Not rapidly biodegradable Biodegradation: 11 % Exposure time: 28 d Method: OECD Test Guideline 301	1B
12.3 Bioa	ccumulative potentia	l		
Prod	luct:			
Bioad	ccumulation	:	Remarks: No data available	
<u>Com</u>	ponents:			
	um dihydroxide:			
	tion coefficient: n- nol/water	:	log Pow: 0,05	
	nes, N-C16-C18-alkyl- dec-9-enoate]:	(even	numbered, C18 unsaturated) prop	pane-1,3-diaminium di[(9Z
Bioad	ccumulation	:	Remarks: Bioaccumulation is unlik	ely.
Disti	llates (petroleum), so	lvent	refined heavy paraffinic; Baseoil	— unspecified:
	tion coefficient: n- nol/water	:	log Pow: > 4 (20 °C)	
	bdenum trioxide, rea ophosphate:	ction	products with bis[O,O-bis(2-ethyl	lhexyl)] hydrogen
Partit	tion coefficient: n- nol/water	:	log Pow: > 4	
12.4 Mob	ility in soil			
Prod	luct:			
Mobi	lity	:	Remarks: No data available	
	ibution among onmental compartmen	: ts	Remarks: No data available	
			23 / 30	a brand of





Version	Revision Date:	Date of last issue: 20.06.2022	Print Date:
3.2	31.10.2024	Date of first issue: 23.06.2016	31.10.2024

#### 12.5 Results of PBT and vPvB assessment

#### Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

#### **Components:**

titanium dioxide; [in powder form containing <1 % of particles with aerodynamic diameter  $\leq$  10 µm]:

Assessment : Non-classified vPvB substance. Non-classified PBT substance

#### 12.6 Endocrine disrupting properties

Product: Assessment	:	The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at
12.7 Other adverse effects Product:		levels of 0.1% or higher.
Additional ecological information	:	Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

#### Components:

Molybdenum trioxide, react dithiophosphate:	ion	products with bis[O,O-bis(2-ethylhexyl)] hydrogen
Additional ecological information	:	May cause long lasting harmful effects to aquatic life.

#### **SECTION 13: Disposal considerations**

13.1 Waste treatment methods		
Product	:	The product should not be allowed to enter drains, water courses or the soil. Do not dispose of with domestic refuse. Dispose of as hazardous waste in compliance with local and national regulations.





OKS 250						
Version 3.2	Revision Date: 31.10.2024	Date of last issue: 20.06.2022 Date of first issue: 23.06.2016	Print Date: 31.10.2024			
Contaminated packaging		<ul> <li>Waste codes should be assigned application for which the product</li> <li>Packaging that is not properly e the unused product.</li> <li>Dispose of waste product or use local regulations.</li> </ul>	et was used. Imptied must be disposed of as			
Waste Code		The following Waste Codes are : used product, unused product 12 01 12**, spent waxes and fa uncleaned packagings 15 01 10*, packaging containing by hazardous substances	ts			

#### **SECTION 14: Transport information**

ADN	:	UN 3077
ADR	:	UN 3077
RID	:	UN 3077
IMDG	:	UN 3077
ΙΑΤΑ	:	UN 3077
14.2 UN proper shipping name		
ADN	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (fatty amine derivative)
ADR	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (fatty amine derivative)
RID	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (fatty amine derivative)
IMDG	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (fatty amine derivative)
ΙΑΤΑ	:	Environmentally hazardous substance, solid, n.o.s. (fatty amine derivative)

### 14.1 UN number or ID number



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - FR



010230	OKS	250
--------	-----	-----

Version 3.2	Revision Date: 31.10.2024	Date of last issue: 20.06.2022 Date of first issue: 23.06.2016	Print Date: 31.10.2024
ADN		: 9	
ADR		: 9	
RID		: 9	
IMDO	3	: 9	
ΙΑΤΑ	L .	: 9	
14.4 Pack	king group		
ADN			
	ing group	: 111	
Class	sification Code	: M7	
	rd Identification Number	: 90	
Labe		: 9	
ADR			
	ing group sification Code	: III : M7	
	ard Identification Number	: 90	
Labe		: 9	
	el restriction code	: (-)	
RID			
	ing group	: !!!	
	sification Code	: M7	
Haza Labe	ard Identification Number	: 90 : 9	
IMDO			
	ng group	: 111	
Labe		: 9	
	Code	: F-A, S-F	
	(Cargo)		
	ing instruction (cargo	: 956	
aircra Pack	aft) ing instruction (LQ)	: Y956	
	ing group	: III	
Labe		: Miscellaneous Dangerous Goods	
ΙΑΤΑ	(Passenger)		
Pack	ing instruction	: 956	
	senger aircraft)		
	ing instruction (LQ) ing group	: Y956 : III	
Labe		<ul><li>. III</li><li>: Miscellaneous Dangerous Goods</li></ul>	
14.5 Envi	ronmental hazards	-	
ADN			
Envir	onmentally hazardous	: yes	
ADR			
Envir	onmentally hazardous	: yes	
			a brand of





Version Revision	sue: 20.06.2022	Print Date:
3.2 31.10.2	sue: 23.06.2016	31.10.2024

#### RID

Environmentally hazardous	:	yes	
IMDG Marine pollutant	:	yes	
IATA (Passenger) Environmentally hazardous	:	yes	
IATA (Cargo)			

Environmentally hazardous : yes

#### 14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

#### 14.7 Maritime transport in bulk according to IMO instruments

Remarks

: Not applicable for product as supplied.

#### **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)	<ul> <li>Conditions of restriction for the following entries should be considered: Number on list 75 If you intend to use this product as tattoo ink, please contact your vendor.</li> </ul>	
REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59). (EU SVHC)	: This product does not contain substances of very high concern (Regulation (EC) No 1907/2006 (REACH), Article 57).	
Regulation (EC) No 1005/2009 on substances that deplete the ozone layer (EC 1005/2009)	: Not applicable	
Regulation (EU) 2019/1021 on persistent organic pollutants (recast) (EU POP)	: Not applicable	
Regulation (EU) No 649/2012 of the European	: Not applicable	



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - FR



OKS 250				
Version 3.2	Revision Date: 31.10.2024		e of last issue: 20.06.2022 e of first issue: 23.06.2016	Print Date: 31.10.2024
imp	liament and the Council c port of dangerous chemica U PIC)		erning the export and	
(An	ACH - List of substances : nex XIV) J. REACH-Annex XIV)	subje	ect to authorisation :	Not applicable
	gulation (EU) 2019/1148 c losives precursors	on the	e marketing and use of :	Not applicable
Pai ma	veso III: Directive 2012/18 liament and of the Counci jor-accident hazards invol ostances.	il on	the control of	ENVIRONMENTAL HAZARDS
pro	tallations classified for the tection of the environment vironment Code R511-9)		4510	
	cupational Illnesses (R- I-3, France)	:	36, 49, 49 bis, 25, 34	
-	nforced medical pervision (R4624-23)	:	The product has no CMR	properties category 1, 1A or 1B
Vol	atile organic compounds	:	emissions (integrated poll	4 November 2010 on industrial ution prevention and control) ds (VOC) content: < 0,01 %

#### 15.2 Chemical safety assessment

This information is not available.

#### **SECTION 16: Other information**

#### **Full text of H-Statements**

H304 :	May be fatal if swallowed and enters airways.
H315 :	Causes skin irritation.
H317 :	May cause an allergic skin reaction.
H318 :	Causes serious eye damage.
H319 :	Causes serious eye irritation.
H335 :	May cause respiratory irritation.



OKC 250

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - FR



Version 3.2	Revision Date: 31.10.2024	Date of last issue: 20.06.2022 Date of first issue: 23.06.2016	Print Date: 31.10.2024	
3.2	31.10.2024	Date of first issue. 23.00.2010	51.10.2024	
H373		: May cause damage to organs three exposure if swallowed.	ough prolonged or repeated	
H400		: Very toxic to aquatic life.		
H411		: Toxic to aquatic life with long lasting effects.		
H413		: May cause long lasting harmful effects to aquatic life.		

it can be shown that the substance contains less than 3 % o dimethyl sulphoxide extract as measured by IP 346 ("Determination of polycyclic aromatics in unused lubricating base oils and asphaltene free petroleum fractions - Dimethy sulphoxide extraction refractive index method"Institute of Petroleum, London), in which case a classification in accordance with Title II of this Regulation shall be performed also for that hazard class.	
2017/164/EU : Europe. Commission Directive 2017/164/EU establishing a fourth list of indicative occupational exposure limit values	
FR VLE : France. Occupational Exposure Limits	
2017/164/EU / STEL : Short term exposure limit	
2017/164/EU / TWA : Limit Value - eight hours	
FR VLE / VME : Time Weighted Average	
FR VLE / VLCT (VLE) : Short Term Exposure Limit	

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN -Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx -Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA -International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic





Version	Revision Date:	Date of last issue: 20.06.2022	Print Date:
3.2	31.10.2024	Date of first issue: 23.06.2016	31.10.2024

Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID -Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information		
Classification of the mixture:		Classification procedure:
Skin Irrit. 2	H315	Calculation method
Eye Dam. 1	H318	Calculation method
Aquatic Acute 1	H400	Calculation method
Aquatic Chronic 3	H412	Calculation method

Relevant changes compared to the last edition are highlighted at the left margin. This version replaces all previous editions.

This safety data sheet applies only to products as originally packed and labelled. The information contained therein may not be reproduced or modified without our express written permission. Any forwarding of this document is only permitted to the extent required by law. Any further, in particular public, dissemination of the safety data sheet (e.g. as a document for download from the Internet) is not permitted without our express written consent. We provide our customers with amended safety data sheets as prescribed by law. The customer is responsible for passing on safety data sheets and any amendments contained therein to its own customers, employees and other users of the product. We provide no guarantee that safety data sheets received by users from third parties are up-to-date. All information and instructions in this safety data sheet have been compiled to the best of our knowledge and are based on the information available to us on the day of publication. The information provided is intended to describe the product in relation to the required safety measures; it is neither an assurance of characteristics nor a guarantee of the product's suitability for particular applications and does not justify any contractual legal relationship. The existence of a safety data sheet for a particular jurisdiction does not necessarily mean that import or use within that jurisdiction is legally permitted. If you have any questions, please contact your responsible sales contact or authorized trading partner.

