

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878 - FR



## OKS 2671

|                |                              |   |                           |
|----------------|------------------------------|---|---------------------------|
| Version<br>2.0 | Revision Date:<br>27.04.2026 | Date of last issue: 09.07.2025<br>Date of first issue: 23.06.2016 | Print Date:<br>27.04.2026 |
|----------------|------------------------------|---|---------------------------|

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

Product name : OKS 2671

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Detergent  
Cleaning agent / Cleaner

Recommended restrictions on use : Restricted to professional users.

### 1.3 Details of the supplier of the safety data sheet

Company : OKS Spezialschmierstoffe GmbH  
Ganghoferstr. 47  
82216 Maisach  
Germany  
Tel.: +49 8142 3051-500  
info@oks-germany.com

E-mail address of person responsible for the SDS : mcm@oks-germany.com

National contact : Klüber Lubrication France S.A.S.  
Z.I. des Auréats, 10 à 16 Allée Ducretet  
26014 Valence Cedex  
France  
+33-4-75448426  
Fax: +33-4-75449336  
KLF.contact@fr.klueber.com

### 1.4 Emergency telephone number

Emergency telephone number : +33 1 45 42 59 59 ORFILA  
+33 1 72 11 00 03 NCEC  
+49 8142 3051 517

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

#### Classification (REGULATION (EC) No 1272/2008)

Aerosols, Category 1

H222: Extremely flammable aerosol.

H229: Pressurised container: May burst if heated.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878 - FR






## OKS 2671

|         |                |                                 |             |
|---------|----------------|---------------------------------|-------------|
| Version | Revision Date: | Date of last issue: 09.07.2025  | Print Date: |
| 2.0     | 27.04.2026     | Date of first issue: 23.06.2016 | 27.04.2026  |

|  |   |
|--|---|
| Eye irritation, Category 2   | H319: Causes serious eye irritation.                |
| Specific target organ toxicity - single exposure, Category 3, Central nervous system | H336: May cause drowsiness or dizziness.            |
| Aspiration hazard, Category 1  | H304: May be fatal if swallowed and enters airways. |

## 2.2 Label elements

### Labelling (REGULATION (EC) No 1272/2008)

|                                |   |   |
|--------------------------------|---|---|
| Hazard pictograms              | : |     |
| Signal word                    | : | Danger  |
| Hazard statements              | : | H222 Extremely flammable aerosol.<br>H229 Pressurised container: May burst if heated.<br>H304 May be fatal if swallowed and enters airways.<br>H319 Causes serious eye irritation.<br>H336 May cause drowsiness or dizziness.   |
| Supplemental Hazard Statements | : | EUH066 Repeated exposure may cause skin dryness or cracking.  |
| Precautionary statements       | : | <b>Prevention:</b><br>P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.<br>P211 Do not spray on an open flame or other ignition source.<br>P251 Do not pierce or burn, even after use.<br><b>Response:</b><br>P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.<br>P331 Do NOT induce vomiting.<br><b>Storage:</b><br>P410 + P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F. |

### Hazardous components which must be listed on the label:

propan-2-ol  
Hydrocarbons, C11-C12, isoalkanes, < 2% aromatics

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878 - FR



## OKS 2671

|                |                              |   |                           |
|----------------|------------------------------|---|---------------------------|
| Version<br>2.0 | Revision Date:<br>27.04.2026 | Date of last issue: 09.07.2025<br>Date of first issue: 23.06.2016 | Print Date:<br>27.04.2026 |
|----------------|------------------------------|---|---------------------------|

ethyl acetate

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

Chemical nature : Propellant  
solvent (alcohols)  
solvent (hydrocarbons)

#### Components

| Chemical name                                     | CAS-No.<br>EC-No.<br><br>Index-No.<br>Registration number         | Classification  | specific<br>concentration<br>limit<br>M-Factor<br>Notes<br>Acute toxicity<br>estimate | Concentration<br>(% w/w) |
|---|---|---|---|--------------------------|
| propan-2-ol                                       | 67-63-0<br>200-661-7<br><br>603-117-00-0<br>02-2119457558-25-XXXX | Flam. Liq. 2; H225<br>Eye Irrit. 2; H319<br>STOT SE 3; H336<br>(Central nervous system) |   | >= 50 - < 70             |
| Hydrocarbons, C11-C12, isoalkanes, < 2% aromatics | 918-167-1<br><br>01-2119472146-39-XXXX                            | Flam. Liq. 3; H226<br>Asp. Tox. 1; H304<br>EUH066                                       | Note P  | >= 20 - < 30             |
| ethyl acetate                                     | 141-78-6<br>205-500-4   | Flam. Liq. 2; H225<br>Eye Irrit. 2; H319<br>STOT SE 3; H336                             |   | >= 1 - < 10              |

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878 - FR



## OKS 2671

|                |                              |   |                           |
|----------------|------------------------------|---|---------------------------|
| Version<br>2.0 | Revision Date:<br>27.04.2026 | Date of last issue: 09.07.2025<br>Date of first issue: 23.06.2016 | Print Date:<br>27.04.2026 |
|----------------|------------------------------|---|---------------------------|

|  |  |                                       |  |                 |
|--|--|---------------------------------------|--|-----------------|
|  | 607-022-00-5<br>01-21119475103-46-<br>XXXX | (Central nervous<br>system)<br>EUH066 |  |                 |
| Substances with a workplace exposure limit : |  |                                       |  |                 |
| carbon dioxide                               | 124-38-9<br>204-696-9                      | Press. Gas<br>Compr. Gas;<br>H280     |  | $\geq 1 - < 10$ |

For explanation of abbreviations see section 16.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

- If inhaled : Call a physician or poison control centre immediately.  
Remove person to fresh air. If signs/symptoms continue, get medical attention.  
Keep patient warm and at rest.  
If unconscious, place in recovery position and seek medical advice.  
Keep respiratory tract clear.  
If breathing is irregular or stopped, administer artificial respiration.
- In case of skin contact : Take off all contaminated clothing immediately.  
Get medical attention immediately if irritation develops and persists.  
Wash clothing before reuse.  
Thoroughly clean shoes before reuse.  
Wash skin thoroughly with soap and water or use recognized skin cleanser.
- In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 10 minutes.  
Seek medical advice.
- If swallowed : Move the victim to fresh air.  
If accidentally swallowed obtain immediate medical attention.  
Keep respiratory tract clear.  
Do NOT induce vomiting.  
Rinse mouth with water.  
Aspiration hazard if swallowed - can enter lungs and cause damage.

### 4.2 Most important symptoms and effects, both acute and delayed

- Symptoms : Inhalation may provoke the following symptoms:  
Unconsciousness

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878 - FR



## OKS 2671

|                |                              |   |                           |
|----------------|------------------------------|---|---------------------------|
| Version<br>2.0 | Revision Date:<br>27.04.2026 | Date of last issue: 09.07.2025<br>Date of first issue: 23.06.2016 | Print Date:<br>27.04.2026 |
|----------------|------------------------------|---|---------------------------|

Dizziness  
Drowsiness  
Headache  
Nausea  
Tiredness  
Skin contact may provoke the following symptoms:  
Erythema

Aspiration may cause pulmonary oedema and pneumonitis.

Risks : May be fatal if swallowed and enters airways.  
Causes serious eye irritation.  
May cause drowsiness or dizziness.  
Repeated exposure may cause skin dryness or cracking.

Central nervous system depression  
Can be absorbed through skin.  
Risk of product entering the lungs on vomiting after ingestion.  
Health injuries may be delayed.

### 4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically.

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

Suitable extinguishing media : ABC powder

Unsuitable extinguishing media : High volume water jet

### 5.2 Special hazards arising from the substance or mixture

Specific hazards during firefighting : Fire Hazard  
Do not let product enter drains.  
Contains gas under pressure; may explode if heated.  
Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

Hazardous combustion products : Carbon oxides

### 5.3 Advice for firefighters

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.  
Use personal protective equipment. Exposure to decomposition products may be a hazard to health.

Further information : Standard procedure for chemical fires.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878 - FR



## OKS 2671

|         |                |                                 |             |
|---------|----------------|---------------------------------|-------------|
| Version | Revision Date: | Date of last issue: 09.07.2025  | Print Date: |
| 2.0     | 27.04.2026     | Date of first issue: 23.06.2016 | 27.04.2026  |

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.  
Cool containers/tanks with water spray.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Evacuate personnel to safe areas.  
Ensure adequate ventilation.  
Remove all sources of ignition.  
Do not breathe vapours or spray mist.  
Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.  
Refer to protective measures listed in sections 7 and 8.  
Only qualified personnel equipped with suitable protective equipment may intervene.

### 6.2 Environmental precautions

Environmental precautions : Try to prevent the material from entering drains or water courses.  
Prevent further leakage or spillage if safe to do so.  
Local authorities should be advised if significant spillages cannot be contained.

### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).  
Keep in suitable, closed containers for disposal.  
Non-sparking tools should be used.

### 6.4 Reference to other sections

For personal protection see section 8.

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Advice on safe handling : Do not use in areas without adequate ventilation.  
Do not breathe vapours or spray mist.  
In case of insufficient ventilation, wear suitable respiratory equipment.  
Avoid exposure - obtain special instructions before use.  
Avoid contact with skin and eyes.  
For personal protection see section 8.  
Keep away from fire, sparks and heated surfaces.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878 - FR



## OKS 2671

|                |                              |   |                           |
|----------------|------------------------------|---|---------------------------|
| Version<br>2.0 | Revision Date:<br>27.04.2026 | Date of last issue: 09.07.2025<br>Date of first issue: 23.06.2016 | Print Date:<br>27.04.2026 |
|----------------|------------------------------|---|---------------------------|

Smoking, eating and drinking should be prohibited in the application area.  
Wash hands and face before breaks and immediately after handling the product.  
Do not get in eyes or mouth or on skin.  
Do not get on skin or clothing.  
Do not ingest.  
Do not use sparking tools.  
These safety instructions also apply to empty packaging which may still contain product residues.  
Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50 °C. Do not pierce or burn, even after use.

Hygiene measures : Wash face, hands and any exposed skin thoroughly after handling.

### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : BEWARE: Aerosol is pressurized. Keep away from direct sun exposure and temperatures over 50 °C. Do not open by force or throw into fire even after use. Do not spray on flames or red-hot objects. Store in accordance with the particular national regulations.

### 7.3 Specific end use(s)

Specific use(s) : Specific instructions for handling, not required.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Occupational Exposure Limits

| Components   | CAS-No.      | Value type (Form of exposure) | Control parameters               | Basis                       |
|--|--------------|-------------------------------|----------------------------------|-----------------------------|
| propan-2-ol  | 67-63-0      | VLCT (VLE)                    | 400 ppm<br>980 mg/m <sup>3</sup> | FR VLE<br>(2005-02-01)      |
| Further information: Permissible limit values (circular) |              |                               |                                  |                             |
| Hydrocarbons, C11-C12, isoalkanes, < 2% aromatics        | Not Assigned | VME (Vapour)                  | 1.000 mg/m <sup>3</sup>          | FR VLE<br>(2016-10-01)      |
| Further information: Permissible limit values (circular) |              |                               |                                  |                             |
|  |              | VLCT (VLE) (Vapour)           | 1.500 mg/m <sup>3</sup>          | FR VLE<br>(2016-10-01)      |
| Further information: Permissible limit values (circular) |              |                               |                                  |                             |
| ethyl acetate  | 141-78-6     | TWA                           | 200 ppm<br>734 mg/m <sup>3</sup> | 2017/164/EU<br>(2017-02-01) |

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878 - FR



## OKS 2671

Version  
2.0

Revision Date:  
27.04.2026

Date of last issue: 09.07.2025  
Date of first issue: 23.06.2016

Print Date:  
27.04.2026

|                |  |            |                                      |                             |
|----------------|--|------------|--------------------------------------|-----------------------------|
|                | Further information: Indicative                            |            |                                      |                             |
|                |  | STEL       | 400 ppm<br>1.468 mg/m <sup>3</sup>   | 2017/164/EU<br>(2017-02-01) |
|                | Further information: Indicative                            |            |                                      |                             |
|                |  | VME        | 200 ppm<br>734 mg/m <sup>3</sup>     | FR VLE<br>(2019-12-29)      |
|                | Further information: Regulatory binding exposure limits    |            |                                      |                             |
|                |  | VLCT (VLE) | 400 ppm<br>1.468 mg/m <sup>3</sup>   | FR VLE<br>(2019-12-29)      |
|                | Further information: Regulatory binding exposure limits    |            |                                      |                             |
| carbon dioxide | 124-38-9   | TWA        | 5.000 ppm<br>9.000 mg/m <sup>3</sup> | 2006/15/EC<br>(2006-02-09)  |
|                | Further information: Indicative                            |            |                                      |                             |
|                |  | VME        | 5.000 ppm<br>9.000 mg/m <sup>3</sup> | FR VLE<br>(2007-12-01)      |
|                | Further information: Regulatory indicative exposure limits |            |                                      |                             |

### Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006

| Substance name | End Use | Exposure routes | Potential health effects   | Value                 |
|----------------|---------|-----------------|----------------------------|-----------------------|
| ethyl acetate  | Workers | Inhalation      | Long-term systemic effects | 734 mg/m <sup>3</sup> |
|                | Workers | Skin contact    | Long-term systemic effects | 63 mg/kg              |
| propan-2-ol    | Workers | Inhalation      | Long-term systemic effects | 500 mg/m <sup>3</sup> |
|                | Workers | Skin contact    | Long-term systemic effects | 888 mg/kg             |

### Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006

| Substance name | Environmental Compartment | Value       |
|----------------|---------------------------|-------------|
| ethyl acetate  | Fresh water               | 0,24 mg/l   |
|                | Marine water              | 0,024 mg/l  |
|                | Sewage treatment plant    | 650 mg/l    |
|                | Fresh water sediment      | 1,15 mg/kg  |
|                | Marine sediment           | 0,115 mg/kg |
|                | Soil                      | 0,148 mg/kg |

## 8.2 Exposure controls

### Engineering measures

Use only in an area equipped with explosion proof exhaust ventilation.  
Handle only in a place equipped with local exhaust (or other appropriate exhaust).

### Personal protective equipment

Eye/face protection : Safety glasses with side-shields

### Hand protection

Material : butyl-rubber  
Break through time : > 10 min  
Protective index : Class 1

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878 - FR



## OKS 2671

|                |                              |   |                           |
|----------------|------------------------------|---|---------------------------|
| Version<br>2.0 | Revision Date:<br>27.04.2026 | Date of last issue: 09.07.2025<br>Date of first issue: 23.06.2016 | Print Date:<br>27.04.2026 |
|----------------|------------------------------|---|---------------------------|

- Remarks : Wear protective gloves. The break through time depends amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each case.  
The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it.
- Skin and body protection : Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.
- Respiratory protection : Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines. Short term only
- Filter type : Filter type A-P
- Protective measures : The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

### Environmental exposure controls

- Air : No special environmental precautions required.
- Soil : The product should not be allowed to enter drains, water courses or the soil.
- Water : The product should not be allowed to enter drains, water courses or the soil.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

- Physical state : aerosol
- Colour : colourless
- Odour : characteristic
- Odour Threshold : No data available
- Melting point/ range : No data available

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878 - FR



## OKS 2671

|                |                              |   |                           |
|----------------|------------------------------|---|---------------------------|
| Version<br>2.0 | Revision Date:<br>27.04.2026 | Date of last issue: 09.07.2025<br>Date of first issue: 23.06.2016 | Print Date:<br>27.04.2026 |
|----------------|------------------------------|---|---------------------------|

---

Boiling point/boiling range : -161 °C (1.013 hPa)

Flammability : Flammability (solid, gas):  
Extremely flammable aerosol.

Upper explosion limit / Upper flammability limit : 12 %(V)

Lower explosion limit / Lower flammability limit : 0,6 %(V)

Flash point : -15 °C  
Method: Abel-Pensky

Auto-ignition temperature : No data available

Decomposition temperature : No data available

pH : Not applicable  
substance/mixture is non-soluble (in water)

Viscosity  
Viscosity, dynamic : No data available

Viscosity, kinematic : < 20,5 mm<sup>2</sup>/s (40 °C)

Solubility(ies)  
Water solubility : insoluble

Solubility in other solvents : No data available

Partition coefficient: n-octanol/water : No data available

Vapour pressure : 3.600 hPa (20 °C)

Relative density : 0,78 (20 °C)

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878 - FR



## OKS 2671

|                |                              |   |                           |
|----------------|------------------------------|---|---------------------------|
| Version<br>2.0 | Revision Date:<br>27.04.2026 | Date of last issue: 09.07.2025<br>Date of first issue: 23.06.2016 | Print Date:<br>27.04.2026 |
|----------------|------------------------------|---|---------------------------|

Reference substance: Water  
The value is calculated

Density : 0,78 g/cm<sup>3</sup>  
(20 °C)

Bulk density : No data available

Relative vapour density : No data available

### 9.2 Other information

Explosives : Not explosive

Oxidizing properties : No data available

Self-ignition : No data available

Metal corrosion rate : Not corrosive to metals

Evaporation rate : No data available

Sublimation point : No data available

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

No hazards to be specially mentioned.

### 10.2 Chemical stability

Stable under normal conditions.

### 10.3 Possibility of hazardous reactions

Hazardous reactions : No dangerous reaction known under conditions of normal use.

### 10.4 Conditions to avoid

Conditions to avoid : Heat, flames and sparks.  
Strong sunlight for prolonged periods.  
Risk of receptacle bursting.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878 - FR



## OKS 2671

|         |                |                                 |             |
|---------|----------------|---------------------------------|-------------|
| Version | Revision Date: | Date of last issue: 09.07.2025  | Print Date: |
| 2.0     | 27.04.2026     | Date of first issue: 23.06.2016 | 27.04.2026  |

### 10.5 Incompatible materials

Materials to avoid : Oxidizing agents

### 10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

## SECTION 11: Toxicological information

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

Based on available data, the classification criteria are not met.

#### Product:

Acute oral toxicity : Remarks: Effects due to ingestion may include:  
Symptoms: Central nervous system depression

Acute inhalation toxicity : Remarks: Respiration of solvent vapour may cause dizziness.  
Symptoms: Inhalation may provoke the following symptoms:,  
Respiratory disorder, Dizziness, Drowsiness, Vomiting,  
Fatigue, Vertigo, Central nervous system depression

Acute dermal toxicity : Remarks: Prolonged or repeated skin contact with liquid may  
cause defatting resulting in drying, redness and possible  
blistering.  
Symptoms: Skin disorders

#### Components:

##### propan-2-ol:

Acute oral toxicity : LD50 Oral (Rat): 5.840 mg/kg

##### Hydrocarbons, C11-C12, isoalkanes, < 2% aromatics:

Acute oral toxicity : LD50 Oral (Rat): > 5.000 mg/kg  
Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat): > 5,6 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403

Acute dermal toxicity : LD50 Dermal (Rabbit): > 2.200 mg/kg  
Method: OECD Test Guideline 402

Remarks: Prolonged or repeated skin contact with liquid may

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878 - FR



## OKS 2671

|                |                              |   |                           |
|----------------|------------------------------|---|---------------------------|
| Version<br>2.0 | Revision Date:<br>27.04.2026 | Date of last issue: 09.07.2025<br>Date of first issue: 23.06.2016 | Print Date:<br>27.04.2026 |
|----------------|------------------------------|---|---------------------------|

cause defatting resulting in drying, redness and possible blistering.

Symptoms: Skin disorders

### **ethyl acetate:**

Acute oral toxicity : LD50 (Rat): 5.620 mg/kg

Acute dermal toxicity : LD50 (Rabbit): > 20.000 mg/kg

### **Skin corrosion/irritation**

Repeated exposure may cause skin dryness or cracking.

### **Product:**

Remarks : This information is not available.

### **Components:**

#### **Hydrocarbons, C11-C12, isoalkanes, < 2% aromatics:**

Result : Repeated exposure may cause skin dryness or cracking.

### **ethyl acetate:**

Species : Rabbit

Result : Mild skin irritation

Result : Repeated exposure may cause skin dryness or cracking.

### **Serious eye damage/eye irritation**

Causes serious eye irritation.

### **Product:**

Remarks : This information is not available.

### **Components:**

#### **propan-2-ol:**

Species : Rabbit

Result : Eye irritation

### **ethyl acetate:**

Assessment : Irritating to eyes.

Result : Irritating to eyes.

### **Respiratory or skin sensitisation**

### **Skin sensitisation**

Based on available data, the classification criteria are not met.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878 - FR



## OKS 2671

|         |                |                                 |             |
|---------|----------------|---------------------------------|-------------|
| Version | Revision Date: | Date of last issue: 09.07.2025  | Print Date: |
| 2.0     | 27.04.2026     | Date of first issue: 23.06.2016 | 27.04.2026  |

### Respiratory sensitisation

Based on available data, the classification criteria are not met.

#### Product:

Remarks : This information is not available.

#### Components:

##### ethyl acetate:

Test Type : Maximisation Test  
Exposure routes : Dermal  
Species : Guinea pig  
Assessment : Does not cause skin sensitisation.  
Method : OECD Test Guideline 406  
Result : Does not cause skin sensitisation.

### Germ cell mutagenicity

Based on available data, the classification criteria are not met.

#### Product:

Genotoxicity in vitro : Remarks: No data available

Genotoxicity in vivo : Remarks: No data available

### Carcinogenicity

Based on available data, the classification criteria are not met.

#### Product:

Remarks : No data available

### Reproductive toxicity

Based on available data, the classification criteria are not met.

#### Product:

Effects on fertility : Remarks: No data available

Effects on foetal development : Remarks: No data available

### STOT - single exposure

May cause drowsiness or dizziness.

#### Product:

Remarks : No data available

#### Components:

|| propan-2-ol:

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878 - FR



## OKS 2671

|                |                              |   |                           |
|----------------|------------------------------|---|---------------------------|
| Version<br>2.0 | Revision Date:<br>27.04.2026 | Date of last issue: 09.07.2025<br>Date of first issue: 23.06.2016 | Print Date:<br>27.04.2026 |
|----------------|------------------------------|---|---------------------------|

|| Assessment : May cause drowsiness or dizziness.

### ethyl acetate:

Exposure routes : Inhalation  
Target Organs : Respiratory system  
Assessment : The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with narcotic effects.

### STOT - repeated exposure

Based on available data, the classification criteria are not met.

### Product:

Remarks : No data available

### Components:

#### ethyl acetate:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

### Repeated dose toxicity

### Product:

Remarks : This information is not available.

### Aspiration toxicity

May be fatal if swallowed and enters airways.

### Product:

May be fatal if swallowed and enters airways.

### Components:

### || Hydrocarbons, C11-C12, isoalkanes, < 2% aromatics:

May be fatal if swallowed and enters airways.

## 11.2 Information on other hazards

### Endocrine disrupting properties

Based on available data, the classification criteria are not met.

### Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878 - FR



## OKS 2671

|                |                              |   |                           |
|----------------|------------------------------|---|---------------------------|
| Version<br>2.0 | Revision Date:<br>27.04.2026 | Date of last issue: 09.07.2025<br>Date of first issue: 23.06.2016 | Print Date:<br>27.04.2026 |
|----------------|------------------------------|---|---------------------------|

### Further information

#### Product:

Remarks : Risks of irreversible effects after a single exposure.

## SECTION 12: Ecological information

### 12.1 Toxicity

#### Product:

Toxicity to fish : Remarks: No data available

Toxicity to daphnia and other aquatic invertebrates : Remarks: No data available

Toxicity to algae/aquatic plants : Remarks: No data available

Toxicity to microorganisms : Remarks: No data available

#### Components:

##### **ethyl acetate:**

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 212,5 mg/l  
Exposure time: 96 h  
Test Type: static test

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 154 mg/l  
Exposure time: 48 h

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): 2.500 mg/l  
Exposure time: 96 h

### 12.2 Persistence and degradability

#### Product:

Biodegradability : Remarks: No data available

Physico-chemical removability : Remarks: No data available

#### Components:

##### **propan-2-ol:**

Biodegradability : Result: Readily biodegradable.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878 - FR



## OKS 2671

|                |                              |   |                           |
|----------------|------------------------------|---|---------------------------|
| Version<br>2.0 | Revision Date:<br>27.04.2026 | Date of last issue: 09.07.2025<br>Date of first issue: 23.06.2016 | Print Date:<br>27.04.2026 |
|----------------|------------------------------|---|---------------------------|

### Hydrocarbons, C11-C12, isoalkanes, < 2% aromatics:

Biodegradability : Result: Readily biodegradable.

### ethyl acetate:

Biodegradability : Result: rapidly biodegradable

## 12.3 Bioaccumulative potential

### Product:

Bioaccumulation : Remarks: No data available

### Components:

#### propan-2-ol:

Biaccumulation : Remarks: Bioaccumulation is unlikely.

Partition coefficient: n-octanol/water : log Pow: 0,05

#### Hydrocarbons, C11-C12, isoalkanes, < 2% aromatics:

Bioaccumulation : Remarks: No data available

Partition coefficient: n-octanol/water : Remarks: No data available

#### ethyl acetate:

Partition coefficient: n-octanol/water : log Pow: 0,68 (25 °C)

#### carbon dioxide:

Partition coefficient: n-octanol/water : log Pow: 0,83

## 12.4 Mobility in soil

### Product:

Mobility : Remarks: No data available

Distribution among environmental compartments : Remarks: No data available

## 12.5 Results of PBT and vPvB assessment

### Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878 - FR



## OKS 2671

|                |                              |   |                           |
|----------------|------------------------------|---|---------------------------|
| Version<br>2.0 | Revision Date:<br>27.04.2026 | Date of last issue: 09.07.2025<br>Date of first issue: 23.06.2016 | Print Date:<br>27.04.2026 |
|----------------|------------------------------|---|---------------------------|

very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

### 12.6 Endocrine disrupting properties

**Product:**

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### 12.7 Other adverse effects

**Product:**

Additional ecological information : No information on ecology is available.

---

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Product : Do not dispose of with domestic refuse.  
Dispose of as hazardous waste in compliance with local and national regulations.

Waste codes should be assigned by the user based on the application for which the product was used.

Contaminated packaging : Packaging that is not properly emptied must be disposed of as the unused product.  
Offer empty spray cans to an established disposal company.  
Pressurized container: Do not pierce or burn, even after use.

The following Waste Codes are only suggestions:

Waste Code : unused product, packagings not completely emptied  
16 05 04\*, gases in pressure containers (including halons)  
containing hazardous substances

---

## SECTION 14: Transport information

### 14.1 UN number or ID number

ADN : UN 1950

ADR : UN 1950

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878 - FR



## OKS 2671

|                |                              |   |                           |
|----------------|------------------------------|---|---------------------------|
| Version<br>2.0 | Revision Date:<br>27.04.2026 | Date of last issue: 09.07.2025<br>Date of first issue: 23.06.2016 | Print Date:<br>27.04.2026 |
|----------------|------------------------------|---|---------------------------|

**RID** : UN 1950  
**IMDG** : UN 1950  
**IATA** : UN 1950

### 14.2 UN proper shipping name

**ADN** : AEROSOLS  
**ADR** : AEROSOLS  
**RID** : AEROSOLS  
**IMDG** : AEROSOLS  
**IATA** : Aerosols, flammable

### 14.3 Transport hazard class(es)

|             | Class | Subsidiary risks |
|-------------|-------|------------------|
| <b>ADN</b>  | : 2   | 2.1              |
| <b>ADR</b>  | : 2   | 2.1              |
| <b>RID</b>  | : 2   | 2.1              |
| <b>IMDG</b> | : 2.1 |                  |
| <b>IATA</b> | : 2.1 |                  |

### 14.4 Packing group

**ADN**  
Packing group : Not assigned by regulation  
Classification Code : 5F  
Labels : 2.1

**ADR**  
Packing group : Not assigned by regulation  
Classification Code : 5F  
Labels : 2.1  
Tunnel restriction code : (D)

**RID**  
Packing group : Not assigned by regulation  
Classification Code : 5F  
Hazard Identification Number : 23  
Labels : 2.1

**IMDG**  
Packing group : Not assigned by regulation  
Labels : 2.1  
EmS Code : F-D, S-U

**IATA (Cargo)**  
Packing instruction (cargo aircraft) : 203

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878 - FR



## OKS 2671

|                |                              |   |                           |
|----------------|------------------------------|---|---------------------------|
| Version<br>2.0 | Revision Date:<br>27.04.2026 | Date of last issue: 09.07.2025<br>Date of first issue: 23.06.2016 | Print Date:<br>27.04.2026 |
|----------------|------------------------------|---|---------------------------|

Packing instruction (LQ) : Y203  
Packing group : Not assigned by regulation  
Labels : Flammable Gas

### IATA (Passenger)

Packing instruction (passenger aircraft) : 203  
Packing instruction (LQ) : Y203  
Packing group : Not assigned by regulation  
Labels : Flammable Gas

### 14.5 Environmental hazards

#### ADN

Environmentally hazardous : no

#### ADR

Environmentally hazardous : no

#### RID

Environmentally hazardous : no

#### IMDG

Marine pollutant : no

### 14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

### 14.7 Maritime transport in bulk according to IMO instruments

Remarks : Not applicable for product as supplied.

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII) : Conditions of restriction for the following entries should be considered:  
Number on list 40  
This substance/mixture shall not be used in aerosol dispensers intended for supply to the general public for entertainment and decorative purposes.  
Number on list 75  
If you intend to use this product as tattoo ink, please contact your vendor.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878 - FR



## OKS 2671

|         |                |                                 |             |
|---------|----------------|---------------------------------|-------------|
| Version | Revision Date: | Date of last issue: 09.07.2025  | Print Date: |
| 2.0     | 27.04.2026     | Date of first issue: 23.06.2016 | 27.04.2026  |

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59). (EU SVHC) : This product does not contain substances of very high concern (Regulation (EC) No 1907/2006 (REACH), Article 57).

Regulation (EU) No 2024/590 on substances that deplete the ozone layer (EC 2024/590) : Not applicable

Regulation (EU) 2019/1021 on persistent organic pollutants (recast) (EU POP) : Not applicable

Regulation (EU) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals (EU PIC) : Not applicable

REACH - List of substances subject to authorisation (Annex XIV) (EU. REACH-Annex XIV) : Not applicable

Regulation (EU) 2019/1148 on the marketing and use of explosives precursors : Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. P3b FLAMMABLE AEROSOLS

Installations classified for the protection of the environment (Environment Code R511-9) : 4321, 4734

Occupational Illnesses (R-461-3, France) : 84

Reinforced medical supervision (R4624-23) : The product has no CMR properties category 1, 1A or 1B

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878 - FR



## OKS 2671

|         |                |                                 |             |
|---------|----------------|---------------------------------|-------------|
| Version | Revision Date: | Date of last issue: 09.07.2025  | Print Date: |
| 2.0     | 27.04.2026     | Date of first issue: 23.06.2016 | 27.04.2026  |

Volatile organic compounds : Directive 2010/75/EU of 24 November 2010 on industrial and livestock rearing emissions (integrated pollution prevention and control)  
Volatile organic compounds (VOC) content: 98 %

Regulation (EC) No. : Ingredients  
648/2004, as amended 15 - < 30%: Aliphatic hydrocarbons

### Other regulations:

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

### 15.2 Chemical safety assessment

This information is not available.

## SECTION 16: Other information

### Full text of H-Statements

H225 : Highly flammable liquid and vapour.  
H226 : Flammable liquid and vapour.  
H280 : Contains gas under pressure; may explode if heated.  
H304 : May be fatal if swallowed and enters airways.  
H319 : Causes serious eye irritation.  
H336 : May cause drowsiness or dizziness.  
EUH066 : Repeated exposure may cause skin dryness or cracking.

### Full text of other abbreviations

Asp. Tox. : Aspiration hazard  
Eye Irrit. : Eye irritation  
Flam. Liq. : Flammable liquids  
Note P : The harmonised classification as a carcinogen or mutagen applies unless it can be shown that the substance contains less than 0,1 % w/w benzene (Einecs No 200-753-7), in which case a classification in accordance with Title II of this Regulation shall be performed also for those hazard classes. Where the substance is not classified as a carcinogen or mutagen, at least the precautionary statements (P102-)P260-P262-P301 + P310-P331 shall apply.  
Press. Gas : Gases under pressure  
STOT SE : Specific target organ toxicity - single exposure  
2006/15/EC : Europe. Indicative occupational exposure limit values  
2017/164/EU : Europe. Commission Directive 2017/164/EU establishing a fourth list of indicative occupational exposure limit values  
FR VLE : France. Occupational Exposure Limits  
2006/15/EC / TWA : Limit Value - eight hours

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878 - FR



## OKS 2671

|         |                |                                 |             |
|---------|----------------|---------------------------------|-------------|
| Version | Revision Date: | Date of last issue: 09.07.2025  | Print Date: |
| 2.0     | 27.04.2026     | Date of first issue: 23.06.2016 | 27.04.2026  |

|                     |   |                           |
|---------------------|---|---------------------------|
| 2017/164/EU / STEL  | : | Short term exposure limit |
| 2017/164/EU / TWA   | : | Limit Value - eight hours |
| FR VLE / VME        | : | Time Weighted Average     |
| FR VLE / VLCT (VLE) | : | Short Term Exposure Limit |

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonised System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organisation; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardisation; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organisation for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

### Further information

#### Classification of the mixture:

|              |            |
|--------------|------------|
| Aerosol 1    | H222, H229 |
| Eye Irrit. 2 | H319       |
| STOT SE 3    | H336       |
| Asp. Tox. 1  | H304       |

#### Classification procedure:

|                                     |
|-------------------------------------|
| Based on product data or assessment |
| Calculation method                  |
| Calculation method                  |
| Based on product data or assessment |

|| Relevant changes compared to the last edition are highlighted at the left margin. This version replaces all previous editions.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878 - FR



## OKS 2671

|         |                |                                 |             |
|---------|----------------|---------------------------------|-------------|
| Version | Revision Date: | Date of last issue: 09.07.2025  | Print Date: |
| 2.0     | 27.04.2026     | Date of first issue: 23.06.2016 | 27.04.2026  |

---

This safety data sheet applies only to products as originally packed and labelled. The information contained therein may not be reproduced or modified without our express written permission. Any forwarding of this document is only permitted to the extent required by law. Any further, in particular public, dissemination of the safety data sheet (e.g. as a document for download from the Internet) is not permitted without our express written consent. We provide our customers with amended safety data sheets as prescribed by law. The customer is responsible for passing on safety data sheets and any amendments contained therein to its own customers, employees and other users of the product. We provide no guarantee that safety data sheets received by users from third parties are up-to-date. All information and instructions in this safety data sheet have been compiled to the best of our knowledge and are based on the information available to us on the day of publication. The information provided is intended to describe the product in relation to the required safety measures; it is neither an assurance of characteristics nor a guarantee of the product's suitability for particular applications and does not justify any contractual legal relationship. The existence of a safety data sheet for a particular jurisdiction does not necessarily mean that import or use within that jurisdiction is legally permitted. If you have any questions, please contact your responsible sales contact or authorized trading partner.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878 - FR



## OKS 2671

|         |                |                                 |             |
|---------|----------------|---------------------------------|-------------|
| Version | Revision Date: | Date of last issue: 09.07.2025  | Print Date: |
| 2.0     | 27.04.2026     | Date of first issue: 23.06.2016 | 27.04.2026  |

---

### Ingredients (Regulation (EC) No. 648/2004, as amended)

propan-2-ol  
Naphtha (petroleum), hydrotreated heavy  
ETHYL ACETATE  
CARBON DIOXIDE

<https://ec.europa.eu/growth/tools-databases/cosing/index.cfm?fuseaction=search.simple>