

Version	Revision Date:	Date of last issue: 31.10.2022	Print Date:
1.4	29.11.2024	Date of first issue: 22.06.2016	29.11.2024

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

1 1	Product identifier		
1.1	Product name	:	OKS 1510
1.2	Relevant identified uses of th	ne s	ubstance or mixture and uses advised against
	Use of the Substance/Mixture	:	Release agent
	Recommended restrictions on use	:	Restricted to professional users.
1.3	Details of the supplier of the	saf	ety data sheet
	Company	:	OKS Spezialschmierstoffe GmbH Ganghoferstr. 47 82216 Maisach-Gernlinden Deutschland Tel.: +49 8142 3051 500 Fax: +49 8142 3051 599 info@oks-germany.com
	E-mail address of person responsible for the SDS	:	mcm@oks-germany.com
	National contact	:	
1.4	Emergency telephone number	ər	
	Emergency telephone		+33 1 45 42 59 59 ORFILA
	number		+33 1 72 11 00 03 NCEC
			+49 8142 3051 517

# **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)			
Flammable liquids, Category 2	H225: Highly flammable liquid and vapour.		

Skin irritation, Category 2

H315: Causes skin irritation.



## **SAFETY DATA SHEET** according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - FR



# **OKS 1510**

Vers 1.4	ion	Revision Date: 29.11.2024			sue: 31.10.2022 sue: 22.06.2016	Print Date: 29.11.2024	
Specific target organ toxicity - single exposure, Category 3, Central nervous system				H336: May cause drowsin	ness or dizziness.		
	Aspira	tion hazard, Category	' 1		H304: May be fatal if swallowed and enters airways.		
	Long-t Catego	erm (chronic) aquatic ory 2	haz	ard,	H411: Toxic to aquatic life	e with long lasting effects.	
2.2 L	_abel e	lements					
	Labell	ing (REGULATION (	EC)	No 1272/20	08)		
	Hazaro	d pictograms	:			¥2	
	Signal	word	:	Danger			
	Hazaro	d statements	:	H225 H304 H315	May be fatal if sw airways. Causes skin irrita		
				H336 H411		siness or dizziness. ife with long lasting effects.	
	Precau	utionary statements	•	Preventio	n:		
	,			P210		heat, hot surfaces, sparks, other ignition sources. No	
				P273	Avoid release to t	he environment.	
				Response	:		
				P301 + P3	POISON CENTE		
				P331 P370 + P3		omiting. e alcohol-resistant foam, water mist to extinguish.	
				P391	Collect spillage.	C C	
				Storage:			
				P403 + P2	35 Store in a well-ve	ntilated place. Keep cool.	

#### Hazardous components which must be listed on the label:

Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics

Hydrocarbons, C6-C7, isoalkanes, cyclics, <5% n-hexane





Version	Revision Date:	Date of last issue: 31.10.2022	Print Date:
1.4	29.11.2024	Date of first issue: 22.06.2016	29.11.2024

Hydrocarbons, C6, isoalkanes, <5% n-hexane

Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

Chemical nature : Esters

Solvent

#### Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	specific concentration limit M-Factor Notes Acute toxicity estimate	Concentration (% w/w)
Hydrocarbons, C7, n- alkanes, isoalkanes, cyclics	927-510-4 01-2119475515-33- xxxx	Flam. Liq.2; H225 Skin Irrit.2; H315 STOT SE3; H336 Asp. Tox.1; H304 Aquatic Chronic2; H411	Note P	>= 25 - < 30
Hydrocarbons, C6-C7, isoalkanes, cyclics, <5% n-hexane	926-605-8 01-2119486291-36- XXXX	Flam. Liq.2; H225 Skin Irrit.2; H315 STOT SE3; H336 Asp. Tox.1; H304 Aquatic Chronic2; H411	Note P	>= 10 - < 20



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - FR



# **OKS 1510**

Version 1.4	Revision Da 29.11.2024			sue: 31.10.2022 sue: 22.06.2016	-	Print Date: 29.11.2024
hexane		931-254 01-2119 XXXX	-9 484651-34-	Flam. Liq.2; H225 Skin Irrit.2; H315 STOT SE3; H336 Asp. Tox.1; H304 Aquatic Chronic2; H411	Note P	>= 2,5 - < 10
cyclics, <5% n-hexane 01-		921-024	-6 475514-35-	Flam. Liq.2; H225 Skin Irrit.2; H315 STOT SE3; H336 Asp. Tox.1; H304 Aquatic Chronic2; H411	Note P	>= 2,5 - < 10

For explanation of abbreviations see section 16.

### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

If inhaled :	Call a physician or poison control centre immediately. Remove person to fresh air. If signs/symptoms continue, get medical attention. Keep patient warm and at rest. If unconscious, place in recovery position and seek medical advice. Keep respiratory tract clear. If breathing is irregular or stopped, administer artificial respiration.
In case of skin contact :	Take off all contaminated clothing immediately. Wash off immediately with soap and plenty of water. Get medical attention immediately if irritation develops and persists. Wash clothing before reuse. Thoroughly clean shoes before reuse.
In case of eye contact :	Rinse immediately with plenty of water, also under the eyelids, for at least 10 minutes. If eye irritation persists, consult a specialist.
If swallowed :	Move the victim to fresh air. If accidentally swallowed obtain immediate medical attention. If unconscious, place in recovery position and seek medical advice. Keep respiratory tract clear. Do NOT induce vomiting. Rinse mouth with water. Never give anything by mouth to an unconscious person.





OKS 1510				
Version 1.4	Revision Date: 29.11.2024	Date of last issue: 31.10.2022 Date of first issue: 22.06.2016	Print Date: 29.11.2024	
		Aspiration hazard if swallowed - ca damage.	an enter lungs and cause	
4.2 Most ir	mportant symptoms	and effects, both acute and delayed		
Symptoms		Unconsciousness Dizziness Drowsiness Headache Nausea Tiredness	Dizziness Drowsiness Headache Nausea Tiredness Skin contact may provoke the following symptoms:	
		Aspiration may cause pulmonary o	edema and pneumonitis.	
Risks		Can be absorbed through skin.	Risk of product entering the lungs on vomiting after ingestion. Health injuries may be delayed.	

### 4.3 Indication of any immediate medical attention and special treatment needed

Treatment

: Treat symptomatically.

# **SECTION 5: Firefighting measures**

<b>5.1 Extinguishing media</b> Suitable extinguishing media	:	Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
Unsuitable extinguishing media	:	High volume water jet
5.2 Special hazards arising from	n th	e substance or mixture
Specific hazards during firefighting	:	Do not let product enter drains. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.
Hazardous combustion products	:	Carbon oxides
5.3 Advice for firefighters		
Special protective equipment for firefighters	: :	In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment. Exposure to





<b>OKS 15</b>	10		
Version 1.4	Revision Date: 29.11.2024	Date of last issue: 31.10.2022 Date of first issue: 22.06.2016	Print Date: 29.11.2024
Further information		<ul> <li>decomposition products may be a</li> <li>Standard procedure for chemical Collect contaminated fire extingui must not be discharged into drain Cool containers/tanks with water s</li> </ul>	fires. shing water separately. This s.

#### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

: Evacuate personnel to safe areas. Use personal protective equipment.
Ensure adequate ventilation.
Remove all sources of ignition.
Do not breathe vapours or spray mist.
Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.
Refer to protective measures listed in sections 7 and 8.

#### 6.2 Environmental precautions

Environmental precautions	:	Do not allow contact with soil, surface or ground water. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform
		If the product contaminates rivers and lakes or drains inform respective authorities.

#### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up		Contain spillage, and then collect with non-combustible
		absorbent material, (e.g. sand, earth, diatomaceous earth,
		vermiculite) and place in container for disposal according to
		local / national regulations (see section 13).
		Non-sparking tools should be used.

### 6.4 Reference to other sections

For personal protection see section 8.

#### **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Advice on safe handling

Use only in an area containing explosion proof equipment. Do not use in areas without adequate ventilation. Do not breathe vapours or spray mist. In case of insufficient ventilation, wear suitable respiratory equipment. Avoid contact with skin and eyes. For personal protection see section 8.



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - FR



OK	(S 151	0			
Ver 1.4	sion	Revision Date: 29.11.2024		e of last issue: 31.10.2022 e of first issue: 22.06.2016	Print Date: 29.11.2024
				Keep away from fire, sparks and heated s Smoking, eating and drinking should be p application area. Wash hands and face before breaks and handling the product. Ensure all equipment is electrically groun transfer operations. Do not get in eyes or mouth or on skin. Do not get on skin or clothing. Do not get on skin or clothing. Do not ingest. Do not use sparking tools. Do not enter areas where used or stored ventilated. Do not repack. Do not re-use empty containers. These safety instructions also apply to er may still contain product residues. Keep container closed when not in use.	prohibited in the immediately after ded before beginning until adequately
		on protection against d explosion	: :	Keep away from heat and sources of igni	tion.
	Hygier	ne measures	:	Wash face, hands and any exposed skin handling.	thoroughly after
7.2	Conditi	ions for safe storage	, inc	luding any incompatibilities	
		ements for storage and containers	:	Store in original container. Keep container use. Keep in a cool place away from oxid a dry, cool and well-ventilated place. Con opened must be carefully resealed and ke leakage. Store in accordance with the pa regulations. Keep in properly labelled cor	izing agents. Keep in tainers which are ept upright to prevent rticular national
7.3	Specifi	c end use(s)			
	Specif	ic use(s)	:	Specific instructions for handling, not requ	uired.

# **SECTION 8: Exposure controls/personal protection**

### 8.1 Control parameters

#### **Occupational Exposure Limits**

Contains no substances with occupational exposure limit values.

#### Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
Hydrocarbons, C7, n-	Workers	Inhalation	Long-term systemic	2085 mg/m3



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - FR



# **OKS 1510**

1.4         29.11.2024         Date of first issue: 22.06.2016         29.11.2024	Version 1.4	Revision Date: 29.11.2024	Date of last issue: 31.10.2022 Date of first issue: 22.06.2016	Print Date: 29.11.2024
---	----------------	---------------------------	---	------------------------

alkanes, isoalkanes, cyclics			effects	
	Workers	Skin contact	Long-term systemic effects	300 mg/kg bw/day
Hydrocarbons, C6- C7, isoalkanes, cyclics, <5% n- hexane	Workers	Inhalation	Acute systemic effects	1286,4 mg/m3
	Workers	Inhalation	Long-term local effects	837,5 mg/m3
Hydrocarbons, C6, isoalkanes, <5% n- hexane	Workers	Inhalation	Acute systemic effects	1286,4 mg/m3
	Workers	Inhalation	Long-term local effects	837,5 mg/m3
Hydrocarbons, C6- C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane	Workers	Inhalation	Acute systemic effects	1286,4 mg/m3
	Workers	Inhalation	Long-term local effects	837,5 mg/m3

#### 8.2 Exposure controls

#### **Engineering measures**

Use only in an area equipped with explosion proof exhaust ventilation. Handle only in a place equipped with local exhaust (or other appropriate exhaust).

### Personal protective equipment

Eye/face protection :	Safety glasses with side-shields
Break through time :	butyl-rubber > 10 min Class 1
Remarks :	Wear protective gloves. The break through time depends amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each case. The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it.
Skin and body protection :	Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.
Respiratory protection :	Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates





OKS 15	10				
Version 1.4	Revision Date: 29.11.2024	Date of last issue: 31.10.2022Print Date:Date of first issue: 22.06.201629.11.2024			
		that exposures are within recommended exposure guid	lelines.		
Fi	lter type	: Recommended Filter type:			
		Organic gas and low boiling vapour type (AX)			
Prote	ective measures	: The type of protective equipment must be selected acc to the concentration and amount of the dangerous subs at the specific workplace.			
Environmental exposure controls					
Air		: Should not be released into the environment. Exhaust air must be cleaned using approved equipmer before returning it to the work place.	ıt		
Soil		:			
		Do not allow contact with soil, surface or ground water. The product should not be allowed to enter drains, wate courses or the soil.			
Wate	r	:			
		Do not allow contact with soil, surface or ground water. The product should not be allowed to enter drains, wate courses or the soil.			

# **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

Physical state	:	liquid
Colour	:	yellow
Odour	:	characteristic
Odour Threshold	:	No data available
Melting point/range	:	No data available
Boiling point/boiling range	:	> 60,1 °C (1.013 hPa)
Flammability (solid, gas)	:	Not applicable



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - FR



# **OKS 1510**

Vers 1.4	ion	Revision Date: 29.11.2024		of last issue: 31.10.2022 of first issue: 22.06.2016	Print Date: 29.11.2024
		explosion limit / Upper bility limit	:	7,3 %(V)	
		explosion limit / Lower bility limit	:	1,0 %(V)	
	Flash p	oint	:	< -18,00 °C Method: Abel-Pensky	
	Auto-ig	nition temperature	:	No data available	
	Decom	position temperature	:	No data available	
	рН		:	Not applicable substance/mixture is non-polar/aprotic	
	Viscosi Visc	ty cosity, dynamic	:	No data available	
	Visc	osity, kinematic	:	< 7 mm2/s (40 °C)	
	Solubili Wat	ty(ies) er solubility	:	immiscible	
	Solu	ubility in other solvents	5 :	No data available	
	Partitio octanol	n coefficient: n- /water	:	No data available	
	Vapour	pressure	:	< 1.100 hPa (20 °C)	
	Relative	e density	:	0,795 (20 °C) Reference substance: Water The value is calculated	
	Density	,	:	0,80 g/cm3 (20 °C)	
	Bulk de	ensity	:	No data available	
	Relative	e vapour density	:	No data available	
	<b>Other in</b> Explosi	formation ves	:	Not explosive	
	Oxidizir	ng properties	:	No data available	





Version 1.4	Revision Date: 29.11.2024	Date of last issue: 31.10.2022 Date of first issue: 22.06.2016	Print Date: 29.11.2024
Self-i	gnition	: No data available	
Metal corrosion rate		: Not corrosive to metals	
Evaporation rate		: No data available	
Subli	mation point	: No data available	

### **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

No hazards to be specially mentioned.

#### **10.2 Chemical stability**

Stable under normal conditions.

### 10.3 Possibility of hazardous reactions

Hazardous reactions	:	No dangerous reaction known under conditions of normal use.
		5

#### 10.4 Conditions to avoid

Conditions to avoid	:	Heat, flames and sparks.
		Strong sunlight for prolonged periods.

#### **10.5 Incompatible materials**

Materials to avoid : Oxidizing agents

#### **10.6 Hazardous decomposition products**

No decomposition if stored and applied as directed.

#### **SECTION 11: Toxicological information**

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

Product:

Acute oral toxicity	:	Remarks: Effects due to ingestion may include:
		Symptoms: Central nervous system depression
Acute inhalation toxicity	:	Remarks: Respiration of solvent vapour may cause dizziness.
		Symptoms: Inhalation may provoke the following symptoms:, Dizziness, Drowsiness, Vomiting, Fatigue, Vertigo, Central



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - FR



OKS 1510						
/ers I.4	ion	Revision Date: 29.11.2024		e of last issue: 31.10.2022 e of first issue: 22.06.2016	Print Date: 29.11.2024	
				nervous system depression		
	Acute	dermal toxicity	:	Symptoms: Redness, Local irritation		
	<u>Comp</u>	onents:				
	Hydro	carbons, C7, n-alka	nos i	soalkanes cyclics:		
	-	oral toxicity		LD50 Oral (Rat): > 5.000 mg/kg		
	Hydro	carbons, C6, isoalka	anes,	<5% n-hexane:		
	Acute	oral toxicity	:	LD50 Oral (Rat): > 5.000 mg/kg		
	Skin c	orrosion/irritation				
	<u>Produ</u>	ct:				
	Remar		:	Irritating to skin.		
	<u>Comp</u>	onents:				
	Hydro	carbons, C7, n-alka	nes, i	soalkanes, cyclics:		
	Result		:	Skin irritation		
	Hydro	carbons, C6-C7, iso	alkar	nes, cyclics, <5% n-hexane:		
	Specie		:	Rabbit		
	Result		:	Skin irritation		
	-	carbons, C6, isoalka	anes,			
	Result		:	Skin irritation		
	-			es, isoalkanes, cyclics, <5% n-hexane:		
	Specie Result		:	Rabbit Skin irritation		
	Result		·	Skin irritation		
	Seriou	ıs eye damage/eye i	rritat	ion		
	<u>Produ</u>	<u>ct:</u>				
	Remar	ks	:	Contact with eyes may cause irritation.		
	Respi	ratory or skin sensit	isatio	on		
	<u>Produ</u>	<u>ct:</u>				
	Remar	ks	:	This information is not available.		



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - FR



# **OKS 1510**

sion	Revision Date: 29.11.2024	Date of last issue: 31.10.2022 Date of first issue: 22.06.2016	Print Date: 29.11.2024
Germ	n cell mutagenicity		
Prod	uct:		
Geno	toxicity in vitro	: Remarks: No data available	
Geno	toxicity in vivo	: Remarks: No data available	
Carci	inogenicity		
Prod	uct:		
Rema	arks	: No data available	
Repr	oductive toxicity		
Prod	uct:		
Effec	ts on fertility	: Remarks: No data available	
	ts on foetal opment	: Remarks: No data available	
STO	۲ - single exposure		
Prod	uct:		
Rema	arks	: No data available	
Com	ponents:		
Hydr	ocarbons, C7, n-all	anes, isoalkanes, cyclics:	
Asses	ssment	: May cause drowsiness or dizzines	SS.
Hydr	ocarbons, C6-C7, is	soalkanes, cyclics, <5% n-hexane:	
Asses	ssment	: May cause drowsiness or dizzines	SS.
Hydr	ocarbons, C6, isoa	kanes, <5% n-hexane:	
Asses	ssment	: May cause drowsiness or dizzines	SS.
Hydr	ocarbons, C6-C7, r	-alkanes, isoalkanes, cyclics, <5% n-he	xane:
Asses	ssment	: May cause drowsiness or dizzines	SS.
	Γ - repeated exposι	ire	
STO	• •		
STOT Prod			



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - FR



# **OKS 1510**

Version	Revision Date:	Date of last issue: 31.10.2022	Print Date:
1.4	29.11.2024	Date of first issue: 22.06.2016	29.11.2024

#### Repeated dose toxicity

#### Product:

Remarks

: This information is not available.

#### Aspiration toxicity

#### Product:

May be fatal if swallowed and enters airways.

#### **Components:**

### Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics: May be fatal if swallowed and enters airways.

#### Hydrocarbons, C6-C7, isoalkanes, cyclics, <5% n-hexane:

May be fatal if swallowed and enters airways.

#### Hydrocarbons, C6, isoalkanes, <5% n-hexane:

May be fatal if swallowed and enters airways.

### Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane:

May be fatal if swallowed and enters airways.

#### 11.2 Information on other hazards

#### **Endocrine disrupting properties**

#### Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

#### **Further information**

#### Product:

Remarks

: Ingestion causes irritation of upper respiratory system and gastrointestinal disturbance.





Version	Revision Date:	Date of last issue: 31.10.2022	Print Date:
1.4	29.11.2024	Date of first issue: 22.06.2016	29.11.2024

### **SECTION 12: Ecological information**

#### 12.1 Toxicity

### Product:

Toxicity to fish	:	Remarks: Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
Toxicity to daphnia and other aquatic invertebrates	:	Remarks: No data available
Toxicity to algae/aquatic plants	:	Remarks: No data available
Toxicity to microorganisms	:	Remarks: No data available

#### **Components:**

#### Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics:

Ecotoxicology Assessment		
Chronic aquatic toxicity	:	Toxic to aquatic life with long lasting effects.

#### Hydrocarbons, C6-C7, isoalkanes, cyclics, <5% n-hexane:

Ecotoxicology Assessment Chronic aquatic toxicity	:	Toxic to aquatic life with long lasting effects.			
Hydrocarbons, C6, isoalkanes, <5% n-hexane:					

Toxicity to daphnia and other	:	EC50 (Daphnia magna (Water flea)): > 1 - 10 mg/l
aquatic invertebrates		Exposure time: 48 h

#### Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane:

# **Ecotoxicology Assessment** Chronic aquatic toxicity : Toxic to aquatic life with long lasting effects.

#### 12.2 Persistence and degradability

Product:		
Biodegradability	:	Remarks: No data available
Physico-chemical removability	:	Remarks: No data available



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - FR



OKS 1510					
Version 1.4	Revision Date: 29.11.2024	Date of last issue: 31.10.2022 Date of first issue: 22.06.2016	Print Date: 29.11.2024		
Con	ponents:				
Hyd	rocarbons, C7, n-alk	anes, isoalkanes, cyclics:			
Biod	legradability	: Result: rapidly biodegradable			
Hyd	rocarbons, C6, isoal	kanes, <5% n-hexane:			
Biod	legradability	: Result: Not rapidly biodegradable	9		
12.3 Bio	accumulative potenti	al			
Pro	duct:				
Bioa	ccumulation	: Remarks: No data available			
<u>Con</u>	ponents:				
Hyd	rocarbons, C7, n-alk	anes, isoalkanes, cyclics:			
Bioa	ccumulation	: Remarks: No data available			
	ition coefficient: n- nol/water	: Remarks: No data available			
Hyd	rocarbons, C6, isoal	kanes, <5% n-hexane:			
Bioa	ccumulation	: Remarks: No data available			
	ition coefficient: n- nol/water	: log Pow: 4			
12.4 Mot	bility in soil				
Pro	duct:				
Mob	ility	: Remarks: No data available			
	ribution among ronmental compartme	: Remarks: No data available nts			
12.5 Res	ults of PBT and vPvI	B assessment			
Pro	duct:				
Asse	essment	: This substance/mixture contains to be either persistent, bioaccum	ulative and toxic (PBT), or		

#### 12.6 Endocrine disrupting properties

#### Product:



0.1% or higher.

very persistent and very bioaccumulative (vPvB) at levels of



<b>OKS 15</b>	OKS 1510				
Version 1.4	Revision Date: 29.11.2024	Date of last issue: 31.10.2022Print Date:Date of first issue: 22.06.201629.11.2024			
Assessment		:	The substance/mixture does not c considered to have endocrine disr to REACH Article 57(f) or Commis (EU) 2017/2100 or Commission R levels of 0.1% or higher.	upting properties according ssion Delegated regulation	
12.7 Othe	er adverse effects				
<u>Prod</u> Addit	uct: ional ecological	:	Toxic to aquatic life with long lasti	na effects.	
	nation	•			

# **SECTION 13: Disposal considerations**

13.1 Waste treatment methods	
Product :	The product should not be allowed to enter drains, water courses or the soil. Do not dispose of with domestic refuse. Dispose of as hazardous waste in compliance with local and national regulations.
	Waste codes should be assigned by the user based on the application for which the product was used.
Contaminated packaging :	Packaging that is not properly emptied must be disposed of as the unused product. Dispose of waste product or used containers according to local regulations.
	The following Waste Codes are only suggestions:
Waste Code :	used product, unused product 14 06 03**, other solvents and solvent mixtures
	uncleaned packagings 15 01 10*, packaging containing residues of or contaminated by hazardous substances

#### **SECTION 14: Transport information**

#### 14.1 UN number or ID number

ADN	:	UN 3295
ADR	:	UN 3295



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - FR



# **OKS 1510**

OK	S 151	U			
Vers 1.4	sion	Revision Date: 29.11.2024		e of last issue: 31.10.2022 e of first issue: 22.06.2016	Print Date: 29.11.2024
	RID		:	UN 3295	
	IMDG		:	UN 3295	
	ΙΑΤΑ		:	UN 3295	
14.2	-	oper shipping name			
	ADN		:	HYDROCARBONS, LIQUID, N.O.S	
	ADR		:	HYDROCARBONS, LIQUID, N.O.S (Hydrocarbons, C6-C7, n-alkanes, hexane, Hydrocarbons, C6, isoalka	isoalkanes, cyclics, <5% n-
	RID		:	HYDROCARBONS, LIQUID, N.O.S	S.
	IMDG		:	HYDROCARBONS, LIQUID, N.O.S (Hydrocarbons, C6-C7, n-alkanes, hexane, Hydrocarbons, C6, isoalka	isoalkanes, cyclics, <5% n-
	ΙΑΤΑ		:	Hydrocarbons, liquid, n.o.s. (Hydrocarbons, C6-C7, n-alkanes, hexane, Hydrocarbons, C6, isoalka	
14.3	Trans	port hazard class(es)	)		
	ADN		:	3	
	ADR		:	3	
	RID		:	3	
	IMDG		:	3	
	ΙΑΤΑ		:	3	
14.4	Packi	ng group			
	Classi	ng group fication Code d Identification Numbe	: : r : :	II F1 33 3	
	Classif Hazaro Labels	ng group fication Code d Identification Numbe f I restriction code	: r : :	II F1 33 3 (D/E)	
	Classi	ng group fication Code d Identification Numbe	: : r : :	II F1 33 3	
	<b>IMDG</b> Packir	ng group	:	II	a brand of
					a brand of



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - FR



# **OKS 1510**

Version 1.4	Revision Date: 29.11.2024	Date of last issue: 31.10.202 Date of first issue: 22.06.201	
Label EmS	s Code	: 3 : F-E, S-D	
Packi aircra Packi	ing instruction (LQ)	: 364 : Y341 : II : Flammable Liquids	
Packi (pass Packi	(Passenger) ing instruction enger aircraft) ing instruction (LQ) ing group	: 353 : Y341 : II : Flammable Liquids	
14.5 Envii	ronmental hazards		
ADN Enviro	onmentally hazardous	: yes	

ADR Environmentally hazardous		ves
<b>RID</b> Environmentally hazardous	:	yes
IMDG Marine pollutant	:	yes

#### 14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

#### 14.7 Maritime transport in bulk according to IMO instruments

Remarks : Not applicable for product as supplied.

#### **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)	:	Conditions of restriction for the following entries should be considered: Number on list 3
REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59). (EU SVHC)	:	This product does not contain substances of very high concern (Regulation (EC) No



OKS	1510						
Versio 1.4	on	Revision Date: 29.11.2024		e of last issue: 31. e of first issue: 22.			
						1907/2006 (REACH), Article 57	7).
de	eplete	tion (EC) No 1005/200 the ozone layer 05/2009)	09 OI	n substances that	:	Not applicable	
ро		tion (EU) 2019/1021 c its (recast) DP)	on pe	ersistent organic	:	Not applicable	
P: im	arliam	tion (EU) No 649/2012 ent and the Council c of dangerous chemica C)	once		: nd	Not applicable	
(A	Annex	I - List of substances XIV) EACH-Annex XIV)	subje	ect to authorisatior	n :	Not applicable	
		tion (EU) 2019/1148 c ves precursors	on th	e marketing and u	se of :	Not applicable	
P: m	Parliam	III: Directive 2012/18 ent and of the Counc ccident hazards invol cces.	il on	the control of	P5c	FLAMMABLE LIQUIDS	
					E2	ENVIRONMENTAL HAZARDS	6
рі	rotecti	tions classified for the on of the environmen nment Code R511-9)		4331, 4511, 4734	1		
		itional Illnesses (R- France)	:	84, 36			
		ced medical sion (R4624-23)	:	The product has	no CMR	properties category 1, 1A or 1B	
V	'olatile	organic compounds	:	emissions (integr	ated poll	24 November 2010 on industrial lution prevention and control) ids (VOC) content: 50 %	
						a brand of	





Version	Revision Date:	Date of last issue: 31.10.2022	Print Date:
1.4	29.11.2024	Date of first issue: 22.06.2016	29.11.2024

#### Other regulations:

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

### 15.2 Chemical safety assessment

This information is not available.

### **SECTION 16: Other information**

#### Full text of H-Statements

H225	: Highly flammable liquid and vapour.
H304	: May be fatal if swallowed and enters airways.
H315	: Causes skin irritation.
H336	: May cause drowsiness or dizziness.
H411	: Toxic to aquatic life with long lasting effects.

#### Full text of other abbreviations

Note P

: The harmonised classification as a carcinogen or mutagen applies unless it can be shown that the substance contains less than 0,1 % w/w benzene (Einecs No 200-753-7), in which case a classification in accordance with Title II of this Regulation shall be performed also for those hazard classes. Where the substance is not classified as a carcinogen or mutagen, at least the precautionary statements (P102-)P260-P262-P301 + P310-P331 shall apply.

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO -



#### SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - FR



# **OKS 1510**

Version	Revision Date:	Date of last issue: 31.10.2022	Print Date:
1.4	29.11.2024	Date of first issue: 22.06.2016	29.11.2024

International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID -Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

#### **Further information**

Classification	of the mixture:
----------------	-----------------

Classification of the	e mixture:	Classification procedure:	
Flam. Liq. 2	H225	Based on product data or assessment	
Skin Irrit. 2	H315	Calculation method	
STOT SE 3	H336	Calculation method	
Asp. Tox. 1	H304	Based on product data or assessment	
Aquatic Chronic 2	H411	Calculation method	

Relevant changes compared to the last edition are highlighted at the left margin. This version replaces all previous editions.

This safety data sheet applies only to products as originally packed and labelled. The information contained therein may not be reproduced or modified without our express written permission. Any forwarding of this document is only permitted to the extent required by law. Any further, in particular public, dissemination of the safety data sheet (e.g. as a document for download from the Internet) is not permitted without our express written consent. We provide our customers with amended safety data sheets as prescribed by law. The customer is responsible for passing on safety data sheets and any amendments contained therein to its own customers, employees and other users of the product. We provide no guarantee that safety data sheets received by users from third parties are up-to-date. All information and instructions in this safety data sheet have been compiled to the best of our knowledge and are based on the information available to us on the day of publication. The information provided is intended to describe the product in relation to the required safety measures; it is neither an assurance of characteristics nor a guarantee of the product's suitability for particular applications and does not justify any contractual legal relationship. The existence of a safety data sheet for a particular jurisdiction does not necessarily mean that import or use within that jurisdiction is legally permitted. If you have any questions, please contact your responsible sales contact or authorized trading partner.



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - FR



# **OKS 1510**

Version	Revision Date:	Date of last issue: 31.10.2022	Print Date:
1.4	29.11.2024	Date of first issue: 22.06.2016	29.11.2024

