

Version	Revision Date:	Date of last issue: 17.08.2022	Print Date:
1.5	22.08.2024	Date of first issue: 14.07.2016	22.08.2024

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1	Product identifier Product name	:	OKS 217		
1.2	Relevant identified uses of th	he s	ubstance or mixture and uses advised against		
	Use of the Substance/Mixture	:	Lubricant		
	Recommended restrictions on use	:	Restricted to professional users.		
1.3	Details of the supplier of the	saf	ety data sheet		
	Company	:	OKS Spezialschmierstoffe GmbH Ganghoferstr. 47 82216 Maisach-Gernlinden Deutschland Tel.: +49 8142 3051 500 Fax: +49 8142 3051 599 info@oks-germany.com		
	E-mail address of person responsible for the SDS	:	mcm@oks-germany.com		
	National contact	:			
1.4 Emergency telephone number					
	Emergency telephone		+33 1 45 42 59 59 ORFILA		
	number		+33 1 72 11 00 03 NCEC		
			+49 8142 3051 517		

### **SECTION 2: Hazards identification**

### 2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)						
Skin irritation, Category 2	H315: Causes skin irritation.					
Serious eye damage, Category 1	H318: Causes serious eye damage.					



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - FR



### **OKS 217**

Version	Revision Date:	Date of last issue: 17.08.2022	Print Date:
1.5	22.08.2024	Date of first issue: 14.07.2016	22.08.2024

### 2.2 Label elements

Labelling (REGULATION (EC Hazard pictograms	<b>C) No 1272/2008)</b>	
Signal word	: Danger	
Hazard statements	: H315 H318	Causes skin irritation. Causes serious eye damage.
Precautionary statements	Prevention: P264 P280	Wash skin thoroughly after handling. Wear protective gloves/ eye protection/ face protection.
	Response:	
	P302 + P352	IF ON SKIN: Wash with plenty of soap and water.
	P305 + P351 +	P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.
	P332 + P313	If skin irritation occurs: Get medical advice/ attention.
	P362 + P364	Take off contaminated clothing and wash it before reuse.

### Hazardous components which must be listed on the label:

calcium dihydroxide

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.





Version	Revision Date:	Date of last issue: 17.08.2022	Print Date:
1.5	22.08.2024	Date of first issue: 14.07.2016	22.08.2024

### **SECTION 3: Composition/information on ingredients**

÷

#### 3.2 Mixtures

Chemical nature

Mineral oil. graphite solid lubricant

#### Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	specific concentration limit M-Factor Notes Acute toxicity estimate	Concentration (% w/w)
White mineral oil (petroleum)	8042-47-5 232-455-8 01-2119487078-27- XXXX	Asp. Tox.1; H304		>= 30 - < 50
calcium dihydroxide	1305-62-0 215-137-3 01-2119475151-45- XXXX	Skin Irrit.2; H315 Eye Dam.1; H318 STOT SE3; H335		>= 10 - < 20
Substances with a wor Graphite	kplace exposure limit : 7782-42-5 231-955-3	Not classified		>= 20 - < 30

For explanation of abbreviations see section 16.

### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

If inhaled

Remove person to fresh air. If signs/symptoms continue, get medical attention.
 Keep patient warm and at rest.
 If unconscious, place in recovery position and seek medical advice.
 Keep respiratory tract clear.
 If breathing is irregular or stopped, administer artificial



### **SAFETY DATA SHEET** according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - FR

OKS 217



Version	Revision Date:	Date of last issue: 17.08.2022	Print Date:
1.5	22.08.2024	Date of first issue: 14.07.2016	22.08.2024
		respiration.	
In cas	e of skin contact	<ul> <li>Take off all contaminated clothing Wash off immediately with soap Get medical attention immediatel persists.</li> <li>Wash clothing before reuse.</li> <li>Thoroughly clean shoes before reuse</li> </ul>	and plenty of water. ly if irritation develops and
In case	e of eye contact	: Rinse immediately with plenty of for at least 10 minutes. Get medical attention immediate	-
lf swal	llowed	<ul> <li>Move the victim to fresh air.</li> <li>If unconscious, place in recovery advice.</li> <li>Keep respiratory tract clear.</li> <li>Do not induce vomiting without m Never give anything by mouth to</li> </ul>	nedical advice.
		If unconscious, place in recovery advice. Keep respiratory tract clear. Do not induce vomiting without m	nedical advice.

Symptoms	: Skin contact may provoke the following symptoms: Erythema
Risks	: Causes skin irritation.

### 4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically.

### **SECTION 5: Firefighting measures**

5.1 Extinguishing media					
Suitable extinguishing media	:	Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.			
Unsuitable extinguishing media	:	High volume water jet			

### 5.2 Special hazards arising from the substance or mixture

Hazardous combustion	: Carbon oxides
products	Nitrogen oxides (NOx)
	Metal oxides

### 5.3 Advice for firefighters

Special protective equipment : In the event of fire, wear self-contained breathing apparatus.





Version 1.5	Revision Date: 22.08.2024	Date of last issue: 17.08.2022 Date of first issue: 14.07.2016	Print Date: 22.08.2024
for firefighters		Use personal protective equipmendecomposition products may be a	
Further information		: Standard procedure for chemical	fires.

### **SECTION 6: Accidental release measures**

# 6.1 Personal precautions, protective equipment and emergency procedures Personal precautions : Evacuate personnel to safe areas.

Personal precautions	•	Evacuate personner to sale areas.
		Ensure adequate ventilation.
		Do not breathe vapours, aerosols.
		Refer to protective measures listed in sections 7 and 8.

### 6.2 Environmental precautions

Environmental precautions	<ul> <li>Try to prevent the material from entering drains or water courses.</li> <li>Local authorities should be advised if significant spillages cannot be contained.</li> </ul>
---------------------------	---

### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Pick up and transfer to properly labelled containers.

### 6.4 Reference to other sections

For personal protection see section 8.

### **SECTION 7: Handling and storage**

### 7.1 Precautions for safe handling

Advice on safe handling	:	Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Wash hands and face before breaks and immediately after handling the product. Do not get in eyes or mouth or on skin. Do not get on skin or clothing. Do not ingest. Do not repack. These safety instructions also apply to empty packaging which may still contain product residues. Keep container closed when not in use.
Hygiene measures	:	Wash face, hands and any exposed skin thoroughly after handling.





Version	Revision Date:	Date of last issue: 17.08.2022	Print Date:
1.5	22.08.2024	Date of first issue: 14.07.2016	22.08.2024

### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers	:	Store in original container. Keep container closed when not in use. Keep in a dry, cool and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store in accordance with the particular national regulations. Keep in properly labelled containers.
7.3 Specific end use(s) Specific use(s)	:	Specific instructions for handling, not required.

### **SECTION 8: Exposure controls/personal protection**

### 8.1 Control parameters

### **Occupational Exposure Limits**

Components CAS-No.		Value type (Form of exposure)	Control parameters	Basis
Graphite 7782-42-5		VME (Alveolar fraction)	2 mg/m3	FR VLE (2007-12-01)
	Further inform	nation: Indicative exp	osure limits	
calcium dihydroxide	1305-62-0	TWA (Respirable fraction)	1 mg/m3	2017/164/EU (2017-02-01)
	Further inform	nation: Indicative		
	STEL (Respirab fraction)		4 mg/m3	2017/164/EU
				(2017-02-01)
	Further inform	nation: Indicative		
		VME (Alveolar fraction)	1 mg/m3	FR VLE (2022-10-27)
	Further information: Regulatory indicative exposure limits			
		VLCT (VLE) (Alveolar fraction)	4 mg/m3	FR VLE (2022-10-27)
	Further information: Regulatory indicative exposure limits			

### Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
White mineral oil (petroleum)	Workers	Inhalation	Long-term systemic effects	160 mg/m3
	Workers	Dermal	Long-term systemic effects	220 mg/kg bw/day
Graphite	Workers	Inhalation	Long-term local effects	1,2 mg/m3
calcium dihydroxide	Workers	Inhalation	Long-term local effects	1 mg/m3





Vers 1.5	sion Revision Date: 22.08.2024	Date of last issue: 17.08.2022 Date of first issue: 14.07.2010		Print Date: 22.08.2024	
l		Workers	Inhalation	Acute local effects	4 mg/m3
	silicon dioxide	Workers	Inhalation		4 mg/m3

#### Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
calcium dihydroxide	Fresh water	0,49 mg/l
	Marine water	0,32 mg/l
	Intermittent use/release	0,49 mg/l
	Microbiological Activity in Sewage	3 mg/l
	Treatment Systems	
	Soil	1080 mg/kg

#### 8.2 Exposure controls

Engineering measures none					
Personal protective equipment					
Eye/face protection	:	Tightly fitting safety goggles			
Hand protection Material Break through time Protective index	:	Nitrile rubber > 10 min Class 1			
Remarks	:	Wear protective gloves. The break through time depends amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each case. The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it.			
Skin and body protection	:	Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.			
Respiratory protection	:	Not required; except in case of aerosol formation.			
Filter type	:	Filter type A-P			
Protective measures	:	The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.			

### **SECTION 9: Physical and chemical properties**

### 9.1 Information on basic physical and chemical properties



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - FR



### **OKS 217**

Version 1.5	Revision Date: 22.08.2024		of last issue: 17.08.2022 of first issue: 14.07.2016	Print Date: 22.08.2024
Phy	vsical state	:	paste	
Col	our	:	black	
Odd	bur	:	characteristic	
Odd	our Threshold	:	No data available	
Mel	ting point/range	:	No data available	
Boil	ing point/boiling range	:	No data available	
Flar	nmability (solid, gas)	:	Combustible Solids	
	per explosion limit / Upper nmability limit	:	No data available	
	ver explosion limit / Lower nmability limit	:	No data available	
Flas	sh point	:	Not applicable	
Aut	o-ignition temperature	:	No data available	
Dec	composition temperature	:	No data available	
рН		:	Not applicable substance/mixture is non-soluble (in wat	er)
	cosity Viscosity, dynamic	:	No data available	
v	Viscosity, kinematic	:	Not applicable	
	ubility(ies) Water solubility	:	insoluble	
:	Solubility in other solvents	:	No data available	
	tition coefficient: n- anol/water	:	No data available	
Vap	oour pressure	:	< 0,001 hPa (20 °C)	
Rela	ative density	:	1,27 (20 °C) Reference substance: Water The value is calculated	



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - FR



### **OKS 217**

Version 1.5	Revision Date: 22.08.2024	Date of last issue: 17.08.2022 Date of first issue: 14.07.2016	Print Date: 22.08.2024
Den	sity	: 1,27 g/cm3 (20 °C)	
Bulk	density	: No data available	
Rela	tive vapour density	: No data available	
	icle characteristics Particle size	: Not applicable	
F	Particle Size Distribution	: Not applicable	
9.2 Othe	r information		
Expl	osives	: Not explosive	
Oxic	lizing properties	: No data available	
Self	ignition	: not auto-flammable	
Meta	al corrosion rate	: Not corrosive to metals	
Eva	poration rate	: No data available	
Subl	limation point	: No data available	

### **SECTION 10: Stability and reactivity**

10.1	Reactivity No hazards to be specially men	tior	ned.
10.2	Chemical stability Stable under normal conditions.		
10.3	Possibility of hazardous reac	tio	ns
	Hazardous reactions	:	No dangerous reaction known under conditions of normal use.
10.4	Conditions to avoid		
	Conditions to avoid	:	No conditions to be specially mentioned.
10.5	Incompatible materials Materials to avoid	:	No materials to be especially mentioned.

### 10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.





Version	Revision Date:	Date of last issue: 17.08.2022	Print Date:
1.5	22.08.2024	Date of first issue: 14.07.2016	22.08.2024

### **SECTION 11: Toxicological information**

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity		
Product: Acute oral toxicity :	Remarks: This information is not available.	
Acute dermal toxicity :		
<u>Components:</u>		
White mineral oil (petroleum):		
Acute oral toxicity :	LD50 (Rat): > 5.000 mg/kg Method: OECD Test Guideline 401	
Acute inhalation toxicity :	LC50 (Rat): > 5 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403 Assessment: The substance or mixture has no acute inhalation toxicity	
Acute dermal toxicity :	LD50 (Rabbit): > 2.000 mg/kg Method: OECD Test Guideline 402 Assessment: The substance or mixture has no acute dermal toxicity	
calcium dihydroxide:		
	LD50 (Rat, female): > 2.000 mg/kg Method: OECD Test Guideline 425 GLP: yes Assessment: The substance or mixture has no acute oral toxicity	
Acute inhalation toxicity :	LC50 (Rat, male and female): > 6,04 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 436 GLP: yes	
Acute dermal toxicity :	LD50 (Rabbit, male and female): > 2.500 mg/kg Method: OECD Test Guideline 402 Assessment: The substance or mixture has no acute dermal toxicity	



#### SAFETY DATA SHEET according to Regulation (EC) No. 1907/200

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - FR



DKS 217					
rsion 5	Revision Date: 22.08.2024	Date of last issue: 17.08.2022 Date of first issue: 14.07.2016	Print Date: 22.08.2024		
<b>Grapi</b> Acute	h <b>ite:</b> oral toxicity	: LD50 (Rat): > 2.000 mg/kg Method: OECD Test Guideline 401 Assessment: The substance or mix toxicity	ture has no acute oral		
Skin	corrosion/irritation				
<u>Produ</u> Rema		: Irritating to skin.			
<u>Comp</u>	oonents:				
White	e mineral oil (petrole	um):			
Speci Asses Metho Resul GLP	ssment od	<ul> <li>Rabbit</li> <li>No skin irritation</li> <li>OECD Test Guideline 404</li> <li>No skin irritation</li> <li>yes</li> </ul>			
calciu	ım dihydroxide:				
Speci	es ssment od	<ul> <li>human skin</li> <li>Irritating to skin.</li> <li>OECD Test Guideline 431</li> <li>Irritating to skin.</li> <li>yes</li> </ul>			
Speci Asses Metho Resul GLP	ssment od	<ul> <li>Rabbit</li> <li>Irritating to skin.</li> <li>OECD Test Guideline 404</li> <li>Irritating to skin.</li> <li>yes</li> </ul>			
Serio	us eye damage/eye	rritation			
Produ	<u>uct:</u>				
Rema	ırks	: Risk of serious damage to eyes.			
<u>Comp</u>	oonents:				
White	e mineral oil (petrole	um):			
Speci Asses Metho Resul GLP	ssment od	<ul> <li>Rabbit</li> <li>No eye irritation</li> <li>OECD Test Guideline 405</li> <li>No eye irritation</li> <li>yes</li> </ul>			



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - FR



### **OKS 217**

rsion	Revision Date: 22.08.2024		e of last issue: 17.08.2022 e of first issue: 14.07.2016	Print Date: 22.08.2024
calciu	um dihydroxide:			
Speci	ies	:	Rabbit	
•	ssment		Risk of serious damage to eye	S.
Metho			OECD Test Guideline 405	
Resu			Risk of serious damage to eye	S.
GLP		:	yes	-
Resp	iratory or skin sens	sitisatio	n	
Prod	uct:			
Rema	arks	:	This information is not availabl	le.
<u>Com</u>	ponents:			
White	e mineral oil (petrol	eum):		
Test <sup>-</sup>	Туре	:	Buehler Test	
Speci		:	Guinea pig	
Asses	ssment	:	Does not cause skin sensitisat	tion.
Metho	bc	:	OECD Test Guideline 406	
Resu	lt	:	Does not cause skin sensitisat	tion.
GLP		:	yes	
	um dihydroxide:			
Test		:	Local lymph node assay (LLN/	<b>д</b> )
Speci		:	Mouse	
	ssment	:	Does not cause skin sensitisat	tion.
Metho		:	OECD Test Guideline 429	
Resul	lt	÷	Does not cause skin sensitisat	tion.
GLP		:	yes	
Germ	cell mutagenicity			
Prod				
Geno	toxicity in vitro	:	Remarks: No data available	
Geno	toxicity in vivo	:	Remarks: No data available	
<u>Com</u>	ponents:			
White	e mineral oil (petrol	eum):		
Germ	cell mutagenicity-	:	Tests on bacterial or mammali	an cell cultures did not show
Asses	ssment		mutagenic effects.	
calciu	um dihydroxide:			
Geno	toxicity in vitro	:	Test Type: Ames test	
			12 / 23	a brand of



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - FR



	_			
KS 21	7			
ersion 5	Revision Date: 22.08.2024		e of last issue: 17.08.2022 e of first issue: 14.07.2016	Print Date: 22.08.2024
			Method: OECD Test Guideline 47 Result: negative GLP: yes	1
			Test Type: Chromosome aberration Method: OECD Test Guideline 47 Result: negative GLP: yes	on test in vitro 3
			Test Type: In vitro mammalian cel Method: OECD Test Guideline 47 Result: negative GLP: yes	
Carci	inogenicity			
Prod	uct:			
Rema	arks	:	No data available	
Com	ponents:			
White	e mineral oil (petrol	eum):		
	nogenicity - ssment	:	No evidence of carcinogenicity in	animal studies.
calci	um dihydroxide:			
	nogenicity - ssment	:	No evidence of carcinogenicity in	animal studies.
Repr	oductive toxicity			
Prod	uct:			
Effec	ts on fertility	:	Remarks: No data available	
	ts on foetal lopment	:	Remarks: No data available	
Com	ponents:			
White	e mineral oil (petrol	eum):		
	oductive toxicity -	:	- Fertility -	
Asse	ssment		No toxicity to reproduction - Teratogenicity -	
			No effects on or via lactation	

### calcium dihydroxide:



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - FR



	-			
<b>(S</b> 217				
rsion	Revision Date: 22.08.2024		e of last issue: 17.08.2022 e of first issue: 14.07.2016	Print Date: 22.08.2024
Reproductive toxicity -		:	- Fertility -	
	ssment		No toxicity to reproduction - Teratogenicity -	
			No effects on or via lactation	
STOT	- single exposure			
Produ	uct:			
Rema	arks	:	No data available	
<u>Comp</u>	oonents:			
White	e mineral oil (petrole	eum):		
Asses	ssment	:	The substance or mixture is not cla organ toxicant, single exposure.	assified as specific target
	um dihydroxide:			
Asses	ssment	:	May cause respiratory irritation.	
STOT	- repeated exposu	re		
Produ	uct:			
Rema	arks	:	No data available	
<u>Comp</u>	oonents:			
White	e mineral oil (petrole	eum):		
Asses	ssment	:	The substance or mixture is not cla organ toxicant, repeated exposure	
Repe	ated dose toxicity			
Produ	uct:			
Rema	arks	:	This information is not available.	
Aspir	ation toxicity			
Produ	uct:			
This i	nformation is not ava	ilable.		
-	ononte:			
<u>Comp</u>	Jonents.			





Version	Revision Date:	Date of last issue: 17.08.2022	Print Date:
1.5	22.08.2024	Date of first issue: 14.07.2016	22.08.2024

#### 11.2 Information on other hazards

### Endocrine disrupting properties

#### Product:

Remarks

 Assessment
 : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

 Further information
 Product:

gastrointestinal disturbance.

Ingestion causes irritation of upper respiratory system and

## SECTION 12: Ecological information

2

#### 12.1 Toxicity

Product:	
Toxicity to fish :	Remarks: No data available
Toxicity to daphnia and other : aquatic invertebrates	Remarks: No data available
Toxicity to algae/aquatic : plants	Remarks: No data available
Toxicity to microorganisms :	Remarks: No data available
Components:	
White mineral oil (petroleum):	
Toxicity to fish :	LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l Exposure time: 96 h Test Type: semi-static test Method: OECD Test Guideline 203
Toxicity to daphnia and other : aquatic invertebrates	LC50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic : plants	NOEC (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - FR



OK	OKS 217						
Vers 1.5	ion	Revision Date: 22.08.2024		e of last issue: 17.08.2022 e of first issue: 14.07.2016	Print Date: 22.08.2024		
				Exposure time: 72 h Method: OECD Test Guideline 201			
	Toxicit	y to microorganisms	:	LC50 (Bacteria): > 1.000 mg/l Exposure time: 40 h Test Type: Growth inhibition			
	Toxicity toxicity	y to fish (Chronic ′)	:	NOEC: > 100 mg/l Exposure time: 28 d Species: Oncorhynchus mykiss (rainbow Remarks: The value is given based on a using OECD Toolbox, DEREK, VEGA QS (CAESAR models), etc.	SAR/AAR approach		
	Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)		· :	NOEC: >= 1.000 mg/l Exposure time: 21 d Species: Daphnia magna (Water flea) Remarks: The value is given based on a using OECD Toolbox, DEREK, VEGA QS (CAESAR models), etc.			
	calciu	m dihydroxide:					
	Toxicit	y to fish	:	LC50 (Oncorhynchus mykiss (rainbow tro Exposure time: 96 h Test Type: static test Method: OECD Test Guideline 203 GLP: yes	but)): 50,6 mg/l		
		y to daphnia and other c invertebrates	• :	EC50 (Daphnia magna (Water flea)): 49, Exposure time: 48 h Test Type: static test Method: OECD Test Guideline 202 GLP: yes	1 mg/l		
	Toxicit plants	y to algae/aquatic	:	EC50 (Pseudokirchneriella subcapitata (g mg/l Exposure time: 72 h Test Type: static test Method: OECD Test Guideline 201 GLP: yes	green algae)): 184,57		
	Ecoto	xicology Assessment	t				
	Acute	aquatic toxicity	:	This product has no known ecotoxicologi	cal effects.		
	Chroni	c aquatic toxicity	:	This product has no known ecotoxicologi	cal effects.		

### 12.2 Persistence and degradability

Product:



### **SAFETY DATA SHEET** according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - FR



Version 1.5	Revision Date: 22.08.2024		e of last issue: 17.08.2022 e of first issue: 14.07.2016	Print Date: 22.08.2024
Biode	egradability	:	Remarks: No data available	
	ico-chemical ovability	:	Remarks: No data available	
<u>Com</u>	ponents:			
Whit	e mineral oil (petroleu	m):		
	egradability	:	Biodegradation: 31 % Exposure time: 28 d	
calci	ium dihydroxide:			
Biode	egradability	:	Remarks: The methods for determi degradability are not applicable to i	
12.3 Bioa	ccumulative potential			
Prod	luct:			
	ccumulation	:	Remarks: No data available	
<u>Com</u>	ponents:			
Whit	e mineral oil (petroleu	m):		
	tion coefficient: n- nol/water	:	log Pow: > 6	
calci	ium dihydroxide:			
	tion coefficient: n- nol/water	:	log Pow: 0,05	
Grap	bhite:			
	tion coefficient: n- nol/water	:	Remarks: No data available	
12.4 Mob	ility in soil			
Prod	luct:			
Mobi		:	Remarks: No data available	
	ibution among onmental compartments	:	Remarks: No data available	
12.5 Res	ults of PBT and vPvB a	isse	ssment	
Prod	luct:			
	essment	:	This substance/mixture contains no	components considered







<b>OKS 21</b>	7		
Version 1.5	Revision Date: 22.08.2024	Date of last issue: 17.08.2022 Date of first issue: 14.07.2016	Print Date: 22.08.2024
		to be either persistent, bioaccumulative a very persistent and very bioaccumulative 0.1% or higher.	
<u>Com</u>	ponents:		
White	e mineral oil (petrole	m):	
Asse	ssment	: Substance is not persistent, bioaccumula	tive, and toxic (PBT).
12.6 Endo	ocrine disrupting pro	erties	
Prod	uct:		
Asse	ssment	<ul> <li>The substance/mixture does not contain of considered to have endocrine disrupting p to REACH Article 57(f) or Commission De (EU) 2017/2100 or Commission Regulation levels of 0.1% or higher.</li> </ul>	oroperties according elegated regulation
12.7 Othe	r adverse effects		
	<u>uct:</u> ional ecological nation	: No information on ecology is available.	

### **SECTION 13: Disposal considerations**

13.1	Waste treatment methods		
	Product :		The product should not be allowed to enter drains, water courses or the soil. Do not dispose of with domestic refuse. Dispose of as hazardous waste in compliance with local and national regulations.
			Waste codes should be assigned by the user based on the application for which the product was used.
	Contaminated packaging :		Packaging that is not properly emptied must be disposed of as the unused product. Dispose of waste product or used containers according to local regulations.
			The following Waste Codes are only suggestions:
	Waste Code :		used product, unused product 12 01 12**, spent waxes and fats





Version 1.5	Revision Date: 22.08.2024	Date of last issue: 17.08.2022 Date of first issue: 14.07.2016	Print Date: 22.08.2024

uncleaned packagings 15 01 10\*, packaging containing residues of or contaminated by hazardous substances

### **SECTION 14: Transport information**

### 14.1 UN number or ID number

ADN	: Not regulated as a dangerous good
ADR	: Not regulated as a dangerous good
RID	: Not regulated as a dangerous good
IMDG	: Not regulated as a dangerous good
ΙΑΤΑ	: Not regulated as a dangerous good
14.2 UN proper shipping nan	ne
ADN	: Not regulated as a dangerous good
ADR	: Not regulated as a dangerous good
RID	: Not regulated as a dangerous good
IMDG	: Not regulated as a dangerous good
ΙΑΤΑ	: Not regulated as a dangerous good
14.3 Transport hazard class(	(es)
ADN	: Not regulated as a dangerous good
ADR	: Not regulated as a dangerous good
RID	: Not regulated as a dangerous good
IMDG	: Not regulated as a dangerous good
ΙΑΤΑ	: Not regulated as a dangerous good
14.4 Packing group	
ADN	: Not regulated as a dangerous good
ADR	: Not regulated as a dangerous good
RID	: Not regulated as a dangerous good
IMDG	: Not regulated as a dangerous good
IATA (Cargo)	: Not regulated as a dangerous good
IATA (Passenger)	: Not regulated as a dangerous good
14.5 Environmental hazards	
ADN	: Not regulated as a dangerous good





<b>OKS 217</b>	7			
/ersion I.5	Revision Date: 22.08.2024	Date of last issue: 17.08.20 Date of first issue: 14.07.20		Print Date: 22.08.2024
		: Not regulated as a day	-	-
RID IMDG		: Not regulated as a dat : Not regulated as a dat	-	-
14.6 Speci	ial precautions for u	3	igei	
	-	k according to IMO instrume		
Rema	irks	: Not applicable for proc	duct	as supplied.
SECTION	I 15: Regulatory ir	nformation		
	y, health and enviro	onmental regulations/legislat	tion	specific for the substance or
the ma		he manufacture, placing on ain dangerous substances, ex XVII)	:	Not applicable
Conce	CH - Candidate List o ern for Authorisation SVHC)	f Substances of Very High (Article 59).	:	This product does not contain substances of very high concern (Regulation (EC) No 1907/2006 (REACH), Article 57).
deplet	ation (EC) No 1005/2 te the ozone layer 1005/2009)	2009 on substances that	:	Not applicable
	ants (recast)	1 on persistent organic	:	Not applicable
Parlia	t of dangerous chem	l concerning the export and	:	Not applicable
(Anne	CH - List of substance x XIV) REACH-Annex XIV)	es subject to authorisation	:	Not applicable
-	ation (EU) 2019/114 sives precursors	8 on the marketing and use of	:	Not applicable



### **SAFETY DATA SHEET** according to Regulation (EC) No. 1907/2006, as amended by

Commission Regulation (EC) No. 1907/2006, as amended by



OKS 2	217
-------	-----

Version	Revision Date:	Date of last issue: 17.08.2022	Print Date:
1.5	22.08.2024	Date of first issue: 14.07.2016	22.08.2024

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.			Not applicable
Installations classified for the protection of the environment (Environment Code R511-9)	:	Not applicable	
Occupational Illnesses (R- 461-3, France)	:	36, 25	
Reinforced medical supervision (R4624-23)	:	The product has no CMR	properties category 1, 1A or 1B
Volatile organic compounds	:		4 November 2010 on industrial ution prevention and control)

### 15.2 Chemical safety assessment

This information is not available.

### **SECTION 16: Other information**

Full text of H-Statements		
H304	:	May be fatal if swallowed and enters airways.
H315	:	Causes skin irritation.
H318	:	Causes serious eye damage.
H335	:	May cause respiratory irritation.

#### Full text of other abbreviations

2017/164/EU	:	Europe. Commission Directive 2017/164/EU establishing a fourth list of indicative occupational exposure limit values
FR VLE	:	France. Occupational Exposure Limits
2017/164/EU / STEL	:	Short term exposure limit
2017/164/EU / TWA	:	Limit Value - eight hours
FR VLE / VME	:	Time Weighted Average
FR VLE / VLCT (VLE)	:	Short Term Exposure Limit

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - FR



### **OKS 217**

Version	Revision Date:	Date of last issue: 17.08.2022	Print Date:
1.5	22.08.2024	Date of first issue: 14.07.2016	22.08.2024

Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN -Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx -Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA -International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID -Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

### Further information

Classification of the r	nixture:	Classification procedure:
Skin Irrit. 2	H315	Calculation method
Eye Dam. 1	H318	Calculation method

|| Relevant changes compared to the last edition are highlighted at the left margin. This version replaces all previous editions.

This safety data sheet applies only to products as originally packed and labelled. The information contained therein may not be reproduced or modified without our express written permission. Any forwarding of this document is only permitted to the extent required by law. Any further, in particular public, dissemination of the safety data sheet (e.g. as a document for download from the Internet) is not permitted without our express written consent. We provide our customers with amended safety data sheets as prescribed by law. The customer is responsible for passing on safety data sheets and any amendments contained therein to its own customers, employees and other users of the product. We provide no guarantee that safety data sheets received by users from third parties are up-to-date. All information and instructions in this safety data sheet have been compiled to the best of our knowledge and are based on the information available to us on





Version	Revision Date:	Date of last issue: 17.08.2022	Print Date:
1.5	22.08.2024	Date of first issue: 14.07.2016	22.08.2024

the day of publication. The information provided is intended to describe the product in relation to the required safety measures; it is neither an assurance of characteristics nor a guarantee of the product's suitability for particular applications and does not justify any contractual legal relationship. The existence of a safety data sheet for a particular jurisdiction does not necessarily mean that import or use within that jurisdiction is legally permitted. If you have any questions, please contact your responsible sales contact or authorized trading partner.

