

Version	Revision Date:	Date of last issue: 10.10.2024	Print Date:
2.9	10.02.2025	Date of first issue: 13.06.2016	10.02.2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1	Product identifier		
	Product name	:	OKS 472
1.2	Relevant identified uses of th	ne s	substance or mixture and uses advised against
	Use of the Substance/Mixture	:	Grease
	Recommended restrictions on use	:	Restricted to professional users.
1.3	Details of the supplier of the	saf	ety data sheet
	Company	:	OKS Spezialschmierstoffe GmbH Ganghoferstr. 47 82216 Maisach-Gernlinden Deutschland Tel.: +49 8142 3051 500 Fax: +49 8142 3051 599 info@oks-germany.com
	E-mail address of person responsible for the SDS	:	mcm@oks-germany.com
	National contact	:	
1.4	Emergency telephone number	ər	
	Emergency telephone		+33 1 45 42 59 59 ORFILA
	number		+33 1 72 11 00 03 NCEC
			+49 8142 3051 517

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Long-term (chronic) aquatic hazard, Category 3 H412: Harmful to aquatic life with long lasting effects.





Version	Revision Date:	Date of last issue: 10.10.2024	Print Date:
2.9	10.02.2025	Date of first issue: 13.06.2016	10.02.2025

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard statements:H412Harmful to aquatic life with long lasting effects.Precautionary statements:**Prevention:**
P273Avoid release to the environment.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature	: Synthetic hydrocarbon oil
	ester oil
	aluminium complex soap
	Mineral oil.

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	specific concentration limit M-Factor Notes Acute toxicity estimate	Concentration (% w/w)
White mineral oil (petroleum)	8042-47-5 232-455-8 01-2119487078-27- XXXX	Asp. Tox.1; H304		>= 1 - < 10



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - FR



OKS 472

Version 2.9	Revision Da 10.02.2025		Date of last issue: 10.10.2024 Date of first issue: 13.06.2016		Print Date: 10.02.2025	
disodium sebacate		17265-14-4 241-300-3 01-2120762063- XXXX	Eye Irrit.2; H319		>= 1 - < 10	
glycine 0		701-177-3 01-2119488991- XXXX	Acute Tox.4; H332 Skin Irrit.2; H315 Eye Dam.1; H318 Aquatic Acute1; 20- H400 Aquatic Chronic3; H412	M-Factor: 1/ ATE ATE (Inhalation): 1,37 mg/l;	>= 0,25 - < 1	
2,6-di-tert	-butyl-p-	128-37-0 204-881-4 01-2119555270- XXXX	Aquatic Acute1; H400 Aquatic Chronic1; H410	M-Factor: 1/1	>= 0,25 - < 1	

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

If inhaled	 Remove person to fresh air. If signs/symptoms continue, get medical attention. Keep patient warm and at rest. If unconscious, place in recovery position and seek medical advice. Keep respiratory tract clear. If breathing is irregular or stopped, administer artificial respiration.
In case of skin contact	 Remove contaminated clothing. If irritation develops, get medical attention. Wash off with soap and water. Wash clothing before reuse. Thoroughly clean shoes before reuse.
In case of eye contact	 Rinse immediately with plenty of water, also under the eyelids, for at least 10 minutes. If eye irritation persists, consult a specialist.
If swallowed	: Move the victim to fresh air. If unconscious, place in recovery position and seek medical



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - FR



OKS 47	2					
		Date of last issue: 10.10.2024Print Date:Date of first issue: 13.06.201610.02.2025				
		advice. Keep respiratory tract clear. Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious person.				
4.2 Most i	important symptoms a	and effects, both acute and delayed				
Symptoms		: No symptoms known or expected.				
Risks		None known.				
4.3 Indica	tion of any immediate	medical attention and special treatment needed				
Treat	ment	: Treat symptomatically.				
SECTION	N 5: Firefighting mea	asures				
5.1 Exting	guishing media					
Suitable extinguishing media :		Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.				

Unsuitable extinguishing	: High volume water jet
media	

5.2 Special hazards arising from the substance or mixture

Hazardous combustion	: Carbon oxides
products	Oxides of phosphorus
	Metal oxides

5.3 Advice for firefighters

Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment. Exposure to decomposition products may be a hazard to health.
Further information	:	Standard procedure for chemical fires. Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures				
Personal precautions	:	Evacuate personnel to safe areas. Ensure adequate ventilation. Do not breathe vapours, aerosols.		





OKS 47	2			
Version 2.9	Revision Date: 10.02.2025		e of last issue: 10.10.2024 e of first issue: 13.06.2016	Print Date: 10.02.2025
			Refer to protective measures listed	d in sections 7 and 8.
6.2 Enviro	onmental precaution	s		
Envir	onmental precautions	:	Do not allow contact with soil, surf If the product contaminates rivers respective authorities.	
6.3 Metho	ods and material for o	contai	nment and cleaning up	
Meth	ods for cleaning up	:	Pick up and transfer to properly lal	belled containers.
6 4 Refer	ence to other section	IS		
	nal protection see sect			
SECTION	N 7: Handling and s	storag	je	
7 1 Droco	utions for sofe hand	lina		
	utions for safe handl	-	Avoid contact with skin and avos	
Αανίο	e on safe handling	:	Avoid contact with skin and eyes. For personal protection see sectio Smoking, eating and drinking shou application area. Wash hands and face before brea handling the product. Do not ingest. Do not repack. These safety instructions also app may still contain product residues. Keep container closed when not ir	uld be prohibited in the ks and immediately after ly to empty packaging which
Hygie	ene measures	:	Wash face, hands and any expose	
			handling.	
7.2 Condi	itions for safe storad	e, incl	uding any incompatibilities	
Requ	irements for storage s and containers	:	Store in original container. Keep c use. Keep in a dry, cool and well-v which are opened must be careful to prevent leakage. Store in accorr national regulations. Keep in prope	ventilated place. Containers ly resealed and kept upright dance with the particular
7.3 Speci	fic end use(s)			
-	ific use(s)	:	Specific instructions for handling, I	not required.





Version	Revision Date:	Date of last issue: 10.10.2024	Print Date:
2.9	10.02.2025	Date of first issue: 13.06.2016	10.02.2025

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis	
2,6-di-tert-butyl-p- cresol	128-37-0	VME	10 mg/m3	FR VLE (2005-02-01)	
	Further information: Indicative exposure limits				

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
White mineral oil (petroleum)	Workers	Inhalation	Long-term systemic effects	164,56 mg/m3
	Workers	Skin contact	Long-term systemic effects	217,05 mg/kg
White mineral oil (petroleum)	Workers	Inhalation	Long-term systemic effects	164,56 mg/m3
	Workers	Dermal	Long-term systemic effects	217,05 mg/kg bw/day
disodium sebacate	Workers	Skin contact	Long-term systemic effects	10 mg/kg
	Workers	Inhalation	Long-term systemic effects	35,26 mg/m3
N-methyl-N-[C18- (unsaturated)alkanoyl] glycine	Workers	Inhalation	Long-term systemic effects	0,8 mg/m3
	Workers	Skin contact	Long-term systemic effects	4,2 mg/kg bw/day
2,6-di-tert-butyl-p- cresol	Workers	Inhalation	Long-term systemic effects	1,76 mg/m3
	Workers	Skin contact	Long-term systemic effects	0,5 mg/kg

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
isopropyl oleate	Fresh water sediment	2,978 mg/kg
	Marine sediment	2,978 mg/kg
Aluminum, benzoate C16-18- fatty acids complexes	Fresh water	0,1 mg/l
	Marine water	0,01 mg/l
disodium sebacate	Fresh water	0,018 mg/l
	Marine water	0,002 mg/l
	Sewage treatment plant	10 mg/l
	Fresh water sediment	0,548 mg/kg
	Marine sediment	0,055 mg/kg
	Soil	0,099 mg/kg



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - FR



OKS 472

Version 2.9	Revision Date: 10.02.2025	Date of last issue: 10.10.2024 Date of first issue: 13.06.2016	Print Date: 10.02.2025
	ethyl-N-[C18- aturated)alkanoyl]glyc	Fresh water	0,00043 mg/l
		Marine water	0,000043 mg/l
		Microbiological Activity in Sewage Treatment Systems	e 1 mg/l
		Fresh water sediment	0,057 mg/kg
		Marine sediment	0,006 mg/kg
		Soil	1,71 mg/kg
2,6-d	i-tert-butyl-p-cresol	Fresh water	0,199 µg/l
	• •	Marine water	0,02 µg/l
		Intermittent use/release	1,99 µg/l
		Microbiological Activity in Sewage Treatment Systems	e 0,017 mg/l
		Fresh water sediment	0,458 mg/kg
		Marine sediment	0,046 mg/kg
		Soil	0,054 mg/kg

8.2 Exposure controls

Engineering measures none		
Personal protective equipm		
Eye/face protection	Safety glasses	
Hand protection Material Break through time Protective index	Nitrile rubber > 10 min Class 1	
Remarks	break through time dep material, the thickness has to be measured for The selected protective	e gloves have to satisfy the ation (EU) 2016/425 and the standard
Skin and body protection		n in relation to its type, to the unt of dangerous substances, and to
Respiratory protection	Not required; except in	case of aerosol formation.
Filter type	Filter type P	
Protective measures		equipment must be selected according d amount of the dangerous substance ce.





Version 2.9	Revision Date: 10.02.2025	Date of last issue: 10.10.2024 Date of first issue: 13.06.2016	Print Date: 10.02.2025			
Environmental exposure controls						
		Should not be released into the en	nvironment.			
Soil		:				
		Do not allow contact with soil, sur The product should not be allowed courses or the soil.	0			
Wate	r	:				
		Do not allow contact with soil, sur The product should not be allowed courses or the soil.				

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	:	paste
Colour		white
Odour	:	characteristic
Odour Threshold	:	No data available
Melting point/range	:	No data available
Boiling point/boiling range	:	No data available
Flammability (solid, gas)	:	Combustible Solids
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	Not applicable
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - FR



OKS 472

UNC	541 Z				
Versi 2.9	on	Revision Date: 10.02.2025		of last issue: 10.10.2024 of first issue: 13.06.2016	Print Date: 10.02.2025
i	pН		:	Not applicable	
Ņ	Viscosi Visc	ity cosity, dynamic	:	No data available	
	Viso	cosity, kinematic	:	Not applicable	
:	Solubil Wat	ity(ies) ter solubility	:	insoluble	
	Solu	ubility in other solvents	3 :	No data available	
	Partitio octano	n coefficient: n- I/water	:	No data available	
Ņ	Vapou	rpressure	:	< 0,001 hPa (20 °C)	
I	Relativ	e density	:	0,9 (20 °C) Reference substance: Water The value is calculated	
I	Density	/	:	0,90 g/cm3 (20 °C)	
I	Bulk de	ensity	:	No data available	
I	Relativ	e vapour density	:	No data available	
I		e characteristics ticle size	:	Not applicable	
	Par	ticle Size Distribution	:	Not applicable	
9.2 O)ther ir	nformation			
I	Explos	ives	:	Not explosive	
(Oxidizi	ng properties	:	No data available	
;	Self-igr	nition	:	No data available	
I	Evapor	ation rate	:	No data available	
:	Sublim	ation point	:	No data available	





Version 2.9	Revision Date: 10.02.2025	Date of last issue: 10.10.2024 Date of first issue: 13.06.2016	Print Date: 10.02.2025					
SECTION	N 10: Stability and	reactivity						
10.1 Read	ctivity							
No ha	azards to be specially	mentioned.						
10.2 Cher	nical stability							
Stabl	e under normal cond	itions.						
10.3 Poss	sibility of hazardous	reactions						
Haza	rdous reactions	: No dangerous reaction known un	nder conditions of normal use.					
10.4 Cond	ditions to avoid							
Cond	litions to avoid	: No conditions to be specially mer	ntioned.					
10.5 Inco	mpatible materials							
Mate	rials to avoid	: No materials to be especially me	ntioned.					
10.6 Haza	rdous decomposition	on products						
	-	•	No decomposition if stored and applied as directed					

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Product:	
Acute oral toxicity :	Remarks: This information is not available.
Acute inhalation toxicity :	Remarks: This information is not available.
Acute dermal toxicity :	Remarks: This information is not available.
Components:	
White mineral oil (petroleum):	
Acute oral toxicity :	LD50 (Rat): > 5.000 mg/kg Method: OECD Test Guideline 401
Acute inhalation toxicity :	LC50 (Rat): > 5 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403 Assessment: The substance or mixture has no acute inhalation toxicity



SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - FR



OKS 47	2			
Version 2.9	Revision Date: 10.02.2025		e of last issue: 10.10.2024 e of first issue: 13.06.2016	Print Date: 10.02.2025
Acute	e dermal toxicity	:	LD50 (Rabbit): > 2.000 mg/kg Method: OECD Test Guideline 40 Assessment: The substance or m toxicity	
disod	lium sebacate:			
Acute	e oral toxicity	:	LD50 (Rat): > 5.000 mg/kg Method: OECD Test Guideline 40 GLP: no	11
Acute	e dermal toxicity	:	LD50 (Rabbit): > 2.000 mg/kg Method: OECD Test Guideline 40 GLP: yes Assessment: The substance or m toxicity	
N-me	thyl-N-[C18-(unsatur	rated)a	alkanoyl]glycine:	
	e oral toxicity	:	LD50 (Rat): > 5.000 mg/kg Method: OECD Test Guideline 40	11
Acute	inhalation toxicity	:	LC50 (Rat, male and female): 1,3 Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 40	-
			Acute toxicity estimate: 1,37 mg/l Test atmosphere: dust/mist Method: ATE value derived from l	
2.6-d	i-tert-butyl-p-cresol:			
	e oral toxicity	:	LD50 (Rat): > 5.000 mg/kg Method: OECD Test Guideline 40	1
Acute	e dermal toxicity	:	LD50 (Rat): > 5.000 mg/kg Method: OECD Test Guideline 40	2
Skin	corrosion/irritation			
Prod	uct:			
Rema		:	This information is not available.	
Com	ponents:			
	e mineral oil (petrole	um):		
Speci	ies ssment	:	Rabbit No skin irritation	
Metho			OECD Test Guideline 404	



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - FR



01/0 /7/	•		
OKS 472	2		
Version 2.9	Revision Date: 10.02.2025	Date of last issue: 10.10.2024 Date of first issue: 13.06.2016	Print Date: 10.02.2025
Resul GLP	lt	: No skin irritation : yes	
disod	lium sebacate:		
Speci Asses Metho Resul GLP	ssment od	 Rabbit No skin irritation OECD Test Guideline 404 No skin irritation no 	
N-me	thyl-N-[C18-(unsatu	ırated)alkanoyl]glycine:	
Speci	ies ssment	 Rabbit Irritating to skin. Irritating to skin. 	
2.6-di	i-tert-butyl-p-cresol	:	
Speci	es ssment	 Rabbit No skin irritation No skin irritation 	
Serio	us eye damage/eye	irritation	
Produ			
Rema		: This information is not available.	
Com	oonents:		
White	e mineral oil (petrol	eum):	
Speci Asses Metho Resul GLP	ssment od	 Rabbit No eye irritation OECD Test Guideline 405 No eye irritation yes 	
disod	lium sebacate:		
Speci Asses Metho Resul GLP	ssment od	 Rabbit Irritating to eyes. OECD Test Guideline 437 Irritating to eyes. yes 	
N-me	thyl-N-[C18-(unsatu	ırated)alkanoyl]glycine:	
Speci	es ssment	 Rabbit Risk of serious damage to eyes. Risk of serious damage to eyes. 	



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - FR



OKS 472

sion	Revision Date: 10.02.2025	Date of last issue: 10.10.2024 Date of first issue: 13.06.2016	Print Date: 10.02.2025
2,6-di-	tert-butyl-p-cresol	:	
Specie		: Rabbit	
Assess		: No eye irritation	
Method		: Draize Test	
Result		: No eye irritation	
Respir	atory or skin sens	itisation	
<u>Produc</u>	<u>ct:</u>		
Remar	ks	: This information is not availa	able.
Compo	onents:		
White	mineral oil (petrol	eum):	
Test Ty	уре	: Buehler Test	
Specie	S	: Guinea pig	
Assess		: Does not cause skin sensiti	sation.
Method		: OECD Test Guideline 406	
Result		: Does not cause skin sensitis	sation.
GLP		: yes	
disodi [,]	um sebacate:		
Specie	S	: Guinea pig	
Assess		: Did not cause sensitisation	on laboratory animals.
Result		: Did not cause sensitisation	
N-metl	hyl-N-[C18-(unsatı	rated)alkanoyl]glycine:	
Test Ty	уре	: Maximisation Test	
Specie	S	: Guinea pig	
Assess	sment	: Does not cause skin sensiti	sation.
Method		: OECD Test Guideline 406	
Result		: Does not cause skin sensitis	sation.
2,6-di-	tert-butyl-p-cresol	:	
Specie	S	: Humans	
Assess	sment	: Does not cause skin sensiti	
Result		: Does not cause skin sensitis	sation.
Germ	cell mutagenicity		
<u>Produc</u>	<u>ct:</u>		
Genoto	oxicity in vitro	: Remarks: No data available	
Genoto	oxicity in vivo	: Remarks: No data available	





OK	S 472				
Vers 2.9	sion	Revision Date: 10.02.2025		e of last issue: 10.10.2024 e of first issue: 13.06.2016	Print Date: 10.02.2025
	Comp	onents:			
	White	mineral oil (petroleu	m):		
	Germ o Assess	cell mutagenicity- sment	:	Tests on bacterial or mammalian cell cult mutagenic effects.	ures did not show
	disodi	um sebacate:			
	Germ o Assess	cell mutagenicity- sment	:	Tests on bacterial or mammalian cell cult mutagenic effects.	ures did not show
	2,6-di-	tert-butyl-p-cresol:			
	Genoto	oxicity in vitro	:	Test Type: Ames test Result: negative Remarks: In vitro tests did not show muta	agenic effects
	Genoto	oxicity in vivo	:	Test Type: In vivo micronucleus test Result: negative	
	Germ o Assess	cell mutagenicity- sment	:	Tests on bacterial or mammalian cell cult mutagenic effects.	ures did not show
	Carcin	ogenicity			
	<u>Produ</u> Remar		:	No data available	
	Comp	onents:			
	White	mineral oil (petroleu	m):		
	Carcine Assess	ogenicity - sment	:	No evidence of carcinogenicity in animal	studies.
	Repro	ductive toxicity			
	Produce Effects	<u>ct:</u> on fertility	:	Remarks: No data available	
	Effects develo	on foetal pment	:	Remarks: No data available	
	Comp	onents:			
	White	mineral oil (petroleu	m):		
	Reprodu	ductive toxicity -	:	- Fertility -	
	Assess	sment		No toxicity to reproduction - Teratogenicity -	



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - FR



OK	5 472				
Versi 2.9		Revision Date: 10.02.2025		of last issue: 10.10.2024 of first issue: 13.06.2016	Print Date: 10.02.2025
				No effects on or via lactation	
	disodiu	ım sebacate:			
		uctive toxicity -	:	- Fertility -	
	Assessr	ment		No toxicity to reproduction - Teratogenicity -	
				No effects on or via lactation	
	2,6-di-te	ert-butyl-p-cresol:			
		uctive toxicity -	:	- Fertility -	
	Assessr	ment		No toxicity to reproduction	
	STOT -	single exposure			
	Produc	<u>t:</u>			
	Remark	S	:	No data available	
	<u>Compo</u>	nents:			
		nineral oil (petroleur	-		
	Assessr	ment	:	The substance or mixture is not classified organ toxicant, single exposure.	as specific target
	стот -	repeated exposure			
	Produc	<u>t:</u>			
	Remark	S	:	No data available	
	<u>Compo</u>	nents:			
,	White n	nineral oil (petroleur	n):		
	Assessr	ment	:	The substance or mixture is not classified organ toxicant, repeated exposure.	as specific target
	Repeat	ed dose toxicity			
,	Produc	<u>t:</u>			
	Remark	S	:	This information is not available.	
	Aspirat	ion toxicity			
,	Produc	<u>t:</u>			
	This info	ormation is not availal	ble.		





Version	Revision Date:	Date of last issue: 10.10.2024	Print Date:
2.9	10.02.2025	Date of first issue: 13.06.2016	10.02.2025

Components:

White mineral oil (petroleum):

May be fatal if swallowed and enters airways.

disodium sebacate:

No aspiration toxicity classification

2,6-di-tert-butyl-p-cresol:

No aspiration toxicity classification

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Further information

Product:

Remarks

Information given is based on data on the components and the toxicology of similar products.

SECTION 12: Ecological information

2

12.1 Toxicity

Product:		
Toxicity to fish	:	Remarks: Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
Toxicity to daphnia and other aquatic invertebrates	:	Remarks: No data available
Toxicity to algae/aquatic plants	:	Remarks: No data available
Toxicity to microorganisms	:	Remarks: No data available





OK	S 472									
Vers 2.9	sion	Revision Date: 10.02.2025		of last issue: of first issue:		Print Date: 10.02.2025				
	Components:									
	White mineral oil (petroleum):									
	Toxicity	/ to fish	:	Exposure tim Test Type: se	e: 96 h	ainbow trout)): > 100 mg/l 203				
		/ to daphnia and other invertebrates	:	Exposure time	ia magna (Water f e: 48 h D Test Guideline					
	Toxicity plants	/ to algae/aquatic	:	mg/l Exposure time		ocapitata (green algae)): > 100 201				
	Toxicity	/ to microorganisms	:	Exposure tim	ia): > 1.000 mg/l e: 40 h rowth inhibition					
	Toxicity	/ to fish (Chronic)	:	Remarks: The	e: 28 d orhynchus mykiss e value is given ba Toolbox, DEREK,	: (rainbow trout) ased on a SAR/AAR approach VEGA QSAR models				
	aquatic	/ to daphnia and other invertebrates ic toxicity)	:	Remarks: The	e: 21 d hnia magna (Wate e value is given ba Toolbox, DEREK,	er flea) ased on a SAR/AAR approach VEGA QSAR models				
	disodiu	um sebacate:								
	Toxicity	/ to fish	:	Exposure tim Test Type: se		-				
		/ to daphnia and other invertebrates	:	Exposure tim Test Type: se						
	Toxicity plants	/ to algae/aquatic	:	EL50 (Skeleto Exposure time		marine diatom)): 38,7 mg/l				



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - FR



01/0	470				
OKS	54/2				
Versio 2.9		Revision Date: 0.02.2025		e of last issue: 10.10.2024 e of first issue: 13.06.2016	Print Date: 10.02.2025
				Test Type: static test Method: ISO 10253 GLP: yes	
	Imothy	I-N-[C18-(unsaturat	tod)a	lkanovilalvoino.	
	Foxicity t		:	LC50 (Danio rerio (zebra fish)): > 0,43 mg Exposure time: 96 h Test Type: flow-through test Method: OECD Test Guideline 203 GLP: yes] /l
		o daphnia and other nvertebrates	:	EC50 (Daphnia magna (Water flea)): 0,43 Exposure time: 48 h Test Type: static test Method: OECD Test Guideline 202 GLP: yes	; mg/l
	Foxicity t plants	o algae/aquatic	:	EC50 (Desmodesmus subspicatus (green Exposure time: 72 h Test Type: static test Method: OECD Test Guideline 201	ı algae)): 6,3 mg/l
				NOEC (Desmodesmus subspicatus (gree Exposure time: 72 h Test Type: static test Method: OECD Test Guideline 201	n algae)): 0,91 mg/l
	M-Factor oxicity)	(Acute aquatic	:	1	
Т	Γoxicity t	o microorganisms	:	NOEC (activated sludge): 10 mg/l Exposure time: 3 h Test Type: static test Method: OECD Test Guideline 209	
E	Ecotoxic	ology Assessment	t		
		uatic toxicity	:	Very toxic to aquatic life.	
C	Chronic a	aquatic toxicity	:	Harmful to aquatic life with long lasting eff	ects.
	2,6-di-te Foxicity t	rt-butyl-p-cresol: o fish	:	LC50 (Danio rerio (zebra fish)): 0,57 mg/l Exposure time: 96 h Method: OECD Test Guideline 203	
		o daphnia and other nvertebrates	:	EC50 (Daphnia magna (Water flea)): 0,61 Exposure time: 48 h Method: OECD Test Guideline 202	mg/l





Version 2.9	Revision Date: 10.02.2025		e of last issue: 10.10.2024 e of first issue: 13.06.2016	Print Date: 10.02.2025
Toxi plan	icity to algae/aquatic ts	:	EC50 (Desmodesmus subspicatu Exposure time: 72 h Method: Regulation (EC) No. 440,	
M-F toxic	actor (Acute aquatic city)	:	1	
aqua	icity to daphnia and other atic invertebrates ronic toxicity)		NOEC: 0,316 mg/l Exposure time: 21 d Species: Daphnia magna (Water t	flea)
M-F toxic	actor (Chronic aquatic city)	:	1	
12.2 Per	sistence and degradabi	lity		
	<u>duct:</u> legradability	:	Remarks: No data available	
	Physico-chemical removability		Remarks: No data available	
Con	nponents:			
Whi	te mineral oil (petroleur	n):		
Bioc	legradability	:	Biodegradation: 31 % Exposure time: 28 d	
disc	odium sebacate:			
Bioc	Biodegradability		Result: Biodegradable Biodegradation: 89 % Exposure time: 28 d	
N-m	ethyl-N-[C18-(unsatura	ted)	alkanoyl]glycine:	
Bioc	legradability	:	Test Type: aerobic Inoculum: activated sludge Result: rapidly biodegradable Biodegradation: 85,2 % Exposure time: 28 d	
2,6-	di-tert-butyl-p-cresol:			
Bioc	legradability	:	Test Type: aerobic Inoculum: activated sludge Result: Not rapidly biodegradable Biodegradation: 4,5 % Exposure time: 28 d Method: OECD Test Guideline 30	





Version	Revision Date:	Date of last issue: 10.10.2024	Print Date:
2.9	10.02.2025	Date of first issue: 13.06.2016	10.02.2025

12.3 Bioaccumulative potential

Product:

Components:

White mineral oil (petroleum):

Partition coefficient: n-	:	log Pow: > 6
octanol/water		

disodium sebacate:

Partition coefficient: n-	:	log Pow: -4,9 (20 °C)
octanol/water		pH: 7,8

N-methyl-N-[C18-(unsaturated)alkanoyl]glycine:

Partition coefficient: n-	:	log Pow: 6,83
octanol/water		

2,6-di-tert-butyl-p-cresol:

Bioaccumulation	:	Bioconcentration factor (BCF): 598,4
Partition coefficient: n- octanol/water	:	log Pow: 5,1

12.4 Mobility in soil

<u>Product:</u> Mobility	:	Remarks: No data available
Distribution among environmental compartments	:	Remarks: No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment	:	This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or
		very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Components:

White mineral oil (petroleur	n):	
Assessment	:	Substance is not persistent, bioaccumulative, and toxic (PBT).

20 / 26





Version	Revision Date:	Date of last issue: 10.10.2024	Print Date:
2.9	10.02.2025	Date of first issue: 13.06.2016	10.02.2025

2,6-di-tert-butyl-p-cresol:

Assessment

: Non-classified PBT substance. Non-classified vPvB substance

12.6 Endocrine disrupting properties

|--|

Assessment	: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
12.7 Other adverse effects	

Product:

- I O G G O H	
Additional ecological information	: Harmful to aquatic life with long lasting effects.
IIIOIIIIauoii	

SECTION 13: Disposal considerations

13.1 Waste treatment methods	
Product :	The product should not be allowed to enter drains, water courses or the soil. Do not dispose of with domestic refuse. Dispose of as hazardous waste in compliance with local and national regulations.
	Waste codes should be assigned by the user based on the application for which the product was used.
Contaminated packaging :	Packaging that is not properly emptied must be disposed of as the unused product. Dispose of waste product or used containers according to local regulations.
	The following Waste Codes are only suggestions:
Waste Code :	used product, unused product 12 01 12**, spent waxes and fats
	uncleaned packagings 15 01 10*, packaging containing residues of or contaminated by hazardous substances



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - FR



OKS 472

Version	Revision Date:	Date of last issue: 10.10.2024	Print Date:
2.9	10.02.2025	Date of first issue: 13.06.2016	10.02.2025

SECTION 14: Transport information

14.1 UN number or ID number

ADN	:	Not regulated as a dangerous good
ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.2 UN proper shipping name		
ADN	:	Not regulated as a dangerous good
ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.3 Transport hazard class(es)		
ADN	:	Not regulated as a dangerous good
ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.4 Packing group		
ADN	:	Not regulated as a dangerous good
ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
IATA (Cargo)	:	Not regulated as a dangerous good
IATA (Passenger)	:	Not regulated as a dangerous good
14.5 Environmental hazards		
ADN	:	Not regulated as a dangerous good
ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good





Version 2.9	Revision Date: 10.02.2025	Date of last issue: 10.10.2 Date of first issue: 13.06.2		Print Date: 10.02.2025
-	cial precautions for applicable	user		
14.7 Mari	time transport in bu	Ik according to IMO instrum	nents	
Rem	arks	: Not applicable for pro	oduct	as supplied.
SECTIO	N 15: Regulatory i	nformation		
15.1 Safe mixture	ty, health and envir	onmental regulations/legisla	ation	specific for the substance or
the m		he manufacture, placing on ain dangerous substances, ex XVII)	:	Not applicable
Conc	CH - Candidate List c cern for Authorisation SVHC)	f Substances of Very High (Article 59).	:	This product does not contain substances of very high concern (Regulation (EC) No 1907/2006 (REACH), Article 57).
Regulation (EC) No 1005/2009 on substances that deplete the ozone layer (EC 1005/2009)		:	Not applicable	

Regulation (EU) 2019/1021 on persistent organic	:	Not applicable
pollutants (recast)		
(EU POP)		

Regulation (EU) No 649/2012 of the European	:	Not applicable
Parliament and the Council concerning the export and		
import of dangerous chemicals		
(EU PIC)		

REACH - List of substances subject to authorisation : Not applicable (Annex XIV) (EU. REACH-Annex XIV)

Regulation (EU) 2019/1148 on the marketing and use of : Not applicable explosives precursors

Seveso III: Directive 2012/18/EU of the European Not applicable Parliament and of the Council on the control of



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - FR



OKS 472

Version 2.9	Revision Date: 10.02.2025		e of last issue: 10.10.2024 e of first issue: 13.06.2016	Print Date: 10.02.2025
•	or-accident hazards invol stances.	lving	dangerous	
prot	allations classified for the ection of the environmen vironment Code R511-9)		Not applicable	
	cupational Illnesses (R- -3, France)	:	36	
	nforced medical ervision (R4624-23)	:	The product has no CMR properties car	tegory 1, 1A or 1B
Vola	atile organic compounds	:	Directive 2010/75/EU of 24 November 2 emissions (integrated pollution preventi Volatile organic compounds (VOC) con	on and control)

15.2 Chemical safety assessment

This information is not available.

SECTION 16: Other information

Full text of H-Statements

H315:H318:H319:H332:H400:	May be fatal if swallowed and enters airways. Causes skin irritation. Causes serious eye damage. Causes serious eye irritation. Harmful if inhaled. Very toxic to aquatic life.
	Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects.
	Harmful to aquatic life with long lasting effects.

Full text of other abbreviations

FR VLE	:	France. Occupational Exposure Limits
FR VLE / VME	:	Time Weighted Average

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx -



SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by



Commission Regulation (EU) 2020/878 - FR

OKS 472

Version	Revision Date:	Date of last issue: 10.10.2024	Print Date:
2.9	10.02.2025	Date of first issue: 13.06.2016	10.02.2025

Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA -International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO -International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Classification of the mix	cture:	Classification procedure:
Aquatic Chronic 3	H412	Calculation method

Relevant changes compared to the last edition are highlighted at the left margin. This version replaces all previous editions.

This safety data sheet applies only to products as originally packed and labelled. The information contained therein may not be reproduced or modified without our express written permission. Any forwarding of this document is only permitted to the extent required by law. Any further, in particular public, dissemination of the safety data sheet (e.g. as a document for download from the Internet) is not permitted without our express written consent. We provide our customers with amended safety data sheets as prescribed by law. The customer is responsible for passing on safety data sheets and any amendments contained therein to its own customers, employees and other users of the product. We provide no guarantee that safety data sheets received by users from third parties are up-to-date. All information and instructions in this safety data sheet have been compiled to the best of our knowledge and are based on the information available to us on the day of publication. The information provided is intended to describe the product in relation to the required safety measures; it is neither an assurance of characteristics nor a guarantee of the product's suitability for particular applications and does not justify any contractual legal relationship. The existence of a safety data sheet for a particular jurisdiction does not necessarily mean that import or use within that jurisdiction is legally permitted. If you have any questions, please contact your responsible sales contact or authorized trading partner.



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - FR



OKS 472

Version	Revision Date:	Date of last issue: 10.10.2024	Print Date:
2.9	10.02.2025	Date of first issue: 13.06.2016	10.02.2025

