

Version	Revision Date:	Date of last issue: 20.12.2022	Print Date:
2.4	21.03.2024	Date of first issue: 06.06.2016	21.03.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1	Product identifier		
	Product name	:	OKS 601
1.2	Relevant identified uses of th Use of the Substance/Mixture	ne s :	ubstance or mixture and uses advised against Lubricant spray
	Substance/Mixture		
	Recommended restrictions on use	:	Restricted to professional users.
1.3	Details of the supplier of the	saf	ety data sheet
	Company	:	OKS Spezialschmierstoffe GmbH Ganghoferstr. 47 D-82216 Maisach-Gernlinden Tel.: +49 8142 3051 500 Fax.: +49 8142 3051 599 info@oks-germany.com
	E-mail address of person responsible for the SDS	:	mcm@oks-germany.com
	National contact	:	

1.4 Emergency telephone number

Emergency telephone	:	+33 1 45 42 59 59
number		

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)				
Aerosols, Category 1	H222: Extremely flammable aerosol. H229: Pressurised container: May burst if heated.			
Aspiration hazard, Category 1	H304: May be fatal if swallowed and enters airways.			





OKS 6	601				
Version 2.4	Revision Date: 21.03.2024		ate of last issue: 20. ate of first issue: 06.		Print Date: 21.03.2024
2.2 Lab	el elements				
La	belling (REGULATION ((EC)	No 1272/2008)		
Ha	zard pictograms	:			
Sig	inal word	:	Danger		
Ha	zard statements	:	H222 H229 H304	Extremely flammable a Pressurised container May be fatal if swallow airways.	May burst if heated.
	pplemental Hazard atements	:	EUH066	Repeated exposu dryness or cracking.	re may cause skin
Pre	ecautionary statements	:	Prevention:		
	·		P210	Keep away from heat, open flames and other smoking.	
			P211	Do not spray on an op ignition source.	en flame or other
			P251	Do not pierce or burn,	even after use.
			Response:		
			P301 + P310	IF SWALLOWED: Imm POISON CENTER/ do	octor.
			P331	Do NOT induce vomiti	ng.
			Storage:		
			P410 + P412	Protect from sunlight.	Do not expose to

Hazardous components which must be listed on the label:

Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics

Additional Labelling

EUH208

Contains Sulfonic acids, petroleum, calcium salts. May produce an allergic reaction.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.



temperatures exceeding 50 °C/ 122 °F.



Version	Revision Date:	Date of last issue: 20.12.2022	Print Date:
2.4	21.03.2024	Date of first issue: 06.06.2016	21.03.2024

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature

: Active substance with propellant Mineral oil.

Components				
Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	specific concentration limit M-Factor Notes Acute toxicity estimate	Concentration (% w/w)
Hydrocarbons, C10- C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics	918-481-9 01-2119457273-39- XXXX	Asp. Tox.1; H304; EUH066 ; EUH066	Note PNote P	>= 50 - < 70
propane	74-98-6 200-827-9 601-003-00-5 01-2119486944-21- XXXX	Flam. Gas1A; H220 Press. GasCompr. Gas; H280	Note U (table 3.1)	>= 1 - < 10
Sulfonic acids, petroleum, calcium salts	61789-86-4 263-093-9 01-2119488992-18- 0000	Skin Sens.1B; H317	>= 10 % Skin Sens.1B,	>= 1 - < 10





Version 2.4	Revision Da 21.03.2024		sue: 20.12.2022 sue: 06.06.2016	Print I 21.03	
Substance		place exposure limit : 106-97-8 203-448-7 601-004-00-0 01-2119474691-32-	Flam. Gas1A; H220 Press. GasCompr. Gas; H280	Note U (table 3.1), Note C	>= 10 - < 20
		XXXX			

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

If inhaled :	Remove person to fresh air. If signs/symptoms continue, get medical attention. Keep patient warm and at rest. If unconscious, place in recovery position and seek medical advice. Keep respiratory tract clear. If breathing is irregular or stopped, administer artificial respiration.
In case of skin contact :	Take off all contaminated clothing immediately. Get medical attention immediately if irritation develops and persists. Wash clothing before reuse. Thoroughly clean shoes before reuse. Wash skin thoroughly with soap and water or use recognized skin cleanser.
In case of eye contact :	Rinse immediately with plenty of water, also under the eyelids, for at least 10 minutes. Seek medical advice.
If swallowed :	Move the victim to fresh air. Keep respiratory tract clear. Do NOT induce vomiting. Obtain medical attention. Rinse mouth with water. Aspiration hazard if swallowed - can enter lungs and cause damage.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms	: Inhalation may provoke the following symptoms:
	Unconsciousness
	Dizziness





OKS 601						
Version 2.4	Revision Date: 21.03.2024	Date of last issue: 20.12.2022 Date of first issue: 06.06.2016	Print Date: 21.03.2024			
		Drowsiness Headache Nausea Tiredness Skin contact may provoke the follo Erythema	owing symptoms:			
		Aspiration may cause pulmonary c	pedema and pneumonitis.			
Risks	5	: Can be absorbed through skin. Risk of product entering the lungs Health injuries may be delayed.	on vomiting after ingestion.			
4.3 Indication of any immediate medical attention and special treatment needed						

Treatment	:	Treat symptomatically.
rioutiiont	•	riout by inplomationly.

SECTION 5: Firefighting measures

5.1 Extinguishing media					
Suitable extinguishing media	:	ABC powder			
Unsuitable extinguishing media	:	High volume water jet			
5.2 Special hazards arising from the substance or mixture					

5. Sp y

Specific hazards during firefighting	:	Fire Hazard Do not let product enter drains. Contains gas under pressure; may explode if heated. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.
Hazardous combustion products	:	Carbon oxides Nitrogen oxides (NOx) Sulphur oxides
5.3 Advice for firefighters		
Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment. Exposure to decomposition products may be a hazard to health.
Further information	:	Standard procedure for chemical fires. Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Cool containers/tanks with water spray.





Version	Revision Date:	Date of last issue: 20.12.2022	Print Date:
2.4	21.03.2024	Date of first issue: 06.06.2016	21.03.2024

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	: Evacuate personnel to safe areas.
	Ensure adequate ventilation.
	Remove all sources of ignition.
	Do not breathe vapours or spray mist.
	Refer to protective measures listed in sections 7 and 8.
	Only qualified personnel equipped with suitable protective
	equipment may intervene.

6.2 Environmental precautions

Environmental precautions	:	Try to prevent the material from entering drains or water courses. Prevent further leakage or spillage if safe to do so. Local authorities should be advised if significant spillages cannot be contained.
		Local authorities should be advised if significant spillages

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Keep in suitable, closed containers for disposal. Non-sparking tools should be used.

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Do not get on skin or clothing. Do not ingest.	Advice on safe handling	
---	-------------------------	--





OKS 601					
Version 2.4	Revision Date: 21.03.2024	ate of last issue: 20.12.2022 ate of first issue: 06.06.2016	Print Date: 21.03.2024		
		Do not use sparking tools. These safety instructions also appl may still contain product residues. Pressurized container: protect from expose to temperatures exceeding burn, even after use.	n sunlight and do not		
Hygie	ne measures	Wash face, hands and any expose handling.	d skin thoroughly after		
7.2 Condit	7.2 Conditions for safe storage, including any incompatibilities				
	rements for storage and containers	BEWARE: Aerosol is pressurized. exposure and temperatures over 5 or throw into fire even after use. Do red-hot objects. Store in accordance national regulations.	0 °C. Do not open by force o not spray on flames or		
-	ic end use(s) fic use(s)	Specific instructions for handling, n	ot required.		

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Hydrocarbons, C10-C13, n- alkanes, isoalkanes, cyclics, < 2% aromatics	Not Assigned	VMETime Weighted Average (Vapour)	1.000 mg/m3	FR VLE (2016-10-01)
	Further information: Indicative exposure limits			
	VLCT (VLE)Short 1.500 mg/m3 FR VLE Term Exposure Limit (Vapour) (2016-10-			
	Further information: Indicative exposure limits			
butane	106-97-8	VMETime Weighted Average	800 ppm 1.900 mg/m3	FR VLE (2005-02-01)
	Further information: Indicative exposure limits			

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
Distillates	Workers	Inhalation	Long-term local	5,58 mg/m3



SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006 - FR (Commission Regulation (EU) 2020/878)



OKS 601

Version 2.4	Revision Date: 21.03.2024		st issue: 20.12.2022 st issue: 06.06.2016	Print D 21.03.2	
hyd par	troleum), Irotreated heavy affinic; Baseoil — specified			effects	
		Workers	Inhalation	Long-term systemic effects	2,73 mg/m3
		Workers	Skin contact	Long-term systemic effects	0,97 mg/kg
(pe dev par	tillates troleum), solvent- vaxed heavy affinic; Baseoil — specified	Workers	Inhalation	Long-term systemic effects	2,73 mg/m3
		Workers	Skin contact	Long-term systemic effects	0,97 mg/kg

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
Distillates (petroleum),	Oral	9,33 mg/kg
hydrotreated heavy paraffinic;		
Baseoil — unspecified		
Distillates (petroleum), solvent-	Oral	9,33 mg/kg
dewaxed heavy paraffinic;		
Baseoil — unspecified		

8.2 Exposure controls

Engineering measures

Use only in an area equipped with explosion proof exhaust ventilation. Handle only in a place equipped with local exhaust (or other appropriate exhaust).

Personal protective equipment

Eye/face protection	:	Safety glasses with side-shields
Hand protection Material Break through time Protective index	-	Nitrile rubber > 10 min Class 1
Remarks	:	Wear protective gloves. The break through time depends amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each case. The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it.
Skin and body protection	:	Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.





OKS	601
	UU

Version 2.4	Revision Date: 21.03.2024		e of last issue: 20.12.2022 e of first issue: 06.06.2016	Print Date: 21.03.2024
Respi	ratory protection	:	Use respiratory protection unless ventilation is provided or exposure that exposures are within recomm Short term only	e assessment demonstrates
Filt	ter type	:	Filter type A-P	
Protec	ctive measures	:	The type of protective equipment to the concentration and amount of at the specific workplace.	5

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	:	aerosol
Colour	:	brown
Odour	:	characteristic
Odour Threshold	:	No data available
Melting point/range	:	No data available
Boiling point/boiling range	:	< -20 °C (1.013 hPa)
Flammability (solid, gas)	:	Extremely flammable aerosol.
Upper explosion limit / Upper flammability limit	:	9,4 %(V)
Lower explosion limit / Lower flammability limit	:	0,7 %(V)
Flash point	:	-20 °C Method: Abel-Pensky, closed cup
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
рН	:	Not applicable substance/mixture is non-soluble (in water)



SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - FR (Commission Regulation (EU) 2020/878)



OKS 601

Version 2.4	Revision Date: 21.03.2024		e of last issue: 20.12.2022 of first issue: 06.06.2016	Print Date: 21.03.2024
Visco Vi	osity iscosity, dynamic	:	No data available	
Vi	iscosity, kinematic	:	< 20,5 mm2/s (40 °C)	
	oility(ies) /ater solubility	:	insoluble	
S	olubility in other solvents	s :	No data available	
	tion coefficient: n- nol/water	:	No data available	
Vapo	our pressure	:	2.800 hPa (20 °C)	
Relat	tive density	:	0,741 (20 °C) Reference substance: Water The value is calculated	
Dens	ity	:	0,74 g/cm3 (20 °C)	
Bulk	density	:	No data available	
Relat	tive vapour density	:	No data available	
9.2 Other	information			
Explo	osives	:	Not explosive	
Oxidi	zing properties	:	No data available	
Self-i	gnition	:	No data available	
Meta	l corrosion rate	:	Not corrosive to metals	
Evap	oration rate	:	No data available	
Subli	mation point	:	No data available	

SECTION 10: Stability and reactivity

10.1 Reactivity

No hazards to be specially mentioned.

10.2 Chemical stability

Stable under normal conditions.





OKS 601

Version 2.4	Revision Date: 21.03.2024	Date of last issue: 20.12.2022Print DateDate of first issue: 06.06.201621.03.202	-			
	ibility of hazardous	eactions : No dangerous reaction known under conditions of r	ormal use.			
	litions to avoid	: Heat, flames and sparks.				
		Strong sunlight for prolonged periods. Risk of receptacle bursting.				
10.5 Incor	npatible materials					
Mater	ials to avoid	: Oxidizing agents				
10.6 Haza	10.6 Hazardous decomposition products					

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity		
Product:		
Acute oral toxicity	:	Remarks: This information is not available.
Acute inhalation toxicity	:	Symptoms: Inhalation may provoke the following symptoms:, Respiratory disorder
Acute dermal toxicity	:	Remarks: Prolonged or repeated skin contact with liquid may cause defatting resulting in drying, redness and possible blistering.
		Symptoms: Skin disorders
Components:		
Hydrocarbons, C10-C13, n-	alka	anes, isoalkanes, cyclics, < 2% aromatics:
Acute oral toxicity	:	LD50 (Rat): > 5.000 mg/kg Method: OECD Test Guideline 401
Acute dermal toxicity	:	LD50 (Rabbit): > 5.000 mg/kg Method: OECD Test Guideline 402

Acute inhalation toxicity	:	LC50 (Rat): 658 mg/l
		Exposure time: 4 h
		Test atmosphere: gas





DKS 601 Version Revision Date: Date of last issue: 20.12.2022 Print Date: 21.03.2024 Date of first issue: 06.06.2016 21.03.2024 Skin corrosion/irritation Product: Remarks 1.03.2024 Remarks : This information is not available.		4			
4 21.03.2024 Date of first issue: 06.06.2016 21.03.2024 Skin corrosion/irritation Product: Remarks : This information is not available. Components: Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics: Species : Rabbit Assessment : No skin irritation Method : OECD Test Guideline 404 Result : Repeated exposure may cause skin dryness or cracking Serious eye damage/eye irritation Product: Remarks : Contact with eyes may cause irritation. Product: : Repeated exposure may cause irritation. Product: : Remarks : Remarks : Contact with eyes may cause irritation. Product: : Remarks : Result : No eye irritation Method : OECD Test Guideline 405 Result : No eye irritation Method : OECD Test Guideline 405 Result : No eye irritation Product: : No eye irrit	13 60				
Product: Remarks : This information is not available. Components: Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics:					
Remarks : This information is not available. Components: Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics:	Skin	corrosion/irritation			
Components: Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics:	Prod	uct:			
Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics:	Rema	arks	:	This information is not available.	
Species : Rabbit Assessment : No skin irritation Method : OECD Test Guideline 404 Result : Mild skin irritation Result : Repeated exposure may cause skin dryness or cracking Serious eye damage/eye irritation Product: Remarks : Contact with eyes may cause irritation. Components: Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics:	Com	ponents:			
Assessment : No skin irritation Method : OECD Test Guideline 404 Result : Mild skin irritation Result : Repeated exposure may cause skin dryness or cracking Serious eye damage/eye irritation Product: Remarks : Contact with eyes may cause irritation. Components: Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics:	Hydro	ocarbons, C10-C13	, n-alka	anes, isoalkanes, cyclics, < 2% a	romatics:
Method : OECD Test Guideline 404 Result : Mild skin irritation Result : Repeated exposure may cause skin dryness or cracking Serious eye damage/eye irritation Product: Remarks : Contact with eyes may cause irritation. Components: Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics:	Speci	ies	:	Rabbit	
Result : Mild skin irritation Result : Repeated exposure may cause skin dryness or cracking Serious eye damage/eye irritation Product: Remarks : Contact with eyes may cause irritation. Components: Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics:	Asses	ssment	:		
Result : Repeated exposure may cause skin dryness or cracking Serious eye damage/eye irritation Product: Remarks : Contact with eyes may cause irritation. Components: Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics:	Metho	bd	:		
Serious eye damage/eye irritation Product: Remarks : Contact with eyes may cause irritation. Components: Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics:	Resu	lt	:	Mild skin irritation	
Product: Remarks : Contact with eyes may cause irritation. Components: Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics:	Resu	lt	:	Repeated exposure may cause s	skin dryness or cracking.
Remarks : Contact with eyes may cause irritation. Components: Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics:	Serio	ous eye damage/eye	e irritat	ion	
Components: Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics:	Prod	uct:			
Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics:	Rema	arks	:	Contact with eyes may cause irri	tation.
Species : Rabbit Assessment : No eye irritation Method : OECD Test Guideline 405 Result : No eye irritation Respiratory or skin sensitisation Product: Remarks : This information is not available. Components: Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics:	<u>Com</u>	ponents:			
Species : Rabbit Assessment : No eye irritation Method : OECD Test Guideline 405 Result : No eye irritation Respiratory or skin sensitisation Product: Remarks : This information is not available. Components: Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics:	Hydro	ocarbons, C10-C13	, n-alka	anes, isoalkanes, cyclics, < 2% a	iromatics:
Assessment : No eye irritation Method : OECD Test Guideline 405 Result : No eye irritation Respiratory or skin sensitisation Product: Remarks : This information is not available. Components: Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics:	-				
Method : OECD Test Guideline 405 Result : No eye irritation Respiratory or skin sensitisation Product: Remarks : This information is not available. Components: Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics:	•		÷		
Respiratory or skin sensitisation Product: Remarks : This information is not available. Components: Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics:	Metho	od			
Product: Remarks : This information is not available. Components: Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics:	Resu	lt	:	No eye irritation	
Remarks : This information is not available. Components: Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics:	Resp	iratory or skin sens	sitisati	on	
Components: Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics:	Prod	uct:			
Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics:Species:Guinea pigAssessment:Does not cause skin sensitisation.Method:OECD Test Guideline 406Result:Does not cause skin sensitisation.Sulfonic acids, petroleum, calcium salts:	Rema	arks	:	This information is not available.	
Species : Guinea pig Assessment : Does not cause skin sensitisation. Method : OECD Test Guideline 406 Result : Does not cause skin sensitisation.	<u>Com</u>	ponents:			
Assessment : Does not cause skin sensitisation. Method : OECD Test Guideline 406 Result : Does not cause skin sensitisation. Sulfonic acids, petroleum, calcium salts:	Hydro	ocarbons, C10-C13	, n-alka	anes, isoalkanes, cyclics, < 2% a	iromatics:
Assessment : Does not cause skin sensitisation. Method : OECD Test Guideline 406 Result : Does not cause skin sensitisation. Sulfonic acids, petroleum, calcium salts:	Speci	ies	:	Guinea pig	
Result : Does not cause skin sensitisation. Sulfonic acids, petroleum, calcium salts:			:		n.
Sulfonic acids, petroleum, calcium salts:	Metho	bd	:	OECD Test Guideline 406	
	Resu	lt	:	Does not cause skin sensitisation	n.
Assessment : The product is a skin sensitiser, sub-category 1B.	Sulfo	onic acids, petroleu	m, calo	ium salts:	
	Asses	ssment	:	The product is a skin sensitiser,	sub-category 1B.





(S 601				
sion	Revision Date: 21.03.2024		e of last issue: 20.12.2022 e of first issue: 06.06.2016	Print Date: 21.03.2024
Germ	cell mutagenicity			
<u>Produ</u>	<u>ict:</u>			
Genot	oxicity in vitro	:	Remarks: No data available	
Genot	oxicity in vivo	:	Remarks: No data available	
<u>Comp</u>	oonents:			
Hydro	ocarbons, C10-C13,	, n-alka	nes, isoalkanes, cyclics, < 2% ar	romatics:
	cell mutagenicity- sment	:	Tests on bacterial or mammalian mutagenic effects.	cell cultures did not show
Carci	nogenicity			
<u>Produ</u>	<u>ict:</u>			
Rema	rks	:	No data available	
<u>Comp</u>	oonents:			
Hydro	ocarbons, C10-C13,	, n-alka	nes, isoalkanes, cyclics, < 2% aı	romatics:
	nogenicity - sment	:	Not classifiable as a human carci	nogen.
Repro	oductive toxicity			
<u>Produ</u>	<u>ict:</u>			
Effect	s on fertility	:	Remarks: No data available	
	s on foetal opment	:	Remarks: No data available	
<u>Comp</u>	oonents:			
Hydro	ocarbons, C10-C13,	, n-alka	nes, isoalkanes, cyclics, < 2% aı	romatics:
	ductive toxicity -	:	- Fertility -	
Asses	sment		No toxicity to reproduction - Teratogenicity -	
			No toxicity to reproduction	
STOT	- single exposure			
<u>Produ</u>	<u>ict:</u>			
Rema			No data available	





OKS 60	1							
Version Revision Date:		Date of last issue: 20.12.2022	Print Date:					
2.4	21.03.2024	Date of first issue: 06.06.2016	21.03.2024					
Con	Components:							
Hvd	rocarbons. C10-C13.	n-alkanes, isoalkanes, cyclics, < 2% ar	omatics:					
-	essment	: The substance or mixture is not cla organ toxicant, single exposure.						
STO	T - repeated exposu	re						
Proc	luct:							
Rem	arks	: No data available						
Com	ponents:							
Hyd	rocarbons, C10-C13,	n-alkanes, isoalkanes, cyclics, < 2% ar	omatics:					
Asse	essment	: The substance or mixture is not cla organ toxicant, single exposure.	assified as specific target					
Rep	eated dose toxicity							
Proc	luct:							
Rem	arks	: This information is not available.						
Asp	iration toxicity							
Proc	luct:							
May	be fatal if swallowed a	and enters airways.						
Мау	be fatal if swallowed a	and enters airways.						
Com	ponents:							
Hyd	rocarbons, C10-C13,	n-alkanes, isoalkanes, cyclics, < 2% are	omatics:					
-	be fatal if swallowed a							
11.2 Info	11.2 Information on other hazards							
End	ocrine disrupting pro	operties						
Proc	luct:							
Asse	essment	: The substance/mixture does not c considered to have endocrine disr to REACH Article 57(f) or Commis (EU) 2017/2100 or Commission R levels of 0.1% or higher.	upting properties according sion Delegated regulation					





VersionRevision Date:2.421.03.2024		Date of last issue: 20.12.2022 Date of first issue: 06.06.2016	Print Date: 21.03.2024
	ner information		
<u>Product:</u> Remarks		: Information given is based on data the toxicology of similar products.	a on the components and

SECTION 12: Ecological information

12.1 Toxicity

Product:		
Toxicity to fish	:	Remarks: No data available
Toxicity to daphnia and other aquatic invertebrates	:	Remarks: No data available
Toxicity to algae/aquatic plants	:	Remarks: No data available
Toxicity to microorganisms	:	Remarks: No data available
Components:		
Hydrocarbons, C10-C13, n-a	lka	nes, isoalkanes, cyclics, < 2% aromatics:
Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	EC50 (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l Exposure time: 72 h

12.2 Persistence and degradability

Product:

Biodegradability	:	Remarks: No data available
Physico-chemical removability	:	Remarks: No data available

12.3 Bioaccumulative potential

Product:

Bioaccumulation :		Remarks: Product does not contain substances which are
-------------------	--	--





OKS 60	1			
Version 2.4	Revision Date: 21.03.2024		e of last issue: 20.12.2022 e of first issue: 06.06.2016	Print Date: 21.03.2024
			persistent, bioaccumulative, and toxic or higher. Product does not contain substances persistent and very bioaccumulative (or higher.	which are very
Com	ponents:			
	ane: ion coefficient: n- iol/water	:	log Pow: 2,36	
	ne: ion coefficient: n- iol/water	:	log Pow: 2,89 Method: OECD Test Guideline 107	
12.4 Mobi	ility in soil			
<u>Prod</u> Mobil		:	Remarks: No data available	
Distribution among : environmental compartments		: :S	Remarks: No data available	
12.5 Resu	Ilts of PBT and vPvB	asse	ssment	
Prod	uct:			
Asse	ssment	:	This substance/mixture contains no c to be either persistent, bioaccumulativ very persistent and very bioaccumula 0.1% or higher.	ve and toxic (PBT), or
<u>Com</u>	ponents:			
Hydr	ocarbons, C10-C13, n	-alka	nes, isoalkanes, cyclics, < 2% arom	atics:
Asse	Assessment :		Non-classified PBT substance. Non-c	lassified vPvB substance
12.6 Endo	ocrine disrupting prop	pertie	es	
Prod	uct:			
	ssment	:	The substance/mixture does not cont considered to have endocrine disrupt to REACH Article 57(f) or Commissio (EU) 2017/2100 or Commission Regu levels of 0.1% or higher.	ing properties according n Delegated regulation





Version 2.4	Revision Date: 21.03.2024	Date of last issue: 20.12.2022 Date of first issue: 06.06.2016	Print Date: 21.03.2024

12.7 Other adverse effects

Product:

Additional ecological	:	No information on ecology is available.
information		

SECTION 13: Disposal considerations

13.1 Waste treatment methods				
Product :	Do not dispose of with domestic refuse. Dispose of as hazardous waste in compliance with local and national regulations.			
	Waste codes should be assigned by the user based on the application for which the product was used.			
Contaminated packaging :	Packaging that is not properly emptied must be disposed of as the unused product. Offer empty spray cans to an established disposal company. Pressurized container: Do not pierce or burn, even after use.			
	The following Waste Codes are only suggestions:			
Waste Code :	unused product, packagings not completely emptied 16 05 04**, gases in pressure containers (including halons) containing hazardous substances			

SECTION 14: Transport information

14.1 UN number or ID number

ADN	:	UN 1950
ADR	:	UN 1950
RID	:	UN 1950
IMDG	:	UN 1950
ΙΑΤΑ	:	UN 1950
14.2 UN proper shipping name		
ADN	:	AEROSOLS
ADR	:	AEROSOLS
RID	:	AEROSOLS
IMDG	:	AEROSOLS





Version 2.4	Revision Date: 21.03.2024	Date of last issue: 20.12.2022 Date of first issue: 06.06.2016	Print Date: 21.03.2024	
ΙΑΤΑ		: Aerosols, flammable		
14.3 Tran	sport hazard class(es)			
ADN		: 2		
ADR		: 2		
RID		: 2		
IMDO	3	: 2.1		
ΙΑΤΑ		: 2.1		
14.4 Pack	king group			
	ing group sification Code Is	 Not assigned by regulation 5F 2.1 		
Class Labe	ing group sification Code	 Not assigned by regulation 5F 2.1 (D) 		
Class	ing group sification Code rd Identification Number Is	 Not assigned by regulation 5F 23 2.1 		
Labe	ing group	 Not assigned by regulation 2.1 F-D, S-U 		
Pack aircra Pack	ing instruction (LQ) ing group	 203 Y203 Not assigned by regulation Flammable Gas 		
Pack (pass Pack	(Passenger) ing instruction senger aircraft) ing instruction (LQ) ing group Is	 203 Y203 Not assigned by regulation Flammable Gas 		
14.5 Envi	ronmental hazards			
ADN Envir	onmentally hazardous	: no		





Version 2.4	Revision Date: 21.03.2024	Date of last issue: 20.12.2022 Date of first issue: 06.06.2016	Print Date: 21.03.2024

ADR

Environmentally hazardous	:	no
RID Environmentally hazardous	:	no
IMDG Marine pollutant	:	no

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Remarks

: Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

I A	luie		
	REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)	:	Not applicable
	REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59). (EU SVHC)	:	This product does not contain substances of very high concern (Regulation (EC) No 1907/2006 (REACH), Article 57).
	Regulation (EC) No 1005/2009 on substances that deplete the ozone layer (EC 1005/2009)	:	Not applicable
	Regulation (EU) 2019/1021 on persistent organic pollutants (recast) (EU POP)	:	Not applicable
	Regulation (EU) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals (EU PIC)	:	Not applicable
	Regulation (EU) 2019/1148 on the marketing and use of explosives precursors	:	Not applicable





OKS 60)1				
Version 2.4	Revision Date: 21.03.2024		e of last issue: 20. e of first issue: 06.		Print Date: 21.03.2024
				P2	
Parli majo	eso III: Directive 2012/18 ament and of the Counc pr-accident hazards invo stances.	il on	the control of	P3a	FLAMMABLE AEROSOLS
				34	Petroleum products: (a) gasolines and naphthas, (b) kerosenes (including jet fuels), (c) gas oils (including diesel fuels, home heating oils and gas oil blending streams),(d) heavy fuel oils (e) alternative fuels serving the same purposes and with similar properties as regards flammability and environmental hazards as the products referred to in points (a) to (d)
				18	Liquefied flammable gases (including LPG) and natural gas
	upational Illnesses (R- 3, France)	:	84, 36, 36 bis		
	forced medical ervision (R4624-23)	:	The product has	no CMR	properties category 1, 1A or 1B
prote	allations classified for the ection of the environmen vironment Code R511-9)	nt	4320, 4734, 4718	3	
Vola	tile organic compounds	:	emissions (integr	ated pollu	4 November 2010 on industrial ution prevention and control) Is (VOC) content: 83,88 %

Other regulations:

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

15.2 Chemical safety assessment

This information is not available.





Version	Revision Date:	Date of last issue: 20.12.2022	Print Date:
2.4	21.03.2024	Date of first issue: 06.06.2016	21.03.2024

SECTION 16: Other information

Full text of H-Statements EUH066 : H220 : H280 : H304 : H317 : EUH066 : Full text of other abbreviations	Repeated exposure may cause skin dryness or cracking. Extremely flammable gas. Contains gas under pressure; may explode if heated. May be fatal if swallowed and enters airways. May cause an allergic skin reaction. Repeated exposure may cause skin dryness or cracking.
Note C : Note P :	Some organic substances may be marketed either in a specific isomeric form or as a mixture of several isomers. In this case the supplier must state on the label whether the substance is a specific isomer or a mixture of isomers. The harmonised classification as a carcinogen or mutagen applies unless it can be shown that the substance contains less than 0,1 % w/w benzene (Einecs No 200-753-7), in which case a classification in accordance with Title II of this Regulation shall be performed also for those hazard classes. Where the substance is not classified as a carcinogen or mutagen, at least the precautionary statements (P102-)P260-
Note U (table 3.1) : FR VLE : FR VLE / VME : FR VLE / VME : FR VLE / VLCT (VLE) :	P262-P301 + P310-P331 shall apply. When put on the market gases have to be classified as "Gases under pressure", in one of the groups compressed gas, liquefied gas, refrigerated liquefied gas or dissolved gas. The group depends on the physical state in which the gas is packaged and therefore has to be assigned case by case. The following codes are assigned: Press. Gas (Comp.) Press. Gas (Liq.) Press. Gas (Ref. Liq.) Press. Gas (Diss.) Aerosols shall not be classified as gases under pressure (See Annex I, Part 2, Section 2.3.2.1, Note 2). France. Occupational Exposure Limits Time Weighted Average Short Term Exposure Limit

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx -





Version	Revision Date:	Date of last issue: 20.12.2022	Print Date:
2.4	21.03.2024	Date of first issue: 06.06.2016	21.03.2024

Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA -International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO -International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Classification of the mixtur	Classification procedure:	
Aerosol 1	H222, H229	Based on product data or assessment
Asp. Tox. 1	H304	Based on product data or assessment

This safety data sheet applies only to products as originally packed and labelled. The information contained therein may not be reproduced or modified without our express written permission. Any forwarding of this document is only permitted to the extent required by law. Any further, in particular public, dissemination of the safety data sheet (e.g. as a document for download from the Internet) is not permitted without our express written consent. We provide our customers with amended safety data sheets as prescribed by law. The customer is responsible for passing on safety data sheets and any amendments contained therein to its own customers, employees and other users of the product. We provide no guarantee that safety data sheets received by users from third parties are up-to-date. All information and instructions in this safety data sheet have been compiled to the best of our knowledge and are based on the information available to us on the day of publication. The information provided is intended to describe the product in relation to the required safety measures; it is neither an assurance of characteristics nor a guarantee of the product's suitability for particular applications and does not justify any contractual legal relationship. The existence of a safety data sheet for a particular jurisdiction does not necessarily mean that import or use within that jurisdiction is legally permitted. If you have any questions, please contact your responsible sales contact or authorized trading partner.





Version	Revision Date:	Date of last issue: 20.12.2022	Print Date:
2.4	21.03.2024	Date of first issue: 06.06.2016	21.03.2024

