

Version	Revision Date:	Date of last issue: 30.10.2024	Print Date:
2.4	31.10.2024	Date of first issue: 29.06.2016	31.10.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1	Product identifier Product name	:	OKS 3541
1.2	Relevant identified uses of th	e s	ubstance or mixture and uses advised against
	Use of the Substance/Mixture	:	Lubricant
	Recommended restrictions on use	:	Restricted to professional users.
1.3	Details of the supplier of the	saf	ety data sheet
	Company	:	OKS Spezialschmierstoffe GmbH Ganghoferstr. 47 82216 Maisach-Gernlinden Deutschland Tel.: +49 8142 3051 500 Fax: +49 8142 3051 599 info@oks-germany.com
	E-mail address of person responsible for the SDS	:	mcm@oks-germany.com
	National contact	:	
1.4	Emergency telephone numbe	er	
	Emergency telephone		+33 1 45 42 59 59 ORFILA
	number		+33 1 72 11 00 03 NCEC
			+49 8142 3051 517

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No	1272/2008)
Aerosols, Category 1	H222: Extremely flammable aerosol. H229: Pressurised container: May burst if heated.
Skin irritation, Category 2	H315: Causes skin irritation.
	a brand of



SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - FR



OKS 3541

2.4 31.10.2024 Date of first issue: 29.06.2016 31.10.2024

Specific target organ toxicity - single exposure, Category 3, Central nervous system

Aspiration hazard, Category 1

H336: May cause drowsiness or dizziness.

H304: May be fatal if swallowed and enters airways.

Long-term (chronic) aquatic hazard, Category 2 H411: Toxic to aquatic life with long lasting effects.

2.2 Label elements

Labelling (REGULATION (EC) Hazard pictograms :	No 1272/2008)	
Signal word :	Danger	
Hazard statements :	H222 H229 H304 H315 H336 H411	Extremely flammable aerosol. Pressurised container: May burst if heated. May be fatal if swallowed and enters airways. Causes skin irritation. May cause drowsiness or dizziness. Toxic to aquatic life with long lasting effects.
Precautionary statements :	Prevention:	
	P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
	P211	Do not spray on an open flame or other ignition source.
	P251 P273	Do not pierce or burn, even after use. Avoid release to the environment.
	Response:	
	P301 + P310	IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
	P331	Do NOT induce vomiting.
	Storage:	
	P410 + P412	Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F.

Hazardous components which must be listed on the label:

Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane





Version	Revision Date:	Date of last issue: 30.10.2024	Print Date:
2.4	31.10.2024	Date of first issue: 29.06.2016	31.10.2024

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature

Active agent with propellant and solvent. ester oil

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	specific concentration limit M-Factor Notes Acute toxicity estimate	Concentration (% w/w)
Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane	921-024-6 01-2119475514-35- XXXX	Flam. Liq.2; H225 Skin Irrit.2; H315 STOT SE3; H336 Asp. Tox.1; H304 Aquatic Chronic2; H411		>= 30 - < 50
propane	74-98-6 200-827-9 601-003-00-5 01-2119486944-21- XXXX	Flam. Gas1A; H220 Press. GasCompr. Gas; H280	Note U (table 3.1)	>= 10 - < 20
tris(methylphenyl) phosphate	1330-78-5 215-548-8	Repr.2; H361 Aquatic Acute1; H400	M-Factor: 1/1	>= 0,25 - < 1



SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - FR



OKS 3541

Version 2.4	Revision Da 31.10.2024		sue: 30.10.2024 sue: 29.06.2016	Print 31.10	
		01-2119531335-46- XXXX	Aquatic Chronic1; H410		
Substance	s with a work	place exposure limit :			
butane		106-97-8 203-448-7 601-004-00-0 01-2119474691-32- XXXX	Flam. Gas1A; H220 Press. GasCompr. Gas; H280	Note U (table 3.1), Note C	>= 20 - < 30

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

If inhaled	:	Call a physician or poison control centre immediately. Remove person to fresh air. If signs/symptoms continue, get medical attention. Keep patient warm and at rest. If unconscious, place in recovery position and seek medical advice. Keep respiratory tract clear. If breathing is irregular or stopped, administer artificial respiration.
In case of skin contact	:	Take off all contaminated clothing immediately. Get medical attention immediately if irritation develops and persists. Wash clothing before reuse. Thoroughly clean shoes before reuse. Wash off immediately with plenty of water.
In case of eye contact	:	Rinse immediately with plenty of water, also under the eyelids, for at least 10 minutes. If eye irritation persists, consult a specialist.
If swallowed	:	Move the victim to fresh air. If accidentally swallowed obtain immediate medical attention. Keep respiratory tract clear. Do NOT induce vomiting. Rinse mouth with water. Aspiration hazard if swallowed - can enter lungs and cause damage.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms : Inhalation may provoke the following symptoms:



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - FR



OKS 3541					
Version 2.4	Revision Date: 31.10.2024	Date of last issue: 30.10.2024 Date of first issue: 29.06.2016	Print Date: 31.10.2024		
		Unconsciousness Dizziness Drowsiness Headache Nausea Tiredness Skin contact may provoke the follo Erythema	wing symptoms:		
		Aspiration may cause pulmonary o	edema and pneumonitis.		
Risks	5	: Central nervous system depression Risk of product entering the lungs Health injuries may be delayed. Causes skin irritation.			
13 Indica	ation of any immedia	ate medical attention and special treatme	ent needed		

4.3 Indication of any immediate medical attention and special treatment needed

Treatment	
-----------	--

: Treat symptomatically.

SECTION 5: Firefighting measures

5.1 E	xtinguishing media		
:	Suitable extinguishing media	:	ABC powder
	Unsuitable extinguishing media	:	High volume water jet
5.2 S	pecial hazards arising from	the	substance or mixture
	Specific hazards during firefighting	:	Fire Hazard Do not let product enter drains. Contains gas under pressure; may explode if heated. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.
	Hazardous combustion products	:	Carbon oxides Nitrogen oxides (NOx)
5.3 A	Advice for firefighters		
	Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment. Exposure to decomposition products may be a hazard to health.
	Further information	:	Standard procedure for chemical fires. Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Cool containers/tanks with water spray.



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - FR



OKS 3541

Version	Revision Date:	Date of last issue: 30.10.2024	Print Date:
2.4	31.10.2024	Date of first issue: 29.06.2016	31.10.2024

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	: Evacuate personnel to safe areas.
	Ensure adequate ventilation.
	Remove all sources of ignition.
	Do not breathe vapours or spray mist.
	Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.
	Refer to protective measures listed in sections 7 and 8.
	Only qualified personnel equipped with suitable protective
	equipment may intervene.

6.2 Environmental precautions

Environmental precautions	:	Do not allow contact with soil, surface or ground water.
		Prevent further leakage or spillage if safe to do so.
		If the product contaminates rivers and lakes or drains inform
		respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up	:	Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Keep in suitable, closed containers for disposal. Non-sparking tools should be used.
-------------------------	---	---

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Do no In ca equip Avoio For p Keep Smol	ot use in areas without adequate ventilation. ot breathe vapours or spray mist. se of insufficient ventilation, wear suitable respiratory ment. I contact with skin and eyes. ersonal protection see section 8. away from fire, sparks and heated surfaces. king, eating and drinking should be prohibited in the cation area.
---	--





UN3 334	•1			
Version 2.4	Revision Date: 31.10.2024		e of last issue: 30.10.2024 e of first issue: 29.06.2016	Print Date: 31.10.2024
			Do not get in eyes or mouth or on Do not get on skin or clothing. Do not ingest. Do not use sparking tools. These safety instructions also app may still contain product residues. Pressurized container: protect from expose to temperatures exceeding burn, even after use.	ly to empty packaging which n sunlight and do not
Hygiene measures		:	Wash face, hands and any expose handling.	ed skin thoroughly after
7.2 Condit	tions for safe storage	e, inc	luding any incompatibilities	
Requirements for storage areas and containers		:	BEWARE: Aerosol is pressurized. Keep away from direct sun exposure and temperatures over 50 °C. Do not open by force or throw into fire even after use. Do not spray on flames or red-hot objects. Store in accordance with the particular national regulations.	
7.3 Specific end use(s) Specific use(s) :		Specific instructions for handling, r	not required.	

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
butane	106-97-8	VME	800 ppm 1.900 mg/m3	FR VLE (2005-02-01)
	Further information: Indicative exposure limits			

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

	. ,			
Substance name	End Use	Exposure routes	Potential health effects	Value
Hydrocarbons, C6- C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane	Workers	Skin contact	Long-term systemic effects	773 mg/kg bw/day
	Workers	Inhalation	Long-term systemic effects	2035 mg/m3
tris(methylphenyl) phosphate	Workers	Inhalation	Long-term systemic effects	0,18 mg/m3
	Workers	Skin contact	Long-term systemic	0,41 mg/kg



SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - FR



OKS 3541

Version	Revision Date: 31.10.2024	Date of last issue: 30.10.2024	Print Date:
2.4		Date of first issue: 29.06.2016	31.10.2024
		effects	bw/day

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
tris(methylphenyl) phosphate	Fresh water	0,001 mg/l
	Marine water	0,0001 mg/l
	Intermittent use/release	100 mg/l
	Fresh water sediment	2,05 mg/kg
	Marine sediment	0,205 mg/kg
	Soil	1,01 mg/kg

8.2 Exposure controls

Engineering measures

Use only in an area equipped with explosion proof exhaust ventilation. Handle only in a place equipped with local exhaust (or other appropriate exhaust).

Personal protective equipment			
Eye/face protection :	Safety glasses with side-shields		
Break through time :	Nitrile rubber > 10 min Class 1		
Remarks :	Wear protective gloves. The break through time depends amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each case. The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it.		
Skin and body protection :	Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.		
Respiratory protection :	Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines. Short term only		
Filter type :	Filter type A-P		
Protective measures :	The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.		

Environmental exposure controls

1

Air





OKS 3541								
Version 2.4	Revision Date: 31.10.2024	Date of last issue: 30.10.2024 Date of first issue: 29.06.2016	Print Date: 31.10.2024					
		Should not be released into the e	environment.					
Soil		:						
			Do not allow contact with soil, surface or ground water. The product should not be allowed to enter drains, water courses or the soil.					
Water	·	:						
		Do not allow contact with soil, su The product should not be allowe courses or the soil.						

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	:	aerosol
Colour	:	yellow
Odour	:	characteristic
Odour Threshold	:	No data available
Melting point/range	:	No data available
Boiling point/boiling range	:	< -20 °C (1.013 hPa)
Flammability (solid, gas)	:	Extremely flammable aerosol.
Upper explosion limit / Upper flammability limit	:	15 %(V)
Lower explosion limit / Lower flammability limit	:	0,6 %(V)
Flash point	:	-20 °C Method: Abel-Pensky, closed cup
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
рН	:	Not applicable



OKS 3541

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - FR



Un	5 334	• 1			
Vers 2.4	sion	Revision Date: 31.10.2024		e of last issue: 30.10.2024 e of first issue: 29.06.2016	Print Date: 31.10.2024
				substance/mixture is non-soluble (in wa	ter)
	Viscos Vis	sity cosity, dynamic	:	No data available	
	Vis	cosity, kinematic	:	< 20,5 mm2/s (20 °C)	
		lity(ies) ater solubility	:	insoluble	
	So	lubility in other solvents	s :	No data available	
		on coefficient: n- bl/water	:	No data available	
	Vapou	ır pressure	:	3.700 hPa (20 °C)	
	Relativ	ve density	:	0,683 (20 °C) Reference substance: Water The value is calculated	
	Densit	ÿ	:	0,68 g/cm3 (20 °C)	
	Bulk d	ensity	:	No data available	
	Relativ	ve vapour density	:	No data available	
9.2 (Other i	nformation			
•	Explos		:	Not explosive	
	Oxidiz	ing properties	:	No data available	
	Self-ig	nition	:	not auto-flammable	
	Metal	corrosion rate	:	Not corrosive to metals	
	Evapo	ration rate	:	No data available	
	Sublim	nation point	:	No data available	

SECTION 10: Stability and reactivity

10.1 Reactivity

No hazards to be specially mentioned.



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - FR



	OKS 3541				
Stable under normal conditions. 10.3 Possibility of hazardous reactions Hazardous reactions : No dangerous reaction known under conditions of n 10.4 Conditions to avoid : Heat, flames and sparks. Strong sunlight for prolonged periods. Risk of receptacle bursting. 10.5 Incompatible materials					Print Date: 31.10.2024
Stable under normal conditions. 10.3 Possibility of hazardous reactions Hazardous reactions : No dangerous reaction known under conditions of n 10.4 Conditions to avoid : Heat, flames and sparks. Strong sunlight for prolonged periods. Risk of receptacle bursting. 10.5 Incompatible materials	0.2 Chemic	al stability			
Hazardous reactions : No dangerous reaction known under conditions of n 10.4 Conditions to avoid : Heat, flames and sparks. Strong sunlight for prolonged periods. Risk of receptacle bursting. 10.5 Incompatible materials : Heat, flames and sparks. Strong sunlight for prolonged periods. Risk of receptacle bursting.	Stable u	inder normal cond	itions.		
10.4 Conditions to avoid : Heat, flames and sparks. Strong sunlight for prolonged periods. Risk of receptacle bursting. 10.5 Incompatible materials	0.3 Possibi	ility of hazardous	reactio	ons	
Conditions to avoid : Heat, flames and sparks. Strong sunlight for prolonged periods. Risk of receptacle bursting.	Hazardo	ous reactions	:	No dangerous reaction known ur	nder conditions of normal use.
Strong sunlight for prolonged periods. Risk of receptacle bursting. 10.5 Incompatible materials	0.4 Conditio	ons to avoid			
	Conditio	ns to avoid	:	Strong sunlight for prolonged per	riods.
Materials to avoid : Oxidizing agents	0.5 Incomp	atible materials			
	Materials	s to avoid	:	Oxidizing agents	
10.6 Hazardous decomposition products	0.6 Hazardo	ous decompositi	on prod	lucts	
No decomposition if stored and applied as directed.	No deco	mposition if stored	d and ap	plied as directed.	

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

:	Remarks: Effects due to ingestion may include:
	Symptoms: Central nervous system depression
:	Remarks: Respiration of solvent vapour may cause dizziness. Harmful by inhalation.
	Symptoms: Inhalation may provoke the following symptoms:, Respiratory disorder, Dizziness, Drowsiness, Vomiting, Fatigue, Vertigo, Central nervous system depression
:	Symptoms: Redness, Local irritation
ane	es, isoalkanes, cyclics, <5% n-hexane:
:	LD50 (Rat): > 5.840 mg/kg Assessment: The substance or mixture has no acute oral toxicity
:	LC50 (Rat): > 25,2 mg/l Exposure time: 4 h Test atmosphere: vapour
	: : :





	1			
sion	Revision Date: 31.10.2024		e of last issue: 30.10.2024 e of first issue: 29.06.2016	Print Date: 31.10.2024
			Assessment: The substance or minhalation toxicity	nixture has no acute
Acute	dermal toxicity	:	LD50 (Rat): > 2,8 g/kg Assessment: The substance or m toxicity	nixture has no acute dermal
tris(m	ethylphenyl) phosp	hate:		
Acute	oral toxicity	:	LD50 (Rat): > 20.000 mg/kg	
Acute	inhalation toxicity	:	LC50 (Rat): 11,1 mg/l Exposure time: 4 h Test atmosphere: dust/mist Assessment: The substance or m inhalation toxicity	nixture has no acute
Acute	dermal toxicity	:	LD50 (Rabbit): > 10.000 mg/kg	
butan	e:			
Acute	inhalation toxicity	:	LC50 (Rat): 658 mg/l Exposure time: 4 h Test atmosphere: gas	
			loot almoopholo. gao	
Skin d	corrosion/irritation		root aunoophoro, guo	
Skin o <u>Produ</u>			root aunoophoro. gao	
	<u>ict:</u>	:	Irritating to skin.	
<u>Produ</u> Rema	<u>ict:</u>	÷		
<u>Produ</u> Rema <u>Comp</u>	<u>ict:</u> rks ponents:	: alkane		xane:
Produ Rema Comp Hydro Specie	<u>ıct:</u> rks ponents: pcarbons, C6-C7, n- əs	: alkane: :	Irritating to skin. s, isoalkanes, cyclics, <5% n-he Rabbit	xane:
Produ Rema Comp Hydro Specie Asses	uct: rks ponents: pcarbons, C6-C7, n- es sment	: alkane: :	Irritating to skin. s, isoalkanes, cyclics, <5% n-he Rabbit Irritating to skin.	xane:
Produ Rema Comp Hydro Specie	uct: rks ponents: pcarbons, C6-C7, n- es sment od	alkane	Irritating to skin. s, isoalkanes, cyclics, <5% n-he Rabbit	xane:
Produ Rema Comp Hydro Specie Asses Metho Result	<u>ict:</u> rks ponents: pcarbons, C6-C7, n- es sment id	:	Irritating to skin. s, isoalkanes, cyclics, <5% n-he Rabbit Irritating to skin. OECD Test Guideline 404	xane:
Produ Rema Comp Hydro Specie Asses Metho Result	ict: rks ponents: pcarbons, C6-C7, n- es sment id t	:	Irritating to skin. s, isoalkanes, cyclics, <5% n-he Rabbit Irritating to skin. OECD Test Guideline 404	xane:
Produ Rema Comp Hydro Specie Asses Metho Result tris(m Specie	ict: rks ponents: pcarbons, C6-C7, n- es sment id t	:	Irritating to skin. s, isoalkanes, cyclics, <5% n-he Rabbit Irritating to skin. OECD Test Guideline 404 Irritating to skin.	xane:
Produ Rema Comp Hydro Specie Asses Metho Result tris(m Specie	ict: rks ponents: pcarbons, C6-C7, n- es sment od t methylphenyl) phosp es sment	: : : : : : : : : : : : : : : : : : :	Irritating to skin. s, isoalkanes, cyclics, <5% n-he Rabbit Irritating to skin. OECD Test Guideline 404 Irritating to skin. Rabbit	xane:
Produ Rema Comp Hydro Specie Asses Metho Result tris(m Specie Asses Result	ict: rks ponents: pcarbons, C6-C7, n- es sment od t methylphenyl) phosp es sment	ohate:	Irritating to skin. s, isoalkanes, cyclics, <5% n-he Rabbit Irritating to skin. OECD Test Guideline 404 Irritating to skin. Rabbit No skin irritation No skin irritation	xane:
Produ Rema Comp Hydro Specie Asses Metho Result tris(m Specie Asses Result	uct: rks ponents: pcarbons, C6-C7, n- es sment od t t ethylphenyl) phosp es sment t us eye damage/eye	ohate:	Irritating to skin. s, isoalkanes, cyclics, <5% n-he Rabbit Irritating to skin. OECD Test Guideline 404 Irritating to skin. Rabbit No skin irritation No skin irritation	xane:





Version	Revision Date:	Date of last issue: 30.10.2024	Print Date:
2.4	31.10.2024	Date of first issue: 29.06.2016	31.10.2024

Components:

Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane:

Species	:	Rabbit
Assessment	:	No eye irritation
Result	:	No eye irritation

tris(methylphenyl) phosphate:

Species	:	Rabbit
Assessment	:	No eye irritation
Result	:	No eye irritation

Respiratory or skin sensitisation

Product:

Remarks

: This information is not available.

Components:

Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane:

Test Type :	Maximisation Test
Exposure routes :	Dermal
Species :	Guinea pig
Assessment	Does not cause skin sensitisation.
Method :	OECD Test Guideline 406
Result :	Did not cause sensitisation on laboratory animals.

tris(methylphenyl) phosphate:

Assessment	:	Does not cause skin sensitisation.
Result	:	Does not cause skin sensitisation.

Germ cell mutagenicity

Product:

Genotoxicity in vitro	:	Remarks: No data available
Genotoxicity in vivo	:	Remarks: No data available

Components:

Hydrocarbons, C6-C7, n-all	kane	es, isoalkanes, cyclics, <5% n-hexane:
Genotoxicity in vitro	:	Test Type: Chromosome aberration test in vitro Test system: Rodent cell line Method: OECD Test Guideline 473 Result: negative



SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - FR



OKS 3541

sion	Revision Date: 31.10.2024		e of last issue: 30.10.2024 e of first issue: 29.06.2016	Print Date: 31.10.2024
Carci	nogenicity			
Produ	uct:			
Rema		:	No data available	
Repro	oductive toxicity			
Produ	uct:			
Effect	s on fertility	:	Remarks: No data available	
	s on foetal opment	:	Remarks: No data available	
<u>Comp</u>	oonents:			
tris(m	ethylphenyl) phos	phate:		
	oductive toxicity -	:	- Fertility -	
Asses	ssment		Some evidence of adverse effect fertility, and/or on development,	
стот	- single exposure			
Produ	uct:			
Rema	ırks	:	No data available	
<u>Comp</u>	oonents:			
Hydro	ocarbons, C6-C7, n	-alkane	s, isoalkanes, cyclics, <5% n-h	exane:
Asses	sment	:	May cause drowsiness or dizzine	ess.
tris(m	nethylphenyl) phos	phate:		
Asses	sment	:	The substance or mixture is not organ toxicant, single exposure.	classified as specific target
sтот	- repeated exposu	re		
Produ	uct:			
Rema	ırks	:	No data available	
<u>Comp</u>	oonents:			
Hydro	ocarbons, C6-C7, n	-alkane	s, isoalkanes, cyclics, <5% n-h	exane:
	sure routes ssment	:	inhalation (vapour) No significant health effects obso concentrations of 1 mg/l/6h/d or	



SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by

Commission Regulation (EC) No. 1907/2006, as amended by

1



OKS 3541

Version	Revision Date:	Date of last issue: 30.10.2024	Print Date:
2.4	31.10.2024	Date of first issue: 29.06.2016	31.10.2024

tris(methylphenyl) phosphate:

Assessment

The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Repeated dose toxicity

Product:

Remarks

: This information is not available.

Aspiration toxicity

Product:

May be fatal if swallowed and enters airways.

May be fatal if swallowed and enters airways.

Components:

Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane:

May be fatal if swallowed and enters airways.

tris(methylphenyl) phosphate:

No aspiration toxicity classification

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Further information

Product:

Remarks

: Risks of irreversible effects after a single exposure. Ingestion causes irritation of upper respiratory system and gastrointestinal disturbance.





Version	Revision Date:	Date of last issue: 30.10.2024	Print Date:
2.4	31.10.2024	Date of first issue: 29.06.2016	31.10.2024

SECTION 12: Ecological information

12.1 Toxicity

Product:

Product:		
Toxicity to fish	:	Remarks: Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
Toxicity to daphnia and other aquatic invertebrates	:	Remarks: No data available
Toxicity to algae/aquatic plants	:	Remarks: No data available
Toxicity to microorganisms	:	Remarks: No data available
Components:		
Hydrocarbons, C6-C7, n-alka	ane	es, isoalkanes, cyclics, <5% n-hexane:
Toxicity to fish	:	
Toxicity to daphnia and other aquatic invertebrates	:	EL50 (Daphnia magna (Water flea)): 3 mg/l Exposure time: 48 h Method: OECD Test Guideline 202 GLP: yes
Toxicity to algae/aquatic plants	:	EbC50 (Pseudokirchneriella subcapitata (green algae)): 26 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
Ecotoxicology Assessment		
Acute aquatic toxicity	:	Toxic to aquatic life.
Chronic aquatic toxicity	:	Toxic to aquatic life with long lasting effects.
tris(methylphenyl) phosphat	te:	
Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): 0,6 mg/l Exposure time: 96 h Test Type: static test
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 0,146 mg/l Exposure time: 48 h Test Type: static test



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - FR



OKS 3541

ersion .4	Revision Date: 31.10.2024		e of last issue: 30.10.2024 e of first issue: 29.06.2016	Print Date: 31.10.2024
M-Fac toxicit	ctor (Acute aquatic y)	:	1	
Toxici toxicit	ty to fish (Chronic y)	:	NOEC: 0,01 mg/l Exposure time: 28 d Species: Jordanella floridae (flagfish) Test Type: semi-static test	
M-Fac toxicity	ctor (Chronic aquatic y)	:	1	
2.2 Persi	stence and degradab	oility		
Produ	ict:			
	gradability	:	Remarks: No data available	
Physic remov	co-chemical ⁄ability	:	Remarks: No data available	
Comp	oonents:			
Hydro	ocarbons, C6-C7, n-a	Ikane	s, isoalkanes, cyclics, <5% n-hexane:	
Biode	gradability	:	Result: Readily biodegradable.	
tris(m	ethylphenyl) phosph	nate:		
Biode	gradability	:	Result: Not rapidly biodegradable Biodegradation: 24 % Exposure time: 28 d	
2.3 Bioac	cumulative potentia	I		
<u>Produ</u>	<u>ict:</u>			
Bioaco	cumulation	:	Remarks: No data available	
Comp	oonents:			
propa	ine:			
	on coefficient: n- ol/water	:	log Pow: 2,36	
tris(m	ethylphenyl) phosph	nate:		
			log Pow: 5,93	
	on coefficient: n- ol/water			





Version 2.4	Revision Date: 31.10.2024		e of last issue: 30.10.2024 e of first issue: 29.06.2016	Print Date: 31.10.2024	
	on coefficient: n- ol/water	:	log Pow: 2,89 Method: OECD Test Guideline 107	7	
12.4 Mobil	lity in soil				
<u>Produ</u>					
Mobili	ty	:	Remarks: No data available		
	oution among onmental compartmer	: nts	Remarks: No data available		
12.5 Resu	Its of PBT and vPvB	asse	ssment		
<u>Produ</u>	<u>ict:</u>				
Asses	ssment	:	This substance/mixture contains n to be either persistent, bioaccumu very persistent and very bioaccum 0.1% or higher.	lative and toxic (PBT), or	
Comp	oonents:				
tris(m	ethylphenyl) phosp	hate:			
Asses	sment	:	Non-classified PBT substance. No	n-classified vPvB substanc	
12.6 Endo	crine disrupting pro	pertie	S		
<u>Produ</u>	<u>ict:</u>				
Asses	ssment	:	The substance/mixture does not c considered to have endocrine disr to REACH Article 57(f) or Commis (EU) 2017/2100 or Commission R levels of 0.1% or higher.	upting properties according sion Delegated regulation	
12.7 Other	adverse effects				
<u>Produ</u>	<u>uct:</u>				
			Toxic to aquatic life with long lastir		

SECTION 13: Disposal considerations

:

13.1 Waste treatment methods

Product

Do not dispose of with domestic refuse. Dispose of as hazardous waste in compliance with local and national regulations.





OKS 3541					
Version 2.4	Revision Date: 31.10.2024	Date of last issue: 30.10.2024Print Date:Date of first issue: 29.06.201631.10.2024			
		Waste codes should be assigne application for which the produc			
Contaminated packaging		: Packaging that is not properly e the unused product. Offer empty spray cans to an es Pressurized container: Do not p	tablished disposal company.		
		The following Waste Codes are	only suggestions:		
Waste Code		: unused product, packagings not 16 05 04**, gases in pressure containing hazardous substance	ontainers (including halons)		

SECTION 14: Transport information

14.1 UN number or ID number

ADN	:	UN 1950
ADR	:	UN 1950
RID	:	UN 1950
IMDG	:	UN 1950
ΙΑΤΑ	:	UN 1950
14.2 UN proper shipping name		
ADN	:	AEROSOLS
ADR	:	AEROSOLS
RID	:	AEROSOLS
IMDG	:	AEROSOLS (naphtha (petroleum), hydrotreated light)
ΙΑΤΑ	:	Aerosols, flammable
14.3 Transport hazard class(es)		
ADN	:	2
ADR	:	2
RID	:	2
IMDG	:	2.1
ΙΑΤΑ	:	2.1



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - FR



OKS 3541

Version 2.4	Revision Date: 31.10.2024		e of last issue: 30.10.2024 e of first issue: 29.06.2016	Print Date: 31.10.2024
ADN Packir Classi Labels	ng group fication Code	:	Not assigned by regulation 5F 2.1	
Classi Labels	ng group fication Code s I restriction code	: :	Not assigned by regulation 5F 2.1 (D)	
Classi	ng group fication Code d Identification Number	:	Not assigned by regulation 5F 23 2.1	
IMDG Packir Labels EmS (ng group S	:	Not assigned by regulation 2.1 F-D, S-U	
Packir aircraf Packir	ng instruction (LQ) ng group	:	203 Y203 Not assigned by regulation Flammable Gas	
Packir (passe Packir	(Passenger) ng instruction enger aircraft) ng instruction (LQ) ng group	:	203 Y203 Not assigned by regulation Flammable Gas	
14.5 Envir	onmental hazards			
ADN Enviro	onmentally hazardous	:	yes	
ADR Enviro	onmentally hazardous	:	yes	
RID Enviro	onmentally hazardous	:	yes	

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.





Version	Revision Date:	Date of last issue: 30.10.2024	Print Date:
2.4	31.10.2024	Date of first issue: 29.06.2016	31.10.2024

14.7 Maritime transport in bulk according to IMO instruments

Remarks : Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation mixture	on	specific for the substance or
REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)	:	Not applicable
REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59). (EU SVHC)	:	This product does not contain substances of very high concern (Regulation (EC) No 1907/2006 (REACH), Article 57).
Regulation (EC) No 1005/2009 on substances that deplete the ozone layer (EC 1005/2009)	:	Not applicable
Regulation (EU) 2019/1021 on persistent organic pollutants (recast) (EU POP)	:	Not applicable
Regulation (EU) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals (EU PIC)	:	Not applicable
REACH - List of substances subject to authorisation (Annex XIV) (EU. REACH-Annex XIV)	:	Not applicable
Regulation (EU) 2019/1148 on the marketing and use of explosives precursors	:	Not applicable
Seveso III: Directive 2012/18/EU of the European P3a Parliament and of the Council on the control of major-accident hazards involving dangerous substances.		FLAMMABLE AEROSOLS





OK5 3541						
Version 2.4	Revision Date: 31.10.2024		e of last issue: 30.1 e of first issue: 29.0	••	Print Date: 31.10.2024	
				E2	ENVIRONMENTAL HAZARDS	
				18	Liquefied flammable gases (including LPG) and natural gas	
Installations classified for the : 4320, 4511, 4718, 4734 protection of the environment (Environment Code R511-9)						
	ational Illnesses (R- France)	:	84, 36, 34, 49, 49	bis		
	rced medical ⁄ision (R4624-23)	:	The product has n	o CMR	properties category 1, 1A or 1B	
(emissions (integra	ted pollu	4 November 2010 on industrial ution prevention and control) Is (VOC) content: 69,9 %	

Other regulations:

OKS 3541

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

15.2 Chemical safety assessment

This information is not available.

SECTION 16: Other information

Full text of H-Statements

H225 :	Extremely flammable gas. Highly flammable liquid and vapour. Contains gas under pressure; may explode if heated.
	May be fatal if swallowed and enters airways.
H315 :	Causes skin irritation.
H336 :	May cause drowsiness or dizziness.
H361 :	Suspected of damaging fertility or the unborn child.
H400 :	Very toxic to aquatic life.
H410 :	Very toxic to aquatic life with long lasting effects.
H411 :	Toxic to aquatic life with long lasting effects.

Full text of other abbreviations



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - FR



Version 2.4	Revision Date: 31.10.2024		issue: 30.10.2024 issue: 29.06.2016	Print Date: 31.10.2024			
Note C		specifi this ca	: Some organic substances may be marketed either in a specific isomeric form or as a mixture of several isomers. In this case the supplier must state on the label whether the substance is a specific isomer or a mixture of isomers.				
Note U (table 3.1)		: When "Gase gas, lie The gi packa followi (Liq.) l not be	When put on the market gases have to be classified as "Gases under pressure", in one of the groups compressed gas, liquefied gas, refrigerated liquefied gas or dissolved gas. The group depends on the physical state in which the gas is packaged and therefore has to be assigned case by case. The following codes are assigned: Press. Gas (Comp.) Press. Gas (Liq.) Press. Gas (Ref. Liq.) Press. Gas (Diss.) Aerosols shall not be classified as gases under pressure (See Annex I, Part 2, Section 2.3.2.1, Note 2).				
FR V FR V	ΊLΕ ΊLΕ / VME	: France	e. Occupational Exposure L Weighted Average	_imits			

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN -Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx -Concentration associated with x% response: ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response: GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA -International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID -Regulations concerning the International Carriage of Dangerous Goods by Rail: SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information





Version 2.4	Revision Date: 31.10.2024	Date of last issue: 30.10.20 Date of first issue: 29.06.20		
Class	sification of the mix	ture:	Classification procedure:	
Aerosol 1		H222, H229	Based on product data or assessment	
Skin	Irrit. 2	H315	Calculation method	
STOT SE 3		H336	Calculation method	
Asp. Tox. 1		H304	Based on product data or assessment	
Aquatic Chronic 2		H411	Calculation method	

|| Relevant changes compared to the last edition are highlighted at the left margin. This version replaces all previous editions.

This safety data sheet applies only to products as originally packed and labelled. The information contained therein may not be reproduced or modified without our express written permission. Any forwarding of this document is only permitted to the extent required by law. Any further, in particular public, dissemination of the safety data sheet (e.g. as a document for download from the Internet) is not permitted without our express written consent. We provide our customers with amended safety data sheets as prescribed by law. The customer is responsible for passing on safety data sheets and any amendments contained therein to its own customers, employees and other users of the product. We provide no guarantee that safety data sheets received by users from third parties are up-to-date. All information and instructions in this safety data sheet have been compiled to the best of our knowledge and are based on the information available to us on the day of publication. The information provided is intended to describe the product in relation to the required safety measures; it is neither an assurance of characteristics nor a guarantee of the product's suitability for particular applications and does not justify any contractual legal relationship. The existence of a safety data sheet for a particular jurisdiction does not necessarily mean that import or use within that jurisdiction is legally permitted. If you have any questions. please contact your responsible sales contact or authorized trading partner.

