according to Regulation (EC) No. 1907/2006 - FR (Commission Regulation (EU) 2020/878)



### **OKS 3711**

Version	Revision Date:	Date of last issue: 01.03.2021	Print Date:
1.3	01.12.2022	Date of first issue: 03.04.2017	01.12.2022

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1	Product identifier Product name	:	OKS 3711
1.2	Relevant identified uses of th	e s	ubstance or mixture and uses advised against
	Use of the Sub- stance/Mixture	:	Lubricant spray
	Recommended restrictions on use	:	Restricted to professional users.
1.3	Details of the supplier of the	saf	ety data sheet
	Company	:	OKS Spezialschmierstoffe GmbH Ganghoferstr. 47 D-82216 Maisach-Gernlinden Tel.: +49 8142 3051 500 Fax.: +49 8142 3051 599 info@oks-germany.com
	E-mail address of person responsible for the SDS	:	mcm@oks-germany.com Material Compliance Management
	National contact	:	
1.4	Emergency telephone numbe	er	
	Emergency telephone num- ber	:	+33 1 45 42 59 59

### **SECTION 2: Hazards identification**

### 2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)				
Aerosols, Category 1	H222: Extremely flammable aerosol. H229: Pressurised container: May burst if heated.			
Acute toxicity, Category 4	H332: Harmful if inhaled.			
Aspiration hazard, Category 1	H304: May be fatal if swallowed and enters air- ways.			



according to Regulation (EC) No. 1907/2006 - FR (Commission Regulation (EU) 2020/878)



### **OKS 3711**

Version	Revision Date:	Date of last issue: 01.03.2021	Print Date:
1.3	01.12.2022	Date of first issue: 03.04.2017	01.12.2022

#### 2.2 Label elements

Labelling (REGULATION (EC Hazard pictograms	C) I :	No 1272/2008)	
Signal word	:	Danger	
Hazard statements	:	H222 H229 H304 H332	Extremely flammable aerosol. Pressurised container: May burst if heated. May be fatal if swallowed and enters air- ways. Harmful if inhaled.
Precautionary statements	:	Prevention: P210 P211 P251	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use.
		<b>Response:</b> P301 + P310 P331 <b>Storage:</b> P410 + P412	IF SWALLOWED: Immediately call a POISON CENTER/ doctor. Do NOT induce vomiting. Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F.

#### Hazardous components which must be listed on the label:

Dec-1-ene, dimers, hydrogenated

Dec-1-ene, homopolymer, hydrogenated

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.



according to Regulation (EC) No. 1907/2006 - FR (Commission Regulation (EU) 2020/878)



### **OKS 3711**

Version	Revision Date:	Date of last issue: 01.03.2021
1.3	01.12.2022	Date of first issue: 03.04.2017

# Print Date: 01.12.2022

### **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

Chemical nature

: Active substance with propellant Synthetic hydrocarbon oil

#### Components

Chemical name	CAS-No.	Classification	specific concen-	Concentration
	EC-No.		tration limit	(% w/w)
	Index-No.		M-Factor Notes	
	Registration number		Acute toxicity	
			estimate	
Dec-1-ene, dimers,	68649-11-6	Acute Tox.4; H332		>= 30 - < 50
hydrogenated	500-228-5	Asp. Tox.1; H304		
	01-2119493069-28- XXXX			
Dec-1-ene, homopol- ymer, hydrogenated	68037-01-4 500-183-1	Asp. Tox.1; H304		>= 20 - < 30
	01-2119486452-34- XXXX			
propane	74-98-6	Flam. Gas1A;		>= 1 - < 10
	200-827-9	H220 Press. GasCompr.	Note U (table	
	601-003-00-5 01-2119486944-21- XXXX	Gas; H280	3.1)	
isobutane	75-28-5	Flam. Gas1A;		>= 1 - < 10
	200-857-2	H220 Press. GasCompr.	Noto II (toblo	
	601-004-00-0 01-2119485395-27- XXXX	Gas; H280	Note U (table 3.1), Note C	
Substances with a work	nlace exposure limit :			
butane	106-97-8	Flam. Gas1A;		>= 20 - < 30
	203-448-7	H220		
	601 004 00 0	Press. GasCompr.	Note U (table	
	601-004-00-0 01-2119474691-32- XXXX	Gas; H280	3.1), Note C	

For explanation of abbreviations see section 16.



according to Regulation (EC) No. 1907/2006 - FR (Commission Regulation (EU) 2020/878)



### **OKS 3711**

Version	Revision Date:	Date of last issue: 01.03.2021
1.3	01.12.2022	Date of first issue: 03.04.2017

Print Date: 01.12.2022

#### **SECTION 4: First aid measures**

4.1 Description of first aid measures				
If inhaled	<ul> <li>Remove person to fresh air. If signs/symptoms continue, get medical attention.</li> <li>Keep patient warm and at rest.</li> <li>If unconscious, place in recovery position and seek medical advice.</li> <li>Keep respiratory tract clear.</li> <li>If breathing is irregular or stopped, administer artificial respiration.</li> </ul>			
In case of skin contact	<ul> <li>Take off all contaminated clothing immediately.</li> <li>Wash off immediately with soap and plenty of water.</li> <li>Get medical attention immediately if irritation develops and persists.</li> <li>Wash clothing before reuse.</li> <li>Thoroughly clean shoes before reuse.</li> </ul>			
In case of eye contact	<ul> <li>Rinse immediately with plenty of water, also under the eyelids, for at least 10 minutes.</li> <li>Seek medical advice.</li> </ul>			
If swallowed	<ul> <li>Move the victim to fresh air.</li> <li>Keep respiratory tract clear.</li> <li>Do NOT induce vomiting.</li> <li>Obtain medical attention.</li> <li>Rinse mouth with water.</li> <li>Aspiration hazard if swallowed - can enter lungs and cause damage.</li> </ul>			
4.2 Most important symptoms	and effects, both acute and delayed			
Symptoms	<ul> <li>Inhalation may provoke the following symptoms: Unconsciousness</li> <li>Dizziness</li> <li>Drowsiness</li> <li>Headache</li> <li>Nausea</li> <li>Tiredness</li> </ul>			
	Aspiration may cause pulmonary oedema and pneumonitis.			
Risks	: Risk of product entering the lungs on vomiting after ingestion. Health injuries may be delayed.			
4.3 Indication of any immediate	e medical attention and special treatment needed			



: Treat symptomatically.



according to Regulation (EC) No. 1907/2006 - FR (Commission Regulation (EU) 2020/878)



### **OKS 3711**

Version	Revision Date:	Date of last issue: 01.03.2021	Print Date:
1.3	01.12.2022	Date of first issue: 03.04.2017	01.12.2022

#### **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

Suitable extinguishing media : ABC powder

Unsuitable extinguishing	:	High volume water jet
media		

#### 5.2 Special hazards arising from the substance or mixture

Specific hazards during fire- fighting	:	Fire may cause evolution of: Carbon oxides
		Fire Hazard Do not let product enter drains. Contains gas under pressure; may explode if heated. Beware of vapours accumulating to form explosive concentra- tions. Vapours can accumulate in low areas.
Hazardous combustion prod- ucts	:	Carbon oxides
5.3 Advice for firefighters		
Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment. Exposure to decomposi- tion products may be a hazard to health.
Further information	:	Standard procedure for chemical fires. Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Cool containers/tanks with water spray.

#### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	: Evacuate personnel to safe areas.
	Ensure adequate ventilation.
	Remove all sources of ignition.
	Do not breathe vapours or spray mist.
	Refer to protective measures listed in sections 7 and 8.
	Only qualified personnel equipped with suitable protective equipment may intervene.

#### 6.2 Environmental precautions

Environmental precautions	:	Try to prevent the material from entering drains or water courses.
		Prevent further leakage or spillage if safe to do so. Local authorities should be advised if significant spillages



according to Regulation (EC) No. 1907/2006 - FR (Commission Regulation (EU) 2020/878)



### **OKS 3711**

Version	Revision Date:	Date of last issue: 01.03.2021	Print Date:
1.3	01.12.2022	Date of first issue: 03.04.2017	01.12.2022

cannot be contained.

#### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up	sorbent material, miculite) and plac / national regulat Keep in suitable,	and then collect with non-combustible ab- , (e.g. sand, earth, diatomaceous earth, ver- ce in container for disposal according to local ions (see section 13). closed containers for disposal. ols should be used.
	/ national regulat Keep in suitable,	ions (see section 13). closed containers for disposal.

### 6.4 Reference to other sections

For personal protection see section 8.

#### **SECTION 7: Handling and storage**

### 7.1 Precautions for safe handling

Advice on safe handling	:	Do not use in areas without adequate ventilation. Do not breathe vapours or spray mist. In case of insufficient ventilation, wear suitable respiratory equipment. Avoid contact with skin and eyes. For personal protection see section 8. Keep away from fire, sparks and heated surfaces. Smoking, eating and drinking should be prohibited in the ap- plication area. Wash hands and face before breaks and immediately after handling the product. Do not get in eyes or mouth or on skin. Do not get on skin or clothing. Do not ingest. Do not use sparking tools. These safety instructions also apply to empty packaging which may still contain product residues. Pressurized container: protect from sunlight and do not ex- pose to temperatures exceeding 50 °C. Do not pierce or burn, even after use.
Hygiene measures	:	Wash face, hands and any exposed skin thoroughly after handling.

### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage	:	BEWARE: Aerosol is pressurized. Keep away from direct sun
areas and containers		exposure and temperatures over 50 °C. Do not open by force
		or throw into fire even after use. Do not spray on flames or red-hot objects. Store in accordance with the particular na- tional regulations.

#### 7.3 Specific end use(s)



according to Regulation (EC) No. 1907/2006 - FR (Commission Regulation (EU) 2020/878)



### **OKS 3711**

Version 1.3	Revision Date: 01.12.2022	Date of last issue: 01.03.2021 Date of first issue: 03.04.2017	Print Date: 01.12.2022

Specific use(s) : Specific instructions for handling, not required.

### **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

### **Occupational Exposure Limits**

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
butane	106-97-8	VME	800 ppm 1.900 mg/m3	FR VLE (2005-02-01)
	Further information: Indicative exposure limits			

#### Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health ef- fects	Value
Dec-1-ene, dimers, hydrogenated	Industrial use	Inhalation	Acute systemic ef- fects	60 mg/m3

#### 8.2 Exposure controls

#### Engineering measures

Use only in an area equipped with explosion proof exhaust ventilation. Handle only in a place equipped with local exhaust (or other appropriate exhaust).

#### Personal protective equipment

Eye protection	:	Safety glasses with side-shields
Hand protection Material Break through time Protective index	:	Nitrile rubber > 10 min Class 1
Remarks	:	Wear protective gloves. The break through time depends amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each case. The selected protective gloves have to satisfy the specifica- tions of Regulation (EU) 2016/425 and the standard EN 374 derived from it.
Skin and body protection	:	Choose body protection in relation to its type, to the concen- tration and amount of dangerous substances, and to the spe- cific work-place.
Respiratory protection	:	Use respiratory protection unless adequate local exhaust ven- tilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines. Short term only



according to Regulation (EC) No. 1907/2006 - FR (Commission Regulation (EU) 2020/878)



### **OKS 3711**

Version 1.3	Revision Date: 01.12.2022	Date of last issue: 01.03.2021Print Date:Date of first issue: 03.04.201701.12.2022	
	ter type ctive measures	<ul> <li>Filter type A-P</li> <li>The type of protective equipment must be selected accordir to the concentration and amount of the dangerous substance</li> </ul>	
		at the specific workplace.	

### **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

Physical state	:	aerosol
Colour	:	colourless
Odour	:	characteristic
Odour Threshold	:	No data available
Melting point/range	:	No data available
Boiling point/boiling range	:	-42 °C (1.013 hPa)
Flammability (solid, gas)	:	No data available
Upper explosion limit / Upper flammability limit	:	10,9 %(V)
Lower explosion limit / Lower flammability limit	:	1,5 %(V)
Flash point	:	-60 °C Method: Abel-Pensky Not applicable
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
рН	:	Not applicable substance/mixture is non-soluble (in water)
Viscosity		
Viscosity, dynamic	:	No data available
Viscosity, kinematic	:	< 20,5 mm2/s (40 °C)
Solubility(ies) Water solubility	:	insoluble



according to Regulation (EC) No. 1907/2006 - FR (Commission Regulation (EU) 2020/878)



### **OKS 3711**

/ersion .3	Revision Date: 01.12.2022		of last issue: 01.03.2021 of first issue: 03.04.2017	Print Date: 01.12.2022
S	olubility in other solvents	6 :	No data available	
	tion coefficient: n-	:	No data available	
	nol/water our pressure	:	4.000 hPa (20 °C)	
Dens	ity	:	0,70 g/cm3 (20 °C)	
Bulk	density	:	No data available	
Relative vapour density		:	No data available	
9.2 Other	information			
Explosives		:	Not explosive	
Oxidi	zing properties	:	No data available	
Self-i	Self-ignition		not auto-flammable	
Meta	Metal corrosion rate		Not corrosive to metals	
Evap	Evaporation rate		No data available	
Subli	mation point	:	No data available	

No hazards to be specially mentioned.

#### 10.2 Chemical stability

Stable under normal conditions.

### 10.3 Possibility of hazardous reactions

Hazardous reactions	:	No dangerous reaction known under conditions of normal use.
		5
	Hazardous reactions	Hazardous reactions :

#### 10.4 Conditions to avoid

Conditions to avoid

: Heat, flames and sparks. Strong sunlight for prolonged periods. Risk of receptacle bursting.

#### 10.5 Incompatible materials

Materials to avoid	: Oxidizing agents
--------------------	--------------------



according to Regulation (EC) No. 1907/2006 - FR (Commission Regulation (EU) 2020/878)



### **OKS 3711**

Version	Revision Date:	Date of last issue: 01.03.2021	Print Date:
1.3	01.12.2022	Date of first issue: 03.04.2017	01.12.2022

#### **10.6 Hazardous decomposition products**

No decomposition if stored and applied as directed.

### **SECTION 11: Toxicological information**

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity		
Product:		
Acute oral toxicity	:	Remarks: This information is not available.
Acute inhalation toxicity		Acute toxicity estimate: 3,35 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Calculation method
		Remarks: Harmful by inhalation.
		Symptoms: Inhalation may provoke the following symptoms:, Respiratory disorder
Acute dermal toxicity	:	Remarks: This information is not available.
Components:		
Dec-1-ene, dimers, hydro	aenat	ed:
Acute oral toxicity	-	LD50 (Rat): > 5.000 mg/kg Method: OECD Test Guideline 401 GLP: yes
Acute inhalation toxicity	:	LC50 (Rat): 1,17 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403 GLP: yes
Acute dermal toxicity	:	LD50 (Rabbit): > 3.000 mg/kg Method: OECD Test Guideline 402 Assessment: The substance or mixture has no acute dermal toxicity
Dec-1-ene, homopolymer	, hydr	rogenated:
Acute oral toxicity	:	LD50 (Rat): > 5.000 mg/kg Method: OECD Test Guideline 423 GLP: yes
Acute inhalation toxicity	:	LC50 (Rat): > 5,2 mg/l Exposure time: 4 h Test atmosphere: dust/mist



according to Regulation (EC) No. 1907/2006 - FR (Commission Regulation (EU) 2020/878)



### **OKS 3711**

		Dale	e of first issue: 03.04.2017	01.12.2022
			Method: OECD Test Guideline 403 GLP: yes Assessment: The substance or mittion toxicity	
Acute	dermal toxicity	:	LD50 (Rat): > 2.000 mg/kg Method: OECD Test Guideline 400 Assessment: The substance or mit toxicity	
isobut	ane:			
	inhalation toxicity	:	LC50 (Rat): 658 mg/l Exposure time: 4 h Test atmosphere: gas	
butane	9:			
Acute i	inhalation toxicity	:	LC50 (Rat): 658 mg/l Exposure time: 4 h Test atmosphere: gas	
Skin c	orrosion/irritation			
Produ	<u>ct:</u>			
Remar	ks	:	This information is not available.	
Comp	onents:			
Dec-1-	ene, dimers, hydro	genate	ed:	
Specie	S	:	Rabbit	
Assess		:	No skin irritation	
Method		:	OECD Test Guideline 404	
Result		:	No skin irritation	
Dec-1-	ene, homopolymer	, hydr	ogenated:	
Specie		:	Rabbit	
Assess		:	No skin irritation	
Method		:	OECD Test Guideline 404	
Result GLP			No skin irritation	
GLF			yes	
Seriou	is eye damage/eye	irritati	on	
Produ				
Remar	ks	:	Contact with eyes may cause irrita	ation.
Comp	onents:			



according to Regulation (EC) No. 1907/2006 - FR (Commission Regulation (EU) 2020/878)



### **OKS 3711**

Version	Revision Date:	Date of last issue: 01.03.2021	Print Date:
1.3	01.12.2022	Date of first issue: 03.04.2017	01.12.2022

Species	: Rabbit
Assessment	: No eye irritation
Method	: OECD Test Guideline 405
Result	: No eye irritation

#### Dec-1-ene, homopolymer, hydrogenated:

Species	: Rabbit
Assessment	: No eye irritation
Method	: OECD Test Guideline 405
Result	: No eye irritation
GLP	: yes

#### Respiratory or skin sensitisation

#### Product:

Remarks

: This information is not available.

#### **Components:**

#### Dec-1-ene, dimers, hydrogenated:

Test Type	:	Maximisation Test
Species	:	Guinea pig
Assessment	:	Does not cause skin sensitisation.
Method	:	OECD Test Guideline 406
Result	:	Does not cause skin sensitisation.
GLP	:	yes

#### Dec-1-ene, homopolymer, hydrogenated:

Test Type :	:	Maximisation Test
Species	:	Guinea pig
Assessment	:	Does not cause skin sensitisation.
Method :	:	OECD Test Guideline 406
Result :	:	Does not cause skin sensitisation.
GLP :	:	yes

#### Germ cell mutagenicity

#### Product:

Genotoxicity in vitro	:	Remarks: No data available
Genotoxicity in vivo	:	Remarks: No data available

#### **Components:**

#### Dec-1-ene, homopolymer, hydrogenated:

Genotoxicity in vitro	:	Test Type: Ames test
		Method: Mutagenicity (Escherichia coli - reverse mutation



according to Regulation (EC) No. 1907/2006 - FR (Commission Regulation (EU) 2020/878)



### **OKS 3711**

rsion B	Revision Date: 01.12.2022		e of last issue: 01.03.2021 e of first issue: 03.04.2017	Print Date: 01.12.2022
			assay) Result: negative GLP: yes	
Germ sessm	cell mutagenicity- As- nent	- :	Animal testing did not show any m	utagenic effects.
Carci	nogenicity			
Produ	<u>ict:</u>			
Rema	rks	:	No data available	
<u>Comp</u>	oonents:			
Dec-1	-ene, homopolymer,	, hydr	ogenated:	
Carcir ment	nogenicity - Assess-	:	Not classifiable as a human carcin	ogen.
Repro	oductive toxicity			
<u>Produ</u>	<u>ict:</u>			
Effects	s on fertility	:	Remarks: No data available	
Effect: ment	s on foetal develop-	:	Remarks: No data available	
<u>Comp</u>	oonents:			
Dec-1	-ene, homopolymer,	, hydr	ogenated:	
	Reproductive toxicity - As- sessment	:	- Fertility -	
sessm			No toxicity to reproduction - Teratogenicity -	
			Did not show teratogenic effects in	animal experiments.
Repea	ated dose toxicity			
Produ	<u>ict:</u>			
Rema		:	This information is not available.	
Aspira	ation toxicity			
<u>Produ</u> May b	<u>ıct:</u> e fatal if swallowed aı	nd ent	ers airways.	
Comp	onents:			



according to Regulation (EC) No. 1907/2006 - FR (Commission Regulation (EU) 2020/878)



### **OKS 3711**

Version	Revision Date:	Date of last issue: 01.03.2021	Print Date:
1.3	01.12.2022	Date of first issue: 03.04.2017	01.12.2022

#### Dec-1-ene, homopolymer, hydrogenated:

May be fatal if swallowed and enters airways.

#### 11.2 Information on other hazards

Endocrine disrupting prop	ies	
Product:		
Assessment	: The substance/mixture does not contain components consid- ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.	
Further information		
Product:		
Remarks	: Information given is based on data on the components and the toxicology of similar products.	

### **SECTION 12: Ecological information**

#### 12.1 Toxicity

<u>Product:</u> Toxicity to fish	:	Remarks: No data available
Toxicity to daphnia and other aquatic invertebrates	:	Remarks: No data available
Toxicity to algae/aquatic plants	:	Remarks: No data available
Toxicity to microorganisms	:	Remarks: No data available
Components:		
Dec-1-ene, dimers, hydroge	nat	ed:
Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): > 1.000 mg/l Exposure time: 96 h Test Type: semi-static test Method: OECD Test Guideline 203 GLP: yes
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 1.000 mg/l Exposure time: 48 h



according to Regulation (EC) No. 1907/2006 - FR (Commission Regulation (EU) 2020/878)



### **OKS 3711**

Version 1.3	Revision Date: 01.12.2022		e of last issue: 01.03.2021 e of first issue: 03.04.2017	Print Date: 01.12.2022
			Test Type: Immobilization Method: OECD Test Guideline 20 GLP: yes	)2
Toxic plants	ity to algae/aquatic s	:	EC50 (Scenedesmus capricornut 1.000 mg/l Exposure time: 72 h Test Type: static test Method: OECD Test Guideline 20 GLP: yes	
	ity to daphnia and othe tic invertebrates (Chron icity)		NOEC: 125 mg/l Exposure time: 21 d Species: Daphnia magna (Water Method: OECD Test Guideline 21 GLP: yes	
Dec-	1-ene, homopolymer,	hydr	ogenated:	
Toxic	ity to fish	:	LC50 (Oncorhynchus mykiss (rain Exposure time: 96 h Test Type: static test Method: OECD Test Guideline 20 GLP: yes	<i>,,</i> C
	ity to daphnia and othe tic invertebrates	r:	EC50 (Daphnia magna (Water fle Exposure time: 48 h Test Type: Immobilization Method: OECD Test Guideline 20 GLP: yes	
Toxic plants	ity to algae/aquatic s	:	ErC50 (Scenedesmus capricornu 1.000 mg/l Exposure time: 72 h Test Type: Growth inhibition Method: OECD Test Guideline 20 GLP: yes	
	ity to daphnia and othe tic invertebrates (Chron icity)		NOEC: 125 mg/l Exposure time: 21 d Species: Daphnia magna (Water	flea)
12.2 Pers	istence and degradab	ility		
Prod	uct:			

Biodegradability	:	Remarks: No data available
Physico-chemical removabil- ity	:	Remarks: No data available




according to Regulation (EC) No. 1907/2006 - FR (Commission Regulation (EU) 2020/878)



### **OKS 3711**

Version 1.3	Revision Date: 01.12.2022	Date of last issue: 01.03.2021 Date of first issue: 03.04.2017	Print Date: 01.12.2022
0			

	Components:		
	Dec-1-ene, dimers, hydroge	nat	ed:
	Biodegradability	:	Result: Not rapidly biodegradable
	Dec-1-ene, homopolymer, h	ydr	ogenated:
	Biodegradability	:	Test Type: Primary biodegradation Inoculum: activated sludge Result: Not readily biodegradable. Method: OECD Test Guideline 301B
12.3	Bioaccumulative potential		
	Product:		
	Bioaccumulation	:	Remarks: This mixture contains no substance considered to be persistent, bioaccumulating and toxic (PBT). This mixture contains no substance considered to be very persistent and very bioaccumulating (vPvB).
	Components:		
	Dec-1-ene, dimers, hydroge	nat	ed:
	Partition coefficient: n- octanol/water	:	log Pow: > 6,5
	Dec-1-ene, homopolymer, h	ydr	ogenated:
	Partition coefficient: n- octanol/water	:	log Pow: > 6,5 (20 °C)
	propane:		
	Partition coefficient: n- octanol/water	:	log Pow: 2,36
	isobutane:		
	Partition coefficient: n- octanol/water	:	log Pow: 2,88 Method: OECD Test Guideline 107
	butane:		
	Partition coefficient: n- octanol/water	:	log Pow: 2,89 Method: OECD Test Guideline 107
12.4	4 Mobility in soil		
	Product:		
	Mobility	:	Remarks: No data available





according to Regulation (EC) No. 1907/2006 - FR (Commission Regulation (EU) 2020/878)



### **OKS 3711**

Version	Revision Date:	Date of last issue: 01.03.2021	Print Date:
1.3	01.12.2022	Date of first issue: 03.04.2017	01.12.2022

mental compartments

#### 12.5 Results of PBT and vPvB assessment

Assessment	: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.
Components:	
Dec-1-ene, dimers, hy	drogenated:
Assessment	: This substance is not considered to be persistent, bioaccumu- lating and toxic (PBT) This substance is not considered to be very persistent and very bioaccumulating (vPvB).
Dec-1-ene, homopoly	mer, hydrogenated:
Assessment	: Non-classified PBT substance. Non-classified vPvB substance

#### 12.

Product:
----------

Assessment	<ul> <li>The substance/mixture does not contain components consid ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 a levels of 0.1% or higher.</li> </ul>
	levels of 0.1% or higher.

#### 12.7 Other adverse effects

Product:

Additional ecological infor-	:	No information on ecology is available.
mation		

### **SECTION 13: Disposal considerations**

13.1 Waste treatment methods		
Product		Do not dispose of with domestic refuse. Dispose of as hazardous waste in compliance with local and national regulations.
		Waste codes should be assigned by the user based on the application for which the product was used.
Contaminated packaging	:	Packaging that is not properly emptied must be disposed of as the unused product.



according to Regulation (EC) No. 1907/2006 - FR (Commission Regulation (EU) 2020/878)



### **OKS 3711**

Version 1.3	Revision Date: 01.12.2022		e of last issue: 01.03.2021 e of first issue: 03.04.2017	Print Date: 01.12.2022
			Offer empty spray cans to an estab Pressurized container: Do not pier	
			The following Waste Codes are on	ly suggestions:
Wast	e Code	:	unused product, packagings not co 16 05 04*, gases in pressure conta containing hazardous substances	

### **SECTION 14: Transport information**

### 14.1 UN number or ID number

	ADN	:	UN 1950
	ADR	:	UN 1950
	RID	:	UN 1950
	IMDG	:	UN 1950
	ΙΑΤΑ	:	UN 1950
14.2	2 UN proper shipping name		
	ADN	:	AEROSOLS
	ADR	:	AEROSOLS
	RID	:	AEROSOLS
	IMDG	:	AEROSOLS
	ΙΑΤΑ	:	Aerosols, flammable
14.3	B Transport hazard class(es)		
	ADN	:	2
	ADR	:	2
	RID	:	2
	IMDG	:	2.1
	ΙΑΤΑ	:	2.1
14.4	Packing group		
	<b>ADN</b> Packing group Classification Code Labels	:	Not assigned by regulation 5F 2.1
	ADR Packing group Classification Code Labels Tunnel restriction code	:	Not assigned by regulation 5F 2.1 (D)



according to Regulation (EC) No. 1907/2006 - FR (Commission Regulation (EU) 2020/878)



### **OKS 3711**

Version 1.3	Revision Date: 01.12.2022		e of last issue: 01.03.2021 e of first issue: 03.04.2017	Print Date: 01.12.2022
Class	ng group ification Code rd Identification Numbe s	: : : :	Not assigned by regulation 5F 23 2.1	
Label	ng group	:	Not assigned by regulation 2.1 F-D, S-U	
Packi aircra Packi	<b>(Cargo)</b> ing instruction (cargo ift) ing instruction (LQ) ing group	:	203 Y203 Not assigned by regulation	
Packi ger ai	(Passenger) ing instruction (passen- ircraft)	:	Flammable Gas	
	ng instruction (LQ) ng group s	:	Y203 Not assigned by regulation Flammable Gas	
14.5 Envii	ronmental hazards			
<b>ADN</b> Envire	onmentally hazardous	:	no	
<b>ADR</b> Envire	onmentally hazardous	:	no	
<b>RID</b> Envire	onmentally hazardous	:	no	
<b>IMDG</b> Marin	e pollutant	:	no	
14.6 Spec	ial precautions for us	er		
	-		ovided herein are for information	al purposes only, and solely

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

#### 14.7 Maritime transport in bulk according to IMO instruments

Remarks

: Not applicable for product as supplied.

#### **SECTION 15: Regulatory information**

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on : Not applicable the market and use of certain dangerous substances, mixtures and articles (Annex XVII)



according to Regulation (EC) No. 1907/2006 - FR (Commission Regulation (EU) 2020/878)



### **OKS 3711**

Version 1.3	Revision Date: 01.12.2022		e of last issue: 01.0 e of first issue: 03.0		Print Date: 01.12.2022
Conce	CH - Candidate List of S ern for Authorisation (A SVHC)			. :	This product does not contain sub- stances of very high concern (Regu- lation (EC) No 1907/2006 (REACH), Article 57).
(Anne	H - List of substances x XIV) REACH-Annex XIV)	subje	ect to authorisation	:	Not applicable
plete t	ation (EC) No 1005/20 he ozone layer 005/2009)	09 or	n substances that c	le- :	Not applicable
	ation (EU) 2019/1021 ( (recast) POP)	on pe	ersistent organic po	llu- :	Not applicable
ment	ation (EC) No 649/201 and the Council concer ogerous chemicals PIC)				Not applicable
				: P2	
Parlia	o III: Directive 2012/18 ment and of the Counc -accident hazards invo es.	il on	the control of	P3a	FLAMMABLE AEROSOLS
				18	Liquefied extremely flammable gases (including LPG) and natural gas
	oational Illnesses (R- , France)	:	36		
	prced medical supervi- R4624-18)	:	The product has r	no CMR	properties
protec	ations classified for the tion of the environmen onment Code R511-9)	ıt	4320, 4718, 4734		
Volati	le organic compounds	:	emissions (integra	ated poll	24 November 2010 on industrial lution prevention and control) ds (VOC) content: 79,96 %

### Other regulations:

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.



according to Regulation (EC) No. 1907/2006 - FR (Commission Regulation (EU) 2020/878)



### **OKS 3711**

Version	Revision Date:	Date of last issue: 01.03.2021	Print Date:
1.3	01.12.2022	Date of first issue: 03.04.2017	01.12.2022

#### 15.2 Chemical safety assessment

This information is not available.

#### **SECTION 16: Other information**

#### Full text of H-Statements

H220 H280 H304 H332	: : :	Extremely flammable gas. Contains gas under pressure; may explode if heated. May be fatal if swallowed and enters airways. Harmful if inhaled.	
Full text of other abbreviatio	ns		
Note C	:	Some organic substances may be marketed either in a specif- ic isomeric form or as a mixture of several isomers. In this case the supplier must state on the label whether the sub- stance is a specific isomer or a mixture of isomers.	
Note U (table 3.1)	:	When put on the market gases have to be classified as "Gas- es under pressure", in one of the groups compressed gas, liquefied gas, refrigerated liquefied gas or dissolved gas. The group depends on the physical state in which the gas is pack- aged and therefore has to be assigned case by case. The following codes are assigned: Press. Gas (Comp.) Press. Gas (Liq.) Press. Gas (Ref. Liq.) Press. Gas (Diss.) Aerosols shall not be classified as gases under pressure (See Annex I, Part 2, Section 2.3.2.1, Note 2).	
FR VLE FR VLE / VME	:	France. Occupational Exposure Limits (INRS) Time Weighted Average	

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL



according to Regulation (EC) No. 1907/2006 - FR (Commission Regulation (EU) 2020/878)



### **OKS 3711**

Version	Revision Date:	Date of last issue: 01.03.2021	Print Date:
1.3	01.12.2022	Date of first issue: 03.04.2017	01.12.2022

- Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

#### Further information

Classification of the mixt	ure:	Classification procedure:
Aerosol 1	H222, H229	Calculation method
Acute Tox. 4	H332	Calculation method
Asp. Tox. 1	H304	Based on product data or assessment

This safety data sheet applies only to products as originally packed and labelled. The information contained therein may not be reproduced or modified without our express written permission. Any forwarding of this document is only permitted to the extent required by law. Any further, in particular public, dissemination of the safety data sheet (e.g. as a document for download from the Internet) is not permitted without our express written consent. We provide our customers with amended safety data sheets as prescribed by law. The customer is responsible for passing on safety data sheets and any amendments contained therein to its own customers, employees and other users of the product. We provide no guarantee that safety data sheets received by users from third parties are up-to-date. All information and instructions in this safety data sheet have been compiled to the best of our knowledge and are based on the information available to us on the day of publication. The information provided is intended to describe the product in relation to the required safety measures; it is neither an assurance of characteristics nor a guarantee of the product's suitability for particular applications and does not justify any contractual legal relationship. The existence of a safety data sheet for a particular jurisdiction does not necessarily mean that import or use within that jurisdiction is legally permitted. If you have any questions, please contact your responsible sales contact or authorized trading partner.

