according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - DE



**OKS 422** 

Version Revision Date: Date of last issue: 13.11.2023 Print Date: 3.1 29.01.2025 Date of first issue: 05.04.2016 29.01.2025

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name : OKS 422

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the : Grease

Substance/Mixture

Recommended restrictions

on use

: Restricted to professional users.

1.3 Details of the supplier of the safety data sheet

Company : OKS Spezialschmierstoffe GmbH

Ganghoferstr. 47

82216 Maisach-Gernlinden

Deutschland

Tel.: +49 8142 3051 500 Fax: +49 8142 3051 599 info@oks-germany.com

E-mail address of person

responsible for the SDS

mcm@oks-germany.com

National contact

1.4 Emergency telephone number

Emergency telephone

number

: +49 8142 3051 517

## **SECTION 2: Hazards identification**

## 2.1 Classification of the substance or mixture

#### Classification (REGULATION (EC) No 1272/2008)

Acute toxicity, Category 4 H302: Harmful if swallowed.

Acute toxicity, Category 4 H332: Harmful if inhaled.

#### 2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - DE



**OKS 422** 

Version Revision Date: Date of last issue: 13.11.2023 Print Date: 3.1 29.01.2025 Date of first issue: 05.04.2016 29.01.2025

Hazard pictograms :

Signal word : Warning

Hazard statements : H302 + H332 Harmful if swallowed or if inhaled.

Precautionary statements : Prevention:

P264 Wash skin thoroughly after handling.
P270 Do not eat, drink or smoke when using this

product.

P271 Use only outdoors or in a well-ventilated

area.

Response:

P301 + P312 + P330 IF SWALLOWED: Call a POISON

CENTER/ doctor if you feel unwell. Rinse

mouth.

P304 + P340 + P312 IF INHALED: Remove person to fresh

air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel

unwell.

## Hazardous components which must be listed on the label:

Reaction mixture of hydrogenated tallow alkyl amines with sebacic acid and barium hydroxide

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - DE



**OKS 422** 

Version Revision Date: Date of last issue: 13.11.2023 Print Date: 3.1 29.01.2025 Date of first issue: 05.04.2016 29.01.2025

# **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

Chemical nature : Synthetic hydrocarbon oil barium complex soap

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	specific concentration limit M-Factor Notes Acute toxicity estimate	Concentration (% w/w)
Reaction mixture of hydrogenated tallow alkyl amines with sebacic acid and barium hydroxide	1282612-27-4 433-080-4 056-002-00-7 01-0000017924-63- 0001	Acute Tox.4; H302 Acute Tox.4; H332	Note A, Note 1	>= 30 - < 50
Isotridecanol, ethoxylated	69011-36-5 500-241-6 01-2119976362-32- XXXX	Aquatic Acute1; H400 Aquatic Chronic3; H412	M-Factor: 1/	>= 0,1 - < 0,25
Substances with a work Dec-1-ene, homopolymer, hydrogenated	splace exposure limit : 68037-01-4 500-183-1 01-2119486452-34-XXXX	Not classified		>= 50 - < 70

For explanation of abbreviations see section 16.

## **SECTION 4: First aid measures**

# 4.1 Description of first aid measures

If inhaled : Remove person to fresh air. If signs/symptoms continue, get

medical attention.

Keep patient warm and at rest.

If unconscious, place in recovery position and seek medical

advice.



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - DE



**OKS 422** 

Version Revision Date: Date of last issue: 13.11.2023 Print Date: 3.1 29.01.2025 Date of first issue: 05.04.2016 29.01.2025

Keep respiratory tract clear.

If breathing is irregular or stopped, administer artificial

respiration.

In case of skin contact : Take off all contaminated clothing immediately.

Wash off immediately with soap and plenty of water.

Get medical attention immediately if irritation develops and

persists.

Wash clothing before reuse.

Thoroughly clean shoes before reuse.

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids,

for at least 10 minutes. Seek medical advice.

If swallowed : Move the victim to fresh air.

If unconscious, place in recovery position and seek medical

advice.

Keep respiratory tract clear.

Do not induce vomiting without medical advice.

Never give anything by mouth to an unconscious person.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms : Inhalation may provoke the following symptoms:

Headache Nausea

Risks : None known.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically.

## **SECTION 5: Firefighting measures**

5.1 Extinguishing media

Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or

carbon dioxide.

Unsuitable extinguishing

media

: High volume water jet

5.2 Special hazards arising from the substance or mixture

Hazardous combustion : Carbon oxides

products Nitrogen oxides (NOx)

Metal oxides



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - DE



**OKS 422** 

Version Revision Date: Date of last issue: 13.11.2023 Print Date: 3.1 29.01.2025 Date of first issue: 05.04.2016 29.01.2025

5.3 Advice for firefighters

Special protective equipment :

for firefighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment. Exposure to decomposition products may be a hazard to health.

Further information : Standard procedure for chemical fires.

#### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Evacuate personnel to safe areas.

Ensure adequate ventilation. Do not breathe vapours, aerosols.

Refer to protective measures listed in sections 7 and 8.

6.2 Environmental precautions

Environmental precautions : Try to prevent the material from entering drains or water

courses.

Local authorities should be advised if significant spillages

cannot be contained.

## 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Pick up and transfer to properly labelled containers.

## 6.4 Reference to other sections

For personal protection see section 8.

## **SECTION 7: Handling and storage**

### 7.1 Precautions for safe handling

Advice on safe handling : Avoid contact with skin and eyes.

For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the

application area.

Wash hands and face before breaks and immediately after

handling the product.

Do not get in eyes or mouth or on skin.

Do not get on skin or clothing.

Do not ingest. Do not repack.

These safety instructions also apply to empty packaging which

may still contain product residues. Keep container closed when not in use.



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - DE



**OKS 422** 

Version Revision Date: Date of last issue: 13.11.2023 Print Date: 3.1 29.01.2025 Date of first issue: 05.04.2016 29.01.2025

Hygiene measures : Wash face, hands and any exposed skin thoroughly after

handling.

#### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Store in original container. Keep container closed when not in use. Keep in a dry, cool and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store in accordance with the particular national regulations. Keep in properly labelled containers.

Storage class (TRGS 510) : 11, Combustible Solids

7.3 Specific end use(s)

Specific use(s) : Specific instructions for handling, not required.

## **SECTION 8: Exposure controls/personal protection**

## 8.1 Control parameters

#### **Occupational Exposure Limits**

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis	
Dec-1-ene, homopolymer, hydrogenated	68037-01-4	AGW (Alveolate fraction)	5 mg/m3	DE TRGS 900 (2012-01-12)	
, ,	Peak-limit: excursion factor (category): 4;(II)				
	Further information: When there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child				
		MAK (measured as the alveolate fraction)	5 mg/m3	DE DFG MAK (2023-07-01)	
	Further information: Damage to the embryo or foetus is unlikely when the MAK value or the BAT value is observed				

## Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
bis(4-(1,1,3,3- tetramethylbutyl)phen yl)amine	Workers	Inhalation	Long-term systemic effects	49,3 mg/m3
	Workers	Dermal	Long-term systemic effects	14 mg/kg bw/day
Isotridecanol, ethoxylated	Workers	Inhalation	Long-term systemic effects	37 mg/m3
	Workers	Dermal	Long-term systemic effects	263 mg/kg bw/day



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - DE



**OKS 422** 

VersionRevision Date:Date of last issue: 13.11.2023Print Date:3.129.01.2025Date of first issue: 05.04.201629.01.2025

#### Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
Isotridecanol, ethoxylated	Fresh water	0,00436 mg/l
	Marine water	0,000436 mg/l
	Microbiological Activity in Sewage	4,35 mg/l
	Treatment Systems	
	Fresh water sediment	0,119 mg/kg
	Marine sediment	0,012 mg/kg
	Soil	0,021 mg/kg

#### 8.2 Exposure controls

#### **Engineering measures**

Handle only in a place equipped with local exhaust (or other appropriate exhaust).

Personal protective equipment

Eye/face protection : Safety glasses

Hand protection

Material : Nitrile rubber
Break through time : > 10 min
Protective index : Class 1

Remarks : For prolonged or repeated contact use protective gloves. The

break through time depends amongst other things on the material, the thickness and the type of glove and therefore

has to be measured for each case.

The selected protective gloves have to satisfy the

specifications of Regulation (EU) 2016/425 and the standard

EN 374 derived from it.

Skin and body protection : Choose body protection in relation to its type, to the

concentration and amount of dangerous substances, and to

the specific work-place.

Respiratory protection : Not required; except in case of aerosol formation.

Filter type : Filter type P

Protective measures : The type of protective equipment must be selected according

to the concentration and amount of the dangerous substance

at the specific workplace.

#### **Environmental exposure controls**

Air

No special environmental precautions required.

Soil :



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - DE



**OKS 422** 

Version Revision Date: Date of last issue: 13.11.2023 Print Date: 3.1 29.01.2025 Date of first issue: 05.04.2016 29.01.2025

The product should not be allowed to enter drains, water

courses or the soil.

Water

The product should not be allowed to enter drains, water

courses or the soil.

## **SECTION 9: Physical and chemical properties**

9.1 Information on basic physical and chemical properties

Physical state : paste

Colour : beige

Odour : characteristic

Odour Threshold : No data available

Melting point/range : No data available

Boiling point/boiling range : No data available

Flammability (solid, gas) : Combustible Solids

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Flash point : Not applicable

Auto-ignition temperature : No data available

Decomposition temperature : No data available

pH : Not applicable

substance/mixture is non-soluble (in water)

Viscosity

Viscosity, dynamic : No data available

Viscosity, kinematic : Not applicable

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - DE



**OKS 422** 

VersionRevision Date:Date of last issue: 13.11.2023Print Date:3.129.01.2025Date of first issue: 05.04.201629.01.2025

Solubility(ies)

Water solubility : insoluble

Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

No data available

Vapour pressure : < 0,001 hPa (20 °C)

Relative density : 0,95 (20 °C)

Reference substance: Water The value is calculated

Density : 0,95 g/cm3

(20 °C)

Bulk density : No data available

Relative vapour density : No data available

Particle characteristics

Particle size : Not applicable

Particle Size Distribution : Not applicable

9.2 Other information

Explosives : Not explosive

Oxidizing properties : No data available

Self-ignition : No data available

Evaporation rate : No data available

Sublimation point : No data available

## **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

No hazards to be specially mentioned.

# 10.2 Chemical stability

Stable under normal conditions.

#### 10.3 Possibility of hazardous reactions

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - DE



**OKS 422** 

Version Revision Date: Date of last issue: 13.11.2023 Print Date: 3.1 29.01.2025 Date of first issue: 05.04.2016 29.01.2025

Hazardous reactions : No dangerous reaction known under conditions of normal use.

10.4 Conditions to avoid

Conditions to avoid : No conditions to be specially mentioned.

10.5 Incompatible materials

Materials to avoid : No materials to be especially mentioned.

#### 10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

## **SECTION 11: Toxicological information**

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

## **Acute toxicity**

**Product:** 

Acute oral toxicity : Remarks: Harmful if swallowed.

Acute toxicity estimate: 1.480 mg/kg

Method: Calculation method

Acute inhalation toxicity : Remarks: Harmful by inhalation.

Acute toxicity estimate: 4,44 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist Method: Calculation method

Acute dermal toxicity : Remarks: This information is not available.

#### **Components:**

# Reaction mixture of hydrogenated tallow alkyl amines with sebacic acid and barium hydroxide:

Acute oral toxicity : LD50 (Rat): Assessment: The component/mixture is

moderately toxic after single ingestion.

Acute inhalation toxicity : Assessment: The component/mixture is moderately toxic after

short term inhalation.

Acute dermal toxicity : LD50 (Rat): > 2.000 mg/kg

Method: OECD Test Guideline 402

GLP: yes

Assessment: The substance or mixture has no acute dermal

toxicity



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - DE



**OKS 422** 

Version Revision Date: Date of last issue: 13.11.2023 Print Date: 3.1 29.01.2025 Date of first issue: 05.04.2016 29.01.2025

Isotridecanol, ethoxylated:

Acute oral toxicity : LD50 (Rat): > 10.000 mg/kg

Method: OECD Test Guideline 401

Assessment: The substance or mixture has no acute oral

toxicity

Acute dermal toxicity : LD50 (Rat): > 5.960 mg/kg

Method: OECD Test Guideline 402

Dec-1-ene, homopolymer, hydrogenated:

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg

Acute inhalation toxicity : LC50 (Rat, male and female): 5,2 mg/l

Exposure time: 4 h
Test atmosphere: vapour

Assessment: The substance or mixture has no acute

inhalation toxicity

Acute dermal toxicity : LD50 (Rabbit): > 2.000 mg/kg

Method: OECD Test Guideline 402

GLP: ves

Assessment: The substance or mixture has no acute dermal

toxicity

Skin corrosion/irritation

**Product:** 

Remarks : This information is not available.

**Components:** 

Reaction mixture of hydrogenated tallow alkyl amines with sebacic acid and barium hydroxide:

hydroxide:

Species : Rabbit

Assessment : No skin irritation

Method : OECD Test Guideline 404

Result : No skin irritation

GLP : yes

Dec-1-ene, homopolymer, hydrogenated:

Species : Rabbit

Assessment : No skin irritation

Method : OECD Test Guideline 404

Result : No skin irritation

GLP : yes

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - DE



**OKS 422** 

Version Revision Date: Date of last issue: 13.11.2023 Print Date: 3.1 29.01.2025 Date of first issue: 05.04.2016 29.01.2025

## Serious eye damage/eye irritation

**Product:** 

Remarks : This information is not available.

#### Components:

# Reaction mixture of hydrogenated tallow alkyl amines with sebacic acid and barium hydroxide:

Species : Rabbit

Assessment : No eye irritation

Method : OECD Test Guideline 405

Result : No eye irritation

GLP : yes

#### Dec-1-ene, homopolymer, hydrogenated:

Species : Rabbit

Assessment : No eye irritation

Method : OECD Test Guideline 405

Result : No eye irritation

GLP : yes

#### Respiratory or skin sensitisation

**Product:** 

Remarks : This information is not available.

## **Components:**

# Reaction mixture of hydrogenated tallow alkyl amines with sebacic acid and barium hydroxide:

Test Type : Maximisation Test

Species : Guinea pig

Assessment : Does not cause skin sensitisation.

Method : OECD Test Guideline 406

Result : Does not cause skin sensitisation.

GLP : yes

#### Isotridecanol, ethoxylated:

Species : Guinea pig

Assessment : Does not cause skin sensitisation.

Method : OECD Test Guideline 406

Result : Does not cause skin sensitisation.

#### Dec-1-ene, homopolymer, hydrogenated:

Test Type : Maximisation Test



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - DE



**OKS 422** 

Version Revision Date: Date of last issue: 13.11.2023 Print Date: 3.1 29.01.2025 Date of first issue: 05.04.2016 29.01.2025

Species : Guinea pig

Assessment : Did not cause sensitisation on laboratory animals.

Method : OECD Test Guideline 406

Result : Did not cause sensitisation on laboratory animals.

GLP : yes

Germ cell mutagenicity

**Product:** 

Genotoxicity in vitro : Remarks: No data available

Genotoxicity in vivo : Remarks: No data available

**Components:** 

Reaction mixture of hydrogenated tallow alkyl amines with sebacic acid and barium

hydroxide:

Genotoxicity in vitro : Test Type: Ames test

Method: OECD Test Guideline 471

Result: negative GLP: yes

Dec-1-ene, homopolymer, hydrogenated:

Germ cell mutagenicity- : Animal testing did not show any mutagenic effects.

Assessment

Carcinogenicity

**Product:** 

Remarks : No data available

**Components:** 

Dec-1-ene, homopolymer, hydrogenated:

Carcinogenicity - : Not classifiable as a human carcinogen.

Assessment

Reproductive toxicity

**Product:** 

Effects on fertility : Remarks: No data available

Effects on foetal : Remarks: No data available

development

a brand of
FREUDENBERG

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - DE



**OKS 422** 

Version Revision Date: Date of last issue: 13.11.2023 Print Date: 3.1 29.01.2025 Date of first issue: 05.04.2016 29.01.2025

Components:

Isotridecanol, ethoxylated:

Effects on foetal : Species: Rat

development General Toxicity Maternal: NOAEL: > 250 mg/kg body weight

Developmental Toxicity: NOAEL: > 250 mg/kg body weight

Method: OECD Test Guideline 416

Result: No effects on fertility and early embryonic

development were detected.

Dec-1-ene, homopolymer, hydrogenated:

Effects on fertility : Species: Rat

Application Route: Oral

Dose: 1000 milligram per kilogram

Fertility: NOAEL Parent: 1.000 mg/kg body weight

Method: OECD Test Guideline 415

Reproductive toxicity - : - Fertility -

Assessment No toxicity to reproduction

STOT - single exposure

**Product:** 

Remarks : No data available

STOT - repeated exposure

**Product:** 

Remarks : No data available

Repeated dose toxicity

**Product:** 

Remarks : This information is not available.

Components:

Reaction mixture of hydrogenated tallow alkyl amines with sebacic acid and barium

hydroxide:

NOAEL : 150 mg/kg

**Aspiration toxicity** 

**Product:** 

This information is not available.



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - DE



**OKS 422** 

Version Date of last issue: 13.11.2023 **Revision Date:** Print Date: 29.01.2025 Date of first issue: 05.04.2016 29.01.2025 3.1

#### Components:

## Dec-1-ene, homopolymer, hydrogenated:

No aspiration toxicity classification

#### 11.2 Information on other hazards

#### **Endocrine disrupting properties**

**Product:** 

Assessment The substance/mixture does not contain components

> considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

**Further information** 

**Product:** 

Remarks Information given is based on data on the components and

the toxicology of similar products.

## **SECTION 12: Ecological information**

#### 12.1 Toxicity

**Product:** 

: Remarks: No data available Toxicity to fish

Toxicity to daphnia and other : Remarks: No data available

aquatic invertebrates

Toxicity to algae/aquatic

plants

Remarks: No data available

Toxicity to microorganisms

Remarks: No data available

#### **Components:**

Reaction mixture of hydrogenated tallow alkyl amines with sebacic acid and barium hydroxide:

Toxicity to fish LC50 (Danio rerio (zebra fish)): > 100 mg/l

> Exposure time: 96 h Test Type: static test

Method: OECD Test Guideline 203

GLP: yes

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - DE



**OKS 422** 

VersionRevision Date:Date of last issue: 13.11.2023Print Date:3.129.01.2025Date of first issue: 05.04.201629.01.2025

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 100 mg/l

Exposure time: 48 h
Test Type: Immobilization

Method: OECD Test Guideline 202

GLP: yes

Toxicity to algae/aquatic

plants

ErC50 (Desmodesmus subspicatus (green algae)): > 100 mg/l

Exposure time: 72 h

Test Type: Growth inhibition Method: OECD Test Guideline 201

GLP: yes

Toxicity to microorganisms : EC50 (Bacteria): > 1.000 mg/l

Exposure time: 3 h

Test Type: Respiration inhibition Method: OECD Test Guideline 209

GLP: yes

Isotridecanol, ethoxylated:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 1,1 mg/l

Exposure time: 96 h Test Type: semi-static test

Method: OECD Test Guideline 203

GLP: yes

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 0,544 mg/l

Exposure time: 48 h Test Type: semi-static test

Method: OECD Test Guideline 202

GLP: yes

Toxicity to algae/aquatic

plants

EL50 (Desmodesmus subspicatus (green algae)): 3,4 mg/l

Exposure time: 72 h
Test Type: static test

Method: Regulation (EC) No. 440/2008, Annex, C.3

M-Factor (Acute aquatic

toxicity)

: 1

**Ecotoxicology Assessment** 

Chronic aquatic toxicity : Harmful to aquatic life with long lasting effects.

Dec-1-ene, homopolymer, hydrogenated:

Toxicity to fish : LL50 (Oncorhynchus mykiss (rainbow trout)): > 1.000 mg/l

Exposure time: 96 h Test Type: semi-static test

Toxicity to daphnia and other : EL50 (Daphnia magna (Water flea)): > 1.000 mg/l

a brand of
FREUDENBERG

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - DE



**OKS 422** 

Version Revision Date: Date of last issue: 13.11.2023 Print Date: 3.1 29.01.2025 Date of first issue: 05.04.2016 29.01.2025

aquatic invertebrates Exposure time: 48 h

Test Type: static test

Method: OECD Test Guideline 202

GLP: yes

Toxicity to algae/aquatic

plants

EL50 (Selenastrum capricornutum (green algae)): > 1.000

mg/l

Exposure time: 72 h Test Type: static test

Method: OECD Test Guideline 201

GLP: yes

Toxicity to daphnia and other :

aquatic invertebrates (Chronic toxicity)

NOELR: 125 mg/l Exposure time: 21 d

Species: Daphnia magna (Water flea)

Test Type: semi-static test

Method: OECD Test Guideline 211

GLP: yes

#### 12.2 Persistence and degradability

**Product:** 

Biodegradability : Remarks: No data available

Physico-chemical removability

Remarks: No data available

## **Components:**

Reaction mixture of hydrogenated tallow alkyl amines with sebacic acid and barium hydroxide:

Biodegradability : Test Type: Primary biodegradation

Inoculum: activated sludge Result: Not rapidly biodegradable

Biodegradation: 16,8 % Exposure time: 28 d

Method: OECD Test Guideline 301F

GLP: yes

Isotridecanol, ethoxylated:

Biodegradability : Test Type: Primary biodegradation

Inoculum: activated sludge Result: rapidly biodegradable Biodegradation: > 60 %

Exposure time: 28 d

Method: OECD Test Guideline 301B

#### Dec-1-ene, homopolymer, hydrogenated:

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - DE



**OKS 422** 

Version Revision Date: Date of last issue: 13.11.2023 Print Date: 3.1 29.01.2025 Date of first issue: 05.04.2016 29.01.2025

Biodegradability : Result: Not readily biodegradable.

## 12.3 Bioaccumulative potential

**Product:** 

Bioaccumulation : Remarks: No data available

#### Components:

Reaction mixture of hydrogenated tallow alkyl amines with sebacic acid and barium hydroxide:

Partition coefficient: n-

octanol/water

: log Pow: 0,9 - 18

Isotridecanol, ethoxylated:

Partition coefficient: n-

octanol/water

log Pow: 4,73

Dec-1-ene, homopolymer, hydrogenated:

Partition coefficient: n-

octanol/water

: log Pow: 4,82 - 6,5

## 12.4 Mobility in soil

**Product:** 

Mobility : Remarks: No data available

Distribution among

environmental compartments

Remarks: No data available

## 12.5 Results of PBT and vPvB assessment

**Product:** 

Assessment : This substance/mixture contains no components considered

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher.

# **Components:**

Dec-1-ene, homopolymer, hydrogenated:

Assessment : Non-classified PBT substance. Non-classified vPvB substance

## 12.6 Endocrine disrupting properties

#### **Product:**



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - DE



**OKS 422** 

Version Revision Date: Date of last issue: 13.11.2023 Print Date: 3.1 29.01.2025 Date of first issue: 05.04.2016 29.01.2025

Assessment : The substance/mixture does not contain components

considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

#### 12.7 Other adverse effects

**Product:** 

Additional ecological

information

: No information on ecology is available.

## **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Product : The product should not be allowed to enter drains, water

courses or the soil.

Do not dispose of with domestic refuse.

Dispose of as hazardous waste in compliance with local and

national regulations.

Waste codes should be assigned by the user based on the

application for which the product was used.

Contaminated packaging : Packaging that is not properly emptied must be disposed of as

the unused product.

Dispose of waste product or used containers according to

local regulations.

The following Waste Codes are only suggestions:

Waste Code : used product, unused product

12 01 12\*\*, spent waxes and fats

uncleaned packagings

15 01 10\*, packaging containing residues of or contaminated

by hazardous substances

# **SECTION 14: Transport information**

#### 14.1 UN number or ID number

ADN : Not regulated as a dangerous good
ADR : Not regulated as a dangerous good



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - DE



**OKS 422** 

Version Revision Date: Date of last issue: 13.11.2023 Print Date: 3.1 29.01.2025 Date of first issue: 05.04.2016 29.01.2025

RID : Not regulated as a dangerous goodIMDG : Not regulated as a dangerous goodIATA : Not regulated as a dangerous good

14.2 UN proper shipping name

ADN : Not regulated as a dangerous good
ADR : Not regulated as a dangerous good
RID : Not regulated as a dangerous good
IMDG : Not regulated as a dangerous good
IATA : Not regulated as a dangerous good

14.3 Transport hazard class(es)

ADN : Not regulated as a dangerous good
ADR : Not regulated as a dangerous good
RID : Not regulated as a dangerous good
IMDG : Not regulated as a dangerous good
IATA : Not regulated as a dangerous good

14.4 Packing group

ADN : Not regulated as a dangerous good
ADR : Not regulated as a dangerous good
RID : Not regulated as a dangerous good
IMDG : Not regulated as a dangerous good
IATA (Cargo) : Not regulated as a dangerous good
IATA (Passenger) : Not regulated as a dangerous good

14.5 Environmental hazards

ADN : Not regulated as a dangerous good
ADR : Not regulated as a dangerous good
RID : Not regulated as a dangerous good
IMDG : Not regulated as a dangerous good

14.6 Special precautions for user

Not applicable

14.7 Maritime transport in bulk according to IMO instruments

Remarks : Not applicable for product as supplied.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - DE



**OKS 422** 

Date of last issue: 13.11.2023 Version **Revision Date:** Print Date: 29.01.2025 3.1 29.01.2025 Date of first issue: 05.04.2016

## **SECTION 15: Regulatory information**

## 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)

Conditions of restriction for the following entries should be considered: Number on list 75

If you intend to use this product as tattoo ink, please contact your

vendor.

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59). (EU SVHC)

substances of very high concern (Regulation (EC) No

1907/2006 (REACH), Article 57).

This product does not contain

Regulation (EC) No 1005/2009 on substances that deplete the ozone layer (EC 1005/2009)

Not applicable

Regulation (EU) 2019/1021 on persistent organic pollutants (recast)

(EU POP)

: Not applicable

Regulation (EU) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals (EU PIC)

Not applicable

REACH - List of substances subject to authorisation

(Annex XIV)

(EU. REACH-Annex XIV)

Not applicable

Regulation (EU) 2019/1148 on the marketing and use of : Not applicable

explosives precursors

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

Not applicable



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - DE



**OKS 422** 

Version Revision Date: Date of last issue: 13.11.2023 Print Date: 3.1 29.01.2025 Date of first issue: 05.04.2016 29.01.2025

Water hazard class : WGK 1 slightly hazardous to water

(Germany)

Classification according to AwSV, Annex 1 (5.2)

TA Luft List (Germany) : 5.2.1: Total dust:

others: 34,84 %

5.2.2: Inorganic substances in powdered form:

Not applicable

5.2.4: Inorganic substances in gaseous form:

Not applicable

5.2.5: Organic Substances:

Class 1: 64,78 %

5.2.7.1.1: Carcinogenic substance:

Not applicable

5.2.7.1.1: Quartz fine dust PM4:

Not applicable

5.2.7.1.1: Formaldehyde:

Not applicable 5.2.7.1.1: fibres: Not applicable

5.2.7.1.2: Germ cell mutagens:

Not applicable

5.2.7.1.3: Substances toxic to reproduction:

Not applicable

5.2.7.2: Poorly degradable, easily enrichable and highly toxic

organic substances: Not applicable

Volatile organic compounds : Directive 2010/75/EU of 24 November 2010 on industrial

emissions (integrated pollution prevention and control)

Not applicable

## 15.2 Chemical safety assessment

This information is not available.

## **SECTION 16: Other information**

**Full text of H-Statements** 

H302 : Harmful if swallowed. H332 : Harmful if inhaled. H400 : Very toxic to aquatic life.

H412 : Harmful to aquatic life with long lasting effects.

Full text of other abbreviations

Note 1 : The concentration stated or, in the absence of such

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - DE



**OKS 422** 

Version Revision Date: Date of last issue: 13.11.2023 Print Date: 3.1 29.01.2025 Date of first issue: 05.04.2016 29.01.2025

concentrations, the generic concentrations set out in this Regulation are the percentages by weight of the metallic element calculated with reference to the total weight of the

mixture.

Note A : Without prejudice to Article 17(2), the name of the substance

must appear on the label in the form of one of the designations given in Part 3. In Part 3, use is sometimes made of a general description such as "... compounds" or "... salts". In this case, the supplier is required to state on the label the correct name, due account being taken of section

1.1.1.4.

DE DFG MAK : Germany. MAK BAT Annex IIa

DE TRGS 900 : Germany. TRGS 900 - Occupational exposure limit values.

DE DFG MAK / MAK : MAK value

DE TRGS 900 / AGW : Time Weighted Average

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN -Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx -Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice: IARC - International Agency for Research on Cancer: IATA -International Air Transport Association: IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID -Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature: SDS - Safety Data Sheet; SVHC - Substance of Very High Concern: TCSI - Taiwan Chemical Substance Inventory: TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

#### **Further information**



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 - DE



**OKS 422** 

Version Revision Date: Date of last issue: 13.11.2023 Print Date: 3.1 29.01.2025 Date of first issue: 05.04.2016 29.01.2025

Classification of the mixture: Classification procedure:

Acute Tox. 4 H302 Calculation method
Acute Tox. 4 H332 Calculation method

|| Relevant changes compared to the last edition are highlighted at the left margin. This version replaces all previous editions.

This safety data sheet applies only to products as originally packed and labelled. The information contained therein may not be reproduced or modified without our express written permission. Any forwarding of this document is only permitted to the extent required by law. Any further, in particular public, dissemination of the safety data sheet (e.g. as a document for download from the Internet) is not permitted without our express written consent. We provide our customers with amended safety data sheets as prescribed by law. The customer is responsible for passing on safety data sheets and any amendments contained therein to its own customers, employees and other users of the product. We provide no guarantee that safety data sheets received by users from third parties are up-to-date. All information and instructions in this safety data sheet have been compiled to the best of our knowledge and are based on the information available to us on the day of publication. The information provided is intended to describe the product in relation to the required safety measures; it is neither an assurance of characteristics nor a guarantee of the product's suitability for particular applications and does not justify any contractual legal relationship. The existence of a safety data sheet for a particular jurisdiction does not necessarily mean that import or use within that jurisdiction is legally permitted. If you have any questions, please contact your responsible sales contact or authorized trading partner.